



Low Channel - 12.5kHz Channel Spacing							
Frequency (MHz)	Antenna Distance (m)	Level (dBm)	Correction Factors (dB)	Corrected Level (dBm)	Limit (dBm)	Margin (dB)	Final Result (Pass/Fail)
1350	3	-62.20	3.08	-59.12	-13.00	46.12	PASS
1800.2	3	-59.8	8.71	-51.09	-13.00	38.09	PASS
2250.25	3	-53.9	14.08	-39.82	-13.00	26.82	PASS
2700.3	3	-54.1	18.63	-35.47	-13.00	22.47	PASS
3150.35	3	-57.6	22.80	-34.80	-13.00	21.80	PASS
3600.4	3	-60.1	28.01	-32.09	-13.00	19.09	PASS
4050.45	3	-66.4	34.14	-32.26	-13.00	19.26	PASS
4500.5	3	-67.1	40.04	-27.06	-13.00	14.06	PASS
4950.55	3	-67.4	42.71	-24.69	-13.00	11.69	PASS



Frequency	Antenna Distance	Level	Correction Factors	Corrected Level	Corrected Level	Margin	Final Result
-----------	------------------	-------	--------------------	-----------------	-----------------	--------	--------------

(MHz)	(m)	(dBm)	(dB)	(dBm)	(uV/m)	(dB)	(Pass/Fail)
1409.85	3	-48.1	3.83	-44.27	1369.51	31.27	PASS
1879.8	3	-61.1	9.71	-51.39	603.08	38.39	PASS
2349.75	3	-55.8	15.22	-40.58	2093.66	27.58	PASS
2819.7	3	-54.6	19.63	-34.97	3995.71	21.97	PASS
3289.65	3	-52.3	24.32	-27.98	8937.75	14.98	PASS
3759.6	3	-67.9	30.19	-37.71	2912.90	24.71	PASS
4229.55	3	-68.9	36.49	-32.41	5365.19	19.41	PASS
4699.5	3	-69.1	41.22	-27.88	9037.58	14.88	PASS
5169.45	3	-68.4	29.83	-38.57	2638.44	25.57	PASS



Frequency (MHz)	Antenna Distance (m)	Level (dBm)	Correction Factors (dB)	Corrected Level (dBm)	Limit (dBm)	Margin (dB)	Final Result (Pass/Fail)
1381.5	3	-61.70	3.48	-58.22	-13.00	45.22	PASS
1842	3	-56.1	9.24	-46.87	-13.00	33.87	PASS
2302.5	3	-57.4	14.68	-42.72	-13.00	29.72	PASS
2763	3	-51.4	19.15	-32.25	-13.00	19.25	PASS
3223.5	3	-51.8	23.60	-28.20	-13.00	15.20	PASS
3684	3	-60.4	29.15	-31.25	-13.00	18.25	PASS
4144.5	3	-62.1	35.38	-26.72	-13.00	13.72	PASS
4605	3	-62	40.66	-21.34	-13.00	8.34	PASS
5065.5	3	-63.2	37.91	-25.29	-13.00	12.29	PASS

