

Raytheon

Raytheon Marine Company

Raytheon Pathfinder
Series Radar

ASLMTX5

ID Label Drawings

Index

4kW Rating plate Label	3029-268
Pedestal Outline	SK500392

USED ON:

FCC ID:ASLMTX5
CANADA:149 381106A




WARNING
High voltage

C	CANADIAN REF. NO ADDED SM	22.7.99 SM
B	WARNING HIGH VOLTAGE ADDED SM	24.5.99 SM
A	FIRST ISSUE	ORIGINAL
ISS	DESCRIPTION OF CHANGE	DATE
TITLE 4KW, 8PW RATING PLATE LABEL		
DRAWING No.		A
SHT 1 OF 1		3

ITEM No	DRG/PART No	QTY	DESCRIPTION
PARTS LIST			
Autohelm			
TOLERANCES UNLESS OTHERWISE STATED			
X ±0,50		MACHINING: 1.6/	
.X ±0,25		SURFACE	
.XX ±0,10		SHARP INTERNAL CORNERS	
.XXX ±0,05		TO HAVE RADIUS 0,4 MAX	
ANGLES ±1°		DEBURR ALL EDGES	
DIMENSIONS IN MM		SCALE: 2:1	

DRAWN TO BS308 DO NOT SCALE - IF IN DOUBT ASK			
MATERIAL		DR'N: SM	
3029-185		DATE:10.05.99	
FINISH		CK'D: SM	
N/A		APP'D: SM	
FROZEN DATE/ISSUE/BY:		Not Frozen	



NOTE 1.
1. RATING PLATE LABEL TO BE POSITIONED AT REAR RIGHT HAND SIDE, ON LOWER RADIUS, AS SHOWN ABOVE.
2. RATING PLATE LABEL 3029-268 IS FOR THE 4KW PEDESTALS. ①
3029-283 IS FOR THE 10KW PEDESTALS. ①

D	NOTE 2 ADDED, SEE NOTE 1 & 2 WAS SEE NOTE 1.	08.12.99 SM
C	RATING PLATE LABEL POSN ADDED	10.05.99 SM
B	MAXIMUM ANTENNA DIAMETER ADDED	26.04.99 L.D.Y
A	FIRST ISSUE	ORIGINAL
ISS	DESCRIPTION OF CHANGE	DATE

ITEM No	DRG/PART No	QTY	DESCRIPTION
PARTS LIST			

Raytheon THE INFORMATION CONTAINED HEREIN SHALL NOT BE REPRODUCED IN WHOLE OR IN PART WITHOUT THE PRIOR WRITTEN PERMISSION OF RAYTHEON.	TOLERANCES UNLESS OTHERWISE STATED X ±0,50 .X ±0,25 .XX ±0,10 .XXX ±0,05 ANGLES ±1°	MACHINING: SURFACE 1.6/ SHARP INTERNAL CORNERS TO HAVE RADIUS 0,4 MAX DEBURR ALL EDGES	DRAWN TO BS308 DO NOT SCALE - IF IN DOUBT ASK MATERIAL	DR'N: L.D.Y DATE:19.03.99	TITLE PEDESTAL OUTLINE	
	DIMENSIONS IN MM	SCALE: 1:5	FINISH	CK'D: APP'D:	DRAWING No. SK500392	A 2