



IDENTIFY CONNECTING SHEET NUMBERS

Sheet 99 CLOCK-IN

DO NOT USE FOUR POINT CONNECTIONS

USE OFFSET CONNECTIONS

NOTE INDICATOR

COPY AS NEEDED

NOTES:

TEXT FOR NOTE 1

TEXT FOR NOTE 2

ADD 5000 TO ALL COMPONENT DESIGNATORS

N/U = NOT USED

TO GLIDESLOPE ANTENNA CONNECTOR (P155AS/P165AS)

IF AMP 1

MIXER

RF AMP

RF AGC

IF AMP 2

IF AMP 3

IF AMP 4

DETECTOR

IF AGC

RF AGC

IF AMP 1

MIXER

RF AMP

RF AGC

IF AMP 2

IF AMP 3

IF AMP 4

DETECTOR

IF AGC

RF AGC

IF AMP 1

MIXER

RF AMP

RF AGC

IF AMP 2

IF AMP 3

IF AMP 4

DETECTOR

IF AGC

RF AGC

IF AMP 1

MIXER

RF AMP

RF AGC

TRANSMISSION LINE SYMBOL

CABLEING EXAMPLES: COPY ARROWS, P/T'S AND LOOPS AS NEEDED


NOTE INDICATOR

COPY AS NEEDED

NOTES:

TEXT FOR NOTE 1

TEXT FOR NOTE 2






IDENTIFY CONNECTING
SHEET NUMBERS


SHEET_9 C CLOCK_IN

DO NOT USE FOUR
POINT CONNECTIONS




USE OFFSET CONNECTIONS

TRANSMISSION LINE
SYMBOLS



CIRCUIT EXAMPLES:
COPY ARROWS, P/1'S
AND LOOPS AS NEEDED



NOTE INDICATOR





COPY AS NEEDED

NOTES:


1 TEXT FOR NOTE 1

2 TEXT FOR NOTE 2








DO NOT USE FOUR
POINT CONNECTIONS



USE OFFSET CONNECTIONS

TRANSMISSION LINE
SYMBOLY

CABLING EXAMPLES:
COPY ARROWS, P/T'S
AND LOOPS AS NEEDED



NOTE INDICATOR

COPY AS NEEDED

NOTES:

1 TEXT FOR NOTE 1

2 TEXT FOR NOTE 2

