

**MOTOROLA SOLUTIONS**

CERTIFICATE 2518.05

Exhibit 7B: SAR Test Report Photographs**Motorola Solutions Inc****EME Test Laboratory**

Motorola Solutions Malaysia Sdn Bhd (Innoplex)
Plot 2A, Medan Bayan Lepas,
Mukim 12 SWD 11900 Bayan Lepas Penang, Malaysia.

*Tiong*

Tiong Nguk Ing
Deputy Technical Manager
Approval Date: 4/25/2016

Report Revision History

Date	Revision	Comments
4/19/2016	A	Initial release

1.0 Highest SAR Test Position per body location

1.1 Body

DUT with Body worn LCC-261 attached against the phantom using offered antenna ATU-6D, battery FNB-V133LI-UNI and audio accessory MH-66A4B w/ MH-100. Same position used for other applicable offered antennas with audio accessories. (See table below).



Antenna kit #	Separation Distances (mm)		
	@ bottom surface of the DUT	@ antenna’s base	@ antenna’s tip
ATU-6D	15	21	16
ATU-6DS	15	21	17
ATU-6C	15	21	22
ATU-6B	15	21	15
ATU-6A	15	21	16

1.2 Face

DUT with front side and parallel and separated 2.5cm from phantom using offered antenna ATU-6DS, battery FNB-V134LI-UNI. Same position used for other applicable offered batteries and antennas with audio accessories. (See table below).



Antenna kit #	Separation Distances (mm)		
	@ bottom surface of the DUT	@ antenna's base	@ antenna's tip
ATU-6DS	28	39	40
ATU-6D	31	39	46
ATU-6C	31	39	44
ATU-6B	31	39	46
ATU-6A	31	39	52

1.3 Head

Not applicable.

1.4 Hand

Not applicable

2.0 Other SAR tested positions at the body**2.1 Body worn**

DUT with Body worn Clip-20 attached against the phantom using offered antenna ATU-6B, battery FNB-V134LI-UNI and audio accessory MH-360S. Same position used for other applicable offered batteries and antennas with audio accessories. (See table below).



Antenna kit #	Separation Distances (mm)		
	@ bottom surface of the DUT	@ antenna's base	@ antenna's tip
ATU-6B	9	29	*38-50
ATU-6A	9	29	55
ATU-6C	9	29	51
ATU-6D	9	29	48
ATU-6DS	9	29	37

(*) Depending on applicable offered battery

DUT with Body worn LCC-261S attached against the phantom using offered antenna ATU-6DS, battery FNB-V133LI-UNI and audio accessory MH-360S. Same position used with offered antennas and audio accessories. (See table below).



Antenna kit #	Separation Distances (mm)		
	@ bottom surface of the DUT	@ antenna's base	@ antenna's tip
ATU-6DS	33	63	71
ATU-6D	33	63	87
ATU-6C	33	63	87
ATU-6B	33	63	87
ATU-6A	35	63	85

DUT with Body worn LCC-261SH attached against the phantom using offered antenna ATU-6D, battery FNB-V134LI-UNI and audio accessory MH-360S. Same position used for other applicable offered battery and antennas with audio accessories. (See table below).



Antenna kit #	Separation Distances (mm)		
	@ bottom surface of the DUT	@ antenna's base	@ antenna's tip
ATU-6D	35	69	78
ATU-6DS	35	69	74
ATU-6C	35	69	78
ATU-6B	35	69	78
ATU-6A	35	69	80

2.2 Front Side against phantom
Not applicable.

2.3 Back side against phantom
Not applicable.

2.4 Front 2.5cm separation
Not applicable

2.5 Antenna 2.5cm separation
Not applicable

2.6 Back 2.5cm separation
Not applicable

3.0 Other SAR tested positions at the face

3.1 Back of DUT at 2.5cm separation
Not applicable

3.2 Front of DUT at 2.5cm separation
Refer to section 1.2.

4.0 Other SAR tested positions at the head

4.1 Left ear touch
Not applicable.

4.2 Left ear tilt
Not applicable.

4.3 Right ear touch
Not applicable.

4.4 Right ear tilt
Not applicable.

5.0 Other SAR tested positions at the hand

5.1 Left side
Not applicable.

- 5.2 **Right side**
Not applicable.
- 5.3 **Top side**
Not applicable.
- 5.4 **Bottom side**
Not applicable.
- 5.5 **Back side**
Not applicable.

6.0 DUT and Accessory Photos

The purpose of these photos is to illustrate the tested accessories. Refer to Part 1 of 2, section 7.0 for additional details on the offered accessories.

6.1 Antenna dimension and photo(s):

Antenna Kit #	Physical Length (mm)
ATU-6A	165
ATU-6B	155
ATU-6C	150
ATU-6D	145
ATU-6DS	78



Left to Right: ATU-6A, ATU-6B, ATU-6C, ATU-6D and ATU-6DS

6.2 Body worn accessories



Clip-20
Back View



Clip-20
Side view



LCC-261
Front view



LCC-261
Side view



**LCC-261
Back View**



**LCC-261S
Front View**



**LCC-261S
Side View**



**LCC-261S
Back View**



**LCC-261SH
Front View**



**LCC-261SH
Side View**



**LCC-261SH
Back View**

6.3 Battery accessories:

FNB-V133LI-UNI
Front and Side View



FNB-V134LI-UNI
Front and Side View



FNB-V136-UNI
Front and Side View

6.4 Audio accessories:

MH-360S



MH-66A4B w/ MH-100



MH-101A4B



MH-102A4B



MH-103A4B



MH-201A4B



VH-150B

6.5 DUT Dimensions

	Height (mm)	Width (mm)	Depth (mm)
Radio only (w/o battery)	110	62	33
Radio with battery FNB-V133LI-UNI	110	62	40
Radio with battery FNB-V134LI-UNI	110	62	45
Radio with battery FNB-V136-UNI	110	62	47

For illustration purposes only - the following figure reflects the location of the device’s dimensions.



Note: H = Height; W = Width; D = Depth

W1 = (Width @ Top) / (Width @ PTT)

D2 = (Depth @ Bottom) / (Depth @ PTT)