



TEST SETUP PHOTOGRAPHS & EUT PHOTOGRAPHS

Test Setup Photographs


LEFT-CHECK TOUCH




LEFT-TILT 15°




RIGHT-CHECK TOUCH




RIGHT-TILT 15°



Body Back 10mm




Body Front 10mm



Edge 1(Top)



Edge 2(Right)




Edge 3(Bottom)



Edge 4(Left)









Body Back with earphone



DEPTH OF THE LIQUID IN THE PHANTOM—ZOOM IN

Note : The position used in the measurement were according to IEEE 1528-2013

850MHz head  A photograph of a head phantom filled with yellow liquid. A vertical ruler is placed inside the phantom. A red arrow points to the liquid surface, which is at approximately 18 cm on the ruler.	850MHz body  A photograph of a body phantom filled with yellow liquid. A vertical ruler is placed inside the phantom. A red arrow points to the liquid surface, which is at approximately 18 cm on the ruler.
1900MHz head  A photograph of a head phantom filled with yellow liquid. A vertical ruler is placed inside the phantom. A red arrow points to the liquid surface, which is at approximately 18 cm on the ruler.	1900MHz body  A photograph of a body phantom filled with yellow liquid. A vertical ruler is placed inside the phantom. A red arrow points to the liquid surface, which is at approximately 18 cm on the ruler.
2450MHz head  A photograph of a head phantom filled with yellow liquid. A vertical ruler is placed inside the phantom. A red arrow points to the liquid surface, which is at approximately 18 cm on the ruler.	2450MHz body  A photograph of a body phantom filled with yellow liquid. A vertical ruler is placed inside the phantom. A red arrow points to the liquid surface, which is at approximately 18 cm on the ruler.