


INDEX OF SUBMITTED MEASURED DATA



EXHIBIT 6G (Revised) – Conducted Spurious Emissions (12 Tables):



- 6G-1: Hi-Power Harmonic of Carrier 450.025 MHz, 25 kHz Channel Spacing
- 6G-2: Hi-Power Harmonic of Carrier 481.050 MHz, 25 kHz Channel Spacing
- 6G-3: Hi-Power Harmonic of Carrier 511.975 MHz, 25 kHz Channel Spacing
- 6G-4: Lo-Power Harmonic of Carrier 450.025 MHz, 25 kHz Channel Spacing
- 6G-5: Lo-Power Harmonic of Carrier 481.050 MHz, 25 kHz Channel Spacing
- 6G-6: Lo-Power Harmonic of Carrier 511.975 MHz, 25 kHz Channel Spacing
- 6G-7: Hi-Power Harmonic of Carrier 450.025 MHz, 12.5 kHz Channel Spacing
- 6G-8: Hi-Power Harmonic of Carrier 481.050 MHz, 12.5 kHz Channel Spacing
- 6G-9: Hi-Power Harmonic of Carrier 511.975 MHz, 12.5 kHz Channel Spacing
- 6G-10: Lo-Power Harmonic of Carrier 450.025 MHz, 12.5 kHz Channel Spacing
- 6G-11: Lo-Power Harmonic of Carrier 481.050 MHz, 12.5 kHz Channel Spacing
- 6G-12: Lo-Power Harmonic of Carrier 511.975 MHz, 12.5 kHz Channel Spacing



EXHIBIT 6H (Revised) – Radiated Spurious Emissions (12 Graphs):



- 6H-1: Hi-Power, 450.025 MHz, 25 kHz Channel Spacing
& Hi-Power, 481.050 MHz, 25 kHz Channel Spacing
- 6H-2: Hi-Power, 511.975 MHz, 25 kHz Channel Spacing
- 6H-3: Lo-Power, 450.025 MHz, 25 kHz Channel Spacing
& Lo-Power, 481.050 MHz, 25 kHz Channel Spacing
- 6H-4: Lo-Power, 511.975 MHz, 25 kHz Channel Spacing
- 6H-5: Hi-Power, 450.025 MHz, 12.5 kHz Channel Spacing
& Hi-Power, 481.050 MHz, 12.5 kHz Channel Spacing
- 6H-6: Hi-Power, 511.975 MHz, 12.5 kHz Channel Spacing
- 6H-7: Lo-Power, 450.025 MHz, 12.5 kHz Channel Spacing
& Lo-Power, 481.050 MHz, 12.5 kHz Channel Spacing
- 6H-8: Lo-Power, 511.975 MHz, 12.5 kHz Channel Spacing

EXHIBIT 6G (Revised)**Transmitter Conducted Spurious Emissions - Pursuant 47 CFR 2.1047 and 2.1033(c) (13)****6G-1:** Hi-Power Harmonic of Carrier 450.025 MHz, 25 kHz Channel Spacing**6G-2:** Hi-Power Harmonic of Carrier 481.050 MHz, 25 kHz Channel Spacing

**6G-3:** Hi-Power Harmonic of Carrier 511.975 MHz, 25 kHz Channel Spacing**6G-4:** Lo-Power Harmonic of Carrier 450.025 MHz, 25 kHz Channel Spacing

**6G-5:** Lo-Power Harmonic of Carrier 481.050 MHz, 25 kHz Channel Spacing**6G-6:** Lo-Power Harmonic of Carrier 511.975 MHz, 25 kHz Channel Spacing

**6G-7:** Hi-Power Harmonic of Carrier 450.025 MHz, 12.5 kHz Channel Spacing**6G-8:** Hi-Power Harmonic of Carrier 481.050 MHz, 12.5 kHz Channel Spacing

**6G-9:** Hi-Power Harmonic of Carrier 511.975 MHz, 12.5 kHz Channel Spacing**6G-10:** Lo-Power Harmonic of Carrier 450.025 MHz, 12.5 kHz Channel Spacing



**6G-11:** Lo-Power Harmonic of Carrier 481.050 MHz, 12.5 kHz Channel Spacing**6G-12:** Lo-Power Harmonic of Carrier 511.975 MHz, 12.5 kHz Channel Spacing

Exhibit 6-H (Revised)

Transmitter Radiated Spurious Emissions - Pursuant 47 CFR 2.1047 and 2.1033(c) (13)

Motorola Inc.

FCC ID: AZ489FT4845


Transmit Radiated Spurious Emissions: MNNOW UHF 2 (EPP)

Tx Power: 4 Watts

450.025 MHz

Channel Spacing 25kHz | S/N W7DEZNGC

Frequency (MHz)	FCC Ceiling Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)
300.0500	-13	-	-
1350.0750	-13	-53.80	-42.85
1800.1000	-13	-46.22	-47.86
2250.1250	-13	-46.70	-44.36
2700.1500	-13	-42.81	-44.74
3150.1750	-13	-49.84	-51.15
3600.2000	-13	-49.84	-51.48
4050.2250	-13	-49.21	-
4500.2500	-13	-50.34	-




Transmit Radiated Spurious Emissions: MNNOW UHF 2 (EPP)

Tx Power: 4 Watts

481.05 MHz

Channel Spacing 25kHz | S/N W7DEZNGC

Frequency (MHz)	FCC Ceiling Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)
952.1000	-13	-57.37	-55.78
1443.1500	-13	-47.13	-60.03
1894.2000	-13	-48.81	-53.74
2405.2500	-13	-48.85	-60.33
2898.3000	-13	-45.28	-61.27
3397.3500	-13	-49.25	-54.05
3848.4000	-13	-49.28	-62.48
4328.4500	-13	-57.70	-48.85
4810.5000	-13	-54.24	-45.37



* Indicates the spurious emission could not be detected due to noise limitations or similar.

The data presented here was taken using the substitution method as found in the TIA/EIA-809 document.

Motorola Plantation EMC Lab - Test Performed by: Curt McLennan
FCC Registration: 91932 / Industry Canada: IC3679

July 19, 2006

6H-1: Hi-Power, 450.025 MHz, 25 kHz Channel Spacing
& Hi-Power, 481.050 MHz, 25 kHz Channel Spacing

Motorola Inc.

FCC ID:AZ489FT4845


Transmit Radiated Spurious Emissions: MINNOW UHF 2 (EPP)

Tx Power: 4 Watts

511.975 MHz

Channel Spacing 25kHz | S/N W7DEZNGC

Frequency (MHz)	FCC Falling Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
1023.9500	-13	*	-61.22
1535.9250	-13	-43.35	-53.40
2047.9000	-13	-40.95	-47.00
2559.8750	-13	-47.20	-47.31
3071.8500	-13	-48.98	-51.48
3583.8250	-13	-44.06	-61.84
4095.8000	-13	-67.19	*
4607.7750	-13	*	*
5119.7500	-13	*	*



* Indicates the spurious emission could not be detected due to noise limitations or ambient.

The data presented here was taken using the substitution method as found in the TIA/EIA-803 document.

Motorola Plantation EMC Lab – Test Performed by: Curt McLennen
FCC Registration: 91932 / Industry Canada: IC3879

July 19, 2008


6H-2: Hi-Power, 511.975 MHz, 25 kHz Channel Spacing

Motorola Inc.


FCC ID:AZ489FT4845

Transmit Radiated Spurious Emissions: MINNOW UHF 2 (EPP)**Tx Power: 1 Watts****450.025 MHz****Channel Spacing 25kHz | S/N W7DEZNGC**

Frequency (MHz)	FCC Falling Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)
900.8500	-13	▲	▲
1350.0750	-13	-55.39	-47.55
1800.1000	-13	-55.32	-57.22
2250.1250	-13	-55.83	-55.84
2700.1500	-13	-58.24	-54.33
3150.1750	-13	▲	▲
3600.2000	-13	▲	▲
4050.2250	-13	▲	▲
4500.2500	-13	▲	▲

**Transmit Radiated Spurious Emissions: MINNOW UHF 2 (EPP)****Tx Power: 1 Watts****481.05 MHz****Channel Spacing 25kHz | S/N W7DEZNGC**

Frequency (MHz)	FCC Falling Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)
982.1000	-13	▲	-50.52
1443.1500	-13	-51.54	-54.28
1924.2000	-13	-51.37	-57.79
2405.2500	-13	-50.28	-53.30
2886.3000	-13	-50.43	-54.07
3367.3500	-13	▲	▲
3848.4000	-13	-57.98	▲
4329.4500	-13	▲	▲
4810.5000	-13	▲	▲



▲ Indicates the spurious emitter could not be detected due to noise limitations or ambient.

The data presented here was taken using the substitution method as found in the TIA/EIA-803 document.

Motorola Plantation EMC Lab – Test Performed by: Curt Mc Leenan
FCC Registration: 91932 / Industry Canada: IC3679

July 19, 2008

6H-3: Lo-Power, 450.025 MHz, 25 kHz Channel Spacing
& Lo-Power, 481.050 MHz, 25 kHz Channel Spacing

Motorola Inc.

FCC ID:AZ489FT4845


Transmit Radiated Spurious Emissions: MNNOW UHF 2 (EPP)

Tx Power: 1 Watts

511.975 MHz

Channel Spacing 25kHz | S/N W7DEZNGC

Frequency (MHz)	FCC Ceiling Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
1023.8500	-13	-50.04	-54.08
1535.6250	-13	-48.19	-50.24
2047.0000	-13	-49.00	-53.26
2558.6750	-13	-54.83	-59.11
3071.8500	-13	-50.79	*
3583.6250	-13	-51.32	*
4095.0000	-13	-50.18	*
4607.7750	-13	*	*
5119.2500	-13	*	*



* Indicates the spurious emission could not be detected due to noise limitations or emissions.

The data presented here was taken using the substitution method as found in the TIA/EIA-809 document.

Motorola Plantation EMC Lab – Test Performed by: Curt McLeenan
FCC Registration: 91932 / Industry Canada: IC3679

July 19, 2006


6H-4: Lo-Power, 511.975 MHz, 25 kHz Channel Spacing

Motorola Inc.


FCC ID:AZ489FT4845

Transmit Radiated Spurious Emissions: MINNOW UHF 2 (EPP)**Tx Power: 4 Watts****450.025 MHz****Channel Spacing 12.5kHz | S/N W7DEZNGC**

Frequency (MHz)	FCC Filing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
500.0250	-30	-	-
1350.0750	-30	-61.88	-47.11
1800.1000	-30	-46.88	-60.86
2250.1250	-30	-48.00	-60.88
2700.1500	-30	-46.27	-60.88
3150.1750	-30	-49.38	-63.31
3600.2000	-30	-48.30	-52.39
4050.2250	-30	-51.85	-
4500.2500	-30	-58.11	-

**Transmit Radiated Spurious Emissions: MINNOW UHF 2 (EPP)****Tx Power: 4 Watts****481.05 MHz****Channel Spacing 12.5kHz | S/N W7DEZNGC**

Frequency (MHz)	FCC Filing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
582.1000	-30	-68.83	-68.88
1443.1500	-30	-62.30	-46.10
1894.2000	-30	-48.78	-61.82
2406.2500	-30	-48.04	-48.81
2898.3000	-30	-46.34	-60.46
3397.3500	-30	-68.04	-
3918.4000	-30	-47.40	-64.73
4329.4500	-30	-54.22	-
4810.5000	-30	-55.73	-



* Indicates the spurious emission could not be detected due to noise limitations or emolents.

The data presented here was taken using the substitution method as found in the TIA/EIA-803 document.

Motorola Plantation EMC Lab – Test Performed by: Curt McLennen
FCC Registration: 81932 / Industry Canada: IC3679

July 19, 2008

6H-5: Hi-Power, 450.025 MHz, 12.5 kHz Channel Spacing
& Hi-Power, 481.050 MHz, 12.5 kHz Channel Spacing

Motorola Inc.

FCC ID:AZ489FT4845


Transmit Radiated Spurious Emissions: MINNOW UHF 2 (EPP)

Tx Power: 4 Watts

511.975 MHz

Channel Spacing 12.5kHz | S/N W7DEZNGC

Frequency (MHz)	FCC Falling Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
~023.8640	-20	-33.31	-33.47
~335.3230	-20	-46.06	-46.62
2047.3040	-20	-40.31	-46.61
2559.8730	-20	-43.43	-49.12
3071.8640	-20	-46.42	-49.36
3683.8260	-20	-63.64	-68.10
4086.3010	-20	-66.72	*
4607.7730	-20	*	*
5119.7540	-20	-34.31	*



* Indicates the spurious emission could not be detected due to noise limitations or emissions.

The data presented here was taken using the substitution method as found in the TIA/EIA-803 document.

Motorola Plantation EMC Lab – Test Performed by: Curt McLennen
FCC Registration: 91932 / Industry Canada: IC3679

July 19, 2006


6H-6: Hi-Power, 511.975 MHz, 12.5 kHz Channel Spacing

Motorola Inc.


FCC ID:AZ489FT4845

Transmit Radiated Spurious Emissions: MINNOW UHF 2 (EPP)**Tx Power: 1 Watts****450.025 MHz****Channel Spacing 12.5kHz | S/N W7DEZNGC**

Frequency (MHz)	FCC Filing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
580.0250	-30	▲	▲
1350.0750	-30	-61.04	-60.45
1800.1000	-30	-61.80	-60.37
2250.1200	-30	-65.02	-60.04
2700.1500	-30	-60.34	-63.72
3150.1750	-30	▲	▲
3600.2000	-30	▲	▲
4050.2250	-30	▲	▲
4500.2500	-30	▲	▲

**Transmit Radiated Spurious Emissions: MINNOW UHF 2 (EPP)****Tx Power: 1 Watts****481.05 MHz****Channel Spacing 12.5kHz | S/N W7DEZNGC**

Frequency (MHz)	FCC Filing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
582.1000	-30	-60.20	-62.35
1443.1500	-30	-61.74	-64.33
1924.2000	-30	-62.31	-67.63
2405.2500	-30	-60.47	-62.40
2886.3000	-30	-67.83	-60.13
3367.3500	-30	▲	▲
3848.4000	-30	-60.13	▲
4329.4500	-30	▲	▲
4810.5000	-30	▲	▲



* Indicates the spurious emission could not be detected due to noise limitations or emissions.

The data presented here was taken using the substitution method as found in the TIA/EIA-883 document.

Motorola Plantation EMC Lab – Test Performed by: Curt McLennen
FCC Registration: 81932 / Industry Canada: IC3679

July 19, 2008


6H-7: Lo-Power, 450.025 MHz, 12.5 kHz Channel Spacing
& Lo-Power, 481.050 MHz, 12.5 kHz Channel Spacing

Motorola Inc.

FCC ID:AZ489FT4845

Transmit Radiated Spurious Emissions: MINNOW UHF 2 (EPP)**Tx Power: 1 Watts****511.975 MHz****Channel Spacing 12.5kHz | S/N W7DEZNGC**

Frequency (MHz)	FCC Falling Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
~023.8640	-20	-30.37	*
~335.3230	-20	-45.67	-45.13
2047.3040	-20	-47.12	-33.20
2559.8730	-20	-37.88	-35.21
3071.8640	-20	-60.34	*
3583.8260	-20	-61.21	*
4095.8080	-20	*	*
4607.7730	-20	*	*
5119.7580	-20	*	*



* Indicates the spurious emission could not be detected due to noise limitations or emissions.

The data presented here was taken using the substitution method as found in the TIA/EIA-803 document.

Motorola Plantation EMC Lab – Test Performed by: Curt McLennen
FCC Registration: 91932 / Industry Canada: IC3679

July 19, 2006

6H-8: Lo-Power, 511.975 MHz, 12.5 kHz Channel Spacing