

INDEX OF SUBMITTED MEASURED DATA

Revised EXHIBIT 6F – Conducted Spurious Emissions (28 Tables):

6F-1: Lo-Power Harmonic of Carrier 764.0125 MHz, 12.5 kHz Channel Spacing
6F-2: Lo-Power Harmonic of Carrier 775.9875 MHz, 12.5 kHz Channel Spacing
6F-3: Lo-Power Harmonic of Carrier 794.0125 MHz, 12.5 kHz Channel Spacing
6F-4: Lo-Power Harmonic of Carrier 806.0125 MHz, 12.5 kHz Channel Spacing
6F-5: Lo-Power Harmonic of Carrier 823.9875 MHz, 12.5 kHz Channel Spacing
6F-6: Lo-Power Harmonic of Carrier 851.0125 MHz, 12.5 kHz Channel Spacing
6F-7: Lo-Power Harmonic of Carrier 868.9875 MHz, 12.5 kHz Channel Spacing
6F-8: Hi-Power Harmonic of Carrier 764.0125 MHz, 12.5 kHz Channel Spacing
6F-9: Hi-Power Harmonic of Carrier 775.9875 MHz, 12.5 kHz Channel Spacing
6F-10: Hi-Power Harmonic of Carrier 794.0125 MHz, 12.5 kHz Channel Spacing
6F-11: Hi-Power Harmonic of Carrier 806.0125 MHz, 12.5 kHz Channel Spacing
6F-12: Hi-Power Harmonic of Carrier 823.9875 MHz, 12.5 kHz Channel Spacing
6F-13: Hi-Power Harmonic of Carrier 851.0125 MHz, 12.5 kHz Channel Spacing
6F-14: Hi-Power Harmonic of Carrier 868.9875 MHz, 12.5 kHz Channel Spacing
6F-15: Lo-Power Harmonic of Carrier 764.0125 MHz, 25 kHz Channel Spacing
6F-16: Lo-Power Harmonic of Carrier 775.9875 MHz, 25 kHz Channel Spacing
6F-17: Lo-Power Harmonic of Carrier 794.0125 MHz, 25 kHz Channel Spacing
6F-18: Lo-Power Harmonic of Carrier 806.0125 MHz, 25 kHz Channel Spacing
6F-19: Lo-Power Harmonic of Carrier 823.9875 MHz, 25 kHz Channel Spacing
6F-20: Lo-Power Harmonic of Carrier 851.0125 MHz, 25 kHz Channel Spacing
6F-21: Lo-Power Harmonic of Carrier 868.9875 MHz, 25 kHz Channel Spacing
6F-22: Hi-Power Harmonic of Carrier 764.0125 MHz, 25 kHz Channel Spacing
6F-23: Hi-Power Harmonic of Carrier 775.9875 MHz, 25 kHz Channel Spacing
6F-24: Hi-Power Harmonic of Carrier 794.0125 MHz, 25 kHz Channel Spacing
6F-25: Hi-Power Harmonic of Carrier 806.0125 MHz, 25 kHz Channel Spacing
6F-26: Hi-Power Harmonic of Carrier 823.9875 MHz, 25 kHz Channel Spacing
6F-27: Hi-Power Harmonic of Carrier 851.0125 MHz, 25 kHz Channel Spacing
6F-28: Hi-Power Harmonic of Carrier 868.9875 MHz, 25 kHz Channel Spacing

Revised EXHIBIT 6G – Radiated Spurious Emissions (21 Graphs):

6G-1: Hi-Power, 806.0125 MHz, 12.5 kHz Channel Spacing, Clear
6G-2: Hi-Power, 823.9875 MHz, 12.5 kHz Channel Spacing, Clear
6G-3: Hi-Power, 851.0125 MHz, 12.5 kHz Channel Spacing, Clear
6G-4: Hi-Power, 868.9875 MHz, 12.5 kHz Channel Spacing, Clear
6G-5: Hi-Power, 806.0125 MHz, 25 kHz Channel Spacing, Clear
6G-6: Hi-Power, 823.9875 MHz, 25 kHz Channel Spacing, Clear
6G-7: Hi-Power, 851.0125 MHz, 25 kHz Channel Spacing, Clear
6G-8: Hi-Power, 868.9875 MHz, 25 kHz Channel Spacing, Clear
6G-9: Lo-Power, 764.0125 MHz, 12.5 kHz Channel Spacing, Clear
6G-10: Lo-Power, 775.9875 MHz, 12.5 kHz Channel Spacing, Clear
6G-11: Lo-Power, 794.0125 MHz, 12.5 kHz Channel Spacing, Clear
6G-12: Lo-Power, 764.0125 MHz, 25 kHz Channel Spacing, Clear
6G-13: Lo-Power, 775.9875 MHz, 25 kHz Channel Spacing, Clear
6G-14: Lo-Power, 794.0125 MHz, 25 kHz Channel Spacing, Clear
6G-15: Hi-Power, 806.0125 MHz, 25 kHz Channel Spacing, Secure
6G-16: Hi-Power, 823.9875 MHz, 25 kHz Channel Spacing, Secure
6G-17: Hi-Power, 851.0125 MHz, 25 kHz Channel Spacing, Secure
6G-18: Hi-Power, 868.9875 MHz, 25 kHz Channel Spacing, Secure

6G-19: Lo-Power, 764.0125 MHz, 25 kHz Channel Spacing, Secure
6G-20: Lo-Power, 775.9875 MHz, 25 kHz Channel Spacing, Secure
6G-21: Lo-Power, 794.0125 MHz, 25 kHz Channel Spacing, Secure

Revised EXHIBIT 6H – Radiated Emissions (GNSS) (6 Tables):

6H-1: GNSS, 794.0125 MHz, 12.5 kHz Channel Spacing, Clear
6H-2: GNSS, 794.0125MHz, 25 kHz Channel Spacing, Clear
6H-3: GNSS, 794.0125 MHz, 25 kHz Channel Spacing, Secure
6H-4: GNSS, 805.0000 MHz, 12.5 kHz Channel Spacing, Clear
6H-5: GNSS, 805.0000 MHz, 25 kHz Channel Spacing, Clear
6H-6: GNSS, 805.0000 MHz, 25 kHz Channel Spacing, Secure

Revised EXHIBIT 6F
Transmitter Conducted Spurious Emissions - Pursuant 47 CFR 2.1047 and 2.1033(c) (13)




Table 6F-1: Lo-Power Harmonic of Carrier 764.0125 MHz, 12.5 kHz Channel Spacing




Table 6F-2: Lo-Power Harmonic of Carrier 775.9875 MHz, 12.5 kHz Channel Spacing

Note: Spurs which are not shown is 50dB below the specification limits.




Table 6F-3: Lo-Power Harmonic of Carrier 794.0125 MHz, 12.5 kHz Channel Spacing




Table 6F-4: Lo-Power Harmonic of Carrier 806.0125 MHz, 12.5 kHz Channel Spacing

Note: Spurs which are not shown is 50dB below the specification limits.




Table 6F-5: Lo-Power Harmonic of Carrier 823.9875 MHz, 12.5 kHz Channel Spacing




Table 6F-6: Lo-Power Harmonic of Carrier 851.0125 MHz, 12.5 kHz Channel Spacing

Note: Spurs which are not shown is 50dB below the specification limits.




Table 6F-7: Lo-Power Harmonic of Carrier 868.9875 MHz, 12.5 kHz Channel Spacing




Table 6F-8: Hi-Power Harmonic of Carrier 764.0125 MHz, 12.5 kHz Channel Spacing

Note: Spurs which are not shown is 50dB below the specification limits.




Table 6F-9: Hi-Power Harmonic of Carrier 775.9875 MHz, 12.5 kHz Channel Spacing




Table 6F-10: Hi-Power Harmonic of Carrier 794.0125 MHz, 12.5 kHz Channel Spacing

Note: Spurs which are not shown is 50dB below the specification limits.




Table 6F-11: Hi-Power Harmonic of Carrier 806.0125 MHz, 12.5 kHz Channel Spacing




Table 6F-12: Hi-Power Harmonic of Carrier 823.9875 MHz, 12.5 kHz Channel Spacing

Note: Spurs which are not shown is 50dB below the specification limits.




Table 6F-13: Hi-Power Harmonic of Carrier 851.0125 MHz, 12.5 kHz Channel Spacing




Table 6F-14: Hi-Power Harmonic of Carrier 868.9875 MHz, 12.5 kHz Channel Spacing

Note: Spurs which are not shown is 50dB below the specification limits.




Table 6F-15: Lo-Power Harmonic of Carrier 764.0125 MHz, 25 kHz Channel Spacing




Table 6F-16: Lo-Power Harmonic of Carrier 775.9875 MHz, 25 kHz Channel Spacing

Note: Spurs which are not shown is 50dB below the specification limits.




Table 6F-17: Lo-Power Harmonic of Carrier 794.0125 MHz, 25 kHz Channel Spacing




Table 6F-18: Lo-Power Harmonic of Carrier 806.0125 MHz, 25 kHz Channel Spacing

Note: Spurs which are not shown is 50dB below the specification limits.




Table 6F-19: Lo-Power Harmonic of Carrier 823.9875 MHz, 25 kHz Channel Spacing




Table 6F-20: Lo-Power Harmonic of Carrier 851.0125 MHz, 25 kHz Channel Spacing

Note: Spurs which are not shown is 50dB below the specification limits




Table 6F-21: Lo-Power Harmonic of Carrier 868.9875 MHz, 25 kHz Channel Spacing




Table 6F-22: Hi-Power Harmonic of Carrier 764.0125 MHz, 25 kHz Channel Spacing

Note: Spurs which are not shown is 50dB below the specification limits




Table 6F-23: Hi-Power Harmonic of Carrier 775.9875 MHz, 25 kHz Channel Spacing




Table 6F-24: Hi-Power Harmonic of Carrier 794.0125 MHz, 25 kHz Channel Spacing

Note: Spurs which are not shown is 50dB below the specification limits.




Table 6F-25: Hi-Power Harmonic of Carrier 806.0125 MHz, 25 kHz Channel Spacing




Table 6F-26: Hi-Power Harmonic of Carrier 823.9875 MHz, 25 kHz Channel Spacing

Note: Spurs which are not shown is 50dB below the specification limits.




Table 6F-27: Hi-Power Harmonic of Carrier 851.0125 MHz, 25 kHz Channel Spacing












Table 6F-28: Hi-Power Harmonic of Carrier 868.9875 MHz, 25 kHz Channel Spacing



Note: Spurs which are not shown is 50dB below the specification limits.



EXHIBIT 6G (Revised)**Transmitter Radiated Spurious Emissions - Pursuant 47 CFR 2.1047 and 2.1033(c)(13)****Graph 6G-1: Hi-Power, 806.0125 MHz, 12.5 kHz Channel Spacing****Graph 6G-2: Hi-Power, 823.9875 MHz, 12.5 kHz Channel Spacing**

















Graph 6G-13: Lo-Power, 775.9875 MHz, 25 kHz Channel Spacing





Graph 6G-14: Lo-Power, 794.0125 MHz, 25 kHz Channel Spacing




Graph 6G-15: Hi-Power, 806.0125 MHz, 25 kHz Channel Spacing, Secure




Graph 6G-16: Hi-Power, 823.9875 MHz, 25 kHz Channel Spacing, Secure





Graph 6G-19: Lo-Power, 764.0125 MHz, 25 kHz Channel Spacing, Secure



Graph 6G-20: Lo-Power, 775.9875 MHz, 25 kHz Channel Spacing, Secure




EXHIBIT 6H (Revised)

GNSS Testing					
At 10 Meters ERP, ADD +2.15 dB for EIRP					
Date:	4/3/2006	EMC#:	EMC02132006-068	Temp:	79F 60%
Product:	Stingray CLEAR	S/N	TCLED01F	Channel Spacing: 12.5kHz	
		Notes:		GNSS	
Tx Freq.	794.0125				
		Horizontal Radiated	Vertical Radiated		
	Frequency	Spur. Emiss.	Spur. Emiss.		
Spur	MHz	(dBm)	(dBm)		
2XFund	1588.0250	-53.78	-54.49		
		Notes:		GNSS	

6H-2: GNSS, 794.0125MHz, 12.5 kHz Channel Spacing, Clear

GNSS Testing					
At 10 Meters ERP, ADD +2.15 dB for EIRP					
Date:	4/3/2006	EMC#:	EMC02132006-068	Temp:	80F 58%
Product:	Stingray CLEAR	S/N	TCLED01F	Channel Spacing: 25kHz	
		Notes:		GNSS	
Tx Freq.	794.0125				
		Horizontal Radiated	Vertical Radiated		
	Frequency	Spur. Emiss.	Spur. Emiss.		
Spur	MHz	(dBm)	(dBm)		
2XFund	1588.0250	-55.99	-55.09		
		Notes:		GNSS	

6H-1: GNSS, 794.0125 MHz, 25 kHz Channel Spacing, Clear

GNSS Testing					
At 10 Meters ERP, ADD +2.15 dB for EIRP					
Date:	4/3/2006	EMC#:	EMC02132006-068	Temp:	81F 58%
Product:	Stingray SECURE	S/N	TCLED01F	Channel Spacing: 25kHz	
		Notes:		GNSS	
Tx Freq.	794.0125				
		Horizontal Radiated	Vertical Radiated		
	Frequency	Spur. Emiss.	Spur. Emiss.		
Spur	MHz	(dBm)	(dBm)		
2XFund	1588.0250	-56.21	-48.91		
		Notes:		GNSS	

6H-3: GNSS, 794.0125 MHz, 25 kHz Channel Spacing, Secure

GNSS Testing					
At 10 Meters ERP, ADD +2.15 dB for EIRP					
Date:	4/3/2006	EMC#:	EMC02132006-068	Temp:	82F 56%
Product:	Stingray CLEAR	S/N	TCLED01F	Channel Spacing: 12.5kHz	
		Notes:		GNSS	
Tx Freq.	805.0000				
		Horizontal Radiated	Vertical Radiated		
	Frequency	Spur. Emiss.	Spur. Emiss.		
Spur	MHz	(dBm)	(dBm)		
2XFund	1610.0000	-53.37	-55.26		
		Notes:		GNSS	

6H-6: GNSS, 805.0000 MHz, 12.5 kHz Channel Spacing, Clear

GNSS Testing					
At 10 Meters ERP, ADD +2.15 dB for EIRP					
Date:	4/3/2006	EMC#:	EMC02132006-068	Temp:	82F 56%
Product:	Stingray CLEAR	S/N	TCLED01F	Channel Spacing: 25kHz	
		Notes:		GNSS	
Tx Freq.	805.0000				
		Horizontal Radiated	Vertical Radiated		
	Frequency	Spur. Emiss.	Spur. Emiss.		
Spur	MHz	(dBm)	(dBm)		
2XFund	1610.0000	-53.14	-48.93		
		Notes:		GNSS	

6H-4: GNSS, 805.0000 MHz, 25 kHz Channel Spacing, Clear

GNSS Testing					
At 10 Meters ERP, ADD +2.15 dB for EIRP					
Date:	4/3/2006	EMC#:	EMC02132006-068	Temp:	82F 56%
Product:	Stingray SECURE	S/N	TCLED01F	Channel Spacing: 25kHz	
		Notes:		GNSS	
Tx Freq.	805.0000				
		Horizontal Radiated	Vertical Radiated		
	Frequency	Spur. Emiss.	Spur. Emiss.		
Spur	MHz	(dBm)	(dBm)		
2XFund	1610.0000	-54.75	-51.32		
		Notes:		GNSS	

6H-5: GNSS, 805.0000 MHz, 25 kHz Channel Spacing, Secure