

**Exhibit 7B: SAR Test Report Photographs**

Motorola Solutions Inc.
EME Test Laboratory
8000 West Sunrise Blvd
Fort Lauderdale, FL. 33322



Deanna Zakharia
EMS EME Lab Senior Resource Manager,
Laboratory Director

Approval Date: 3/25/2014

Zakharia
Deanna-
EDC015

Digitally signed by
Zakharia Deanna-EDC015
DN: cn=Zakharia Deanna-
EDC015
Date: 2014.03.25 14:45:06
+04'00'

Report Revision History

Date	Revision	Comments
02/05/2014	O	Initial release
03/24/2014	A	New DUT photos in Ex 7B with NAR6595A antenna

1.0 Highest SAR Test Position per body location**1.1 Body**

DUT w/ antenna NAR6595A with battery PMNN4448AR and body worn kit PMLN7008A against the phantom with an audio accessory attached. Same position used for the other applicable offered antenna and batteries.




Antenna kit #	Separation Distances (mm)		
	@ bottom surface of the DUT	@ antenna's base	@ antenna's tip
NAR6595A	*5-7	*28-34	*45-46
NAF5085A	5	28	53

(*) Depending on applicable offered battery

1.2 Face

DUT w/ antenna NAR6595A with battery PMNN4448AR positioned 2.5cm from the phantom. Same position used for the other applicable offered antenna and batteries.



Antenna kit #	Separation Distances (mm)		
	@ bottom surface of the DUT	@ antenna's base	@ antenna's tip
NAR6595A	26	41	49
NAF5085A	26	41	56

1.3 Head
Not applicable.

1.4 Hand
Not applicable

2.0 Other SAR tested positions at the body

2.1 Body worn

DUT w/antenna NAR6595A, battery NNTN8128B, audio PMLN6130A and body worn PMLN4651A against the phantom. Same position used for the other applicable offered antenna and batteries.



Antenna kit #	Separation Distances (mm)		
	@ bottom surface of the DUT	@ antenna's base	@ antenna's tip
NAR6595A	*6-7	*28-32	*39-43
NAF5085A	5	28	51

(*) Depending on applicable offered battery

DUT w/antenna NAR6595A, battery NNTN8128B, audio PMLN6130A and body worn PMLN6085A against the phantom. Same position used for the other applicable offered antenna and batteries.



Antenna kit #	Separation Distances (mm)		
	@ bottom surface of the DUT	@ antenna's base	@ antenna's tip
NAR6595A	22	*68-72	*90-91
NAF5085A	22	68	113

(*)Depending on applicable offered battery

DUT w/antenna NAR6595A, battery NNTN8128B, audio PMLN6130A and body worn PMLN6085A (no belt loop) with NTN5243A carry strap against the phantom. Same position used for the other applicable offered antenna and batteries.



Antenna kit #	Separation Distances (mm)		
	@ bottom surface of the DUT	@ antenna's base	@ antenna's tip
NAR6595A	0	*49-55	*75-82
NAF5085A	0	49	116

(*)Depending on applicable offered battery

2.2 Front Side against phantom
Not applicable.

2.3 Back side against phantom
Not applicable.

2.4 Front 2.5cm separation
Not applicable

2.5 Antenna 2.5cm separation
Not applicable

2.6 Back 2.5cm separation
Not applicable

3.0 Other SAR tested positions at the face

3.1 Back of DUT at 2.5cm separation
Not applicable

3.2 Front of DUT at 2.5cm separation
Not applicable

4.0 Other SAR tested positions at the head

4.1 Left ear touch
Not applicable.

4.2 Left ear tilt
Not applicable.

4.3 Right ear touch
Not applicable.

4.4 Right ear tilt
Not applicable.

5.0 Other SAR tested positions at the hand

5.1 Left side
Not applicable.

5.2 Right side
Not applicable.

5.3 Top side
Not applicable.

5.4 Bottom side
Not applicable.

5.5 Back side
Not applicable.

6.0 DUT and Accessory Photos

The purpose of these photos is to illustrate the tested accessories. Refer to Part 1 of 2, section 7.0 for additional details on the offered accessories.

6.1 Antenna dimension and photo(s):

Antenna Kit #	Physical Length (mm)	Electrical Length
NAF5085A	203	$\frac{1}{2}$ wave
NAR6595A	102	$\frac{1}{4}$ wave



Left: NAF5085A, Right: NAR6595A

6.2 Body worn accessories



**DUT Back View
Belt clip
PMLN4651A**



**DUT Side View
Belt clip
PMLN4651A**



**DUT Back View
PMLN7008A**



**DUT Side View
PMLN7008A**



**DUT Back View
Carry holder
PMLN6085A**



**DUT Side View
Carry holder
PMLN6085A**



**Carry strap
NTN5243A**

6.3 Battery accessories:**NNTN8128B****PMNN4424AR****PMNN4448AR****6.4 Audio accessories:****PMLN6130A**

6.5 DUT Dimensions

	Height (mm)	Width (mm)	Depth (mm)
Radio only (w/o battery)	131	60	35
Radio with battery NNTN8128B	131	60	40
Radio with battery PMNN4424AR	131	60	45
Radio with battery PMNN4448AR	131	60	45

For illustration purposes only - the following figure reflects the location of the device's dimensions.



Note: H = Height; W = Width; D = Depth

$$W1 = (\text{Width @ Top}) / (\text{Width @ PTT}) - \text{NA}$$

$$D2 = (\text{Depth @ Bottom}) / (\text{Depth @ PTT}) - \text{NA}$$