

EXHIBIT #6a

Test Report - PCII

FCC: Pursuant 22, 74

Submitted Measured Data

EXHIBIT 6E- 1 OCCUPIED BANDWIDTH DIGITAL DATA 8K10F1D (PART 22) FREQUENCY = 158.55 MHz	4
EXHIBIT 6E- 2 OCCUPIED BANDWIDTH DIGITAL VOICE 8K10F1E (PART 22) FREQUENCY = 158.55 MHz	5
EXHIBIT 6E- 3 OCCUPIED BANDWIDTH DIGITAL VOICE ENCRYPTION 8K10F1E (PART 22) FREQUENCY = 158.55 MHz	6
EXHIBIT 6E- 4 OCCUPIED BANDWIDTH DIGITAL TDMA 8K10F1W (PART 22) FREQUENCY = 158.55 MHz	7
EXHIBIT 6E- 5 OCCUPIED BANDWIDTH DIGITAL VOICE 8K10F1E FREQUENCY = 161.7 MHz	8
EXHIBIT 6E- 6 OCCUPIED BANDWIDTH DIGITAL DATA 8K10F1D FREQUENCY = 161.7 MHz	9
EXHIBIT 6E- 7 OCCUPIED BANDWIDTH DIGITAL VOICE ENCRYPTION 8K10F1E FREQUENCY = 161.7 MHz	10
EXHIBIT 6E- 8 OCCUPIED BANDWIDTH DIGITAL VOICE 8K10F1E FREQUENCY = 450.065 MHz	11
EXHIBIT 6E- 9 OCCUPIED BANDWIDTH DIGITAL DATA 8K10F1D FREQUENCY = 450.065 MHz	12
EXHIBIT 6E- 10 OCCUPIED BANDWIDTH DIGITAL VOICE ENCRYPTION 8K10F1E FREQUENCY = 450.065 MHz	13
EXHIBIT 6E- 11 OCCUPIED BANDWIDTH DIGITAL VOICE 8K10F1E (PART 22) FREQUENCY = 459.125 MHz	14
EXHIBIT 6E- 12 OCCUPIED BANDWIDTH DIGITAL DATA 8K10F1D (PART 22) FREQUENCY = 459.125 MHz	15
EXHIBIT 6E- 13 OCCUPIED BANDWIDTH DIGITAL VOICE ENCRYPTION 8K10F1E (PART 22) FREQUENCY = 459.125 MHz	16
EXHIBIT 6E- 14 OCCUPIED BANDWIDTH DIGITAL TDMA 8K10F1W (PART 22) FREQUENCY = 459.125 MHz	17

Exhibit 6E

Occupied Bandwidth - PCII

BANDWIDTH CALCULATIONS:

Shown below are the bandwidth calculations required for FCC ID: AZ489FT7061.

Digital (12.5 kHz Channelization, Digital Data):

Emission Designator 8K10F1D

The 99% energy rule (title 47CFR 2.989) was used for digital mode and is more accurate than Carson's rule. It basically states that 99% of the modulation energy falls within X kHz, in this case, 8.10 kHz. Measurements were performed in accordance with TIA/EIA 102.CAAA-D Section 2.2.5. The emission mask was obtained from 47CFR 90.210(d), 74.462 (c) and 22.359 (b).

F1D portion of the designator indicates digital data.

Therefore, the entire designator for 12.5 kHz channelization digital data is 8K10F1D.

Digital (12.5 kHz Channelization, Digital Voice):

Emission Designator 8K10F1E

The 99% energy rule (title 47CFR 2.989) was used for digital mode and is more accurate than Carson's rule. It basically states that 99% of the modulation energy falls within X kHz, in this case, 8.10 kHz. Measurements were performed in accordance with TIA/EIA 102.CAAA-D Section 2.2.5. The emission mask was obtained from 47CFR 90.210(d), 74.462 (c) and 22.359 (b).

F1E portion of the designator indicates digital voice.

Therefore, the entire designator for 12.5 kHz channelization digital voice is 8K10F1E.

Digital (12.5 kHz Channelization, Digital TDMA):

Emission Designator 8K10F1W

The 99% energy rule (title 47CFR 2.989) was used for digital mode and is more accurate than Carson's rule. It basically states that 99% of the modulation energy falls within X kHz, in this case, 8.10 kHz. Measurements were performed in accordance with TIA/EIA 102.CAAA-D Section 2.2.5. The emission mask was obtained from 47CFR 22.359 (b).

F1W portion of the designator indicates digital TDMA.

Therefore, the entire designator for 12.5 kHz channelization digital TDMA is 8K10F1W.


Exhibit 6E- 1 Occupied Bandwidth Digital Data 8K10F1D (Part 22) Frequency = 158.55 MHz


Exhibit 6E- 2 Occupied Bandwidth Digital Voice 8K10F1E (Part 22) Frequency = 158.55 MHz


Exhibit 6E- 3 Occupied Bandwidth Digital Voice Encryption 8K10F1E (Part 22) Frequency = 158.55 MHz





Exhibit 6E- 4 Occupied Bandwidth Digital TDMA 8K10F1W (Part 22) Frequency = 158.55 MHz

Exhibit 6E- 5 Occupied Bandwidth Digital Voice 8K10F1E Frequency = 161.7 MHz


The data above is presented for rule part 47CFR 74.462(c).

Exhibit 6E- 6 Occupied Bandwidth Digital Data 8K10F1D Frequency = 161.7 MHz


The data above is presented for rule part 47CFR 74.462(c).

Exhibit 6E- 7 Occupied Bandwidth Digital Voice Encryption 8K10F1E Frequency = 161.7 MHz


The data above is presented for rule part 47CFR 74.462(c).

Exhibit 6E- 8 Occupied Bandwidth Digital Voice 8K10F1E Frequency = 450.065 MHz

The data above is presented for rule part 47CFR 74.462(c).

Exhibit 6E- 9 Occupied Bandwidth Digital Data 8K10F1D Frequency = 450.065 MHz

The data above is presented for rule part 47CFR 74.462(c).

Exhibit 6E- 10 Occupied Bandwidth Digital Voice Encryption 8K10F1E Frequency = 450.065 MHz

The data above is presented for rule part 47CFR 74.462(c).


Exhibit 6E- 11 Occupied Bandwidth Digital Voice 8K10F1E (Part 22) Frequency = 459.125 MHz


Exhibit 6E- 12 Occupied Bandwidth Digital Data 8K10F1D (Part 22) Frequency = 459.125 MHz


Exhibit 6E- 13 Occupied Bandwidth Digital Voice Encryption 8K10F1E (Part 22) Frequency = 459.125 MHz

Exhibit 6E- 14 Occupied Bandwidth Digital TDMA 8K10F1W (Part 22) Frequency = 459.125 MHz