

EXHIBIT 1**IDENTIFICATION LABEL**

(Pursuant to FCC Part 2.1033(c)(11), 2.1033(b)(7) and RSP 100 Annex C and Sec 3)

LOCATION

<u> </u>	See the Attached Photograph or Sketch
<u> </u>	Bottom of the device
<u> </u>	Front of the device
<u> X </u>	Back of the device
<u> </u>	Back of the device under Belt Clip
<u> </u>	In the Battery Compartment
<u> </u>	Electronic labeling: In the user manual (Section: XX)

TYPE

<u> X </u>	The label is a poly carbonate film laminate with a pressure sensitive adhesive backing. The adhesive is a permanent type acrylic with the minimum peel strength of 40 oz/inch.
--------------	--

MARKINGS (TEXT)

<u> X </u>	See the Attached Photograph and Exhibit 3 for the actual location of the FCC/IC label on the device.
<u> X </u>	Label Attached Below.
<u> </u>	See Attached Drawing.




Figure 1A: AAH06RDN9RA1AN (IC Model: PMUE5724AAB)




Figure 1B: AAH06RDN9WA1AN (IC Model: PMUE5724AAB)




Figure 1C: AAH06RDN9RA1AN (IC Model: PMUE5722ABB)




Figure 1D: AAH06RDN9WA1AN (IC Model: PMUE5722ABB)




Figure 1E: AAH06RDN9RA1AN (IC Model: PMUE5722AAB)




Figure 1F: AAH06RDN9WA1AN (IC Model: PMUE5722AAB)




Figure 1G: AAH06RDC9RA1AN (IC Model: PMUE5723ABA)




Figure 1H: AAH06RDC9WA1AN (IC Model: PMUE5723ABA)




Figure 1I: AAH06RDC9RA1AN (IC Model: PMUE5723AAA)




Figure 1J: AAH06RDC9WA1AN (IC Model: PMUE5723AAA)

*** END ***