

EXHIBIT 1**IDENTIFICATION LABEL**

(Pursuant to FCC Part 2.1033(c)(11), 2.1033(b)(7) and RSP 100 Annex C and Sec 3)

LOCATION

<u> </u>	See the Attached Photograph or Sketch
<u> </u>	Bottom of the device
<u> </u>	Front of the device
<u> X </u>	Back of the device
<u> </u>	Back of the device under Belt Clip
<u> </u>	In the Battery Compartment
<u> </u>	Electronic labeling: In the user manual (Section: XX)

TYPE

<u> X </u>	The label is a poly carbonate film laminate with a pressure sensitive adhesive backing. The adhesive is a permanent type acrylic with the minimum peel strength of 40 oz/inch.
--------------	--

MARKINGS (TEXT)

<u> X </u>	See the Attached Photograph and Exhibit 3 for the actual location of the FCC/IC label on the device.
<u> X </u>	Label Attached Below.
<u> </u>	See Attached Drawing.



Figure 1A: FCC/IC Label for Limited Keypad Model (LKP)
AAH02JDH9VA1AN / PMUD2627EABNKA



Figure 1B: FCC/IC Label for TIA4950 Limited Keypad Model (LKP)
AAH02JDH9VA1AN / PMUD3505BABNKA



Figure 1C: FCC/IC Label for Non Keypad Model (NKP)
AAH02JDC9VA1AN / PMUD2629EAANKA



Figure 1D: FCC/IC Label for TIA4950 Non Keypad Model (NKP)
AAH02JDC9VA1AN / PMUD3506BAANKA

*** END ***