










Mode	33																																																																												
	Band Edge																																																																												
	U-NII-3_5.725-5.85_802.11n HT20_CH149_Full_5745MHz																																																																												
ANT	1																																																																												
Pol.	Horizontal																																																																												
Peak																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5644.66</td><td>53.85</td><td>68.20</td><td>-14.35</td><td>40.60</td><td>34.61</td><td>10.28</td><td>31.64</td><td>0.00</td><td>111 78 PEAK</td></tr><tr><td>2</td><td>5650.17</td><td>51.54</td><td>68.33</td><td>-16.79</td><td>38.32</td><td>34.60</td><td>10.28</td><td>31.66</td><td>0.00</td><td>111 78 PEAK</td></tr><tr><td>3</td><td>5719.77</td><td>58.68</td><td>110.84</td><td>-52.16</td><td>45.51</td><td>34.66</td><td>10.34</td><td>31.83</td><td>0.00</td><td>111 78 PEAK</td></tr><tr><td>4</td><td>5721.08</td><td>64.18</td><td>113.35</td><td>-49.17</td><td>51.01</td><td>34.66</td><td>10.34</td><td>31.83</td><td>0.00</td><td>111 78 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5644.66	53.85	68.20	-14.35	40.60	34.61	10.28	31.64	0.00	111 78 PEAK	2	5650.17	51.54	68.33	-16.79	38.32	34.60	10.28	31.66	0.00	111 78 PEAK	3	5719.77	58.68	110.84	-52.16	45.51	34.66	10.34	31.83	0.00	111 78 PEAK	4	5721.08	64.18	113.35	-49.17	51.01	34.66	10.34	31.83	0.00	111 78 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																			
1	5644.66	53.85	68.20	-14.35	40.60	34.61	10.28	31.64	0.00	111 78 PEAK																																																																			
2	5650.17	51.54	68.33	-16.79	38.32	34.60	10.28	31.66	0.00	111 78 PEAK																																																																			
3	5719.77	58.68	110.84	-52.16	45.51	34.66	10.34	31.83	0.00	111 78 PEAK																																																																			
4	5721.08	64.18	113.35	-49.17	51.01	34.66	10.34	31.83	0.00	111 78 PEAK																																																																			
Avg	Blank																																																																												
																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>102.67</td><td>-----</td><td>-----</td><td>89.57</td><td>34.62</td><td>10.36</td><td>31.88</td><td>0.00</td><td>111 78 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	102.67	-----	-----	89.57	34.62	10.36	31.88	0.00	111 78 PEAK																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																			
1	5745.00	102.67	-----	-----	89.57	34.62	10.36	31.88	0.00	111 78 PEAK																																																																			





Mode	33																																																																																																																							
	Band Edge																																																																																																																							
	U-NII-3_5.725-5.85_802.11n HT20_CH149_Full_5745MHz																																																																																																																							
ANT	1																																																																																																																							
Pol.	Vertical					Fundamental																																																																																																																		
Peak																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5605.51</td><td>53.32</td><td>68.20</td><td>-14.88</td><td>40.03</td><td>34.69</td><td>10.25</td><td>31.65</td><td>0.00</td><td>300 116 PEAK</td></tr><tr><td>2 5650.17</td><td>51.55</td><td>68.33</td><td>-16.78</td><td>38.33</td><td>34.60</td><td>10.28</td><td>31.66</td><td>0.00</td><td>300 116 PEAK</td></tr><tr><td>3 5700.34</td><td>52.42</td><td>105.40</td><td>-52.98</td><td>39.18</td><td>34.70</td><td>10.32</td><td>31.78</td><td>0.00</td><td>300 116 PEAK</td></tr><tr><td>4 5720.50</td><td>55.73</td><td>112.03</td><td>-56.30</td><td>42.56</td><td>34.66</td><td>10.34</td><td>31.83</td><td>0.00</td><td>300 116 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5605.51	53.32	68.20	-14.88	40.03	34.69	10.25	31.65	0.00	300 116 PEAK	2 5650.17	51.55	68.33	-16.78	38.33	34.60	10.28	31.66	0.00	300 116 PEAK	3 5700.34	52.42	105.40	-52.98	39.18	34.70	10.32	31.78	0.00	300 116 PEAK	4 5720.50	55.73	112.03	-56.30	42.56	34.66	10.34	31.83	0.00	300 116 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>98.10</td><td>-----</td><td>-----</td><td>85.00</td><td>34.62</td><td>10.36</td><td>31.88</td><td>0.00</td><td>300 116 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5745.00	98.10	-----	-----	85.00	34.62	10.36	31.88	0.00	300 116 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5605.51	53.32	68.20	-14.88	40.03	34.69	10.25	31.65	0.00	300 116 PEAK																																																																																																															
2 5650.17	51.55	68.33	-16.78	38.33	34.60	10.28	31.66	0.00	300 116 PEAK																																																																																																															
3 5700.34	52.42	105.40	-52.98	39.18	34.70	10.32	31.78	0.00	300 116 PEAK																																																																																																															
4 5720.50	55.73	112.03	-56.30	42.56	34.66	10.34	31.83	0.00	300 116 PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5745.00	98.10	-----	-----	85.00	34.62	10.36	31.88	0.00	300 116 PEAK																																																																																																															
Avg	Blank																																																																																																																							
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>89.60</td><td>-----</td><td>-----</td><td>76.52</td><td>34.61</td><td>10.36</td><td>31.89</td><td>0.00</td><td>300 116 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5745.00	89.60	-----	-----	76.52	34.61	10.36	31.89	0.00	300 116 AVERAGE																																																																						
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5745.00	89.60	-----	-----	76.52	34.61	10.36	31.89	0.00	300 116 AVERAGE																																																																																																															






Mode	33																																																																																																			
	Harmonic																																																																																																			
	U-NII-3_5.725-5.85_802.11n HT20_CH149_Full_5745MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>45.50</td><td>74.00</td><td>-28.50</td><td>53.57</td><td>38.20</td><td>14.91</td><td>61.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	45.50	74.00	-28.50	53.57	38.20	14.91	61.18	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>45.97</td><td>74.00</td><td>-28.03</td><td>54.04</td><td>38.20</td><td>14.91</td><td>61.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	45.97	74.00	-28.03	54.04	38.20	14.91	61.18	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11490.00	45.50	74.00	-28.50	53.57	38.20	14.91	61.18	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11490.00	45.97	74.00	-28.03	54.04	38.20	14.91	61.18	0.00	---	---	PEAK																																																																																								






Mode	34																																																																																																			
	Harmonic																																																																																																			
	U-NII-3_5.725-5.85_802.11n HT20_CH157_Full_5785MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>45.91</td><td>74.00</td><td>-28.09</td><td>53.76</td><td>38.34</td><td>14.97</td><td>61.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	45.91	74.00	-28.09	53.76	38.34	14.97	61.16	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>45.32</td><td>74.00</td><td>-28.68</td><td>53.17</td><td>38.34</td><td>14.97</td><td>61.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	45.32	74.00	-28.68	53.17	38.34	14.97	61.16	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11570.00	45.91	74.00	-28.09	53.76	38.34	14.97	61.16	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11570.00	45.32	74.00	-28.68	53.17	38.34	14.97	61.16	0.00	---	---	PEAK																																																																																								





Mode	35																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11n HT20_CH165_Full_5825MHz																																																																																																																																										
ANT	1																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>54.09</td><td>110.90</td><td>-56.81</td><td>40.89</td><td>34.91</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>77</td><td>PEAK</td></tr><tr><td>2</td><td>5873.88</td><td>52.39</td><td>105.61</td><td>-53.22</td><td>39.13</td><td>34.95</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>77</td><td>PEAK</td></tr><tr><td>3</td><td>5924.13</td><td>52.19</td><td>68.85</td><td>-16.66</td><td>38.74</td><td>35.10</td><td>10.51</td><td>32.16</td><td>0.00</td><td>100</td><td>77</td><td>PEAK</td></tr><tr><td>4</td><td>5943.25</td><td>54.74</td><td>68.20</td><td>-13.46</td><td>41.21</td><td>35.17</td><td>10.53</td><td>32.17</td><td>0.00</td><td>100</td><td>77</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5855.00	54.09	110.90	-56.81	40.89	34.91	10.45	32.16	0.00	100	77	PEAK	2	5873.88	52.39	105.61	-53.22	39.13	34.95	10.47	32.16	0.00	100	77	PEAK	3	5924.13	52.19	68.85	-16.66	38.74	35.10	10.51	32.16	0.00	100	77	PEAK	4	5943.25	54.74	68.20	-13.46	41.21	35.17	10.53	32.17	0.00	100	77	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>102.72</td><td>-----</td><td>-----</td><td>89.57</td><td>34.80</td><td>10.43</td><td>32.08</td><td>0.00</td><td>100</td><td>77</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	102.72	-----	-----	89.57	34.80	10.43	32.08	0.00	100	77	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5855.00	54.09	110.90	-56.81	40.89	34.91	10.45	32.16	0.00	100	77	PEAK																																																																																																																															
2	5873.88	52.39	105.61	-53.22	39.13	34.95	10.47	32.16	0.00	100	77	PEAK																																																																																																																															
3	5924.13	52.19	68.85	-16.66	38.74	35.10	10.51	32.16	0.00	100	77	PEAK																																																																																																																															
4	5943.25	54.74	68.20	-13.46	41.21	35.17	10.53	32.17	0.00	100	77	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	102.72	-----	-----	89.57	34.80	10.43	32.08	0.00	100	77	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>93.36</td><td>-----</td><td>-----</td><td>80.21</td><td>34.80</td><td>10.43</td><td>32.08</td><td>0.00</td><td>100</td><td>77</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	93.36	-----	-----	80.21	34.80	10.43	32.08	0.00	100	77	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	93.36	-----	-----	80.21	34.80	10.43	32.08	0.00	100	77	AVERAGE																																																																																																																															






Mode	35																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11n HT20_CH165_Full_5825MHz																																																																																																																																								
ANT	1																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5855.00</td><td>54.06</td><td>110.90</td><td>-56.84</td><td>40.86</td><td>34.91</td><td>10.45</td><td>32.16</td><td>0.00</td><td>302</td><td>92 PEAK</td></tr><tr><td>2</td><td>5873.75</td><td>54.51</td><td>105.65</td><td>-51.14</td><td>41.25</td><td>34.95</td><td>10.47</td><td>32.16</td><td>0.00</td><td>302</td><td>92 PEAK</td></tr><tr><td>3</td><td>5923.50</td><td>53.16</td><td>69.31</td><td>-16.15</td><td>39.72</td><td>35.09</td><td>10.51</td><td>32.16</td><td>0.00</td><td>302</td><td>92 PEAK</td></tr><tr><td>4</td><td>5936.25</td><td>54.23</td><td>68.20</td><td>-13.97</td><td>40.71</td><td>35.15</td><td>10.53</td><td>32.16</td><td>0.00</td><td>302</td><td>92 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5855.00	54.06	110.90	-56.84	40.86	34.91	10.45	32.16	0.00	302	92 PEAK	2	5873.75	54.51	105.65	-51.14	41.25	34.95	10.47	32.16	0.00	302	92 PEAK	3	5923.50	53.16	69.31	-16.15	39.72	35.09	10.51	32.16	0.00	302	92 PEAK	4	5936.25	54.23	68.20	-13.97	40.71	35.15	10.53	32.16	0.00	302	92 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>100.52</td><td>-----</td><td>-----</td><td>87.37</td><td>34.80</td><td>10.43</td><td>32.08</td><td>0.00</td><td>302</td><td>92 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	100.52	-----	-----	87.37	34.80	10.43	32.08	0.00	302	92 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5855.00	54.06	110.90	-56.84	40.86	34.91	10.45	32.16	0.00	302	92 PEAK																																																																																																																														
2	5873.75	54.51	105.65	-51.14	41.25	34.95	10.47	32.16	0.00	302	92 PEAK																																																																																																																														
3	5923.50	53.16	69.31	-16.15	39.72	35.09	10.51	32.16	0.00	302	92 PEAK																																																																																																																														
4	5936.25	54.23	68.20	-13.97	40.71	35.15	10.53	32.16	0.00	302	92 PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	100.52	-----	-----	87.37	34.80	10.43	32.08	0.00	302	92 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>92.36</td><td>-----</td><td>-----</td><td>79.21</td><td>34.80</td><td>10.43</td><td>32.08</td><td>0.00</td><td>302</td><td>92 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	92.36	-----	-----	79.21	34.80	10.43	32.08	0.00	302	92 AVERAGE																																																																																	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	92.36	-----	-----	79.21	34.80	10.43	32.08	0.00	302	92 AVERAGE																																																																																																																														




Mode	35																																																																																																																
	Harmonic																																																																																																																
	U-NII-3_5.725-5.85_802.11n HT20_CH165_Full_5825MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Horizontal						Vertical																																																																																																										
Peak Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>46.53</td><td>74.00</td><td>-27.47</td><td>54.14</td><td>38.50</td><td>15.02</td><td>61.13</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	46.53	74.00	-27.47	54.14	38.50	15.02	61.13	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>48.40</td><td>74.00</td><td>-25.60</td><td>56.01</td><td>38.50</td><td>15.02</td><td>61.13</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>38.18</td><td>54.00</td><td>-15.82</td><td>45.79</td><td>38.50</td><td>15.02</td><td>61.13</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	48.40	74.00	-25.60	56.01	38.50	15.02	61.13	0.00	100	0	PEAK	2	11650.00	38.18	54.00	-15.82	45.79	38.50	15.02	61.13	0.00	100	0	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	11650.00	46.53	74.00	-27.47	54.14	38.50	15.02	61.13	0.00	---	---	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	11650.00	48.40	74.00	-25.60	56.01	38.50	15.02	61.13	0.00	100	0	PEAK																																																																																																					
2	11650.00	38.18	54.00	-15.82	45.79	38.50	15.02	61.13	0.00	100	0	AVERAGE																																																																																																					






Mode	36																																																																																																																														
	Band Edge - L																																																																																																																														
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Horizontal					Fundamental																																																																																																																									
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a rising signal level from 5600 MHz to 5755 MHz. Key peaks are labeled 1, 2, and 3. A red line indicates the limit U-NII-3. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5621.39</td><td>54.24</td><td>68.20</td><td>-13.96</td><td>40.96</td><td>34.66</td><td>10.26</td><td>31.64</td><td>0.00</td><td>100</td><td>76 PEAK</td></tr><tr><td>2 5650.22</td><td>52.29</td><td>68.36</td><td>-16.07</td><td>39.07</td><td>34.60</td><td>10.28</td><td>31.66</td><td>0.00</td><td>100</td><td>76 PEAK</td></tr><tr><td>3 5717.49</td><td>70.62</td><td>110.20</td><td>-39.58</td><td>57.43</td><td>34.67</td><td>10.34</td><td>31.82</td><td>0.00</td><td>100</td><td>76 PEAK</td></tr><tr><td>4 5720.13</td><td>68.49</td><td>111.19</td><td>-42.70</td><td>55.32</td><td>34.66</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>76 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5621.39	54.24	68.20	-13.96	40.96	34.66	10.26	31.64	0.00	100	76 PEAK	2 5650.22	52.29	68.36	-16.07	39.07	34.60	10.28	31.66	0.00	100	76 PEAK	3 5717.49	70.62	110.20	-39.58	57.43	34.67	10.34	31.82	0.00	100	76 PEAK	4 5720.13	68.49	111.19	-42.70	55.32	34.66	10.34	31.83	0.00	100	76 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a sharp peak at 5755 MHz. A red line indicates the limit U-NII-3. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>100.69</td><td>-----</td><td>-----</td><td>87.62</td><td>34.62</td><td>10.37</td><td>31.92</td><td>0.00</td><td>100</td><td>76 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	100.69	-----	-----	87.62	34.62	10.37	31.92	0.00	100	76 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1 5621.39	54.24	68.20	-13.96	40.96	34.66	10.26	31.64	0.00	100	76 PEAK																																																																																																																					
2 5650.22	52.29	68.36	-16.07	39.07	34.60	10.28	31.66	0.00	100	76 PEAK																																																																																																																					
3 5717.49	70.62	110.20	-39.58	57.43	34.67	10.34	31.82	0.00	100	76 PEAK																																																																																																																					
4 5720.13	68.49	111.19	-42.70	55.32	34.66	10.34	31.83	0.00	100	76 PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1 5755.00	100.69	-----	-----	87.62	34.62	10.37	31.92	0.00	100	76 PEAK																																																																																																																					
Avg	Blank					 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a sharp peak at 5755 MHz. A red line indicates the limit U-NII-3(AVG). <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>91.35</td><td>-----</td><td>-----</td><td>78.28</td><td>34.62</td><td>10.37</td><td>31.92</td><td>0.00</td><td>100</td><td>76 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	91.35	-----	-----	78.28	34.62	10.37	31.92	0.00	100	76 AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1 5755.00	91.35	-----	-----	78.28	34.62	10.37	31.92	0.00	100	76 AVERAGE																																																																																																																					




Mode	36																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																													
ANT	1																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.28</td><td>55.44</td><td>114.82</td><td>-59.38</td><td>42.24</td><td>34.91</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>76</td><td>PEAK</td></tr><tr><td>2</td><td>5873.37</td><td>52.06</td><td>105.76</td><td>-53.70</td><td>38.80</td><td>34.95</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>76</td><td>PEAK</td></tr><tr><td>3</td><td>5924.65</td><td>52.10</td><td>68.46</td><td>-16.36</td><td>38.64</td><td>35.10</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>76</td><td>PEAK</td></tr><tr><td>4</td><td>5937.52</td><td>54.30</td><td>68.20</td><td>-13.90</td><td>40.78</td><td>35.15</td><td>10.53</td><td>32.16</td><td>0.00</td><td>100</td><td>76</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5853.28	55.44	114.82	-59.38	42.24	34.91	10.45	32.16	0.00	100	76	PEAK	2	5873.37	52.06	105.76	-53.70	38.80	34.95	10.47	32.16	0.00	100	76	PEAK	3	5924.65	52.10	68.46	-16.36	38.64	35.10	10.52	32.16	0.00	100	76	PEAK	4	5937.52	54.30	68.20	-13.90	40.78	35.15	10.53	32.16	0.00	100	76	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5853.28	55.44	114.82	-59.38	42.24	34.91	10.45	32.16	0.00	100	76	PEAK																																																																																		
2	5873.37	52.06	105.76	-53.70	38.80	34.95	10.47	32.16	0.00	100	76	PEAK																																																																																		
3	5924.65	52.10	68.46	-16.36	38.64	35.10	10.52	32.16	0.00	100	76	PEAK																																																																																		
4	5937.52	54.30	68.20	-13.90	40.78	35.15	10.53	32.16	0.00	100	76	PEAK																																																																																		





Mode	36																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																																																																								
ANT	1																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5641.23</td><td>54.53</td><td>68.20</td><td>-13.67</td><td>41.26</td><td>34.62</td><td>10.28</td><td>31.63</td><td>0.00</td><td>355</td><td>118</td><td>PEAK</td></tr><tr><td>2</td><td>5650.53</td><td>52.48</td><td>68.59</td><td>-16.11</td><td>39.26</td><td>34.60</td><td>10.28</td><td>31.66</td><td>0.00</td><td>355</td><td>118</td><td>PEAK</td></tr><tr><td>3</td><td>5708.04</td><td>66.42</td><td>107.55</td><td>-41.13</td><td>53.21</td><td>34.68</td><td>10.33</td><td>31.00</td><td>0.00</td><td>355</td><td>118</td><td>PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>67.38</td><td>111.19</td><td>-43.81</td><td>54.21</td><td>34.66</td><td>10.34</td><td>31.83</td><td>0.00</td><td>355</td><td>118</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5641.23	54.53	68.20	-13.67	41.26	34.62	10.28	31.63	0.00	355	118	PEAK	2	5650.53	52.48	68.59	-16.11	39.26	34.60	10.28	31.66	0.00	355	118	PEAK	3	5708.04	66.42	107.55	-41.13	53.21	34.68	10.33	31.00	0.00	355	118	PEAK	4	5720.13	67.38	111.19	-43.81	54.21	34.66	10.34	31.83	0.00	355	118	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>98.97</td><td>-----</td><td>-----</td><td>85.91</td><td>34.60</td><td>10.37</td><td>31.91</td><td>0.00</td><td>355</td><td>118</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	98.97	-----	-----	85.91	34.60	10.37	31.91	0.00	355	118
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5641.23	54.53	68.20	-13.67	41.26	34.62	10.28	31.63	0.00	355	118	PEAK																																																																																																																													
2	5650.53	52.48	68.59	-16.11	39.26	34.60	10.28	31.66	0.00	355	118	PEAK																																																																																																																													
3	5708.04	66.42	107.55	-41.13	53.21	34.68	10.33	31.00	0.00	355	118	PEAK																																																																																																																													
4	5720.13	67.38	111.19	-43.81	54.21	34.66	10.34	31.83	0.00	355	118	PEAK																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5755.00	98.97	-----	-----	85.91	34.60	10.37	31.91	0.00	355	118	PEAK																																																																																																																													
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>90.23</td><td>-----</td><td>-----</td><td>77.17</td><td>34.60</td><td>10.37</td><td>31.91</td><td>0.00</td><td>355</td><td>118</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	90.23	-----	-----	77.17	34.60	10.37	31.91	0.00	355	118	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5755.00	90.23	-----	-----	77.17	34.60	10.37	31.91	0.00	355	118	AVERAGE																																																																																																																													





Mode	36																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																													
ANT	1																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>51.79</td><td>111.26</td><td>-59.47</td><td>38.59</td><td>34.91</td><td>10.45</td><td>32.16</td><td>0.00</td><td>355</td><td>118</td><td>PEAK</td></tr><tr><td>2</td><td>5871.81</td><td>54.08</td><td>106.19</td><td>-52.11</td><td>40.83</td><td>34.94</td><td>10.47</td><td>32.16</td><td>0.00</td><td>355</td><td>118</td><td>PEAK</td></tr><tr><td>3</td><td>5923.68</td><td>53.99</td><td>69.18</td><td>-15.19</td><td>40.55</td><td>35.09</td><td>10.51</td><td>32.16</td><td>0.00</td><td>355</td><td>118</td><td>PEAK</td></tr><tr><td>4</td><td>5943.57</td><td>54.47</td><td>68.20</td><td>-13.73</td><td>40.94</td><td>35.17</td><td>10.53</td><td>32.17</td><td>0.00</td><td>355</td><td>118</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.84	51.79	111.26	-59.47	38.59	34.91	10.45	32.16	0.00	355	118	PEAK	2	5871.81	54.08	106.19	-52.11	40.83	34.94	10.47	32.16	0.00	355	118	PEAK	3	5923.68	53.99	69.18	-15.19	40.55	35.09	10.51	32.16	0.00	355	118	PEAK	4	5943.57	54.47	68.20	-13.73	40.94	35.17	10.53	32.17	0.00	355	118	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.84	51.79	111.26	-59.47	38.59	34.91	10.45	32.16	0.00	355	118	PEAK																																																																																		
2	5871.81	54.08	106.19	-52.11	40.83	34.94	10.47	32.16	0.00	355	118	PEAK																																																																																		
3	5923.68	53.99	69.18	-15.19	40.55	35.09	10.51	32.16	0.00	355	118	PEAK																																																																																		
4	5943.57	54.47	68.20	-13.73	40.94	35.17	10.53	32.17	0.00	355	118	PEAK																																																																																		




		36																																																							
Mode		Harmonic																																																							
		U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																							
ANT		1																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>43.92</td><td>74.00</td><td>-30.08</td><td>51.96</td><td>38.22</td><td>14.92</td><td>61.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	43.92	74.00	-30.08	51.96	38.22	14.92	61.18	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11510.00	43.92	74.00	-30.08	51.96	38.22	14.92	61.18	0.00	---	---	PEAK																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>43.93</td><td>74.00</td><td>-30.07</td><td>51.97</td><td>38.22</td><td>14.92</td><td>61.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	43.93	74.00	-30.07	51.97	38.22	14.92	61.18	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11510.00	43.93	74.00	-30.07	51.97	38.22	14.92	61.18	0.00	---	---	PEAK																																													






Mode	37																																																																																														
	Band Edge - L																																																																																														
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz																																																																																														
ANT	1																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5617.75</td><td>53.49</td><td>68.20</td><td>-14.71</td><td>40.21</td><td>34.66</td><td>10.26</td><td>31.64</td><td>0.00</td><td>100</td><td>76</td><td>PEAK</td></tr><tr><td>2</td><td>5652.26</td><td>53.63</td><td>69.88</td><td>-16.25</td><td>40.40</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>100</td><td>76</td><td>PEAK</td></tr><tr><td>3</td><td>5701.01</td><td>53.14</td><td>105.58</td><td>-52.44</td><td>39.89</td><td>34.70</td><td>10.33</td><td>31.78</td><td>0.00</td><td>100</td><td>76</td><td>PEAK</td></tr><tr><td>4</td><td>5720.12</td><td>53.60</td><td>111.17</td><td>-57.57</td><td>40.43</td><td>34.66</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>76</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5617.75	53.49	68.20	-14.71	40.21	34.66	10.26	31.64	0.00	100	76	PEAK	2	5652.26	53.63	69.88	-16.25	40.40	34.60	10.29	31.66	0.00	100	76	PEAK	3	5701.01	53.14	105.58	-52.44	39.89	34.70	10.33	31.78	0.00	100	76	PEAK	4	5720.12	53.60	111.17	-57.57	40.43	34.66	10.34	31.83	0.00	100	76	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5617.75	53.49	68.20	-14.71	40.21	34.66	10.26	31.64	0.00	100	76	PEAK																																																																																			
2	5652.26	53.63	69.88	-16.25	40.40	34.60	10.29	31.66	0.00	100	76	PEAK																																																																																			
3	5701.01	53.14	105.58	-52.44	39.89	34.70	10.33	31.78	0.00	100	76	PEAK																																																																																			
4	5720.12	53.60	111.17	-57.57	40.43	34.66	10.34	31.83	0.00	100	76	PEAK																																																																																			
Avg	Blank 																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>91.77</td><td>-----</td><td>-----</td><td>78.69</td><td>34.69</td><td>10.40</td><td>32.01</td><td>0.00</td><td>100</td><td>76</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	91.77	-----	-----	78.69	34.69	10.40	32.01	0.00	100	76	AVERAGE																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5795.00	91.77	-----	-----	78.69	34.69	10.40	32.01	0.00	100	76	AVERAGE																																																																																			




Mode	37																																																																																
	Band Edge - R																																																																																
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz																																																																																
ANT	1																																																																																
Pol.	Horizontal	Fundamental																																																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.68</td><td>53.69</td><td>111.64</td><td>-57.95</td><td>40.49</td><td>34.91</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>76 PEAK</td></tr><tr><td>2</td><td>5872.50</td><td>54.71</td><td>106.00</td><td>-51.29</td><td>41.46</td><td>34.94</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>76 PEAK</td></tr><tr><td>3</td><td>5924.27</td><td>51.93</td><td>68.74</td><td>-16.81</td><td>38.48</td><td>35.10</td><td>10.51</td><td>32.16</td><td>0.00</td><td>100</td><td>76 PEAK</td></tr><tr><td>4</td><td>5943.34</td><td>54.58</td><td>68.20</td><td>-13.62</td><td>41.05</td><td>35.17</td><td>10.53</td><td>32.17</td><td>0.00</td><td>100</td><td>76 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.68	53.69	111.64	-57.95	40.49	34.91	10.45	32.16	0.00	100	76 PEAK	2	5872.50	54.71	106.00	-51.29	41.46	34.94	10.47	32.16	0.00	100	76 PEAK	3	5924.27	51.93	68.74	-16.81	38.48	35.10	10.51	32.16	0.00	100	76 PEAK	4	5943.34	54.58	68.20	-13.62	41.05	35.17	10.53	32.17	0.00	100	76 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	5854.68	53.69	111.64	-57.95	40.49	34.91	10.45	32.16	0.00	100	76 PEAK																																																																						
2	5872.50	54.71	106.00	-51.29	41.46	34.94	10.47	32.16	0.00	100	76 PEAK																																																																						
3	5924.27	51.93	68.74	-16.81	38.48	35.10	10.51	32.16	0.00	100	76 PEAK																																																																						
4	5943.34	54.58	68.20	-13.62	41.05	35.17	10.53	32.17	0.00	100	76 PEAK																																																																						





Mode	37																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz																																																																																																																																									
ANT	1																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5623.40</td><td>54.26</td><td>68.20</td><td>-13.94</td><td>40.99</td><td>34.65</td><td>10.26</td><td>31.64</td><td>0.00</td><td>361</td><td>114</td><td>PEAK</td></tr><tr><td>2</td><td>5651.29</td><td>52.46</td><td>69.16</td><td>-16.70</td><td>39.23</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>361</td><td>114</td><td>PEAK</td></tr><tr><td>3</td><td>5700.04</td><td>52.63</td><td>105.31</td><td>-52.68</td><td>39.39</td><td>34.70</td><td>10.32</td><td>31.78</td><td>0.00</td><td>361</td><td>114</td><td>PEAK</td></tr><tr><td>4</td><td>5720.51</td><td>51.36</td><td>112.06</td><td>-60.70</td><td>38.19</td><td>34.66</td><td>10.34</td><td>31.83</td><td>0.00</td><td>361</td><td>114</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5623.40	54.26	68.20	-13.94	40.99	34.65	10.26	31.64	0.00	361	114	PEAK	2	5651.29	52.46	69.16	-16.70	39.23	34.60	10.29	31.66	0.00	361	114	PEAK	3	5700.04	52.63	105.31	-52.68	39.39	34.70	10.32	31.78	0.00	361	114	PEAK	4	5720.51	51.36	112.06	-60.70	38.19	34.66	10.34	31.83	0.00	361	114	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>90.61</td><td>-----</td><td>-----</td><td>85.52</td><td>34.70</td><td>10.41</td><td>32.02</td><td>0.00</td><td>361</td><td>114</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	90.61	-----	-----	85.52	34.70	10.41	32.02	0.00	361	114
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5623.40	54.26	68.20	-13.94	40.99	34.65	10.26	31.64	0.00	361	114	PEAK																																																																																																																														
2	5651.29	52.46	69.16	-16.70	39.23	34.60	10.29	31.66	0.00	361	114	PEAK																																																																																																																														
3	5700.04	52.63	105.31	-52.68	39.39	34.70	10.32	31.78	0.00	361	114	PEAK																																																																																																																														
4	5720.51	51.36	112.06	-60.70	38.19	34.66	10.34	31.83	0.00	361	114	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5795.00	90.61	-----	-----	85.52	34.70	10.41	32.02	0.00	361	114	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>89.53</td><td>-----</td><td>-----</td><td>76.45</td><td>34.69</td><td>10.40</td><td>32.01</td><td>0.00</td><td>361</td><td>114</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	89.53	-----	-----	76.45	34.69	10.40	32.01	0.00	361	114	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5795.00	89.53	-----	-----	76.45	34.69	10.40	32.01	0.00	361	114	AVERAGE																																																																																																																														






Mode	37																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz																																																																																													
ANT	1																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.99</td><td>52.98</td><td>110.93</td><td>-57.95</td><td>39.78</td><td>34.91</td><td>10.45</td><td>32.16</td><td>0.00</td><td>361</td><td>114</td><td>PEAK</td></tr><tr><td>2</td><td>5874.52</td><td>53.38</td><td>105.44</td><td>-52.06</td><td>40.12</td><td>34.95</td><td>10.47</td><td>32.16</td><td>0.00</td><td>361</td><td>114</td><td>PEAK</td></tr><tr><td>3</td><td>5924.74</td><td>52.45</td><td>68.40</td><td>-15.95</td><td>38.99</td><td>35.10</td><td>10.52</td><td>32.16</td><td>0.00</td><td>361</td><td>114</td><td>PEAK</td></tr><tr><td>4</td><td>5942.72</td><td>54.40</td><td>68.20</td><td>-13.80</td><td>40.87</td><td>35.17</td><td>10.53</td><td>32.17</td><td>0.00</td><td>361</td><td>114</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.99	52.98	110.93	-57.95	39.78	34.91	10.45	32.16	0.00	361	114	PEAK	2	5874.52	53.38	105.44	-52.06	40.12	34.95	10.47	32.16	0.00	361	114	PEAK	3	5924.74	52.45	68.40	-15.95	38.99	35.10	10.52	32.16	0.00	361	114	PEAK	4	5942.72	54.40	68.20	-13.80	40.87	35.17	10.53	32.17	0.00	361	114	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.99	52.98	110.93	-57.95	39.78	34.91	10.45	32.16	0.00	361	114	PEAK																																																																																		
2	5874.52	53.38	105.44	-52.06	40.12	34.95	10.47	32.16	0.00	361	114	PEAK																																																																																		
3	5924.74	52.45	68.40	-15.95	38.99	35.10	10.52	32.16	0.00	361	114	PEAK																																																																																		
4	5942.72	54.40	68.20	-13.80	40.87	35.17	10.53	32.17	0.00	361	114	PEAK																																																																																		




Mode	37																																																																																					
	Harmonic																																																																																					
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz																																																																																					
ANT	1																																																																																					
Pol.	Horizontal							Vertical																																																																														
Peak Avg																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11590.00</td><td>44.44</td><td>74.00</td><td>-29.56</td><td>52.23</td><td>38.38</td><td>14.98</td><td>61.15</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11590.00	44.44	74.00	-29.56	52.23	38.38	14.98	61.15	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11590.00</td><td>44.51</td><td>74.00</td><td>-29.49</td><td>52.30</td><td>38.38</td><td>14.98</td><td>61.15</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11590.00	44.51	74.00	-29.49	52.30	38.38	14.98	61.15
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																														
1	11590.00	44.44	74.00	-29.56	52.23	38.38	14.98	61.15																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																														
1	11590.00	44.51	74.00	-29.49	52.30	38.38	14.98	61.15																																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11590.00</td><td>44.44</td><td>74.00</td><td>-29.56</td><td>52.23</td><td>38.38</td><td>14.98</td><td>61.15</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11590.00	44.44	74.00	-29.56	52.23	38.38	14.98	61.15	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11590.00</td><td>44.51</td><td>74.00</td><td>-29.49</td><td>52.30</td><td>38.38</td><td>14.98</td><td>61.15</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11590.00	44.51	74.00	-29.49	52.30	38.38	14.98	61.15	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																														
1	11590.00	44.44	74.00	-29.56	52.23	38.38	14.98	61.15																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																														
1	11590.00	44.51	74.00	-29.49	52.30	38.38	14.98	61.15																																																																														



Mode	38																																																																																																																															
	Band Edge - L																																																																																																																															
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full_5775MHz																																																																																																																															
ANT	1																																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																																									
Peak																																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5604.20</td><td>54.10</td><td>68.20</td><td>-14.10</td><td>40.81</td><td>34.69</td><td>10.25</td><td>31.65</td><td>0.00</td><td>100</td><td>81 PEAK</td></tr><tr><td>2 5650.93</td><td>52.71</td><td>68.89</td><td>-16.18</td><td>39.48</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>100</td><td>81 PEAK</td></tr><tr><td>3 5718.48</td><td>72.47</td><td>110.47</td><td>-38.00</td><td>59.29</td><td>34.66</td><td>10.34</td><td>31.82</td><td>0.00</td><td>100</td><td>81 PEAK</td></tr><tr><td>4 5720.05</td><td>69.62</td><td>111.01</td><td>-41.39</td><td>56.45</td><td>34.66</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>81 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5604.20	54.10	68.20	-14.10	40.81	34.69	10.25	31.65	0.00	100	81 PEAK	2 5650.93	52.71	68.89	-16.18	39.48	34.60	10.29	31.66	0.00	100	81 PEAK	3 5718.48	72.47	110.47	-38.00	59.29	34.66	10.34	31.82	0.00	100	81 PEAK	4 5720.05	69.62	111.01	-41.39	56.45	34.66	10.34	31.83	0.00	100	81 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>96.80</td><td>-----</td><td>-----</td><td>83.73</td><td>34.64</td><td>10.38</td><td>31.95</td><td>0.00</td><td>100</td><td>81 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	96.80	-----	-----	83.73	34.64	10.38	31.95	0.00	100	81 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1 5604.20	54.10	68.20	-14.10	40.81	34.69	10.25	31.65	0.00	100	81 PEAK																																																																																																																						
2 5650.93	52.71	68.89	-16.18	39.48	34.60	10.29	31.66	0.00	100	81 PEAK																																																																																																																						
3 5718.48	72.47	110.47	-38.00	59.29	34.66	10.34	31.82	0.00	100	81 PEAK																																																																																																																						
4 5720.05	69.62	111.01	-41.39	56.45	34.66	10.34	31.83	0.00	100	81 PEAK																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1 5775.00	96.80	-----	-----	83.73	34.64	10.38	31.95	0.00	100	81 PEAK																																																																																																																						
Avg	Blank																																																																																																																															
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>87.61</td><td>-----</td><td>-----</td><td>74.54</td><td>34.64</td><td>10.38</td><td>31.95</td><td>0.00</td><td>100</td><td>81 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	87.61	-----	-----	74.54	34.64	10.38	31.95	0.00	100	81 AVERAGE																																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1 5775.00	87.61	-----	-----	74.54	34.64	10.38	31.95	0.00	100	81 AVERAGE																																																																																																																						




Mode	38																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full_5775MHz																																																																																													
ANT	1																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.63</td><td>59.10</td><td>111.75</td><td>-52.65</td><td>45.90</td><td>34.91</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>81</td><td>PEAK</td></tr><tr><td>2</td><td>5870.55</td><td>58.10</td><td>106.54</td><td>-48.44</td><td>44.85</td><td>34.94</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>81</td><td>PEAK</td></tr><tr><td>3</td><td>5924.10</td><td>53.29</td><td>68.86</td><td>-15.57</td><td>39.84</td><td>35.10</td><td>10.51</td><td>32.16</td><td>0.00</td><td>100</td><td>81</td><td>PEAK</td></tr><tr><td>4</td><td>5931.45</td><td>53.80</td><td>68.20</td><td>-14.40</td><td>40.31</td><td>35.13</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>81</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.63	59.10	111.75	-52.65	45.90	34.91	10.45	32.16	0.00	100	81	PEAK	2	5870.55	58.10	106.54	-48.44	44.85	34.94	10.47	32.16	0.00	100	81	PEAK	3	5924.10	53.29	68.86	-15.57	39.84	35.10	10.51	32.16	0.00	100	81	PEAK	4	5931.45	53.80	68.20	-14.40	40.31	35.13	10.52	32.16	0.00	100	81	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.63	59.10	111.75	-52.65	45.90	34.91	10.45	32.16	0.00	100	81	PEAK																																																																																		
2	5870.55	58.10	106.54	-48.44	44.85	34.94	10.47	32.16	0.00	100	81	PEAK																																																																																		
3	5924.10	53.29	68.86	-15.57	39.84	35.10	10.51	32.16	0.00	100	81	PEAK																																																																																		
4	5931.45	53.80	68.20	-14.40	40.31	35.13	10.52	32.16	0.00	100	81	PEAK																																																																																		





Mode	38																																																																																															
	Band Edge - L																																																																																															
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full_5775MHz																																																																																															
ANT	1																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5634.65</td><td>54.58</td><td>68.20</td><td>-13.62</td><td>41.31</td><td>34.63</td><td>10.27</td><td>31.63</td><td>0.00</td><td>319</td><td>120 PEAK</td></tr><tr><td>2</td><td>5650.75</td><td>51.71</td><td>68.76</td><td>-17.05</td><td>38.48</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>319</td><td>120 PEAK</td></tr><tr><td>3</td><td>5716.03</td><td>70.63</td><td>109.79</td><td>-39.16</td><td>57.44</td><td>34.67</td><td>10.34</td><td>31.82</td><td>0.00</td><td>319</td><td>120 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>68.56</td><td>111.81</td><td>-43.25</td><td>55.39</td><td>34.66</td><td>10.34</td><td>31.83</td><td>0.00</td><td>319</td><td>120 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5634.65	54.58	68.20	-13.62	41.31	34.63	10.27	31.63	0.00	319	120 PEAK	2	5650.75	51.71	68.76	-17.05	38.48	34.60	10.29	31.66	0.00	319	120 PEAK	3	5716.03	70.63	109.79	-39.16	57.44	34.67	10.34	31.82	0.00	319	120 PEAK	4	5720.40	68.56	111.81	-43.25	55.39	34.66	10.34	31.83	0.00	319	120 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5634.65	54.58	68.20	-13.62	41.31	34.63	10.27	31.63	0.00	319	120 PEAK																																																																																					
2	5650.75	51.71	68.76	-17.05	38.48	34.60	10.29	31.66	0.00	319	120 PEAK																																																																																					
3	5716.03	70.63	109.79	-39.16	57.44	34.67	10.34	31.82	0.00	319	120 PEAK																																																																																					
4	5720.40	68.56	111.81	-43.25	55.39	34.66	10.34	31.83	0.00	319	120 PEAK																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>94.61</td><td>-----</td><td>-----</td><td>81.54</td><td>34.64</td><td>10.38</td><td>31.95</td><td>0.00</td><td>319</td><td>120 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5775.00	94.61	-----	-----	81.54	34.64	10.38	31.95	0.00	319	120 PEAK																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5775.00	94.61	-----	-----	81.54	34.64	10.38	31.95	0.00	319	120 PEAK																																																																																					
Avg	Blank																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>86.25</td><td>-----</td><td>-----</td><td>73.18</td><td>34.64</td><td>10.38</td><td>31.95</td><td>0.00</td><td>319</td><td>120 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5775.00	86.25	-----	-----	73.18	34.64	10.38	31.95	0.00	319	120 AVERAGE																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5775.00	86.25	-----	-----	73.18	34.64	10.38	31.95	0.00	319	120 AVERAGE																																																																																					



Mode	38																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full_5775MHz																																																																																													
ANT	1																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.28</td><td>59.17</td><td>112.55</td><td>-53.38</td><td>45.97</td><td>34.91</td><td>10.45</td><td>32.16</td><td>0.00</td><td>319</td><td>120</td><td>PEAK</td></tr><tr><td>2</td><td>5869.50</td><td>57.13</td><td>106.84</td><td>-49.71</td><td>43.88</td><td>34.94</td><td>10.47</td><td>32.16</td><td>0.00</td><td>319</td><td>120</td><td>PEAK</td></tr><tr><td>3</td><td>5924.98</td><td>53.90</td><td>68.22</td><td>-14.32</td><td>40.44</td><td>35.10</td><td>10.52</td><td>32.16</td><td>0.00</td><td>319</td><td>120</td><td>PEAK</td></tr><tr><td>4</td><td>5940.20</td><td>53.95</td><td>68.20</td><td>-14.25</td><td>40.43</td><td>35.16</td><td>10.53</td><td>32.17</td><td>0.00</td><td>319</td><td>120</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.28	59.17	112.55	-53.38	45.97	34.91	10.45	32.16	0.00	319	120	PEAK	2	5869.50	57.13	106.84	-49.71	43.88	34.94	10.47	32.16	0.00	319	120	PEAK	3	5924.98	53.90	68.22	-14.32	40.44	35.10	10.52	32.16	0.00	319	120	PEAK	4	5940.20	53.95	68.20	-14.25	40.43	35.16	10.53	32.17	0.00	319	120	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.28	59.17	112.55	-53.38	45.97	34.91	10.45	32.16	0.00	319	120	PEAK																																																																																		
2	5869.50	57.13	106.84	-49.71	43.88	34.94	10.47	32.16	0.00	319	120	PEAK																																																																																		
3	5924.98	53.90	68.22	-14.32	40.44	35.10	10.52	32.16	0.00	319	120	PEAK																																																																																		
4	5940.20	53.95	68.20	-14.25	40.43	35.16	10.53	32.17	0.00	319	120	PEAK																																																																																		



		38																																																																																																	
Mode		Harmonic																																																																																																	
		U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full_5775MHz																																																																																																	
ANT		1																																																																																																	
Pol.		Horizontal						Vertical																																																																																											
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>44.89</td><td>74.00</td><td>-29.11</td><td>52.80</td><td>38.30</td><td>14.95</td><td>61.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	44.89	74.00	-29.11	52.80	38.30	14.95	61.16	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>44.46</td><td>74.00</td><td>-29.54</td><td>52.37</td><td>38.30</td><td>14.95</td><td>61.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	44.46	74.00	-29.54	52.37	38.30	14.95	61.16	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11550.00	44.89	74.00	-29.11	52.80	38.30	14.95	61.16	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11550.00	44.46	74.00	-29.54	52.37	38.30	14.95	61.16	0.00	---	---	PEAK																																																																																							




Mode	35																																																																																																																																																																																																						
	LF																																																																																																																																																																																																						
	U-NII-3_5.725-5.85_802.11n HT20_CH165_Full_5825MHz																																																																																																																																																																																																						
ANT	1																																																																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																																																																
Peak QP	Horizontal polarization spectrum plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a red limit line labeled 'U-NII-3' and a blue test signal. Peaks are numbered 1 through 6. <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>31.94</td><td>23.02</td><td>-16.98</td><td>40.00</td><td>30.34</td><td>24.40</td><td>0.48</td><td>32.20</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>87.23</td><td>21.39</td><td>-18.61</td><td>40.00</td><td>38.06</td><td>14.35</td><td>1.18</td><td>32.20</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>148.34</td><td>24.79</td><td>-18.71</td><td>43.50</td><td>38.38</td><td>17.15</td><td>1.62</td><td>32.36</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>318.09</td><td>25.09</td><td>-20.91</td><td>46.00</td><td>35.57</td><td>19.54</td><td>2.40</td><td>32.42</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>560.59</td><td>27.14</td><td>-18.86</td><td>46.00</td><td>29.84</td><td>26.67</td><td>3.19</td><td>32.56</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>983.51</td><td>34.12</td><td>-19.88</td><td>54.00</td><td>29.14</td><td>31.48</td><td>4.23</td><td>30.73</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	31.94	23.02	-16.98	40.00	30.34	24.40	0.48	32.20	---	---	Peak	2	87.23	21.39	-18.61	40.00	38.06	14.35	1.18	32.20	---	---	Peak	3	148.34	24.79	-18.71	43.50	38.38	17.15	1.62	32.36	---	---	Peak	4	318.09	25.09	-20.91	46.00	35.57	19.54	2.40	32.42	---	---	Peak	5	560.59	27.14	-18.86	46.00	29.84	26.67	3.19	32.56	---	---	Peak	6	983.51	34.12	-19.88	54.00	29.14	31.48	4.23	30.73	---	---	Peak	Vertical polarization spectrum plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a red limit line labeled 'U-NII-3' and a blue test signal. Peaks are numbered 1 through 6. <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>49.40</td><td>33.63</td><td>-6.37</td><td>40.00</td><td>50.30</td><td>14.88</td><td>0.71</td><td>32.26</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>80.44</td><td>26.51</td><td>-13.49</td><td>40.00</td><td>44.32</td><td>13.40</td><td>1.10</td><td>32.31</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>147.37</td><td>31.22</td><td>-12.28</td><td>43.50</td><td>44.77</td><td>17.19</td><td>1.62</td><td>32.36</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>262.80</td><td>22.21</td><td>-23.79</td><td>46.00</td><td>32.40</td><td>20.01</td><td>2.18</td><td>32.38</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>411.21</td><td>26.46</td><td>-19.54</td><td>46.00</td><td>33.86</td><td>22.28</td><td>2.74</td><td>32.42</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>945.68</td><td>34.51</td><td>-11.49</td><td>46.00</td><td>30.60</td><td>30.83</td><td>4.14</td><td>31.06</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	49.40	33.63	-6.37	40.00	50.30	14.88	0.71	32.26	---	---	Peak	2	80.44	26.51	-13.49	40.00	44.32	13.40	1.10	32.31	---	---	Peak	3	147.37	31.22	-12.28	43.50	44.77	17.19	1.62	32.36	---	---	Peak	4	262.80	22.21	-23.79	46.00	32.40	20.01	2.18	32.38	---	---	Peak	5	411.21	26.46	-19.54	46.00	33.86	22.28	2.74	32.42	---	---	Peak	6	945.68	34.51	-11.49	46.00	30.60	30.83	4.14	31.06	---	---	Peak
		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																												
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																													
1	31.94	23.02	-16.98	40.00	30.34	24.40	0.48	32.20	---	---	Peak																																																																																																																																																																																												
2	87.23	21.39	-18.61	40.00	38.06	14.35	1.18	32.20	---	---	Peak																																																																																																																																																																																												
3	148.34	24.79	-18.71	43.50	38.38	17.15	1.62	32.36	---	---	Peak																																																																																																																																																																																												
4	318.09	25.09	-20.91	46.00	35.57	19.54	2.40	32.42	---	---	Peak																																																																																																																																																																																												
5	560.59	27.14	-18.86	46.00	29.84	26.67	3.19	32.56	---	---	Peak																																																																																																																																																																																												
6	983.51	34.12	-19.88	54.00	29.14	31.48	4.23	30.73	---	---	Peak																																																																																																																																																																																												
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																													
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																													
1	49.40	33.63	-6.37	40.00	50.30	14.88	0.71	32.26	---	---	Peak																																																																																																																																																																																												
2	80.44	26.51	-13.49	40.00	44.32	13.40	1.10	32.31	---	---	Peak																																																																																																																																																																																												
3	147.37	31.22	-12.28	43.50	44.77	17.19	1.62	32.36	---	---	Peak																																																																																																																																																																																												
4	262.80	22.21	-23.79	46.00	32.40	20.01	2.18	32.38	---	---	Peak																																																																																																																																																																																												
5	411.21	26.46	-19.54	46.00	33.86	22.28	2.74	32.42	---	---	Peak																																																																																																																																																																																												
6	945.68	34.51	-11.49	46.00	30.60	30.83	4.14	31.06	---	---	Peak																																																																																																																																																																																												

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	98.25	-	-	10Hz
802.11n HT20	97.92	1.703	0.587	0.62kHz
802.11n HT40	95.87	0.841	1.190	1.2kHz
802.11ac VHT80	92.61	0.417	2.396	2.7kHz

802.11a






802.11n HT20



802.11n HT40





802.11ac VHT80

