













Mode	27																																																																																																				
	Band Edge - L																																																																																																				
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>97.45</td><td>74.00</td><td>-19.01</td><td>42.88</td><td>34.16</td><td>9.68</td><td>31.73</td><td>0.00</td><td>100</td><td>81 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	97.45	74.00	-19.01	42.88	34.16	9.68	31.73	0.00	100	81 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>97.45</td><td>-----</td><td>-----</td><td>84.91</td><td>34.54</td><td>9.88</td><td>31.88</td><td>0.00</td><td>100</td><td>81 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	97.45	-----	-----	84.91	34.54	9.88	31.88	0.00	100	81 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5290.00	97.45	74.00	-19.01	42.88	34.16	9.68	31.73	0.00	100	81 PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5290.00	97.45	-----	-----	84.91	34.54	9.88	31.88	0.00	100	81 PEAK																																																																																										
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>88.70</td><td>54.00</td><td>-10.18</td><td>31.65</td><td>34.20</td><td>9.74</td><td>31.77</td><td>0.00</td><td>100</td><td>81 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	88.70	54.00	-10.18	31.65	34.20	9.74	31.77	0.00	100	81 AVERAGE	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>88.70</td><td>-----</td><td>-----</td><td>76.16</td><td>34.54</td><td>9.88</td><td>31.88</td><td>0.00</td><td>100</td><td>81 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	88.70	-----	-----	76.16	34.54	9.88	31.88	0.00	100	81 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5290.00	88.70	54.00	-10.18	31.65	34.20	9.74	31.77	0.00	100	81 AVERAGE																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5290.00	88.70	-----	-----	76.16	34.54	9.88	31.88	0.00	100	81 AVERAGE																																																																																										



Mode	27																																																				
	Band Edge - R																																																				
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																				
ANT	1																																																				
Pol.	Horizontal										Fundamental																																										
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.09</td><td>58.13</td><td>74.00</td><td>-15.87</td><td>45.63</td><td>34.52</td><td>9.91</td><td>31.93</td><td>0.00</td><td>100</td><td>81 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.09	58.13	74.00	-15.87	45.63	34.52	9.91	31.93	0.00	100	81 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5354.09	58.13	74.00	-15.87	45.63	34.52	9.91	31.93	0.00	100	81 PEAK																																										
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.71</td><td>48.60</td><td>54.00</td><td>-5.40</td><td>36.11</td><td>34.51</td><td>9.91</td><td>31.93</td><td>0.00</td><td>100</td><td>81 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.71	48.60	54.00	-5.40	36.11	34.51	9.91	31.93	0.00	100	81 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5351.71	48.60	54.00	-5.40	36.11	34.51	9.91	31.93	0.00	100	81 AVERAGE																																										





Mode	27																																																																																															
	Band Edge - L																																																																																															
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																															
ANT	1																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5009.57</td><td>54.26</td><td>74.00</td><td>-19.74</td><td>42.21</td><td>34.12</td><td>9.66</td><td>31.73</td><td>0.00</td><td>100</td><td>91 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5009.57	54.26	74.00	-19.74	42.21	34.12	9.66	31.73	0.00	100	91 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>95.26</td><td>-----</td><td>-----</td><td>82.69</td><td>34.58</td><td>9.88</td><td>31.89</td><td>0.00</td><td>100</td><td>91 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	95.26	-----	-----	82.69	34.58	9.88	31.89	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5009.57	54.26	74.00	-19.74	42.21	34.12	9.66	31.73	0.00	100	91 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5290.00	95.26	-----	-----	82.69	34.58	9.88	31.89	0.00	100	91 PEAK																																																																																					
Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5144.13</td><td>43.75</td><td>54.00</td><td>-10.25</td><td>31.57</td><td>34.20</td><td>9.78</td><td>31.00</td><td>0.00</td><td>100</td><td>91 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5144.13	43.75	54.00	-10.25	31.57	34.20	9.78	31.00	0.00	100	91 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>86.72</td><td>-----</td><td>-----</td><td>74.18</td><td>34.54</td><td>9.88</td><td>31.88</td><td>0.00</td><td>100</td><td>91 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	86.72	-----	-----	74.18	34.54	9.88	31.88	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5144.13	43.75	54.00	-10.25	31.57	34.20	9.78	31.00	0.00	100	91 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5290.00	86.72	-----	-----	74.18	34.54	9.88	31.88	0.00	100	91 AVERAGE																																																																																					







Mode	27										
	Band Edge - R										
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz										
ANT	1										
Pol.	Vertical										
Peak	<										




Mode	27																																																																																																		
	Harmonic																																																																																																		
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10580.00</td><td>44.30</td><td>68.20</td><td>-23.90</td><td>53.05</td><td>37.86</td><td>14.28</td><td>60.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10580.00	44.30	68.20	-23.90	53.05	37.86	14.28	60.89	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10580.00</td><td>43.91</td><td>68.20</td><td>-24.29</td><td>52.66</td><td>37.86</td><td>14.28</td><td>60.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10580.00	43.91	68.20	-24.29	52.66	37.86	14.28	60.89	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	10580.00	44.30	68.20	-23.90	53.05	37.86	14.28	60.89	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	10580.00	43.91	68.20	-24.29	52.66	37.86	14.28	60.89	0.00	---	---	PEAK																																																																																							







		28																																																																																																											
Mode	Band Edge - L																																																																																																												
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																												
ANT	1																																																																																																												
Pol.	Horizontal					Fundamental																																																																																																							
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Aux6</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.36</td><td>57.99</td><td>74.00</td><td>-16.01</td><td>45.26</td><td>34.70</td><td>10.02</td><td>31.99</td><td>0.00</td><td>287</td><td>26 PEAK</td></tr><tr><td>2</td><td>5467.90</td><td>60.10</td><td>68.20</td><td>-8.10</td><td>47.36</td><td>34.70</td><td>10.04</td><td>32.00</td><td>0.00</td><td>287</td><td>26 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Aux6	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.36	57.99	74.00	-16.01	45.26	34.70	10.02	31.99	0.00	287	26 PEAK	2	5467.90	60.10	68.20	-8.10	47.36	34.70	10.04	32.00	0.00	287	26 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>95.75</td><td>-----</td><td>83.01</td><td>34.64</td><td>10.13</td><td>32.03</td><td>0.00</td><td>287</td><td>26 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	95.75	-----	83.01	34.64	10.13	32.03	0.00	287
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Aux6																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	5458.36	57.99	74.00	-16.01	45.26	34.70	10.02	31.99	0.00	287	26 PEAK																																																																																																		
2	5467.90	60.10	68.20	-8.10	47.36	34.70	10.04	32.00	0.00	287	26 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	5530.00	95.75	-----	83.01	34.64	10.13	32.03	0.00	287	26 PEAK																																																																																																			
Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.08</td><td>48.72</td><td>54.00</td><td>-5.28</td><td>35.98</td><td>34.70</td><td>10.03</td><td>31.99</td><td>0.00</td><td>287</td><td>26 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.08	48.72	54.00	-5.28	35.98	34.70	10.03	31.99	0.00	287	26 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>87.18</td><td>-----</td><td>74.44</td><td>34.64</td><td>10.13</td><td>32.03</td><td>0.00</td><td>287</td><td>26 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	87.18	-----	74.44	34.64	10.13	32.03	0.00	287	26 AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	5459.08	48.72	54.00	-5.28	35.98	34.70	10.03	31.99	0.00	287	26 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	5530.00	87.18	-----	74.44	34.64	10.13	32.03	0.00	287	26 AVERAGE																																																																																																			




Mode	28																																																												
	Band Edge - R																																																												
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																												
ANT	1																																																												
Pol.	Horizontal						Fundamental																																																						
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th><th>Aux6</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>dB</th></tr><tr><td>1</td><td>5751.84</td><td>53.45</td><td>68.20</td><td>-14.75</td><td>40.49</td><td>34.60</td><td>10.37</td><td>32.01</td><td>0.00</td><td>287</td><td>26 PEAK</td><td>0.00</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Aux6	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	dB	1	5751.84	53.45	68.20	-14.75	40.49	34.60	10.37	32.01	0.00	287	26 PEAK	0.00	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Aux6																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	dB																																																		
1	5751.84	53.45	68.20	-14.75	40.49	34.60	10.37	32.01	0.00	287	26 PEAK	0.00																																																	





Mode	28																																																																						
	Band Edge - L																																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																						
ANT	1																																																																						
Pol.	Vertical						Fundamental																																																																
Peak																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Aux6</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>dB</th></tr><tr><td>1</td><td>5451.88</td><td>56.38</td><td>74.00</td><td>-17.62</td><td>43.66</td><td>34.70</td><td>10.01</td><td>31.99</td><td>0.00</td><td>127</td><td>93 PEAK 0.00</td></tr><tr><td>2</td><td>5464.30</td><td>57.01</td><td>68.20</td><td>-11.19</td><td>44.27</td><td>34.70</td><td>10.03</td><td>31.99</td><td>0.00</td><td>127</td><td>93 PEAK 0.00</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Aux6		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	dB	1	5451.88	56.38	74.00	-17.62	43.66	34.70	10.01	31.99	0.00	127	93 PEAK 0.00	2	5464.30	57.01	68.20	-11.19	44.27	34.70	10.03	31.99	0.00	127
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Aux6																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	dB																																																												
1	5451.88	56.38	74.00	-17.62	43.66	34.70	10.01	31.99	0.00	127	93 PEAK 0.00																																																												
2	5464.30	57.01	68.20	-11.19	44.27	34.70	10.03	31.99	0.00	127	93 PEAK 0.00																																																												
Fundamental																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>93.45</td><td>-----</td><td>80.72</td><td>34.63</td><td>10.14</td><td>32.04</td><td>0.00</td><td>127</td><td>93</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	93.45	-----	80.72	34.63	10.14	32.04	0.00	127	93	PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	5530.00	93.45	-----	80.72	34.63	10.14	32.04	0.00	127	93	PEAK																																																												
Avg																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5459.80</td><td>45.66</td><td>54.00</td><td>-8.34</td><td>32.92</td><td>34.70</td><td>10.03</td><td>31.99</td><td>0.00</td><td>127</td><td>93 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5459.80	45.66	54.00	-8.34	32.92	34.70	10.03	31.99	0.00	127	93 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	5459.80	45.66	54.00	-8.34	32.92	34.70	10.03	31.99	0.00	127	93 AVERAGE																																																												
Fundamental																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>84.34</td><td>-----</td><td>71.61</td><td>34.63</td><td>10.14</td><td>32.04</td><td>0.00</td><td>127</td><td>93</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	84.34	-----	71.61	34.63	10.14	32.04	0.00	127	93	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	5530.00	84.34	-----	71.61	34.63	10.14	32.04	0.00	127	93	AVERAGE																																																												







Mode	28																																																												
	Band Edge - R																																																												
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																												
ANT	1																																																												
Pol.	Vertical						Fundamental																																																						
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th><th>Aux6</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>dB</th></tr><tr><td>1</td><td>5755.13</td><td>54.74</td><td>68.20</td><td>-13.46</td><td>41.76</td><td>34.61</td><td>10.37</td><td>32.00</td><td>0.00</td><td>127</td><td>93 PEAK</td><td>0.00</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Aux6	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	dB	1	5755.13	54.74	68.20	-13.46	41.76	34.61	10.37	32.00	0.00	127	93 PEAK	0.00	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Aux6																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	Factor																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	dB																																																		
1	5755.13	54.74	68.20	-13.46	41.76	34.61	10.37	32.00	0.00	127	93 PEAK	0.00																																																	



Mode	28																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																																																											
ANT	1																																																																																																																																											
Pol.	Horizontal							Vertical																																																																																																																																				
Peak Avg																																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11060.00</td><td>43.75</td><td>74.00</td><td>-30.25</td><td>52.01</td><td>38.00</td><td>14.61</td><td>60.87</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11060.00	43.75	74.00	-30.25	52.01	38.00	14.61	60.87								0.00	---								---	---									PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11060.00</td><td>43.42</td><td>74.00</td><td>-30.58</td><td>51.68</td><td>38.00</td><td>14.61</td><td>60.87</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11060.00	43.42	74.00	-30.58	51.68	38.00	14.61	60.87								0.00	---								---	---									PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																				
1	11060.00	43.75	74.00	-30.25	52.01	38.00	14.61	60.87																																																																																																																																				
							0.00	---																																																																																																																																				
							---	---																																																																																																																																				
								PEAK																																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																				
1	11060.00	43.42	74.00	-30.58	51.68	38.00	14.61	60.87																																																																																																																																				
							0.00	---																																																																																																																																				
							---	---																																																																																																																																				
								PEAK																																																																																																																																				







Mode	29																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5370.34</td><td>53.41</td><td>74.00</td><td>-20.59</td><td>40.85</td><td>34.58</td><td>9.92</td><td>31.94</td><td>0.00</td><td>325</td><td>28 PEAK</td></tr><tr><td>2</td><td>5469.52</td><td>52.43</td><td>68.20</td><td>-15.77</td><td>39.69</td><td>34.70</td><td>10.04</td><td>32.00</td><td>0.00</td><td>325</td><td>28 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5370.34	53.41	74.00	-20.59	40.85	34.58	9.92	31.94	0.00	325	28 PEAK	2	5469.52	52.43	68.20	-15.77	39.69	34.70	10.04	32.00	0.00	325	28 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>102.34</td><td>-----</td><td>-----</td><td>89.49</td><td>34.67</td><td>10.26</td><td>32.08</td><td>0.00</td><td>325</td><td>28 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5610.00	102.34	-----	-----	89.49	34.67	10.26	32.08	0.00	325	28 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5370.34	53.41	74.00	-20.59	40.85	34.58	9.92	31.94	0.00	325	28 PEAK																																																																																																				
2	5469.52	52.43	68.20	-15.77	39.69	34.70	10.04	32.00	0.00	325	28 PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5610.00	102.34	-----	-----	89.49	34.67	10.26	32.08	0.00	325	28 PEAK																																																																																																				
Avg																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.62</td><td>43.65</td><td>54.00</td><td>-10.35</td><td>30.91</td><td>34.70</td><td>10.03</td><td>31.99</td><td>0.00</td><td>325</td><td>28 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.62	43.65	54.00	-10.35	30.91	34.70	10.03	31.99	0.00	325	28 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>92.56</td><td>-----</td><td>-----</td><td>79.71</td><td>34.67</td><td>10.26</td><td>32.08</td><td>0.00</td><td>325</td><td>28 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5610.00	92.56	-----	-----	79.71	34.67	10.26	32.08	0.00	325	28 AVERAGE														
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5459.62	43.65	54.00	-10.35	30.91	34.70	10.03	31.99	0.00	325	28 AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5610.00	92.56	-----	-----	79.71	34.67	10.26	32.08	0.00	325	28 AVERAGE																																																																																																				




Mode	29																																																								
	Band Edge - R																																																								
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																								
ANT	1																																																								
Pol.	Horizontal						Fundamental																																																		
Peak	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5746.44</td><td>55.47</td><td>68.20</td><td>-12.73</td><td>42.51</td><td>34.61</td><td>10.36</td><td>32.01</td><td>0.00</td><td>325</td><td>28 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5746.44	55.47	68.20	-12.73	42.51	34.61	10.36	32.01	0.00	325	28 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5746.44	55.47	68.20	-12.73	42.51	34.61	10.36	32.01	0.00	325	28 PEAK																																														





Mode	29																																																																																																									
	Band Edge - L																																																																																																									
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Vertical						Fundamental																																																																																																			
Peak																																																																																																										
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5454.76	53.06	74.00	-20.94	40.33	34.70	10.02	31.99	0.00	119	80 PEAK	2	5467.18	52.22	68.20	-15.98	39.47	34.70	10.04	31.99	0.00	119	80 PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5610.00	100.89	-----	88.04	34.68	10.25	32.08	0.00	119	80
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5454.76	53.06	74.00	-20.94	40.33	34.70	10.02	31.99	0.00	119	80 PEAK																																																																																															
2	5467.18	52.22	68.20	-15.98	39.47	34.70	10.04	31.99	0.00	119	80 PEAK																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	5610.00	100.89	-----	88.04	34.68	10.25	32.08	0.00	119	80	PEAK																																																																																															
Avg																																																																																																										
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5451.70	43.22	54.00	-10.78	30.50	34.70	10.01	31.99	0.00	119	80 AVERAGE		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5610.00	90.67	-----	77.84	34.66	10.26	32.09	0.00	119	80	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	5451.70	43.22	54.00	-10.78	30.50	34.70	10.01	31.99	0.00	119	80 AVERAGE																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	5610.00	90.67	-----	77.84	34.66	10.26	32.09	0.00	119	80	AVERAGE																																																																																															






Mode	29																																														
	Band Edge - R																																														
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																														
ANT	1																																														
Pol.	Vertical	Fundamental																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5729.52</td><td>54.31</td><td>68.20</td><td>-13.89</td><td>41.35</td><td>34.64</td><td>10.35</td><td>32.03</td><td>0.00</td><td>119</td><td>80 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5729.52	54.31	68.20	-13.89	41.35	34.64	10.35	32.03	0.00	119	80 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1	5729.52	54.31	68.20	-13.89	41.35	34.64	10.35	32.03	0.00	119	80 PEAK																																				





Mode	29																																																																																																							
	Harmonic																																																																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																							
ANT	1																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak Avg																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11220.00</td><td>43.63</td><td>74.00</td><td>-30.37</td><td>51.68</td><td>38.10</td><td>14.72</td><td>60.87</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11220.00	43.63	74.00	-30.37	51.68	38.10	14.72	60.87	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11220.00</td><td>43.43</td><td>74.00</td><td>-30.57</td><td>51.48</td><td>38.10</td><td>14.72</td><td>60.87</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11220.00	43.43	74.00	-30.57	51.48	38.10	14.72	60.87	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	11220.00	43.63	74.00	-30.37	51.68	38.10	14.72	60.87	0.00	---	---	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	11220.00	43.43	74.00	-30.57	51.48	38.10	14.72	60.87	0.00	---	---	PEAK																																																																																												





Mode	30																																																																																																																																						
	Band Edge																																																																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																						
ANT	1																																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																																
Peak																																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5600.29</td><td>54.05</td><td>68.20</td><td>-14.15</td><td>41.19</td><td>34.70</td><td>10.24</td><td>32.00</td><td>0.00</td><td>112</td><td>196 PEAK</td></tr><tr><td>2</td><td>5650.03</td><td>51.43</td><td>68.32</td><td>-16.89</td><td>38.64</td><td>34.60</td><td>10.28</td><td>32.09</td><td>0.00</td><td>112</td><td>196 PEAK</td></tr><tr><td>3</td><td>5717.60</td><td>57.70</td><td>110.23</td><td>-52.53</td><td>44.74</td><td>34.66</td><td>10.34</td><td>32.04</td><td>0.00</td><td>112</td><td>196 PEAK</td></tr><tr><td>4</td><td>5721.95</td><td>62.54</td><td>115.34</td><td>-52.80</td><td>49.57</td><td>34.66</td><td>10.34</td><td>32.03</td><td>0.00</td><td>112</td><td>196 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5600.29	54.05	68.20	-14.15	41.19	34.70	10.24	32.00	0.00	112	196 PEAK	2	5650.03	51.43	68.32	-16.89	38.64	34.60	10.28	32.09	0.00	112	196 PEAK	3	5717.60	57.70	110.23	-52.53	44.74	34.66	10.34	32.04	0.00	112	196 PEAK	4	5721.95	62.54	115.34	-52.80	49.57	34.66	10.34	32.03	0.00	112	196 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>103.78</td><td>-----</td><td>-----</td><td>90.82</td><td>34.61</td><td>10.36</td><td>32.01</td><td>0.00</td><td>112</td><td>196 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	103.78	-----	-----	90.82	34.61	10.36	32.01	0.00	112	196 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																													
1	5600.29	54.05	68.20	-14.15	41.19	34.70	10.24	32.00	0.00	112	196 PEAK																																																																																																																												
2	5650.03	51.43	68.32	-16.89	38.64	34.60	10.28	32.09	0.00	112	196 PEAK																																																																																																																												
3	5717.60	57.70	110.23	-52.53	44.74	34.66	10.34	32.04	0.00	112	196 PEAK																																																																																																																												
4	5721.95	62.54	115.34	-52.80	49.57	34.66	10.34	32.03	0.00	112	196 PEAK																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																													
1	5745.00	103.78	-----	-----	90.82	34.61	10.36	32.01	0.00	112	196 PEAK																																																																																																																												
Avg	Blank																																																																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>96.40</td><td>-----</td><td>-----</td><td>83.44</td><td>34.61</td><td>10.36</td><td>32.01</td><td>0.00</td><td>112</td><td>196 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	96.40	-----	-----	83.44	34.61	10.36	32.01	0.00	112	196 AVERAGE																																																																																	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																													
1	5745.00	96.40	-----	-----	83.44	34.61	10.36	32.01	0.00	112	196 AVERAGE																																																																																																																												





Mode	30																																																																																											
	Band Edge																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																											
ANT	1																																																																																											
Pol.	Vertical																																																																																											
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5622.91</td><td>53.88</td><td>68.20</td><td>-14.32</td><td>41.06</td><td>34.65</td><td>10.26</td><td>32.09</td><td>0.00</td><td>100</td><td>105 PEAK</td></tr><tr><td>2</td><td>5650.46</td><td>53.19</td><td>68.64</td><td>-15.45</td><td>40.40</td><td>34.60</td><td>10.28</td><td>32.09</td><td>0.00</td><td>100</td><td>105 PEAK</td></tr><tr><td>3</td><td>5719.34</td><td>59.52</td><td>110.71</td><td>-51.19</td><td>46.55</td><td>34.66</td><td>10.34</td><td>32.03</td><td>0.00</td><td>100</td><td>105 PEAK</td></tr><tr><td>4</td><td>5721.66</td><td>64.58</td><td>114.67</td><td>-50.09</td><td>51.61</td><td>34.66</td><td>10.34</td><td>32.03</td><td>0.00</td><td>100</td><td>105 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5622.91	53.88	68.20	-14.32	41.06	34.65	10.26	32.09	0.00	100	105 PEAK	2	5650.46	53.19	68.64	-15.45	40.40	34.60	10.28	32.09	0.00	100	105 PEAK	3	5719.34	59.52	110.71	-51.19	46.55	34.66	10.34	32.03	0.00	100	105 PEAK	4	5721.66	64.58	114.67	-50.09	51.61	34.66	10.34	32.03	0.00	100	105 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5622.91	53.88	68.20	-14.32	41.06	34.65	10.26	32.09	0.00	100	105 PEAK																																																																																	
2	5650.46	53.19	68.64	-15.45	40.40	34.60	10.28	32.09	0.00	100	105 PEAK																																																																																	
3	5719.34	59.52	110.71	-51.19	46.55	34.66	10.34	32.03	0.00	100	105 PEAK																																																																																	
4	5721.66	64.58	114.67	-50.09	51.61	34.66	10.34	32.03	0.00	100	105 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>105.16</td><td>-----</td><td>92.20</td><td>34.62</td><td>10.36</td><td>32.02</td><td>0.00</td><td>100</td><td>105 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	105.16	-----	92.20	34.62	10.36	32.02	0.00	100	105 PEAK																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5745.00	105.16	-----	92.20	34.62	10.36	32.02	0.00	100	105 PEAK																																																																																		






Mode	30																																																																																																																											
	Harmonic																																																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																											
ANT	1																																																																																																																											
Pol.	Horizontal												Vertical																																																																																																															
Peak Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11490.00</td><td>46.74</td><td>74.00</td><td>-27.26</td><td>54.49</td><td>38.20</td><td>14.91</td><td>60.86</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11490.00	46.74	74.00	-27.26	54.49	38.20	14.91	60.86						0.00		---	---									PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11490.00</td><td>47.13</td><td>74.00</td><td>-26.87</td><td>54.88</td><td>38.20</td><td>14.91</td><td>60.86</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td><td>100</td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 PEAK</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11490.00	47.13	74.00	-26.87	54.88	38.20	14.91	60.86						0.00		100										0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																				
1	11490.00	46.74	74.00	-27.26	54.49	38.20	14.91	60.86																																																																																																																				
					0.00		---	---																																																																																																																				
								PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																				
1	11490.00	47.13	74.00	-26.87	54.88	38.20	14.91	60.86																																																																																																																				
					0.00		100																																																																																																																					
								0 PEAK																																																																																																																				






Mode	31																																																																																																																	
	Harmonic																																																																																																																	
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																	
ANT	1																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																											
Peak Avg																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11570.00</td><td>45.63</td><td>74.00</td><td>-28.37</td><td>53.14</td><td>38.34</td><td>14.97</td><td>60.82</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 11570.00	45.63	74.00	-28.37	53.14	38.34	14.97	60.82	0.00	---	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11570.00</td><td>45.92</td><td>74.00</td><td>-28.08</td><td>53.43</td><td>38.34</td><td>14.97</td><td>60.82</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 11570.00	45.92	74.00	-28.08	53.43	38.34	14.97	60.82	0.00	---	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																							
1 11570.00	45.63	74.00	-28.37	53.14	38.34	14.97	60.82	0.00	---	---	---	Peak																																																																																																						
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																							
1 11570.00	45.92	74.00	-28.08	53.43	38.34	14.97	60.82	0.00	---	---	---	Peak																																																																																																						





Mode	32																																																																																																																															
	Band Edge																																																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																															
ANT	1																																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																																									
Peak																																																																																																																																
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.88</td><td>58.36</td><td>111.18</td><td>-52.82</td><td>44.94</td><td>34.91</td><td>10.45</td><td>31.94</td><td>0.00</td><td>100</td><td>196</td><td>PEAK</td></tr><tr><td>2</td><td>5873.00</td><td>55.19</td><td>105.86</td><td>-50.67</td><td>41.72</td><td>34.95</td><td>10.47</td><td>31.95</td><td>0.00</td><td>100</td><td>196</td><td>PEAK</td></tr><tr><td>3</td><td>5924.13</td><td>54.08</td><td>68.94</td><td>-14.86</td><td>40.46</td><td>35.10</td><td>10.51</td><td>31.99</td><td>0.00</td><td>100</td><td>196</td><td>PEAK</td></tr><tr><td>4</td><td>5932.38</td><td>54.72</td><td>68.20</td><td>-13.48</td><td>41.07</td><td>35.13</td><td>10.52</td><td>32.00</td><td>0.00</td><td>100</td><td>196</td><td>PEAK</td></tr></tbody></table>							Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5854.88	58.36	111.18	-52.82	44.94	34.91	10.45	31.94	0.00	100	196	PEAK	2	5873.00	55.19	105.86	-50.67	41.72	34.95	10.47	31.95	0.00	100	196	PEAK	3	5924.13	54.08	68.94	-14.86	40.46	35.10	10.51	31.99	0.00	100	196	PEAK	4	5932.38	54.72	68.20	-13.48	41.07	35.13	10.52	32.00	0.00	100	196	PEAK	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>106.74</td><td>-----</td><td>-----</td><td>93.46</td><td>34.80</td><td>10.43</td><td>31.95</td><td>0.00</td><td>100</td><td>196</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5825.00	106.74	-----	-----	93.46	34.80	10.43	31.95	0.00	100	196	PEAK
		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																				
1	5854.88	58.36	111.18	-52.82	44.94	34.91	10.45	31.94	0.00	100	196	PEAK																																																																																																																				
2	5873.00	55.19	105.86	-50.67	41.72	34.95	10.47	31.95	0.00	100	196	PEAK																																																																																																																				
3	5924.13	54.08	68.94	-14.86	40.46	35.10	10.51	31.99	0.00	100	196	PEAK																																																																																																																				
4	5932.38	54.72	68.20	-13.48	41.07	35.13	10.52	32.00	0.00	100	196	PEAK																																																																																																																				
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																				
1	5825.00	106.74	-----	-----	93.46	34.80	10.43	31.95	0.00	100	196	PEAK																																																																																																																				
Avg	Blank																																																																																																																															
							<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>98.85</td><td>-----</td><td>-----</td><td>85.57</td><td>34.80</td><td>10.43</td><td>31.95</td><td>0.00</td><td>100</td><td>196</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5825.00	98.85	-----	-----	85.57	34.80	10.43	31.95	0.00	100	196	AVERAGE																																																																														
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																				
1	5825.00	98.85	-----	-----	85.57	34.80	10.43	31.95	0.00	100	196	AVERAGE																																																																																																																				







Mode	32																																																																																																																																					
	Band Edge																																																																																																																																					
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																					
ANT	1																																																																																																																																					
Pol.	Vertical						Fundamental																																																																																																																															
Peak																																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.88</td><td>56.19</td><td>111.18</td><td>-54.99</td><td>42.77</td><td>34.91</td><td>10.45</td><td>31.94</td><td>0.00</td><td>100</td><td>73 PEAK</td></tr><tr><td>2</td><td>5874.25</td><td>55.79</td><td>105.51</td><td>-49.72</td><td>42.32</td><td>34.95</td><td>10.47</td><td>31.95</td><td>0.00</td><td>100</td><td>73 PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>52.31</td><td>68.20</td><td>-15.89</td><td>38.68</td><td>35.10</td><td>10.52</td><td>31.99</td><td>0.00</td><td>100</td><td>73 PEAK</td></tr><tr><td>4</td><td>5941.25</td><td>54.87</td><td>68.20</td><td>-13.33</td><td>41.17</td><td>35.17</td><td>10.53</td><td>32.00</td><td>0.00</td><td>100</td><td>73 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.88	56.19	111.18	-54.99	42.77	34.91	10.45	31.94	0.00	100	73 PEAK	2	5874.25	55.79	105.51	-49.72	42.32	34.95	10.47	31.95	0.00	100	73 PEAK	3	5925.00	52.31	68.20	-15.89	38.68	35.10	10.52	31.99	0.00	100	73 PEAK	4	5941.25	54.87	68.20	-13.33	41.17	35.17	10.53	32.00	0.00	100	73 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>108.25</td><td>-----</td><td>94.94</td><td>34.82</td><td>10.43</td><td>31.94</td><td>0.00</td><td>100</td><td>73 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	108.25	-----	94.94	34.82	10.43	31.94	0.00	100	73 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5854.88	56.19	111.18	-54.99	42.77	34.91	10.45	31.94	0.00	100	73 PEAK																																																																																																																											
2	5874.25	55.79	105.51	-49.72	42.32	34.95	10.47	31.95	0.00	100	73 PEAK																																																																																																																											
3	5925.00	52.31	68.20	-15.89	38.68	35.10	10.52	31.99	0.00	100	73 PEAK																																																																																																																											
4	5941.25	54.87	68.20	-13.33	41.17	35.17	10.53	32.00	0.00	100	73 PEAK																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5825.00	108.25	-----	94.94	34.82	10.43	31.94	0.00	100	73 PEAK																																																																																																																												
Avg	Blank																																																																																																																																					
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>100.79</td><td>-----</td><td>87.51</td><td>34.80</td><td>10.43</td><td>31.95</td><td>0.00</td><td>100</td><td>73 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	100.79	-----	87.51	34.80	10.43	31.95	0.00	100	73 AVERAGE																																																																																	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5825.00	100.79	-----	87.51	34.80	10.43	31.95	0.00	100	73 AVERAGE																																																																																																																												






Mode	32																																																																																																																
	Harmonic																																																																																																																
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Horizontal						Vertical																																																																																																										
Peak Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>46.87</td><td>74.00</td><td>-27.13</td><td>54.12</td><td>38.50</td><td>15.02</td><td>60.77</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	46.87	74.00	-27.13	54.12	38.50	15.02	60.77	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>47.80</td><td>74.00</td><td>-26.20</td><td>55.05</td><td>38.50</td><td>15.02</td><td>60.77</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>36.75</td><td>54.00</td><td>-17.25</td><td>44.00</td><td>38.50</td><td>15.02</td><td>60.77</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	47.80	74.00	-26.20	55.05	38.50	15.02	60.77	0.00	100	0	PEAK	2	11650.00	36.75	54.00	-17.25	44.00	38.50	15.02	60.77	0.00	100	0	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	11650.00	46.87	74.00	-27.13	54.12	38.50	15.02	60.77	0.00	---	---	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	11650.00	47.80	74.00	-26.20	55.05	38.50	15.02	60.77	0.00	100	0	PEAK																																																																																																					
2	11650.00	36.75	54.00	-17.25	44.00	38.50	15.02	60.77	0.00	100	0	AVERAGE																																																																																																					





Mode	33																																																																																																																																					
	Band Edge																																																																																																																																					
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																																																					
ANT	1																																																																																																																																					
Pol.	Horizontal						Fundamental																																																																																																																															
Peak																																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5637.70</td><td>54.14</td><td>68.20</td><td>-14.06</td><td>41.35</td><td>34.62</td><td>10.27</td><td>32.10</td><td>0.00</td><td>294</td><td>360 PEAK</td></tr><tr><td>2</td><td>5651.19</td><td>53.45</td><td>69.18</td><td>-15.73</td><td>40.65</td><td>34.60</td><td>10.29</td><td>32.09</td><td>0.00</td><td>294</td><td>360 PEAK</td></tr><tr><td>3</td><td>5719.92</td><td>63.14</td><td>110.88</td><td>-47.74</td><td>50.17</td><td>34.66</td><td>10.34</td><td>32.03</td><td>0.00</td><td>294</td><td>360 PEAK</td></tr><tr><td>4</td><td>5722.24</td><td>68.10</td><td>116.00</td><td>-47.90</td><td>55.13</td><td>34.66</td><td>10.34</td><td>32.03</td><td>0.00</td><td>294</td><td>360 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5637.70	54.14	68.20	-14.06	41.35	34.62	10.27	32.10	0.00	294	360 PEAK	2	5651.19	53.45	69.18	-15.73	40.65	34.60	10.29	32.09	0.00	294	360 PEAK	3	5719.92	63.14	110.88	-47.74	50.17	34.66	10.34	32.03	0.00	294	360 PEAK	4	5722.24	68.10	116.00	-47.90	55.13	34.66	10.34	32.03	0.00	294	360 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>108.01</td><td>-----</td><td>95.05</td><td>34.62</td><td>10.36</td><td>32.02</td><td>0.00</td><td>294</td><td>360 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	108.01	-----	95.05	34.62	10.36	32.02	0.00	294
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5637.70	54.14	68.20	-14.06	41.35	34.62	10.27	32.10	0.00	294	360 PEAK																																																																																																																											
2	5651.19	53.45	69.18	-15.73	40.65	34.60	10.29	32.09	0.00	294	360 PEAK																																																																																																																											
3	5719.92	63.14	110.88	-47.74	50.17	34.66	10.34	32.03	0.00	294	360 PEAK																																																																																																																											
4	5722.24	68.10	116.00	-47.90	55.13	34.66	10.34	32.03	0.00	294	360 PEAK																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5745.00	108.01	-----	95.05	34.62	10.36	32.02	0.00	294	360 PEAK																																																																																																																												
Avg																																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>99.37</td><td>-----</td><td>86.41</td><td>34.61</td><td>10.36</td><td>32.01</td><td>0.00</td><td>294</td><td>360 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	99.37	-----	86.41	34.61	10.36	32.01	0.00	294	360 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>99.37</td><td>-----</td><td>86.41</td><td>34.61</td><td>10.36</td><td>32.01</td><td>0.00</td><td>294</td><td>360 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	99.37	-----	86.41	34.61	10.36	32.01	0.00	294	360 AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5745.00	99.37	-----	86.41	34.61	10.36	32.01	0.00	294	360 AVERAGE																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5745.00	99.37	-----	86.41	34.61	10.36	32.01	0.00	294	360 AVERAGE																																																																																																																												





Mode	33																																																																												
	Band Edge																																																																												
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																												
ANT	1																																																																												
Pol.	Vertical																																																																												
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5640.46</td><td>54.50</td><td>68.20</td><td>-13.70</td><td>41.70</td><td>34.62</td><td>10.28</td><td>32.10</td><td>0.00</td><td>109</td><td>119 PEAK</td></tr><tr><td>2 5651.91</td><td>53.08</td><td>69.72</td><td>-16.64</td><td>40.28</td><td>34.60</td><td>10.29</td><td>32.09</td><td>0.00</td><td>109</td><td>119 PEAK</td></tr><tr><td>3 5719.77</td><td>64.90</td><td>110.84</td><td>-45.94</td><td>51.93</td><td>34.66</td><td>10.34</td><td>32.03</td><td>0.00</td><td>109</td><td>119 PEAK</td></tr><tr><td>4 5721.08</td><td>65.62</td><td>113.35</td><td>-47.73</td><td>52.65</td><td>34.66</td><td>10.34</td><td>32.03</td><td>0.00</td><td>109</td><td>119 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1 5640.46	54.50	68.20	-13.70	41.70	34.62	10.28	32.10	0.00	109	119 PEAK	2 5651.91	53.08	69.72	-16.64	40.28	34.60	10.29	32.09	0.00	109	119 PEAK	3 5719.77	64.90	110.84	-45.94	51.93	34.66	10.34	32.03	0.00	109	119 PEAK	4 5721.08	65.62	113.35	-47.73	52.65	34.66	10.34	32.03	0.00	109	119 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																		
1 5640.46	54.50	68.20	-13.70	41.70	34.62	10.28	32.10	0.00	109	119 PEAK																																																																			
2 5651.91	53.08	69.72	-16.64	40.28	34.60	10.29	32.09	0.00	109	119 PEAK																																																																			
3 5719.77	64.90	110.84	-45.94	51.93	34.66	10.34	32.03	0.00	109	119 PEAK																																																																			
4 5721.08	65.62	113.35	-47.73	52.65	34.66	10.34	32.03	0.00	109	119 PEAK																																																																			
Fundamental	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>106.25</td><td>-----</td><td>-----</td><td>93.29</td><td>34.60</td><td>10.37</td><td>32.01</td><td>0.00</td><td>109</td><td>119 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 5745.00	106.25	-----	-----	93.29	34.60	10.37	32.01	0.00	109	119 PEAK																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																		
1 5745.00	106.25	-----	-----	93.29	34.60	10.37	32.01	0.00	109	119 PEAK																																																																			
Avg	Blank																																																																												
	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>99.11</td><td>-----</td><td>-----</td><td>86.15</td><td>34.61</td><td>10.36</td><td>32.01</td><td>0.00</td><td>109</td><td>119 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 5745.00	99.11	-----	-----	86.15	34.61	10.36	32.01	0.00	109	119 AVERAGE																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																			
1 5745.00	99.11	-----	-----	86.15	34.61	10.36	32.01	0.00	109	119 AVERAGE																																																																			






Mode	33																																																																													
	Harmonic																																																																													
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																													
ANT	1																																																																													
Pol.	Horizontal												Vertical																																																																	
Peak Avg																																																																														
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11490.00</td><td>47.23</td><td>74.00</td><td>-26.77</td><td>54.98</td><td>38.20</td><td>14.91</td><td>60.86</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>36.61</td><td>54.00</td><td>-17.39</td><td>44.36</td><td>38.20</td><td>14.91</td><td>60.86</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr></table>																Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11490.00	47.23	74.00	-26.77	54.98	38.20	14.91	60.86	0.00	300	0	PEAK	2	11490.00	36.61	54.00	-17.39	44.36	38.20	14.91	60.86	0.00	300	0	AVERAGE
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1	11490.00	47.23	74.00	-26.77	54.98	38.20	14.91	60.86	0.00	300	0	PEAK																																																																		
2	11490.00	36.61	54.00	-17.39	44.36	38.20	14.91	60.86	0.00	300	0	AVERAGE																																																																		
																																																																														
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11490.00</td><td>48.37</td><td>74.00</td><td>-25.63</td><td>56.12</td><td>38.20</td><td>14.91</td><td>60.86</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>36.53</td><td>54.00</td><td>-17.47</td><td>44.28</td><td>38.20</td><td>14.91</td><td>60.86</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>																Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11490.00	48.37	74.00	-25.63	56.12	38.20	14.91	60.86	0.00	100	0	PEAK	2	11490.00	36.53	54.00	-17.47	44.28	38.20	14.91	60.86	0.00	100	0	AVERAGE	
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1	11490.00	48.37	74.00	-25.63	56.12	38.20	14.91	60.86	0.00	100	0	PEAK																																																																		
2	11490.00	36.53	54.00	-17.47	44.28	38.20	14.91	60.86	0.00	100	0	AVERAGE																																																																		






Mode	34																																																																																																															
	Harmonic																																																																																																															
	U-NII-3_5.725-5.85_802.11n HT20_CH157_5785MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal						Vertical																																																																																																									
Peak Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11570.00</td><td>47.18</td><td>74.00</td><td>-26.82</td><td>54.69</td><td>38.34</td><td>14.97</td><td>60.82</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	47.18	74.00	-26.82	54.69	38.34	14.97	60.82	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7715.00</td><td>48.43</td><td>74.00</td><td>-25.57</td><td>60.82</td><td>35.90</td><td>12.07</td><td>60.36</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11570.00</td><td>47.50</td><td>74.00</td><td>-26.50</td><td>55.01</td><td>38.34</td><td>14.97</td><td>60.82</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7715.00	48.43	74.00	-25.57	60.82	35.90	12.07	60.36	0.00	---	---	Peak	2	11570.00	47.50	74.00	-26.50	55.01	38.34	14.97	60.82	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	11570.00	47.18	74.00	-26.82	54.69	38.34	14.97	60.82	0.00	---	---	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	7715.00	48.43	74.00	-25.57	60.82	35.90	12.07	60.36	0.00	---	---	Peak																																																																																																				
2	11570.00	47.50	74.00	-26.50	55.01	38.34	14.97	60.82	0.00	---	---	PEAK																																																																																																				



Mode	35																																																																																																																																	
	Band Edge																																																																																																																																	
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																																																	
ANT	1																																																																																																																																	
Pol.	Horizontal										Fundamental																																																																																																																							
Peak																																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5855.00</td><td>59.35</td><td>110.90</td><td>-51.55</td><td>45.93</td><td>34.91</td><td>10.45</td><td>31.94</td><td>0.00</td><td>300</td><td>10 PEAK</td></tr><tr><td>2 5855.75</td><td>60.52</td><td>110.69</td><td>-50.17</td><td>47.10</td><td>34.91</td><td>10.45</td><td>31.94</td><td>0.00</td><td>300</td><td>10 PEAK</td></tr><tr><td>3 5924.38</td><td>52.92</td><td>68.76</td><td>-15.84</td><td>39.29</td><td>35.10</td><td>10.52</td><td>31.99</td><td>0.00</td><td>300</td><td>10 PEAK</td></tr><tr><td>4 5936.75</td><td>55.42</td><td>68.20</td><td>-12.78</td><td>41.74</td><td>35.15</td><td>10.53</td><td>32.00</td><td>0.00</td><td>300</td><td>10 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5855.00	59.35	110.90	-51.55	45.93	34.91	10.45	31.94	0.00	300	10 PEAK	2 5855.75	60.52	110.69	-50.17	47.10	34.91	10.45	31.94	0.00	300	10 PEAK	3 5924.38	52.92	68.76	-15.84	39.29	35.10	10.52	31.99	0.00	300	10 PEAK	4 5936.75	55.42	68.20	-12.78	41.74	35.15	10.53	32.00	0.00	300	10 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>108.73</td><td>-----</td><td>-----</td><td>95.42</td><td>34.82</td><td>10.43</td><td>31.94</td><td>0.00</td><td>300</td><td>10 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	108.73	-----	-----	95.42	34.82	10.43	31.94	0.00	300	10 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5855.00	59.35	110.90	-51.55	45.93	34.91	10.45	31.94	0.00	300	10 PEAK																																																																																																																								
2 5855.75	60.52	110.69	-50.17	47.10	34.91	10.45	31.94	0.00	300	10 PEAK																																																																																																																								
3 5924.38	52.92	68.76	-15.84	39.29	35.10	10.52	31.99	0.00	300	10 PEAK																																																																																																																								
4 5936.75	55.42	68.20	-12.78	41.74	35.15	10.53	32.00	0.00	300	10 PEAK																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5825.00	108.73	-----	-----	95.42	34.82	10.43	31.94	0.00	300	10 PEAK																																																																																																																								
Avg	Blank																																																																																																																																	
											<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>101.39</td><td>-----</td><td>-----</td><td>88.11</td><td>34.80</td><td>10.43</td><td>31.95</td><td>0.00</td><td>300</td><td>10 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	101.39	-----	-----	88.11	34.80	10.43	31.95	0.00	300	10 AVERAGE																																																																													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5825.00	101.39	-----	-----	88.11	34.80	10.43	31.95	0.00	300	10 AVERAGE																																																																																																																								






Mode	35																																																																																																																																		
	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																																																		
ANT	1																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.88</td><td>59.61</td><td>111.18</td><td>-51.57</td><td>46.19</td><td>34.91</td><td>10.45</td><td>31.94</td><td>0.00</td><td>276</td><td>91</td><td>PEAK</td></tr><tr><td>2</td><td>5869.38</td><td>56.58</td><td>106.87</td><td>-50.29</td><td>43.12</td><td>34.94</td><td>10.47</td><td>31.95</td><td>0.00</td><td>276</td><td>91</td><td>PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>52.33</td><td>68.20</td><td>-15.87</td><td>38.70</td><td>35.10</td><td>10.52</td><td>31.99</td><td>0.00</td><td>276</td><td>91</td><td>PEAK</td></tr><tr><td>4</td><td>5927.50</td><td>54.33</td><td>68.20</td><td>-13.87</td><td>40.69</td><td>35.11</td><td>10.52</td><td>31.99</td><td>0.00</td><td>276</td><td>91</td><td>PEAK</td></tr></tbody></table>							Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5854.88	59.61	111.18	-51.57	46.19	34.91	10.45	31.94	0.00	276	91	PEAK	2	5869.38	56.58	106.87	-50.29	43.12	34.94	10.47	31.95	0.00	276	91	PEAK	3	5925.00	52.33	68.20	-15.87	38.70	35.10	10.52	31.99	0.00	276	91	PEAK	4	5927.50	54.33	68.20	-13.87	40.69	35.11	10.52	31.99	0.00	276	91	PEAK	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>108.26</td><td>-----</td><td>-----</td><td>-----</td><td>94.95</td><td>34.82</td><td>10.43</td><td>31.94</td><td>0.00</td><td>276</td><td>91</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg	1	5825.00	108.26	-----	-----	-----	94.95	34.82	10.43	31.94	0.00	276	91	PEAK
		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																							
1	5854.88	59.61	111.18	-51.57	46.19	34.91	10.45	31.94	0.00	276	91	PEAK																																																																																																																							
2	5869.38	56.58	106.87	-50.29	43.12	34.94	10.47	31.95	0.00	276	91	PEAK																																																																																																																							
3	5925.00	52.33	68.20	-15.87	38.70	35.10	10.52	31.99	0.00	276	91	PEAK																																																																																																																							
4	5927.50	54.33	68.20	-13.87	40.69	35.11	10.52	31.99	0.00	276	91	PEAK																																																																																																																							
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg																																																																																																																						
1	5825.00	108.26	-----	-----	-----	94.95	34.82	10.43	31.94	0.00	276	91	PEAK																																																																																																																						
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>108.87</td><td>-----</td><td>-----</td><td>-----</td><td>87.59</td><td>34.80</td><td>10.43</td><td>31.95</td><td>0.00</td><td>276</td><td>91</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg	1	5825.00	108.87	-----	-----	-----	87.59	34.80	10.43	31.95	0.00	276	91	AVERAGE																																																																														
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg																																																																																																																						
1	5825.00	108.87	-----	-----	-----	87.59	34.80	10.43	31.95	0.00	276	91	AVERAGE																																																																																																																						




Mode	35											
	Harmonic											
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz											
ANT	1											
Pol.	Horizontal						Vertical					
Peak Avg	Level (dBuV/m) </											






Mode	36																																																																																																																																					
	Band Edge - L																																																																																																																																					
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																																																																					
ANT	1																																																																																																																																					
Pol.	Horizontal						Fundamental																																																																																																																															
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 5755 MHz. The plot shows a rising red line (U-NII-3) and a blue line with peaks. Four peaks are marked with vertical lines and numbers 1, 2, 3, and 4. <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5611.01</td><td>52.88</td><td>68.20</td><td>-15.32</td><td>40.03</td><td>34.68</td><td>10.25</td><td>32.00</td><td>0.00</td><td>294</td><td>360 PEAK</td></tr><tr><td>2</td><td>5650.84</td><td>51.77</td><td>68.92</td><td>-17.15</td><td>38.97</td><td>34.60</td><td>10.29</td><td>32.09</td><td>0.00</td><td>294</td><td>360 PEAK</td></tr><tr><td>3</td><td>5715.79</td><td>71.09</td><td>109.72</td><td>-38.63</td><td>58.12</td><td>34.67</td><td>10.34</td><td>32.04</td><td>0.00</td><td>294</td><td>360 PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>68.35</td><td>111.19</td><td>-42.84</td><td>55.38</td><td>34.66</td><td>10.34</td><td>32.03</td><td>0.00</td><td>294</td><td>360 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5611.01	52.88	68.20	-15.32	40.03	34.68	10.25	32.00	0.00	294	360 PEAK	2	5650.84	51.77	68.92	-17.15	38.97	34.60	10.29	32.09	0.00	294	360 PEAK	3	5715.79	71.09	109.72	-38.63	58.12	34.67	10.34	32.04	0.00	294	360 PEAK	4	5720.13	68.35	111.19	-42.84	55.38	34.66	10.34	32.03	0.00	294	360 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red line (U-NII-3) and a blue line with a sharp peak at 5755 MHz. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>105.38</td><td>-----</td><td>92.42</td><td>34.61</td><td>10.36</td><td>32.01</td><td>0.00</td><td>294</td><td>360 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	105.38	-----	92.42	34.61	10.36	32.01	0.00	294	360 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5611.01	52.88	68.20	-15.32	40.03	34.68	10.25	32.00	0.00	294	360 PEAK																																																																																																																											
2	5650.84	51.77	68.92	-17.15	38.97	34.60	10.29	32.09	0.00	294	360 PEAK																																																																																																																											
3	5715.79	71.09	109.72	-38.63	58.12	34.67	10.34	32.04	0.00	294	360 PEAK																																																																																																																											
4	5720.13	68.35	111.19	-42.84	55.38	34.66	10.34	32.03	0.00	294	360 PEAK																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5755.00	105.38	-----	92.42	34.61	10.36	32.01	0.00	294	360 PEAK																																																																																																																												
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red line (U-NII-3(AVG)) and a blue line with a sharp peak at 5755 MHz. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>96.72</td><td>-----</td><td>83.75</td><td>34.61</td><td>10.37</td><td>32.01</td><td>0.00</td><td>294</td><td>360 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	96.72	-----	83.75	34.61	10.37	32.01	0.00	294	360 AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5755.00	96.72	-----	83.75	34.61	10.37	32.01	0.00	294	360 AVERAGE																																																																																																																												




Mode	36																																																																														
	Band Edge - R																																																																														
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																														
ANT	1																																																																														
Pol.	Horizontal	Fundamental																																																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.45</td><td>52.87</td><td>112.15</td><td>-59.28</td><td>39.45</td><td>34.91</td><td>10.45</td><td>31.94</td><td>0.00</td><td>294 360 PEAK</td></tr><tr><td>2</td><td>5872.00</td><td>54.43</td><td>106.14</td><td>-51.71</td><td>40.97</td><td>34.94</td><td>10.47</td><td>31.95</td><td>0.00</td><td>294 360 PEAK</td></tr><tr><td>3</td><td>5924.26</td><td>53.52</td><td>68.85</td><td>-15.33</td><td>39.90</td><td>35.10</td><td>10.51</td><td>31.99</td><td>0.00</td><td>294 360 PEAK</td></tr><tr><td>4</td><td>5941.03</td><td>55.35</td><td>68.20</td><td>-12.85</td><td>41.66</td><td>35.16</td><td>10.53</td><td>32.00</td><td>0.00</td><td>294 360 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.45	52.87	112.15	-59.28	39.45	34.91	10.45	31.94	0.00	294 360 PEAK	2	5872.00	54.43	106.14	-51.71	40.97	34.94	10.47	31.95	0.00	294 360 PEAK	3	5924.26	53.52	68.85	-15.33	39.90	35.10	10.51	31.99	0.00	294 360 PEAK	4	5941.03	55.35	68.20	-12.85	41.66	35.16	10.53	32.00	0.00	294 360 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5854.45	52.87	112.15	-59.28	39.45	34.91	10.45	31.94	0.00	294 360 PEAK																																																																					
2	5872.00	54.43	106.14	-51.71	40.97	34.94	10.47	31.95	0.00	294 360 PEAK																																																																					
3	5924.26	53.52	68.85	-15.33	39.90	35.10	10.51	31.99	0.00	294 360 PEAK																																																																					
4	5941.03	55.35	68.20	-12.85	41.66	35.16	10.53	32.00	0.00	294 360 PEAK																																																																					





Mode	36																																																																																										
	Band Edge - L																																																																																										
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																										
ANT	1																																																																																										
Pol.	Vertical																																																																																										
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5608.37</td><td>53.94</td><td>68.20</td><td>-14.26</td><td>41.09</td><td>34.68</td><td>10.25</td><td>32.08</td><td>0.00</td><td>279</td><td>92 PEAK</td></tr><tr><td>2</td><td>5653.01</td><td>54.11</td><td>70.54</td><td>-16.43</td><td>41.30</td><td>34.61</td><td>10.29</td><td>32.09</td><td>0.00</td><td>279</td><td>92 PEAK</td></tr><tr><td>3</td><td>5713.31</td><td>69.28</td><td>109.03</td><td>-39.75</td><td>56.31</td><td>34.67</td><td>10.34</td><td>32.04</td><td>0.00</td><td>279</td><td>92 PEAK</td></tr><tr><td>4</td><td>5720.44</td><td>67.81</td><td>111.89</td><td>-44.08</td><td>54.84</td><td>34.66</td><td>10.34</td><td>32.03</td><td>0.00</td><td>279</td><td>92 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5608.37	53.94	68.20	-14.26	41.09	34.68	10.25	32.08	0.00	279	92 PEAK	2	5653.01	54.11	70.54	-16.43	41.30	34.61	10.29	32.09	0.00	279	92 PEAK	3	5713.31	69.28	109.03	-39.75	56.31	34.67	10.34	32.04	0.00	279	92 PEAK	4	5720.44	67.81	111.89	-44.08	54.84	34.66	10.34	32.03	0.00	279
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5608.37	53.94	68.20	-14.26	41.09	34.68	10.25	32.08	0.00	279	92 PEAK																																																																																
2	5653.01	54.11	70.54	-16.43	41.30	34.61	10.29	32.09	0.00	279	92 PEAK																																																																																
3	5713.31	69.28	109.03	-39.75	56.31	34.67	10.34	32.04	0.00	279	92 PEAK																																																																																
4	5720.44	67.81	111.89	-44.08	54.84	34.66	10.34	32.03	0.00	279	92 PEAK																																																																																
Fundamental																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>103.96</td><td>-----</td><td>91.00</td><td>34.60</td><td>10.37</td><td>32.01</td><td>0.00</td><td>279</td><td>92 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	103.96	-----	91.00	34.60	10.37	32.01	0.00	279	92 PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5755.00	103.96	-----	91.00	34.60	10.37	32.01	0.00	279	92 PEAK																																																																																	
Avg	Blank																																																																																										
																																																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>94.92</td><td>-----</td><td>81.95</td><td>34.61</td><td>10.37</td><td>32.01</td><td>0.00</td><td>279</td><td>92 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	94.92	-----	81.95	34.61	10.37	32.01	0.00	279	92 AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5755.00	94.92	-----	81.95	34.61	10.37	32.01	0.00	279	92 AVERAGE																																																																																	






Mode	36																																																																															
	Band Edge - R																																																																															
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																															
ANT	1																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><td>1</td><td>5854.06</td><td>53.46</td><td>113.04</td><td>-59.58</td><td>40.04</td><td>34.91</td><td>10.45</td><td>31.94</td><td>0.00</td><td>279</td><td>92</td><td>PEAK</td></tr><tr><td>2</td><td>5871.61</td><td>54.58</td><td>106.25</td><td>-51.67</td><td>41.12</td><td>34.94</td><td>10.47</td><td>31.95</td><td>0.00</td><td>279</td><td>92</td><td>PEAK</td></tr><tr><td>3</td><td>5920.75</td><td>55.85</td><td>71.43</td><td>-15.58</td><td>42.25</td><td>35.00</td><td>10.51</td><td>31.99</td><td>0.00</td><td>279</td><td>92</td><td>PEAK</td></tr><tr><td>4</td><td>5931.67</td><td>55.06</td><td>68.20</td><td>-13.14</td><td>41.41</td><td>35.13</td><td>10.52</td><td>32.00</td><td>0.00</td><td>279</td><td>92</td><td>PEAK</td></tr></table>		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	Line	Limit	Level	Factor	Loss	Factor	Factor				1	5854.06	53.46	113.04	-59.58	40.04	34.91	10.45	31.94	0.00	279	92	PEAK	2	5871.61	54.58	106.25	-51.67	41.12	34.94	10.47	31.95	0.00	279	92	PEAK	3	5920.75	55.85	71.43	-15.58	42.25	35.00	10.51	31.99	0.00	279	92	PEAK	4	5931.67	55.06	68.20	-13.14	41.41	35.13	10.52	32.00	0.00	279	92	PEAK	Blank
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
	MHz	dBuV/m	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																							
1	5854.06	53.46	113.04	-59.58	40.04	34.91	10.45	31.94	0.00	279	92	PEAK																																																																				
2	5871.61	54.58	106.25	-51.67	41.12	34.94	10.47	31.95	0.00	279	92	PEAK																																																																				
3	5920.75	55.85	71.43	-15.58	42.25	35.00	10.51	31.99	0.00	279	92	PEAK																																																																				
4	5931.67	55.06	68.20	-13.14	41.41	35.13	10.52	32.00	0.00	279	92	PEAK																																																																				




Mode	36																																																																																																												
	Harmonic																																																																																																												
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																																												
ANT	1																																																																																																												
Pol.	Horizontal						Vertical																																																																																																						
Peak Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11510.00</td><td>46.39</td><td>74.00</td><td>-27.61</td><td>54.10</td><td>38.22</td><td>14.92</td><td>60.85</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11510.00	46.39	74.00	-27.61	54.10	38.22	14.92	60.85	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11510.00</td><td>47.20</td><td>74.00</td><td>-26.80</td><td>54.91</td><td>38.22</td><td>14.92</td><td>60.85</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2 11510.00</td><td>36.50</td><td>54.00</td><td>-17.50</td><td>44.26</td><td>38.20</td><td>14.90</td><td>60.86</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11510.00	47.20	74.00	-26.80	54.91	38.22	14.92	60.85	0.00	100	0	PEAK	2 11510.00	36.50	54.00	-17.50	44.26	38.20	14.90	60.86	0.00	100	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1 11510.00	46.39	74.00	-27.61	54.10	38.22	14.92	60.85	0.00	---	---	PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1 11510.00	47.20	74.00	-26.80	54.91	38.22	14.92	60.85	0.00	100	0	PEAK																																																																																																		
2 11510.00	36.50	54.00	-17.50	44.26	38.20	14.90	60.86	0.00	100	0	AVERAGE																																																																																																		









Mode	37																																																																																																																																					
	Band Edge - L																																																																																																																																					
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																																																					
ANT	1																																																																																																																																					
Pol.	Horizontal						Fundamental																																																																																																																															
Peak																																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5623.40</td><td>53.67</td><td>68.20</td><td>-14.53</td><td>40.85</td><td>34.65</td><td>10.26</td><td>32.09</td><td>0.00</td><td>319</td><td>12 PEAK</td></tr><tr><td>2</td><td>5650.90</td><td>51.99</td><td>68.97</td><td>-16.98</td><td>39.19</td><td>34.60</td><td>10.29</td><td>32.09</td><td>0.00</td><td>319</td><td>12 PEAK</td></tr><tr><td>3</td><td>5700.43</td><td>52.84</td><td>105.42</td><td>-52.58</td><td>39.87</td><td>34.70</td><td>10.32</td><td>32.05</td><td>0.00</td><td>319</td><td>12 PEAK</td></tr><tr><td>4</td><td>5720.32</td><td>53.39</td><td>111.62</td><td>-58.23</td><td>40.42</td><td>34.66</td><td>10.34</td><td>32.03</td><td>0.00</td><td>319</td><td>12 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5623.40	53.67	68.20	-14.53	40.85	34.65	10.26	32.09	0.00	319	12 PEAK	2	5650.90	51.99	68.97	-16.98	39.19	34.60	10.29	32.09	0.00	319	12 PEAK	3	5700.43	52.84	105.42	-52.58	39.87	34.70	10.32	32.05	0.00	319	12 PEAK	4	5720.32	53.39	111.62	-58.23	40.42	34.66	10.34	32.03	0.00	319	12 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>106.09</td><td>-----</td><td>92.97</td><td>34.69</td><td>10.40</td><td>31.97</td><td>0.00</td><td>319</td><td>12 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	106.09	-----	92.97	34.69	10.40	31.97	0.00	319
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	5623.40	53.67	68.20	-14.53	40.85	34.65	10.26	32.09	0.00	319	12 PEAK																																																																																																																											
2	5650.90	51.99	68.97	-16.98	39.19	34.60	10.29	32.09	0.00	319	12 PEAK																																																																																																																											
3	5700.43	52.84	105.42	-52.58	39.87	34.70	10.32	32.05	0.00	319	12 PEAK																																																																																																																											
4	5720.32	53.39	111.62	-58.23	40.42	34.66	10.34	32.03	0.00	319	12 PEAK																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	5795.00	106.09	-----	92.97	34.69	10.40	31.97	0.00	319	12 PEAK																																																																																																																												
Avg	Blank																																																																																																																																					
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>97.46</td><td>-----</td><td>84.32</td><td>34.70</td><td>10.41</td><td>31.97</td><td>0.00</td><td>319</td><td>12 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	97.46	-----	84.32	34.70	10.41	31.97	0.00	319	12 AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	5795.00	97.46	-----	84.32	34.70	10.41	31.97	0.00	319	12 AVERAGE																																																																																																																												




Mode	37																																																																			
	Band Edge - R																																																																			
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																			
ANT	1																																																																			
Pol.	Horizontal	Fundamental																																																																		
Peak	<table><tr><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5854.37</td><td>54.32</td><td>112.35</td><td>-58.03</td><td>40.90</td><td>34.91</td><td>10.45</td><td>31.94</td><td>0.00</td><td>319</td><td>12 PEAK</td></tr><tr><td>2 5871.88</td><td>55.33</td><td>106.17</td><td>-50.84</td><td>41.87</td><td>34.94</td><td>10.47</td><td>31.95</td><td>0.00</td><td>319</td><td>12 PEAK</td></tr><tr><td>3 5924.58</td><td>54.81</td><td>68.61</td><td>-13.80</td><td>41.18</td><td>35.10</td><td>10.52</td><td>31.99</td><td>0.00</td><td>319</td><td>12 PEAK</td></tr><tr><td>4 5928.77</td><td>54.94</td><td>68.20</td><td>-13.26</td><td>41.29</td><td>35.12</td><td>10.52</td><td>31.99</td><td>0.00</td><td>319</td><td>12 PEAK</td></tr></table>	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.37	54.32	112.35	-58.03	40.90	34.91	10.45	31.94	0.00	319	12 PEAK	2 5871.88	55.33	106.17	-50.84	41.87	34.94	10.47	31.95	0.00	319	12 PEAK	3 5924.58	54.81	68.61	-13.80	41.18	35.10	10.52	31.99	0.00	319	12 PEAK	4 5928.77	54.94	68.20	-13.26	41.29	35.12	10.52	31.99	0.00	319	12 PEAK	Blank
Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1 5854.37	54.32	112.35	-58.03	40.90	34.91	10.45	31.94	0.00	319	12 PEAK																																																										
2 5871.88	55.33	106.17	-50.84	41.87	34.94	10.47	31.95	0.00	319	12 PEAK																																																										
3 5924.58	54.81	68.61	-13.80	41.18	35.10	10.52	31.99	0.00	319	12 PEAK																																																										
4 5928.77	54.94	68.20	-13.26	41.29	35.12	10.52	31.99	0.00	319	12 PEAK																																																										





Mode	37																																																																																																																																					
	Band Edge - L																																																																																																																																					
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																																																					
ANT	1																																																																																																																																					
Pol.	Vertical						Fundamental																																																																																																																															
Peak																																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5648.95</td><td>53.66</td><td>68.20</td><td>-14.54</td><td>40.87</td><td>34.60</td><td>10.28</td><td>32.09</td><td>0.00</td><td>100</td><td>105 PEAK</td></tr><tr><td>2</td><td>5650.90</td><td>51.97</td><td>68.97</td><td>-17.00</td><td>39.17</td><td>34.60</td><td>10.29</td><td>32.09</td><td>0.00</td><td>100</td><td>105 PEAK</td></tr><tr><td>3</td><td>5701.60</td><td>52.43</td><td>105.75</td><td>-53.32</td><td>39.45</td><td>34.70</td><td>10.33</td><td>32.05</td><td>0.00</td><td>100</td><td>105 PEAK</td></tr><tr><td>4</td><td>5720.32</td><td>51.93</td><td>111.62</td><td>-59.69</td><td>38.96</td><td>34.66</td><td>10.34</td><td>32.03</td><td>0.00</td><td>100</td><td>105 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5648.95	53.66	68.20	-14.54	40.87	34.60	10.28	32.09	0.00	100	105 PEAK	2	5650.90	51.97	68.97	-17.00	39.17	34.60	10.29	32.09	0.00	100	105 PEAK	3	5701.60	52.43	105.75	-53.32	39.45	34.70	10.33	32.05	0.00	100	105 PEAK	4	5720.32	51.93	111.62	-59.69	38.96	34.66	10.34	32.03	0.00	100	105 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>104.11</td><td>-----</td><td>91.04</td><td>34.66</td><td>10.39</td><td>31.98</td><td>0.00</td><td>100</td><td>105 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	104.11	-----	91.04	34.66	10.39	31.98	0.00	100	105 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5648.95	53.66	68.20	-14.54	40.87	34.60	10.28	32.09	0.00	100	105 PEAK																																																																																																																											
2	5650.90	51.97	68.97	-17.00	39.17	34.60	10.29	32.09	0.00	100	105 PEAK																																																																																																																											
3	5701.60	52.43	105.75	-53.32	39.45	34.70	10.33	32.05	0.00	100	105 PEAK																																																																																																																											
4	5720.32	51.93	111.62	-59.69	38.96	34.66	10.34	32.03	0.00	100	105 PEAK																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5795.00	104.11	-----	91.04	34.66	10.39	31.98	0.00	100	105 PEAK																																																																																																																												
Avg																																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5648.95</td><td>53.66</td><td>68.20</td><td>-14.54</td><td>40.87</td><td>34.60</td><td>10.28</td><td>32.09</td><td>0.00</td><td>100</td><td>105 PEAK</td></tr><tr><td>2</td><td>5650.90</td><td>51.97</td><td>68.97</td><td>-17.00</td><td>39.17</td><td>34.60</td><td>10.29</td><td>32.09</td><td>0.00</td><td>100</td><td>105 PEAK</td></tr><tr><td>3</td><td>5701.60</td><td>52.43</td><td>105.75</td><td>-53.32</td><td>39.45</td><td>34.70</td><td>10.33</td><td>32.05</td><td>0.00</td><td>100</td><td>105 PEAK</td></tr><tr><td>4</td><td>5720.32</td><td>51.93</td><td>111.62</td><td>-59.69</td><td>38.96</td><td>34.66</td><td>10.34</td><td>32.03</td><td>0.00</td><td>100</td><td>105 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5648.95	53.66	68.20	-14.54	40.87	34.60	10.28	32.09	0.00	100	105 PEAK	2	5650.90	51.97	68.97	-17.00	39.17	34.60	10.29	32.09	0.00	100	105 PEAK	3	5701.60	52.43	105.75	-53.32	39.45	34.70	10.33	32.05	0.00	100	105 PEAK	4	5720.32	51.93	111.62	-59.69	38.96	34.66	10.34	32.03	0.00	100	105 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>104.11</td><td>-----</td><td>91.04</td><td>34.66</td><td>10.39</td><td>31.98</td><td>0.00</td><td>100</td><td>105 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	104.11	-----	91.04	34.66	10.39	31.98	0.00	100	105 PEAK		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5648.95	53.66	68.20	-14.54	40.87	34.60	10.28	32.09	0.00	100	105 PEAK																																																																																																																											
2	5650.90	51.97	68.97	-17.00	39.17	34.60	10.29	32.09	0.00	100	105 PEAK																																																																																																																											
3	5701.60	52.43	105.75	-53.32	39.45	34.70	10.33	32.05	0.00	100	105 PEAK																																																																																																																											
4	5720.32	51.93	111.62	-59.69	38.96	34.66	10.34	32.03	0.00	100	105 PEAK																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5795.00	104.11	-----	91.04	34.66	10.39	31.98	0.00	100	105 PEAK																																																																																																																												
Blank																																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5648.95</td><td>53.66</td><td>68.20</td><td>-14.54</td><td>40.87</td><td>34.60</td><td>10.28</td><td>32.09</td><td>0.00</td><td>100</td><td>105 PEAK</td></tr><tr><td>2</td><td>5650.90</td><td>51.97</td><td>68.97</td><td>-17.00</td><td>39.17</td><td>34.60</td><td>10.29</td><td>32.09</td><td>0.00</td><td>100</td><td>105 PEAK</td></tr><tr><td>3</td><td>5701.60</td><td>52.43</td><td>105.75</td><td>-53.32</td><td>39.45</td><td>34.70</td><td>10.33</td><td>32.05</td><td>0.00</td><td>100</td><td>105 PEAK</td></tr><tr><td>4</td><td>5720.32</td><td>51.93</td><td>111.62</td><td>-59.69</td><td>38.96</td><td>34.66</td><td>10.34</td><td>32.03</td><td>0.00</td><td>100</td><td>105 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5648.95	53.66	68.20	-14.54	40.87	34.60	10.28	32.09	0.00	100	105 PEAK	2	5650.90	51.97	68.97	-17.00	39.17	34.60	10.29	32.09	0.00	100	105 PEAK	3	5701.60	52.43	105.75	-53.32	39.45	34.70	10.33	32.05	0.00	100	105 PEAK	4	5720.32	51.93	111.62	-59.69	38.96	34.66	10.34	32.03	0.00	100	105 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>104.11</td><td>-----</td><td>91.04</td><td>34.66</td><td>10.39</td><td>31.98</td><td>0.00</td><td>100</td><td>105 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	104.11	-----	91.04	34.66	10.39	31.98	0.00	100	105 PEAK		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5648.95	53.66	68.20	-14.54	40.87	34.60	10.28	32.09	0.00	100	105 PEAK																																																																																																																											
2	5650.90	51.97	68.97	-17.00	39.17	34.60	10.29	32.09	0.00	100	105 PEAK																																																																																																																											
3	5701.60	52.43	105.75	-53.32	39.45	34.70	10.33	32.05	0.00	100	105 PEAK																																																																																																																											
4	5720.32	51.93	111.62	-59.69	38.96	34.66	10.34	32.03	0.00	100	105 PEAK																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5795.00	104.11	-----	91.04	34.66	10.39	31.98	0.00	100	105 PEAK																																																																																																																												
Blank																																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5648.95</td><td>53.66</td><td>68.20</td><td>-14.54</td><td>40.87</td><td>34.60</td><td>10.28</td><td>32.09</td><td>0.00</td><td>100</td><td>105 PEAK</td></tr><tr><td>2</td><td>5650.90</td><td>51.97</td><td>68.97</td><td>-17.00</td><td>39.17</td><td>34.60</td><td>10.29</td><td>32.09</td><td>0.00</td><td>100</td><td>105 PEAK</td></tr><tr><td>3</td><td>5701.60</td><td>52.43</td><td>105.75</td><td>-53.32</td><td>39.45</td><td>34.70</td><td>10.33</td><td>32.05</td><td>0.00</td><td>100</td><td>105 PEAK</td></tr><tr><td>4</td><td>5720.32</td><td>51.93</td><td>111.62</td><td>-59.69</td><td>38.96</td><td>34.66</td><td>10.34</td><td>32.03</td><td>0.00</td><td>100</td><td>105 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5648.95	53.66	68.20	-14.54	40.87	34.60	10.28	32.09	0.00	100	105 PEAK	2	5650.90	51.97	68.97	-17.00	39.17	34.60	10.29	32.09	0.00	100	105 PEAK	3	5701.60	52.43	105.75	-53.32	39.45	34.70	10.33	32.05	0.00	100	105 PEAK	4	5720.32	51.93	111.62	-59.69	38.96	34.66	10.34	32.03	0.00	100	105 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>104.11</td><td>-----</td><td>91.04</td><td>34.66</td><td>10.39</td><td>31.98</td><td>0.00</td><td>100</td><td>105 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	104.11	-----	91.04	34.66	10.39	31.98	0.00	100	105 PEAK		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5648.95	53.66	68.20	-14.54	40.87	34.60	10.28	32.09	0.00	100	105 PEAK																																																																																																																											
2	5650.90	51.97	68.97	-17.00	39.17	34.60	10.29	32.09	0.00	100	105 PEAK																																																																																																																											
3	5701.60	52.43	105.75	-53.32	39.45	34.70	10.33	32.05	0.00	100	105 PEAK																																																																																																																											
4	5720.32	51.93	111.62	-59.69	38.96	34.66	10.34	32.03	0.00	100	105 PEAK																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5795.00	104.11	-----	91.04	34.66	10.39	31.98	0.00	100	105 PEAK																																																																																																																												






Mode	37																																																																			
	Band Edge - R																																																																			
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																			
ANT	1																																																																			
Pol.	Vertical	Fundamental																																																																		
Peak	<table><tr><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5854.52</td><td>54.63</td><td>111.99</td><td>-57.36</td><td>41.21</td><td>34.91</td><td>10.45</td><td>31.94</td><td>0.00</td><td>100</td><td>105 PEAK</td></tr><tr><td>2 5874.83</td><td>55.09</td><td>105.35</td><td>-50.26</td><td>41.62</td><td>34.95</td><td>10.47</td><td>31.95</td><td>0.00</td><td>100</td><td>105 PEAK</td></tr><tr><td>3 5923.81</td><td>53.22</td><td>69.18</td><td>-15.96</td><td>39.60</td><td>35.10</td><td>10.51</td><td>31.99</td><td>0.00</td><td>100</td><td>105 PEAK</td></tr><tr><td>4 5941.17</td><td>54.53</td><td>68.20</td><td>-13.67</td><td>40.84</td><td>35.16</td><td>10.53</td><td>32.00</td><td>0.00</td><td>100</td><td>105 PEAK</td></tr></table>	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.52	54.63	111.99	-57.36	41.21	34.91	10.45	31.94	0.00	100	105 PEAK	2 5874.83	55.09	105.35	-50.26	41.62	34.95	10.47	31.95	0.00	100	105 PEAK	3 5923.81	53.22	69.18	-15.96	39.60	35.10	10.51	31.99	0.00	100	105 PEAK	4 5941.17	54.53	68.20	-13.67	40.84	35.16	10.53	32.00	0.00	100	105 PEAK	Blank
Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1 5854.52	54.63	111.99	-57.36	41.21	34.91	10.45	31.94	0.00	100	105 PEAK																																																										
2 5874.83	55.09	105.35	-50.26	41.62	34.95	10.47	31.95	0.00	100	105 PEAK																																																										
3 5923.81	53.22	69.18	-15.96	39.60	35.10	10.51	31.99	0.00	100	105 PEAK																																																										
4 5941.17	54.53	68.20	-13.67	40.84	35.16	10.53	32.00	0.00	100	105 PEAK																																																										




Mode	37																																																																																																																		
	Harmonic																																																																																																																		
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																																		
ANT	1																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																												
Peak Avg																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>46.76</td><td>74.00</td><td>-27.24</td><td>54.21</td><td>38.38</td><td>14.98</td><td>60.81</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11590.00	46.76	74.00	-27.24	54.21	38.38	14.98	60.81	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>47.33</td><td>74.00</td><td>-26.67</td><td>54.78</td><td>38.38</td><td>14.98</td><td>60.81</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>36.67</td><td>54.00</td><td>-17.33</td><td>44.12</td><td>38.38</td><td>14.98</td><td>60.81</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11590.00	47.33	74.00	-26.67	54.78	38.38	14.98	60.81	0.00	100	0	PEAK	2	11590.00	36.67	54.00	-17.33	44.12	38.38	14.98	60.81	0.00	100	0	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	11590.00	46.76	74.00	-27.24	54.21	38.38	14.98	60.81	0.00	---	---	PEAK																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	11590.00	47.33	74.00	-26.67	54.78	38.38	14.98	60.81	0.00	100	0	PEAK																																																																																																							
2	11590.00	36.67	54.00	-17.33	44.12	38.38	14.98	60.81	0.00	100	0	AVERAGE																																																																																																							






Mode	38																																																																																																																																													
	Band Edge - L																																																																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																																													
ANT	1																																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																																							
Peak																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>5626.72</td><td>53.37</td><td>68.20</td><td>-14.83</td><td>40.54</td><td>34.65</td><td>10.27</td><td>32.09</td><td>0.00</td><td>116</td><td>193</td><td>PEAK</td></tr><tr><td>2</td><td>5650.51</td><td>51.41</td><td>68.68</td><td>-17.27</td><td>38.62</td><td>34.60</td><td>10.28</td><td>32.09</td><td>0.00</td><td>116</td><td>193</td><td>PEAK</td></tr><tr><td>3</td><td>5704.52</td><td>53.70</td><td>106.57</td><td>-52.87</td><td>40.73</td><td>34.69</td><td>10.33</td><td>32.05</td><td>0.00</td><td>116</td><td>193</td><td>PEAK</td></tr><tr><td>4</td><td>5721.10</td><td>53.53</td><td>113.40</td><td>-59.87</td><td>40.56</td><td>34.66</td><td>10.34</td><td>32.03</td><td>0.00</td><td>116</td><td>193</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5626.72	53.37	68.20	-14.83	40.54	34.65	10.27	32.09	0.00	116	193	PEAK	2	5650.51	51.41	68.68	-17.27	38.62	34.60	10.28	32.09	0.00	116	193	PEAK	3	5704.52	53.70	106.57	-52.87	40.73	34.69	10.33	32.05	0.00	116	193	PEAK	4	5721.10	53.53	113.40	-59.87	40.56	34.66	10.34	32.03	0.00	116	193	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>103.35</td><td>-----</td><td>90.23</td><td>34.69</td><td>10.40</td><td>31.97</td><td>0.00</td><td>116</td><td>193</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	103.35	-----	90.23	34.69	10.40	31.97	0.00	116	193	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	5626.72	53.37	68.20	-14.83	40.54	34.65	10.27	32.09	0.00	116	193	PEAK																																																																																																																																		
2	5650.51	51.41	68.68	-17.27	38.62	34.60	10.28	32.09	0.00	116	193	PEAK																																																																																																																																		
3	5704.52	53.70	106.57	-52.87	40.73	34.69	10.33	32.05	0.00	116	193	PEAK																																																																																																																																		
4	5721.10	53.53	113.40	-59.87	40.56	34.66	10.34	32.03	0.00	116	193	PEAK																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	5795.00	103.35	-----	90.23	34.69	10.40	31.97	0.00	116	193	PEAK																																																																																																																																			
Avg	Blank																																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>95.05</td><td>-----</td><td>81.93</td><td>34.69</td><td>10.40</td><td>31.97</td><td>0.00</td><td>116</td><td>193</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	95.05	-----	81.93	34.69	10.40	31.97	0.00	116	193	AVERAGE																																																																																						
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	5795.00	95.05	-----	81.93	34.69	10.40	31.97	0.00	116	193	AVERAGE																																																																																																																																			




Mode	38																																																																															
	Band Edge - R																																																																															
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																															
ANT	1																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5854.21</td><td>58.12</td><td>112.70</td><td>-54.58</td><td>44.70</td><td>34.91</td><td>10.45</td><td>31.94</td><td>0.00</td><td>116</td><td>193</td><td>PEAK</td></tr><tr><td>2</td><td>5874.52</td><td>55.00</td><td>105.44</td><td>-50.44</td><td>41.53</td><td>34.95</td><td>10.47</td><td>31.95</td><td>0.00</td><td>116</td><td>193</td><td>PEAK</td></tr><tr><td>3</td><td>5924.74</td><td>53.35</td><td>68.50</td><td>-15.15</td><td>39.72</td><td>35.10</td><td>10.52</td><td>31.99</td><td>0.00</td><td>116</td><td>193</td><td>PEAK</td></tr><tr><td>4</td><td>5926.29</td><td>54.75</td><td>68.20</td><td>-13.45</td><td>41.11</td><td>35.11</td><td>10.52</td><td>31.99</td><td>0.00</td><td>116</td><td>193</td><td>PEAK</td></tr></table>		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5854.21	58.12	112.70	-54.58	44.70	34.91	10.45	31.94	0.00	116	193	PEAK	2	5874.52	55.00	105.44	-50.44	41.53	34.95	10.47	31.95	0.00	116	193	PEAK	3	5924.74	53.35	68.50	-15.15	39.72	35.10	10.52	31.99	0.00	116	193	PEAK	4	5926.29	54.75	68.20	-13.45	41.11	35.11	10.52	31.99	0.00	116	193	PEAK	Blank
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																					
1	5854.21	58.12	112.70	-54.58	44.70	34.91	10.45	31.94	0.00	116	193	PEAK																																																																				
2	5874.52	55.00	105.44	-50.44	41.53	34.95	10.47	31.95	0.00	116	193	PEAK																																																																				
3	5924.74	53.35	68.50	-15.15	39.72	35.10	10.52	31.99	0.00	116	193	PEAK																																																																				
4	5926.29	54.75	68.20	-13.45	41.11	35.11	10.52	31.99	0.00	116	193	PEAK																																																																				





Mode	38																																																																																																																																				
	Band Edge - L																																																																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																																				
ANT	1																																																																																																																																				
Pol.	Vertical												Fundamental																																																																																																																								
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 5795 MHz. The plot shows a rising red limit line and a blue measured signal with four marked peaks (1-4). <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5693.32</td><td>53.79</td><td>68.20</td><td>-14.41</td><td>40.94</td><td>34.69</td><td>10.24</td><td>32.08</td><td>0.00</td><td>100</td><td>73</td><td>PEAK</td></tr><tr><td>2</td><td>5650.31</td><td>53.86</td><td>68.53</td><td>-14.67</td><td>41.07</td><td>34.60</td><td>10.28</td><td>32.09</td><td>0.00</td><td>100</td><td>73</td><td>PEAK</td></tr><tr><td>3</td><td>5701.21</td><td>54.05</td><td>105.64</td><td>-51.59</td><td>41.07</td><td>34.70</td><td>10.33</td><td>32.05</td><td>0.00</td><td>100</td><td>73</td><td>PEAK</td></tr><tr><td>4</td><td>5720.12</td><td>54.72</td><td>111.17</td><td>-56.45</td><td>41.75</td><td>34.66</td><td>10.34</td><td>32.03</td><td>0.00</td><td>100</td><td>73</td><td>PEAK</td></tr></tbody></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5693.32	53.79	68.20	-14.41	40.94	34.69	10.24	32.08	0.00	100	73	PEAK	2	5650.31	53.86	68.53	-14.67	41.07	34.60	10.28	32.09	0.00	100	73	PEAK	3	5701.21	54.05	105.64	-51.59	41.07	34.70	10.33	32.05	0.00	100	73	PEAK	4	5720.12	54.72	111.17	-56.45	41.75	34.66	10.34	32.03	0.00	100	73	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a stepped red limit line and a blue measured signal with a single marked peak (1) at 5795 MHz. <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>105.79</td><td>-----</td><td>-----</td><td>-----</td><td>92.67</td><td>34.69</td><td>10.40</td><td>31.97</td><td>0.00</td><td>100</td><td>73</td><td>PEAK</td></tr></tbody></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg	1	5795.00	105.79	-----	-----	-----	92.67	34.69	10.40	31.97	0.00	100	73	PEAK
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																									
1	5693.32	53.79	68.20	-14.41	40.94	34.69	10.24	32.08	0.00	100	73	PEAK																																																																																																																									
2	5650.31	53.86	68.53	-14.67	41.07	34.60	10.28	32.09	0.00	100	73	PEAK																																																																																																																									
3	5701.21	54.05	105.64	-51.59	41.07	34.70	10.33	32.05	0.00	100	73	PEAK																																																																																																																									
4	5720.12	54.72	111.17	-56.45	41.75	34.66	10.34	32.03	0.00	100	73	PEAK																																																																																																																									
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg																																																																																																																								
1	5795.00	105.79	-----	-----	-----	92.67	34.69	10.40	31.97	0.00	100	73	PEAK																																																																																																																								
Avg	Blank												 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a stepped red limit line and a blue measured signal with a single marked peak (1) at 5795 MHz. <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>97.28</td><td>-----</td><td>-----</td><td>-----</td><td>84.16</td><td>34.69</td><td>10.40</td><td>31.97</td><td>0.00</td><td>100</td><td>73</td><td>AVERAGE</td></tr></tbody></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg	1	5795.00	97.28	-----	-----	-----	84.16	34.69	10.40	31.97	0.00	100	73	AVERAGE																																																																														
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg																																																																																																																								
1	5795.00	97.28	-----	-----	-----	84.16	34.69	10.40	31.97	0.00	100	73	AVERAGE																																																																																																																								






Mode	38																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																		
ANT	1																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.83</td><td>59.18</td><td>111.29</td><td>-52.11</td><td>45.76</td><td>34.91</td><td>10.45</td><td>31.94</td><td>0.00</td><td>100</td><td>73 PEAK</td></tr><tr><td>2</td><td>5872.35</td><td>54.95</td><td>106.04</td><td>-51.09</td><td>41.49</td><td>34.94</td><td>10.47</td><td>31.95</td><td>0.00</td><td>100</td><td>73 PEAK</td></tr><tr><td>3</td><td>5924.58</td><td>53.20</td><td>68.61</td><td>-15.41</td><td>39.57</td><td>35.10</td><td>10.52</td><td>31.99</td><td>0.00</td><td>100</td><td>73 PEAK</td></tr><tr><td>4</td><td>5944.27</td><td>54.80</td><td>68.20</td><td>-13.40</td><td>41.10</td><td>35.18</td><td>10.53</td><td>32.01</td><td>0.00</td><td>100</td><td>73 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.83	59.18	111.29	-52.11	45.76	34.91	10.45	31.94	0.00	100	73 PEAK	2	5872.35	54.95	106.04	-51.09	41.49	34.94	10.47	31.95	0.00	100	73 PEAK	3	5924.58	53.20	68.61	-15.41	39.57	35.10	10.52	31.99	0.00	100	73 PEAK	4	5944.27	54.80	68.20	-13.40	41.10	35.18	10.53	32.01	0.00	100	73 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.83	59.18	111.29	-52.11	45.76	34.91	10.45	31.94	0.00	100	73 PEAK																																																																								
2	5872.35	54.95	106.04	-51.09	41.49	34.94	10.47	31.95	0.00	100	73 PEAK																																																																								
3	5924.58	53.20	68.61	-15.41	39.57	35.10	10.52	31.99	0.00	100	73 PEAK																																																																								
4	5944.27	54.80	68.20	-13.40	41.10	35.18	10.53	32.01	0.00	100	73 PEAK																																																																								




Mode	38																																																																																																															
	Harmonic																																																																																																															
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal						Vertical																																																																																																									
Peak Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11590.00</td><td>46.46</td><td>74.00</td><td>-27.54</td><td>53.91</td><td>38.38</td><td>14.98</td><td>60.81</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	46.46	74.00	-27.54	53.91	38.38	14.98	60.81	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11590.00</td><td>47.13</td><td>74.00</td><td>-26.87</td><td>54.58</td><td>38.38</td><td>14.98</td><td>60.81</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>36.60</td><td>54.00</td><td>-17.40</td><td>44.05</td><td>38.38</td><td>14.98</td><td>60.81</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	47.13	74.00	-26.87	54.58	38.38	14.98	60.81	0.00	100	0	PEAK	2	11590.00	36.60	54.00	-17.40	44.05	38.38	14.98	60.81	0.00	100	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	11590.00	46.46	74.00	-27.54	53.91	38.38	14.98	60.81	0.00	---	---	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	11590.00	47.13	74.00	-26.87	54.58	38.38	14.98	60.81	0.00	100	0	PEAK																																																																																																				
2	11590.00	36.60	54.00	-17.40	44.05	38.38	14.98	60.81	0.00	100	0	AVERAGE																																																																																																				






Mode	39																																																																																																																																	
	Band Edge - L																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																	
ANT	1																																																																																																																																	
Pol.	Horizontal						Fundamental																																																																																																																											
Peak																																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5623.10</td><td>54.06</td><td>68.20</td><td>-14.14</td><td>41.24</td><td>34.65</td><td>10.26</td><td>32.09</td><td>0.00</td><td>293</td><td>8 PEAK</td></tr><tr><td>2 5650.05</td><td>52.32</td><td>68.34</td><td>-16.02</td><td>39.53</td><td>34.60</td><td>10.28</td><td>32.09</td><td>0.00</td><td>293</td><td>8 PEAK</td></tr><tr><td>3 5704.65</td><td>72.83</td><td>106.60</td><td>-33.77</td><td>59.86</td><td>34.69</td><td>10.33</td><td>32.05</td><td>0.00</td><td>293</td><td>8 PEAK</td></tr><tr><td>4 5720.05</td><td>71.74</td><td>111.01</td><td>-39.27</td><td>58.77</td><td>34.66</td><td>10.34</td><td>32.03</td><td>0.00</td><td>293</td><td>8 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5623.10	54.06	68.20	-14.14	41.24	34.65	10.26	32.09	0.00	293	8 PEAK	2 5650.05	52.32	68.34	-16.02	39.53	34.60	10.28	32.09	0.00	293	8 PEAK	3 5704.65	72.83	106.60	-33.77	59.86	34.69	10.33	32.05	0.00	293	8 PEAK	4 5720.05	71.74	111.01	-39.27	58.77	34.66	10.34	32.03	0.00	293	8 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>103.25</td><td>-----</td><td>-----</td><td>90.20</td><td>34.65</td><td>10.39</td><td>31.99</td><td>0.00</td><td>293</td><td>8 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	103.25	-----	-----	90.20	34.65	10.39	31.99	0.00	293	8 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5623.10	54.06	68.20	-14.14	41.24	34.65	10.26	32.09	0.00	293	8 PEAK																																																																																																																								
2 5650.05	52.32	68.34	-16.02	39.53	34.60	10.28	32.09	0.00	293	8 PEAK																																																																																																																								
3 5704.65	72.83	106.60	-33.77	59.86	34.69	10.33	32.05	0.00	293	8 PEAK																																																																																																																								
4 5720.05	71.74	111.01	-39.27	58.77	34.66	10.34	32.03	0.00	293	8 PEAK																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5775.00	103.25	-----	-----	90.20	34.65	10.39	31.99	0.00	293	8 PEAK																																																																																																																								
Avg	Blank																																																																																																																																	
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>93.85</td><td>-----</td><td>-----</td><td>80.82</td><td>34.64</td><td>10.38</td><td>31.99</td><td>0.00</td><td>293</td><td>8 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	93.85	-----	-----	80.82	34.64	10.38	31.99	0.00	293	8 AVERAGE																																																																													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5775.00	93.85	-----	-----	80.82	34.64	10.38	31.99	0.00	293	8 AVERAGE																																																																																																																								




Mode	39																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																		
ANT	1																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>70.28</td><td>111.36</td><td>-41.08</td><td>56.86</td><td>34.91</td><td>10.45</td><td>31.94</td><td>0.00</td><td>293</td><td>8 PEAK</td></tr><tr><td>2</td><td>5866.18</td><td>68.90</td><td>107.77</td><td>-38.87</td><td>55.46</td><td>34.93</td><td>10.46</td><td>31.95</td><td>0.00</td><td>293</td><td>8 PEAK</td></tr><tr><td>3</td><td>5923.93</td><td>53.76</td><td>69.09</td><td>-15.33</td><td>40.14</td><td>35.10</td><td>10.51</td><td>31.99</td><td>0.00</td><td>293</td><td>8 PEAK</td></tr><tr><td>4</td><td>5930.58</td><td>54.69</td><td>68.20</td><td>-13.51</td><td>41.05</td><td>35.12</td><td>10.52</td><td>32.00</td><td>0.00</td><td>293</td><td>8 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	70.28	111.36	-41.08	56.86	34.91	10.45	31.94	0.00	293	8 PEAK	2	5866.18	68.90	107.77	-38.87	55.46	34.93	10.46	31.95	0.00	293	8 PEAK	3	5923.93	53.76	69.09	-15.33	40.14	35.10	10.51	31.99	0.00	293	8 PEAK	4	5930.58	54.69	68.20	-13.51	41.05	35.12	10.52	32.00	0.00	293	8 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.80	70.28	111.36	-41.08	56.86	34.91	10.45	31.94	0.00	293	8 PEAK																																																																								
2	5866.18	68.90	107.77	-38.87	55.46	34.93	10.46	31.95	0.00	293	8 PEAK																																																																								
3	5923.93	53.76	69.09	-15.33	40.14	35.10	10.51	31.99	0.00	293	8 PEAK																																																																								
4	5930.58	54.69	68.20	-13.51	41.05	35.12	10.52	32.00	0.00	293	8 PEAK																																																																								





Mode	39																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.50</td><td>54.39</td><td>68.20</td><td>-13.81</td><td>41.54</td><td>34.68</td><td>10.25</td><td>32.08</td><td>0.00</td><td>100</td><td></td><td>93 PEAK</td></tr><tr><td>2</td><td>5651.10</td><td>51.91</td><td>69.12</td><td>-17.21</td><td>39.11</td><td>34.60</td><td>10.29</td><td>32.09</td><td>0.00</td><td>100</td><td></td><td>93 PEAK</td></tr><tr><td>3</td><td>5702.20</td><td>67.88</td><td>105.92</td><td>-38.04</td><td>54.90</td><td>34.70</td><td>10.33</td><td>32.05</td><td>0.00</td><td>100</td><td></td><td>93 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>70.39</td><td>111.81</td><td>-41.42</td><td>57.42</td><td>34.66</td><td>10.34</td><td>32.03</td><td>0.00</td><td>100</td><td></td><td>93 PEAK</td></tr></tbody></table>							Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5610.50	54.39	68.20	-13.81	41.54	34.68	10.25	32.08	0.00	100		93 PEAK	2	5651.10	51.91	69.12	-17.21	39.11	34.60	10.29	32.09	0.00	100		93 PEAK	3	5702.20	67.88	105.92	-38.04	54.90	34.70	10.33	32.05	0.00	100		93 PEAK	4	5720.40	70.39	111.81	-41.42	57.42	34.66	10.34	32.03	0.00	100		93 PEAK	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>99.57</td><td>-----</td><td>-----</td><td>-----</td><td>86.50</td><td>34.66</td><td>10.39</td><td>31.98</td><td>0.00</td><td>100</td><td></td><td>93 PEAK</td></tr></tbody></table>								Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg	1	5775.00	99.57	-----	-----	-----	86.50	34.66	10.39	31.98	0.00	100	
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																								
1	5610.50	54.39	68.20	-13.81	41.54	34.68	10.25	32.08	0.00	100		93 PEAK																																																																																																																								
2	5651.10	51.91	69.12	-17.21	39.11	34.60	10.29	32.09	0.00	100		93 PEAK																																																																																																																								
3	5702.20	67.88	105.92	-38.04	54.90	34.70	10.33	32.05	0.00	100		93 PEAK																																																																																																																								
4	5720.40	70.39	111.81	-41.42	57.42	34.66	10.34	32.03	0.00	100		93 PEAK																																																																																																																								
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg																																																																																																																							
1	5775.00	99.57	-----	-----	-----	86.50	34.66	10.39	31.98	0.00	100		93 PEAK																																																																																																																							
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>91.50</td><td>-----</td><td>-----</td><td>-----</td><td>78.43</td><td>34.66</td><td>10.39</td><td>31.98</td><td>0.00</td><td>100</td><td></td><td>93 AVERAGE</td></tr></tbody></table>								Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg	1	5775.00	91.50	-----	-----	-----	78.43	34.66	10.39	31.98	0.00	100		93 AVERAGE																																																																													
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg																																																																																																																							
1	5775.00	91.50	-----	-----	-----	78.43	34.66	10.39	31.98	0.00	100		93 AVERAGE																																																																																																																							



Mode	39																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																		
ANT	1																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.98</td><td>66.31</td><td>110.96</td><td>-44.65</td><td>52.89</td><td>34.91</td><td>10.45</td><td>31.94</td><td>0.00</td><td>100</td><td>93 PEAK</td></tr><tr><td>2</td><td>5867.75</td><td>65.43</td><td>107.33</td><td>-41.90</td><td>51.97</td><td>34.94</td><td>10.47</td><td>31.95</td><td>0.00</td><td>100</td><td>93 PEAK</td></tr><tr><td>3</td><td>5924.63</td><td>53.15</td><td>68.58</td><td>-15.43</td><td>39.52</td><td>35.10</td><td>10.52</td><td>31.99</td><td>0.00</td><td>100</td><td>93 PEAK</td></tr><tr><td>4</td><td>5930.75</td><td>54.86</td><td>68.20</td><td>-13.34</td><td>41.22</td><td>35.12</td><td>10.52</td><td>32.00</td><td>0.00</td><td>100</td><td>93 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.98	66.31	110.96	-44.65	52.89	34.91	10.45	31.94	0.00	100	93 PEAK	2	5867.75	65.43	107.33	-41.90	51.97	34.94	10.47	31.95	0.00	100	93 PEAK	3	5924.63	53.15	68.58	-15.43	39.52	35.10	10.52	31.99	0.00	100	93 PEAK	4	5930.75	54.86	68.20	-13.34	41.22	35.12	10.52	32.00	0.00	100	93 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.98	66.31	110.96	-44.65	52.89	34.91	10.45	31.94	0.00	100	93 PEAK																																																																								
2	5867.75	65.43	107.33	-41.90	51.97	34.94	10.47	31.95	0.00	100	93 PEAK																																																																								
3	5924.63	53.15	68.58	-15.43	39.52	35.10	10.52	31.99	0.00	100	93 PEAK																																																																								
4	5930.75	54.86	68.20	-13.34	41.22	35.12	10.52	32.00	0.00	100	93 PEAK																																																																								



Mode	39																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																								
ANT	1																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>47.32</td><td>74.00</td><td>-26.68</td><td>54.90</td><td>38.30</td><td>14.95</td><td>60.83</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>2</td><td>11550.00</td><td>36.37</td><td>54.00</td><td>-17.63</td><td>44.13</td><td>38.20</td><td>14.90</td><td>60.86</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	47.32	74.00	-26.68	54.90	38.30	14.95	60.83	0.00	300	0 PEAK	2	11550.00	36.37	54.00	-17.63	44.13	38.20	14.90	60.86	0.00	300	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>47.25</td><td>74.00</td><td>-26.75</td><td>54.83</td><td>38.30</td><td>14.95</td><td>60.83</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>2</td><td>11550.00</td><td>36.35</td><td>54.00</td><td>-17.65</td><td>44.11</td><td>38.20</td><td>14.90</td><td>60.86</td><td>0.00</td><td>100</td><td>0 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	47.25	74.00	-26.75	54.83	38.30	14.95	60.83	0.00	100	0 PEAK	2	11550.00	36.35	54.00	-17.65	44.11	38.20	14.90	60.86	0.00	100	0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	11550.00	47.32	74.00	-26.68	54.90	38.30	14.95	60.83	0.00	300	0 PEAK																																																																																																														
2	11550.00	36.37	54.00	-17.63	44.13	38.20	14.90	60.86	0.00	300	0 AVERAGE																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	11550.00	47.25	74.00	-26.75	54.83	38.30	14.95	60.83	0.00	100	0 PEAK																																																																																																														
2	11550.00	36.35	54.00	-17.65	44.11	38.20	14.90	60.86	0.00	100	0 AVERAGE																																																																																																														

Note: For all plots, above 15GHz, the higher trace is noise floors which can be ignored.



Mode	22																																																																																																																																																																			
	LF																																																																																																																																																																			
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																																																																																																																			
ANT	1																																																																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																																																																		
Peak	Data: 7 Site : 03CH06-KS Condition : U-NII-1-U-NII-2A-U-N 3m LF 6111D SN44483 HORIZONTAL Project : 341404-01 <table><tr><th></th><th>Over</th><th>Limit</th><th>Read</th><th>CableAntenna</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>35.82</td><td>22.82</td><td>-17.18</td><td>40.00</td><td>32.73</td><td>0.53</td><td>21.92</td><td>32.36 --- Peak</td></tr><tr><td>2</td><td>63.95</td><td>15.33</td><td>-24.67</td><td>40.00</td><td>34.75</td><td>0.88</td><td>12.14</td><td>32.44 --- Peak</td></tr><tr><td>3</td><td>275.41</td><td>18.38</td><td>-27.62</td><td>46.00</td><td>28.98</td><td>2.24</td><td>19.33</td><td>32.17 --- Peak</td></tr><tr><td>4</td><td>415.09</td><td>21.78</td><td>-24.22</td><td>46.00</td><td>29.09</td><td>2.75</td><td>22.27</td><td>32.33 --- Peak</td></tr><tr><td>5</td><td>578.05</td><td>26.15</td><td>-19.85</td><td>46.00</td><td>29.71</td><td>3.25</td><td>25.62</td><td>32.43 --- Peak</td></tr><tr><td>6</td><td>859.35</td><td>31.22</td><td>-14.78</td><td>46.00</td><td>29.75</td><td>3.95</td><td>29.26</td><td>31.74 --- Peak</td></tr></table>		Over	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm deg	1	35.82	22.82	-17.18	40.00	32.73	0.53	21.92	32.36 --- Peak	2	63.95	15.33	-24.67	40.00	34.75	0.88	12.14	32.44 --- Peak	3	275.41	18.38	-27.62	46.00	28.98	2.24	19.33	32.17 --- Peak	4	415.09	21.78	-24.22	46.00	29.09	2.75	22.27	32.33 --- Peak	5	578.05	26.15	-19.85	46.00	29.71	3.25	25.62	32.43 --- Peak	6	859.35	31.22	-14.78	46.00	29.75	3.95	29.26	31.74 --- Peak	Data: 8 Site : 03CH06-KS Condition : U-NII-1-U-NII-2A-U-N 3m LF 6111D SN44483 VERTICAL Project : 341404-01 <table><tr><th></th><th>Over</th><th>Limit</th><th>Read</th><th>CableAntenna</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>34.85</td><td>33.55</td><td>-6.45</td><td>40.00</td><td>42.93</td><td>0.52</td><td>22.45</td><td>32.35 --- Peak</td></tr><tr><td>2</td><td>63.95</td><td>25.73</td><td>-14.27</td><td>40.00</td><td>45.15</td><td>0.88</td><td>12.14</td><td>32.44 --- Peak</td></tr><tr><td>3</td><td>96.93</td><td>22.59</td><td>-20.91</td><td>43.50</td><td>37.76</td><td>1.31</td><td>15.71</td><td>32.19 --- Peak</td></tr><tr><td>4</td><td>156.10</td><td>15.62</td><td>-27.88</td><td>43.50</td><td>29.38</td><td>1.67</td><td>16.74</td><td>32.17 --- Peak</td></tr><tr><td>5</td><td>358.83</td><td>19.96</td><td>-26.04</td><td>46.00</td><td>28.86</td><td>2.55</td><td>20.77</td><td>32.22 --- Peak</td></tr><tr><td>6</td><td>814.73</td><td>29.42</td><td>-16.58</td><td>46.00</td><td>29.04</td><td>3.85</td><td>28.52</td><td>31.99 --- Peak</td></tr></table>		Over	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm deg	1	34.85	33.55	-6.45	40.00	42.93	0.52	22.45	32.35 --- Peak	2	63.95	25.73	-14.27	40.00	45.15	0.88	12.14	32.44 --- Peak	3	96.93	22.59	-20.91	43.50	37.76	1.31	15.71	32.19 --- Peak	4	156.10	15.62	-27.88	43.50	29.38	1.67	16.74	32.17 --- Peak	5	358.83	19.96	-26.04	46.00	28.86	2.55	20.77	32.22 --- Peak	6	814.73	29.42	-16.58	46.00	29.04	3.85	28.52	31.99 --- Peak
		Over	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																											
Freq	Level	Limit	Line	Level	Loss	Factor	Factor																																																																																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm deg																																																																																																																																																												
1	35.82	22.82	-17.18	40.00	32.73	0.53	21.92	32.36 --- Peak																																																																																																																																																												
2	63.95	15.33	-24.67	40.00	34.75	0.88	12.14	32.44 --- Peak																																																																																																																																																												
3	275.41	18.38	-27.62	46.00	28.98	2.24	19.33	32.17 --- Peak																																																																																																																																																												
4	415.09	21.78	-24.22	46.00	29.09	2.75	22.27	32.33 --- Peak																																																																																																																																																												
5	578.05	26.15	-19.85	46.00	29.71	3.25	25.62	32.43 --- Peak																																																																																																																																																												
6	859.35	31.22	-14.78	46.00	29.75	3.95	29.26	31.74 --- Peak																																																																																																																																																												
	Over	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																												
Freq	Level	Limit	Line	Level	Loss	Factor	Factor																																																																																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm deg																																																																																																																																																												
1	34.85	33.55	-6.45	40.00	42.93	0.52	22.45	32.35 --- Peak																																																																																																																																																												
2	63.95	25.73	-14.27	40.00	45.15	0.88	12.14	32.44 --- Peak																																																																																																																																																												
3	96.93	22.59	-20.91	43.50	37.76	1.31	15.71	32.19 --- Peak																																																																																																																																																												
4	156.10	15.62	-27.88	43.50	29.38	1.67	16.74	32.17 --- Peak																																																																																																																																																												
5	358.83	19.96	-26.04	46.00	28.86	2.55	20.77	32.22 --- Peak																																																																																																																																																												
6	814.73	29.42	-16.58	46.00	29.04	3.85	28.52	31.99 --- Peak																																																																																																																																																												




Mode	35																																																																																																																																																																																													
	LF																																																																																																																																																																																													
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																																																																																																													
ANT	1																																																																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																																																																												
Peak QP	Data: 9 Site : 03CH06-KS Condition : U-NII-3 3m LF 6111D SN44483 HORIZONTAL Project : 341404-01 <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>Read</th><th>CableAntenna</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.00</td><td>22.64</td><td>-17.36</td><td>40.00</td><td>29.38</td><td>0.45</td><td>25.10</td><td>32.29</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>63.95</td><td>15.81</td><td>-24.19</td><td>40.00</td><td>35.23</td><td>0.88</td><td>12.14</td><td>32.44</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>459.71</td><td>22.66</td><td>-23.34</td><td>46.00</td><td>29.05</td><td>2.89</td><td>23.27</td><td>32.55</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>569.32</td><td>26.06</td><td>-19.94</td><td>46.00</td><td>29.74</td><td>3.22</td><td>25.55</td><td>32.45</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>852.56</td><td>31.64</td><td>-14.36</td><td>46.00</td><td>30.19</td><td>3.94</td><td>29.29</td><td>31.78</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>945.68</td><td>32.94</td><td>-13.06</td><td>46.00</td><td>28.98</td><td>4.14</td><td>30.85</td><td>31.03</td><td>---</td><td>---</td><td>Peak</td></tr></table>		Freq	Level	Over	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg	1	30.00	22.64	-17.36	40.00	29.38	0.45	25.10	32.29	---	---	Peak	2	63.95	15.81	-24.19	40.00	35.23	0.88	12.14	32.44	---	---	Peak	3	459.71	22.66	-23.34	46.00	29.05	2.89	23.27	32.55	---	---	Peak	4	569.32	26.06	-19.94	46.00	29.74	3.22	25.55	32.45	---	---	Peak	5	852.56	31.64	-14.36	46.00	30.19	3.94	29.29	31.78	---	---	Peak	6	945.68	32.94	-13.06	46.00	28.98	4.14	30.85	31.03	---	---	Peak	Site : 03CH06-KS Condition : U-NII-3 3m LF 6111D SN44483 VERTICAL Project : 341404-01 <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>Read</th><th>CableAntenna</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>34.85</td><td>32.54</td><td>-7.46</td><td>40.00</td><td>41.92</td><td>0.52</td><td>22.45</td><td>32.35</td><td>---</td><td>---</td><td>QP</td></tr><tr><td>2</td><td>64.92</td><td>27.23</td><td>-12.77</td><td>40.00</td><td>46.57</td><td>0.89</td><td>12.20</td><td>32.43</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>96.93</td><td>23.35</td><td>-20.15</td><td>43.50</td><td>38.52</td><td>1.31</td><td>15.71</td><td>32.19</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>256.01</td><td>17.89</td><td>-28.11</td><td>46.00</td><td>28.06</td><td>2.15</td><td>19.85</td><td>32.17</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>466.50</td><td>23.59</td><td>-22.41</td><td>46.00</td><td>29.87</td><td>2.91</td><td>23.39</td><td>32.58</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>979.63</td><td>33.00</td><td>-21.00</td><td>54.00</td><td>28.69</td><td>4.22</td><td>30.76</td><td>30.67</td><td>---</td><td>---</td><td>Peak</td></tr></table>		Freq	Level	Over	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg	1	34.85	32.54	-7.46	40.00	41.92	0.52	22.45	32.35	---	---	QP	2	64.92	27.23	-12.77	40.00	46.57	0.89	12.20	32.43	---	---	Peak	3	96.93	23.35	-20.15	43.50	38.52	1.31	15.71	32.19	---	---	Peak	4	256.01	17.89	-28.11	46.00	28.06	2.15	19.85	32.17	---	---	Peak	5	466.50	23.59	-22.41	46.00	29.87	2.91	23.39	32.58	---	---	Peak	6	979.63	33.00	-21.00	54.00	28.69	4.22	30.76	30.67	---	---	Peak
	Freq	Level	Over	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																				
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg																																																																																																																																																																																				
1	30.00	22.64	-17.36	40.00	29.38	0.45	25.10	32.29	---	---	Peak																																																																																																																																																																																			
2	63.95	15.81	-24.19	40.00	35.23	0.88	12.14	32.44	---	---	Peak																																																																																																																																																																																			
3	459.71	22.66	-23.34	46.00	29.05	2.89	23.27	32.55	---	---	Peak																																																																																																																																																																																			
4	569.32	26.06	-19.94	46.00	29.74	3.22	25.55	32.45	---	---	Peak																																																																																																																																																																																			
5	852.56	31.64	-14.36	46.00	30.19	3.94	29.29	31.78	---	---	Peak																																																																																																																																																																																			
6	945.68	32.94	-13.06	46.00	28.98	4.14	30.85	31.03	---	---	Peak																																																																																																																																																																																			
	Freq	Level	Over	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																				
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg																																																																																																																																																																																				
1	34.85	32.54	-7.46	40.00	41.92	0.52	22.45	32.35	---	---	QP																																																																																																																																																																																			
2	64.92	27.23	-12.77	40.00	46.57	0.89	12.20	32.43	---	---	Peak																																																																																																																																																																																			
3	96.93	23.35	-20.15	43.50	38.52	1.31	15.71	32.19	---	---	Peak																																																																																																																																																																																			
4	256.01	17.89	-28.11	46.00	28.06	2.15	19.85	32.17	---	---	Peak																																																																																																																																																																																			
5	466.50	23.59	-22.41	46.00	29.87	2.91	23.39	32.58	---	---	Peak																																																																																																																																																																																			
6	979.63	33.00	-21.00	54.00	28.69	4.22	30.76	30.67	---	---	Peak																																																																																																																																																																																			


Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	98.25	-	-	10Hz
802.11n HT20	97.92	1.703	0.587	0.62kHz
802.11n HT40	96.03	0.841	1.190	1.2kHz
802.11ac VHT40	96.07	0.851	1.175	1.2kHz
802.11ac VHT80	91.67	0.414	2.413	2.7kHz


802.11a



802.11n HT20




802.11n HT40





802.11ac VHT40



802.11ac VHT80

