



APPENDIX 1: Photographs of EUT and SAR test setup

Appendix 1-1: Photograph of Platform (9): Digital camera (model: PC2265) and antenna position



Appendix 1-2: EUT and support equipment




Description of EUT and Support Equipment

No.	Item	Model number	Serial number	Manufacturer	Remark
A	Wireless Module	WM227	60128BD8FD08	Canon	EUT.
B	Digital Camera	PC2265	45	Canon	(WM227's) Platform (9).
C1	Battery Pack for Digital camera / DC3.7V, 1060mAh, 4.0Wh (Li-ion)	NB-6LH	01	Canon	Accessory of PC2265, Battery No. #1
C2			02		Accessory of PC2265, Battery No. #2
C3			03		Accessory of PC2365, Battery No. #3
D1	Battery Charger	CB-2LY	01	Canon	Accessory of PC2265
D2		CB-2LYE	01		Support equipment. With AC cable: 2m, Unshielded.
*. The following equipment was used for the antenna terminal port conducted power measurement.					
E	Digital Camera (Host)	PC2052	821060038903	Canon	Support equipment. (*.Ribbon cable=150mm)
-	DC Coupler	DR-90	-	Canon	Support equipment. With DC cable: 0.15m, Unshielded.
-	AC Adaptor	CA-DC10N	-	Canon	Support equipment. With DC cable: 1.9m, Unshielded. With AC cable: 1.9m, Unshielded.


<Platform type of EUT and SAR accessory>

Platform No.	Platform type	Model	SAR accessory	Battery option
(WM227's) Platform (1)	Digital camera	PC2241	none	Model: NB-6LH, DC3.7V, 1060mAh, 4.0Wh (Li-ion)
(WM227's) Platform (2)	Digital camera	PC2205	none	Model: NB-6LH, DC3.7V, 1060mAh, 4.0Wh (Li-ion)
(WM227's) Platform (3)	Digital camera	PC2192	none	Model: NB-10L, DC7.4V, 920mAh, 6.8Wh (Li-ion)
(WM227's) Platform (4)	Digital camera	PC2235	none	Model: NB-11LH, DC3.6V, 800mAh, 2.9Wh (Li-ion)
(WM227's) Platform (5)	Digital camera	PC2179	none	Model: LP-E12, D C7.2V, 875mAh, 6.3Wh (Li-ion)
(WM227's) Platform (6)	Digital camera	PC2263	none	Model: NB-13L, D C3.6V, 1250mAh, 4.5Wh (Li-ion)
(WM227's) Platform (7)	Digital camera	PC2293	none	Model: NB-11LH, DC3.6V, 800mAh, 2.9Wh (Li-ion)
(WM227's) Platform (8)	Digital camera	PC2308	none	Model: NB-11LH, DC3.6V, 800mAh, 2.9Wh (Li-ion)
(WM227's) Platform (9)	Digital camera	PC2265	none	Model: NB-6LH, DC3.7V, 1060mAh, 4.0Wh (Li-ion)

Appendix 1-3: Photograph of test setup / Platform (9)

Position	Setup photographs		
Top (Touch)			
			
Top (right) (Touch)			
			
Top (left) (Touch)			
			

Appendix 1-3: Photograph of test setup / Platform (9) (cont'd)

Position	Setup photographs		
Top-right -tilt (Touch)			
			
Top-rear (Touch)			
Top-left -tilt (Touch)			
Rear (LCD) (Touch)			