

A.5 TIME OF OCCUPANCY

Test Date	2019/07/30~08/16	Temp./Hum.	23~24°C/52~55%
Cable Loss	3.69dB	Test Voltage	DC 3.8V (Via Battery)

A.5.1 Time of Occupancy

Mode	Centre Frequency (MHz)	Mode	Each second appearance transmission	Time of Occupancy (ms)	Maximum accumulated Time of Occupancy (ms)	Limit (ms)
GFSK	2402	DH1	9	0.400	113.760	<400
		DH3	5	1.660	262.280	<400
		DH5	3	2.910	275.868	<400

Observation Period:

79 channels* 0.4 seconds= 31.6 seconds

DH1 Mode

For each second of **9** transmission appearance, the longest time of occupancy is
9 transmission* 31.6 seconds* 0.400 ms= 113.760 ms (<400ms)

DH3 Mode

For each second of **5** transmission appearance, the longest time of occupancy is
5 transmission* 31.6 seconds* 1.660 ms= 262.280 ms (<400ms)

DH5 Mode

For each second of **3** transmission appearance, the longest time of occupancy is
3 transmission* 31.6 seconds* 2.910 ms= 275.868 ms (<400ms)

Mode	Centre Frequency (MHz)	Mode	Each second appearance transmission	Time of Occupancy (ms)	Maximum accumulated Time of Occupancy (ms)	Limit (ms)
GFSK	2441	DH1	10	0.400	126.400	<400
		DH3	5	1.660	262.280	<400
		DH5	3	2.910	275.868	<400

Observation Period:

79 channels* 0.4 seconds= 31.6 seconds

DH1 Mode

For each second of **10** transmission appearance, the longest time of occupancy is
10 transmission* 31.6 seconds* 0.400 ms= 126.400 ms (<400ms)

DH3 Mode

For each second of **5** transmission appearance, the longest time of occupancy is
5 transmission* 31.6 seconds* 1.660 ms= 262.280 ms (<400ms)

DH5 Mode

For each second of **3** transmission appearance, the longest time of occupancy is
3 transmission* 31.6 seconds* 2.910 ms= 275.868 ms (<400ms)

Mode	Centre Frequency (MHz)	Mode	Each second appearance transmission	Time of Occupancy (ms)	Maximum accumulated Time of Occupancy (ms)	Limit (ms)
GFSK	2480	DH1	10	0.400	126.400	<400
		DH3	5	1.660	262.280	<400
		DH5	2	2.910	183.912	<400

Observation Period:

79 channels* 0.4 seconds= 31.6 seconds

DH1 Mode

For each second of 10 transmission appearance, the longest time of occupancy is

10 transmission* 31.6 seconds* 0.400 ms= 126.400 ms (<400ms)

DH3 Mode

For each second of 5 transmission appearance, the longest time of occupancy is

5 transmission* 31.6 seconds* 1.660 ms= 262.280 ms (<400ms)

DH5 Mode


For each second of 2 transmission appearance, the longest time of occupancy is

2 transmission* 31.6 seconds* 2.910 ms= 183.912 ms (<400ms)

AUDIX Technology Corp.
No. 53-11, Dingfu, Linkou, Dist.,
New Taipei City 244, Taiwan


Tel: +886 2 26099301
Fax: +886 2 26099303

● Measurement Plots



AUDIX Technology Corp.
No. 53-11, Dingfu, Linkou, Dist.,
New Taipei City 244, Taiwan


Tel: +886 2 26099301
Fax: +886 2 26099303



Mode: GFSK

Centre Frequency: 2480MHz


DH1



DH3



DH5



Mode	Centre Frequency (MHz)	Mode	Each second appearance transmission	Time of Occupancy (ms)	Maximum accumulated Time of Occupancy (ms)	Limit (ms)
8-DPSK	2402	3DH1	10	0.400	126.400	<400
		3DH3	5	1.660	262.280	<400
		3DH5	2	2.910	183.912	<400

Observation Period:

79 channels* **0.4** seconds= **31.6** seconds**3DH1 Mode**For each second of **10** transmission appearance,the longest time of occupancy is**10** transmission* **31.6** seconds* **0.400** ms= **126.400** ms (<400ms)**3DH3 Mode**For each second of **5** transmission appearance,the longest time of occupancy is**5** transmission* **31.6** seconds* **1.660** ms= **262.280** ms (<400ms)**3DH5 Mode**For each second of **2** transmission appearance,the longest time of occupancy is**2** transmission* **31.6** seconds* **2.910** ms= **183.912** ms (<400ms)

Mode	Centre Frequency (MHz)	Mode	Each second appearance transmission	Time of Occupancy (ms)	Maximum accumulated Time of Occupancy (ms)	Limit (ms)
8-DPSK	2441	3DH1	10	0.410	129.560	<400
		3DH3	5	1.660	262.280	<400
		3DH5	2	2.910	183.912	<400

Observation Period:

79 channels* **0.4** seconds= **31.6** seconds**3DH1 Mode**For each second of **10** transmission appearance,the longest time of occupancy is**10** transmission* **31.6** seconds* **0.410** ms= **129.560** ms (<400ms)**3DH3 Mode**For each second of **5** transmission appearance,the longest time of occupancy is**5** transmission* **31.6** seconds* **1.660** ms= **262.280** ms (<400ms)**3DH5 Mode**For each second of **2** transmission appearance,the longest time of occupancy is**2** transmission* **31.6** seconds* **2.910** ms= **183.912** ms (<400ms)

Mode	Centre Frequency (MHz)	Mode	Each second appearance transmission	Time of Occupancy (ms)	Maximum accumulated Time of Occupancy (ms)	Limit (ms)
8-DPSK	2480	3DH1	10	0.410	129.560	<400
		3DH3	5	1.660	262.280	<400
		3DH5	2	2.910	183.912	<400

Observation Period:

79 channels* **0.4** seconds= **31.6** seconds

3DH1 Mode

For each second of **10** transmission appearance, the longest time of occupancy is
10 transmission* **31.6** seconds* **0.410** ms= **129.560** ms (<400ms)

3DH3 Mode

For each second of **5** transmission appearance, the longest time of occupancy is
5 transmission* **31.6** seconds* **1.660** ms= **262.280** ms (<400ms)


3DH5 Mode

For each second of **2** transmission appearance, the longest time of occupancy is
2 transmission* **31.6** seconds* **2.910** ms= **183.912** ms (<400ms)

AUDIX Technology Corp.
No. 53-11, Dingfu, Linkou, Dist.,
New Taipei City244, Taiwan


Tel: +886 2 26099301
Fax: +886 2 26099303

● Measurement Plots




AUDIX Technology Corp.
No. 53-11, Dingfu, Linkou, Dist.,
New Taipei City 244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303




AUDIX Technology Corp.
No. 53-11, Dingfu, Linkou, Dist.,
New Taipei City 244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303



A.6 NUMBER OF HOPPING CHANNELS

Test Date	2019/07/30	Temp./Hum.	23°C/55%
Cable Loss	3.69dB	Test Voltage	DC 3.8V (Via Battery)




A.7 MAXIMUM PEAK OUTPUT POWER

Test Date	2019/07/30	Temp./Hum.	23°C/55%
Cable Loss	3.69dB	Test Voltage	DC 3.8V (Via Battery)

A.7.1 Maximum Peak Output Power

Mode	Centre Frequency (MHz)	Maximum Peak Output Power		Limit
		dBm	W	
GFSK	2402	12.28	0.017	21dBm (0.125W)
	2441	12.17	0.016	
	2480	12.06	0.016	
8-DPSK	2402	9.80	0.010	
	2441	9.45	0.009	
	2480	9.19	0.008	

A.7.2 Measurement Plots




AUDIX Technology Corp.
No. 53-11, Dingfu, Linkou, Dist.,
New Taipei City 244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303

A.8 EMISSION LIMITATIONS MEASUREMENT


Test Date	2019/07/30	Temp./Hum.	23°C/55%
Cable Loss	3.69dB	Test Voltage	DC 3.8V (Via Battery)

A.8.1 Band Edge



AUDIX Technology Corp.
No. 53-11, Dingfu, Linkou, Dist.,
New Taipei City 244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303



AUDIX Technology Corp.
No. 53-11, Dingfu, Linkou, Dist.,
New Taipei City 244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303

A.8.2 Spurious Emission

Test Date	2019/07/30	Temp./Hum.	23°C/55%
Cable Loss	3.69dB	Test Voltage	DC 3.8V (Via Battery)
Mode	GFSK	Frequency	2402MHz



Note: All results have been included cable loss.

AUDIX Technology Corp.
No. 53-11, Dingfu, Linkou, Dist.,
New Taipei City 244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303

Test Date	2019/07/30	Temp./Hum.	23°C/55%
Cable Loss	3.69dB	Test Voltage	DC 3.8V (Via Battery)
Mode	GFSK	Frequency	2441MHz



Note: All results have been included cable loss.

AUDIX Technology Corp.

No. 53-11, Dingfu, Linkou, Dist.,

New Taipei City 244, Taiwan

Tel: +886 2 26099301

Fax: +886 2 26099303

Test Date	2019/07/30	Temp./Hum.	23°C/55%
Cable Loss	3.69dB	Test Voltage	DC 3.8V (Via Battery)
Mode	GFSK	Frequency	2480MHz



Note: All results have been included cable loss.

AUDIX Technology Corp.
No. 53-11, Dingfu, Linkou, Dist.,
New Taipei City244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303

Test Date	2019/07/30	Temp./Hum.	23°C/55%
Cable Loss	3.69dB	Test Voltage	DC 3.8V (Via Battery)
Mode	8-DPSK	Frequency	2402MHz



Note: All results have been included cable loss.

AUDIX Technology Corp.
No. 53-11, Dingfu, Linkou, Dist.,
New Taipei City 244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303

Test Date	2019/07/30	Temp./Hum.	23°C/55%
Cable Loss	3.69dB	Test Voltage	DC 3.8V (Via Battery)
Mode	8-DPSK	Frequency	2441MHz



Note: All results have been included cable loss.

AUDIX Technology Corp.
No. 53-11, Dingfu, Linkou, Dist.,
New Taipei City 244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303

Test Date	2019/07/30	Temp./Hum.	23°C/55%
Cable Loss	3.69dB	Test Voltage	DC 3.8V (Via Battery)
Mode	8-DPSK	Frequency	2480MHz



Note: All results have been included cable loss.



Audix Technology Corp.
No. 53-11, Dingfu, Linkou, Dist.,
New Taipei City 244, Taiwan

APPENDIX B

Tel: +886 2 26099301
Fax: +886 2 26099303

APPENDIX B

TEST PHOTOGRAPHS

(Model: T32MZ)