












Mode	23																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.64</td><td>60.78</td><td>74.00</td><td>-13.22</td><td>51.69</td><td>34.69</td><td>10.84</td><td>36.44</td><td>0.00</td><td>300</td><td>241 PEAK</td></tr><tr><td>2</td><td>5478.00</td><td>62.05</td><td>68.20</td><td>-6.15</td><td>52.94</td><td>34.71</td><td>10.85</td><td>36.45</td><td>0.00</td><td>300</td><td>241 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.64	60.78	74.00	-13.22	51.69	34.69	10.84	36.44	0.00	300	241 PEAK	2	5478.00	62.05	68.20	-6.15	52.94	34.71	10.85	36.45	0.00	300	241 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>104.52</td><td>-----</td><td>-----</td><td>95.31</td><td>34.75</td><td>10.90</td><td>36.44</td><td>0.00</td><td>300</td><td>241 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	104.52	-----	-----	95.31	34.75	10.90	36.44	0.00	300	241 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5458.64	60.78	74.00	-13.22	51.69	34.69	10.84	36.44	0.00	300	241 PEAK																																																																																																						
2	5478.00	62.05	68.20	-6.15	52.94	34.71	10.85	36.45	0.00	300	241 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5510.00	104.52	-----	-----	95.31	34.75	10.90	36.44	0.00	300	241 PEAK																																																																																																						
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.44</td><td>50.61</td><td>54.00</td><td>-3.39</td><td>41.51</td><td>34.70</td><td>10.84</td><td>36.44</td><td>0.00</td><td>300</td><td>241 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.44	50.61	54.00	-3.39	41.51	34.70	10.84	36.44	0.00	300	241 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>96.41</td><td>-----</td><td>-----</td><td>87.24</td><td>34.74</td><td>10.89</td><td>36.46</td><td>0.00</td><td>300</td><td>241 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	96.41	-----	-----	87.24	34.74	10.89	36.46	0.00	300	241 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.44	50.61	54.00	-3.39	41.51	34.70	10.84	36.44	0.00	300	241 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5510.00	96.41	-----	-----	87.24	34.74	10.89	36.46	0.00	300	241 AVERAGE																																																																																																						




Mode	23																																																								
	Band Edge - R																																																								
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																								
ANT	1																																																								
Pol.	Horizontal						Fundamental																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5727.72</td><td>53.73</td><td>68.20</td><td>-14.47</td><td>44.00</td><td>34.95</td><td>11.18</td><td>36.40</td><td>0.00</td><td>300</td><td>241</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5727.72	53.73	68.20	-14.47	44.00	34.95	11.18	36.40	0.00	300	241	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5727.72	53.73	68.20	-14.47	44.00	34.95	11.18	36.40	0.00	300	241																																														





Mode	23																																																																																																									
	Band Edge - L																																																																																																									
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Vertical						Fundamental																																																																																																			
Peak																																																																																																										
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.36	55.36	74.00	-18.64	46.27	34.69	10.84	36.44	0.00	396	204 PEAK	2	5468.72	59.18	68.20	-9.02	50.08	34.70	10.85	36.45	0.00	396	204 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>102.05</td><td>-----</td><td>-----</td><td>92.88</td><td>34.74</td><td>10.89</td><td>36.46</td><td>0.00</td><td>396</td><td>204 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	102.05	-----	-----	92.88	34.74	10.89	36.46	0.00	396
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5457.36	55.36	74.00	-18.64	46.27	34.69	10.84	36.44	0.00	396	204 PEAK																																																																																															
2	5468.72	59.18	68.20	-9.02	50.08	34.70	10.85	36.45	0.00	396	204 PEAK																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5510.00	102.05	-----	-----	92.88	34.74	10.89	36.46	0.00	396	204 PEAK																																																																																															
Avg																																																																																																										
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.60	45.89	54.00	-8.11	36.79	34.70	10.84	36.44	0.00	396	204 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>94.14</td><td>-----</td><td>-----</td><td>84.97</td><td>34.74</td><td>10.89</td><td>36.46</td><td>0.00</td><td>396</td><td>204 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	94.14	-----	-----	84.97	34.74	10.89	36.46	0.00	396	204 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5459.60	45.89	54.00	-8.11	36.79	34.70	10.84	36.44	0.00	396	204 AVERAGE																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5510.00	94.14	-----	-----	84.97	34.74	10.89	36.46	0.00	396	204 AVERAGE																																																																																															



Mode	23																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																						
ANT	1																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5731.64</td><td>54.42</td><td>68.20</td><td>-13.78</td><td>44.69</td><td>34.95</td><td>11.19</td><td>36.41</td><td>0.00</td><td>396 204 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5731.64	54.42	68.20	-13.78	44.69	34.95	11.19	36.41	0.00	396 204 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5731.64	54.42	68.20	-13.78	44.69	34.95	11.19	36.41	0.00	396 204 PEAK																																													







Mode	23																																																																																																																																																						
	Harmonic																																																																																																																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																																																																																																						
ANT	1																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7346.48</td><td>50.30</td><td>74.00</td><td>-23.70</td><td>67.85</td><td>35.79</td><td>12.72</td><td>66.06</td><td>0.00</td><td>293</td><td>152</td><td>PEAK</td></tr><tr><td>2</td><td>7346.48</td><td>47.90</td><td>54.00</td><td>-6.10</td><td>65.45</td><td>35.79</td><td>12.72</td><td>66.06</td><td>0.00</td><td>293</td><td>152</td><td>AVERAGE</td></tr><tr><td>3</td><td>11020.00</td><td>45.72</td><td>74.00</td><td>-28.28</td><td>58.41</td><td>37.88</td><td>16.06</td><td>66.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7346.48	50.30	74.00	-23.70	67.85	35.79	12.72	66.06	0.00	293	152	PEAK	2	7346.48	47.90	54.00	-6.10	65.45	35.79	12.72	66.06	0.00	293	152	AVERAGE	3	11020.00	45.72	74.00	-28.28	58.41	37.88	16.06	66.63	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7346.48</td><td>47.48</td><td>74.00</td><td>-26.52</td><td>65.03</td><td>35.79</td><td>12.72</td><td>66.06</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>7346.48</td><td>43.55</td><td>54.00</td><td>-10.45</td><td>61.10</td><td>35.79</td><td>12.72</td><td>66.06</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr><tr><td>3</td><td>11020.00</td><td>45.62</td><td>74.00</td><td>-28.38</td><td>58.31</td><td>37.88</td><td>16.06</td><td>66.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7346.48	47.48	74.00	-26.52	65.03	35.79	12.72	66.06	0.00	100	0	PEAK	2	7346.48	43.55	54.00	-10.45	61.10	35.79	12.72	66.06	0.00	100	0	AVERAGE	3	11020.00	45.62	74.00	-28.38	58.31	37.88	16.06	66.63	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	7346.48	50.30	74.00	-23.70	67.85	35.79	12.72	66.06	0.00	293	152	PEAK																																																																																																																																											
2	7346.48	47.90	54.00	-6.10	65.45	35.79	12.72	66.06	0.00	293	152	AVERAGE																																																																																																																																											
3	11020.00	45.72	74.00	-28.28	58.41	37.88	16.06	66.63	0.00	---	---	PEAK																																																																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	7346.48	47.48	74.00	-26.52	65.03	35.79	12.72	66.06	0.00	100	0	PEAK																																																																																																																																											
2	7346.48	43.55	54.00	-10.45	61.10	35.79	12.72	66.06	0.00	100	0	AVERAGE																																																																																																																																											
3	11020.00	45.62	74.00	-28.38	58.31	37.88	16.06	66.63	0.00	---	---	PEAK																																																																																																																																											



Mode	24																																																																																																																															
	Harmonic																																																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																																																																																																															
ANT	1																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																									
Peak Avg																																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7400.00</td><td>43.91</td><td>74.00</td><td>-30.09</td><td>61.86</td><td>35.50</td><td>12.73</td><td>66.18</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11100.00</td><td>43.86</td><td>74.00</td><td>-30.14</td><td>56.48</td><td>37.89</td><td>16.11</td><td>66.62</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7400.00	43.91	74.00	-30.09	61.86	35.50	12.73	66.18	0.00	---	PEAK	2	11100.00	43.86	74.00	-30.14	56.48	37.89	16.11	66.62	0.00	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7400.00</td><td>45.81</td><td>74.00</td><td>-28.19</td><td>63.76</td><td>35.50</td><td>12.73</td><td>66.18</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11100.00</td><td>44.04</td><td>74.00</td><td>-29.96</td><td>56.66</td><td>37.89</td><td>16.11</td><td>66.62</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7400.00	45.81	74.00	-28.19	63.76	35.50	12.73	66.18	0.00	---	PEAK	2	11100.00	44.04	74.00	-29.96	56.66	37.89	16.11	66.62	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	7400.00	43.91	74.00	-30.09	61.86	35.50	12.73	66.18	0.00	---	PEAK																																																																																																																					
2	11100.00	43.86	74.00	-30.14	56.48	37.89	16.11	66.62	0.00	---	PEAK																																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	7400.00	45.81	74.00	-28.19	63.76	35.50	12.73	66.18	0.00	---	PEAK																																																																																																																					
2	11100.00	44.04	74.00	-29.96	56.66	37.89	16.11	66.62	0.00	---	PEAK																																																																																																																					







Mode	25																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5402.16</td><td>52.14</td><td>74.00</td><td>-21.86</td><td>43.36</td><td>34.40</td><td>10.78</td><td>36.40</td><td>0.00</td><td>100</td><td>245 PEAK</td></tr><tr><td>2</td><td>5462.32</td><td>51.25</td><td>68.20</td><td>-16.95</td><td>42.51</td><td>34.34</td><td>10.84</td><td>36.44</td><td>0.00</td><td>100</td><td>245 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5402.16	52.14	74.00	-21.86	43.36	34.40	10.78	36.40	0.00	100	245 PEAK	2	5462.32	51.25	68.20	-16.95	42.51	34.34	10.84	36.44	0.00	100	245 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>103.99</td><td>-----</td><td>-----</td><td>94.86</td><td>34.35</td><td>11.11</td><td>36.33</td><td>0.00</td><td>100</td><td>245 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	103.99	-----	-----	94.86	34.35	11.11	36.33	0.00	100	245 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5402.16	52.14	74.00	-21.86	43.36	34.40	10.78	36.40	0.00	100	245 PEAK																																																																																																						
2	5462.32	51.25	68.20	-16.95	42.51	34.34	10.84	36.44	0.00	100	245 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	103.99	-----	-----	94.86	34.35	11.11	36.33	0.00	100	245 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5439.60</td><td>42.20</td><td>54.00</td><td>-11.80</td><td>33.45</td><td>34.36</td><td>10.82</td><td>36.43</td><td>0.00</td><td>100</td><td>245 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5439.60	42.20	54.00	-11.80	33.45	34.36	10.82	36.43	0.00	100	245 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>95.53</td><td>-----</td><td>-----</td><td>86.40</td><td>34.35</td><td>11.11</td><td>36.33</td><td>0.00</td><td>100</td><td>245 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	95.53	-----	-----	86.40	34.35	11.11	36.33	0.00	100	245 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5439.60	42.20	54.00	-11.80	33.45	34.36	10.82	36.43	0.00	100	245 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	95.53	-----	-----	86.40	34.35	11.11	36.33	0.00	100	245 AVERAGE																																																																																																						




Mode	25																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																						
ANT	1																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.40</td><td>60.82</td><td>68.20</td><td>-7.38</td><td>51.61</td><td>34.43</td><td>11.18</td><td>36.40</td><td>0.00</td><td>100</td><td>245</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5725.40	60.82	68.20	-7.38	51.61	34.43	11.18	36.40	0.00	100	245	PEAK	Blank					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5725.40	60.82	68.20	-7.38	51.61	34.43	11.18	36.40	0.00	100	245	PEAK																																											





Mode	25																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Vertical						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5422.32</td><td>52.18</td><td>74.00</td><td>-21.82</td><td>43.42</td><td>34.38</td><td>10.88</td><td>36.42</td><td>0.00</td><td>100</td><td>245 PEAK</td></tr><tr><td>2</td><td>5463.28</td><td>51.95</td><td>68.20</td><td>-16.25</td><td>43.21</td><td>34.34</td><td>10.84</td><td>36.44</td><td>0.00</td><td>100</td><td>245 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5422.32	52.18	74.00	-21.82	43.42	34.38	10.88	36.42	0.00	100	245 PEAK	2	5463.28	51.95	68.20	-16.25	43.21	34.34	10.84	36.44	0.00	100	245 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>102.52</td><td>-----</td><td>-----</td><td>93.38</td><td>34.36</td><td>11.10</td><td>36.32</td><td>0.00</td><td>100</td><td>245 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5670.00	102.52	-----	-----	93.38	34.36	11.10	36.32	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5422.32	52.18	74.00	-21.82	43.42	34.38	10.88	36.42	0.00	100	245 PEAK																																																																																																												
2	5463.28	51.95	68.20	-16.25	43.21	34.34	10.84	36.44	0.00	100	245 PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5670.00	102.52	-----	-----	93.38	34.36	11.10	36.32	0.00	100	245 PEAK																																																																																																												
Avg																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.88</td><td>42.22</td><td>54.00</td><td>-11.78</td><td>33.48</td><td>34.34</td><td>10.84</td><td>36.44</td><td>0.00</td><td>100</td><td>245 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5456.88	42.22	54.00	-11.78	33.48	34.34	10.84	36.44	0.00	100	245 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>93.35</td><td>-----</td><td>-----</td><td>84.21</td><td>34.36</td><td>11.10</td><td>36.32</td><td>0.00</td><td>100</td><td>245 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5670.00	93.35	-----	-----	84.21	34.36	11.10	36.32	0.00	100	245 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5456.88	42.22	54.00	-11.78	33.48	34.34	10.84	36.44	0.00	100	245 AVERAGE																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5670.00	93.35	-----	-----	84.21	34.36	11.10	36.32	0.00	100	245 AVERAGE																																																																																																												







Mode	25																																																									
	Band Edge - R																																																									
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																									
ANT	1																																																									
Pol.	Vertical						Fundamental																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.96</td><td>57.93</td><td>68.20</td><td>-10.27</td><td>48.72</td><td>34.43</td><td>11.18</td><td>36.40</td><td>0.00</td><td>100</td><td>245</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5725.96	57.93	68.20	-10.27	48.72	34.43	11.18	36.40	0.00	100	245	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5725.96	57.93	68.20	-10.27	48.72	34.43	11.18	36.40	0.00	100	245																																															





Mode	25																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7560.00</td><td>42.43</td><td>74.00</td><td>-31.57</td><td>60.26</td><td>35.66</td><td>12.96</td><td>66.45</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11340.00</td><td>42.52</td><td>74.00</td><td>-31.48</td><td>54.75</td><td>38.11</td><td>16.26</td><td>66.60</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7560.00	42.43	74.00	-31.57	60.26	35.66	12.96	66.45	0.00	---	PEAK	2	11340.00	42.52	74.00	-31.48	54.75	38.11	16.26	66.60	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7560.00</td><td>46.38</td><td>74.00</td><td>-27.62</td><td>64.21</td><td>35.66</td><td>12.96</td><td>66.45</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11340.00</td><td>42.75</td><td>74.00</td><td>-31.25</td><td>54.98</td><td>38.11</td><td>16.26</td><td>66.60</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7560.00	46.38	74.00	-27.62	64.21	35.66	12.96	66.45	0.00	---	PEAK	2	11340.00	42.75	74.00	-31.25	54.98	38.11	16.26	66.60	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	7560.00	42.43	74.00	-31.57	60.26	35.66	12.96	66.45	0.00	---	PEAK																																																																																																																			
2	11340.00	42.52	74.00	-31.48	54.75	38.11	16.26	66.60	0.00	---	PEAK																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	7560.00	46.38	74.00	-27.62	64.21	35.66	12.96	66.45	0.00	---	PEAK																																																																																																																			
2	11340.00	42.75	74.00	-31.25	54.98	38.11	16.26	66.60	0.00	---	PEAK																																																																																																																			







Mode	26																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C						 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.64</td><td>59.18</td><td>74.00</td><td>-14.82</td><td>51.55</td><td>34.05</td><td>10.61</td><td>37.03</td><td>0.00</td><td>103</td><td>246 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.64	59.18	74.00	-14.82	51.55	34.05	10.61	37.03	0.00	103	246 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>90.49</td><td>-----</td><td>-----</td><td>90.75</td><td>34.21</td><td>10.66</td><td>37.13</td><td>0.00</td><td>103</td><td>246 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	90.49	-----	-----	90.75	34.21	10.66	37.13	0.00	103
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5148.64	59.18	74.00	-14.82	51.55	34.05	10.61	37.03	0.00	103	246 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5210.00	90.49	-----	-----	90.75	34.21	10.66	37.13	0.00	103	246 PEAK																																																																																									
Avg	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG)						 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG)																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.44</td><td>49.46</td><td>54.00</td><td>-4.54</td><td>41.83</td><td>34.05</td><td>10.61</td><td>37.03</td><td>0.00</td><td>103</td><td>246 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.44	49.46	54.00	-4.54	41.83	34.05	10.61	37.03	0.00	103	246 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>90.48</td><td>-----</td><td>-----</td><td>82.66</td><td>34.22</td><td>10.67</td><td>37.07</td><td>0.00</td><td>103</td><td>246 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	90.48	-----	-----	82.66	34.22	10.67	37.07	0.00	103
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5149.44	49.46	54.00	-4.54	41.83	34.05	10.61	37.03	0.00	103	246 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5210.00	90.48	-----	-----	82.66	34.22	10.67	37.07	0.00	103	246 AVERAGE																																																																																									



Mode	26																																																		
	Band Edge - R																																																		
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																		
ANT	1																																																		
Pol.	Horizontal						Fundamental																																												
Peak							Blank																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5362.72</td><td>52.72</td><td>74.00</td><td>-21.28</td><td>44.01</td><td>34.38</td><td>10.77</td><td>36.44</td><td>0.00</td><td>103</td><td>246</td><td>PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5362.72	52.72	74.00	-21.28	44.01	34.38
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																									
1	5362.72	52.72	74.00	-21.28	44.01	34.38	10.77	36.44	0.00	103	246	PEAK																																							
Avg							Blank																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5360.76</td><td>42.79</td><td>54.00</td><td>-11.21</td><td>34.17</td><td>34.36</td><td>10.75</td><td>36.49</td><td>0.00</td><td>103</td><td>246</td><td>AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5360.76	42.79	54.00	-11.21	34.17	34.36
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																									
1	5360.76	42.79	54.00	-11.21	34.17	34.36	10.75	36.49	0.00	103	246	AVERAGE																																							





Mode	26																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5123.04</td><td>54.28</td><td>74.00</td><td>-19.72</td><td>46.69</td><td>33.97</td><td>10.58</td><td>36.96</td><td>0.00</td><td>398</td><td>211 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5123.04	54.28	74.00	-19.72	46.69	33.97	10.58	36.96	0.00	398	211 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>94.74</td><td>-----</td><td>-----</td><td>86.83</td><td>34.23</td><td>10.68</td><td>37.00</td><td>0.00</td><td>398</td><td>211 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	94.74	-----	-----	86.83	34.23	10.68	37.00	0.00	398
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5123.04	54.28	74.00	-19.72	46.69	33.97	10.58	36.96	0.00	398	211 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5210.00	94.74	-----	-----	86.83	34.23	10.68	37.00	0.00	398	211 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5116.64</td><td>44.35</td><td>54.00</td><td>-9.65</td><td>36.77</td><td>33.95</td><td>10.57</td><td>36.94</td><td>0.00</td><td>398</td><td>211 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5116.64	44.35	54.00	-9.65	36.77	33.95	10.57	36.94	0.00	398	211 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>87.05</td><td>-----</td><td>-----</td><td>79.23</td><td>34.22</td><td>10.67</td><td>37.07</td><td>0.00</td><td>398</td><td>211 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	87.05	-----	-----	79.23	34.22	10.67	37.07	0.00	398
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5116.64	44.35	54.00	-9.65	36.77	33.95	10.57	36.94	0.00	398	211 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5210.00	87.05	-----	-----	79.23	34.22	10.67	37.07	0.00	398	211 AVERAGE																																																																																									







Mode	26																																														
	Band Edge - R																																														
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																														
ANT	1																																														
Pol.	Vertical	Fundamental																																													
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5356.98</td><td>51.30</td><td>74.00</td><td>-22.70</td><td>42.69</td><td>34.36</td><td>10.75</td><td>36.50</td><td>0.00</td><td>398</td><td>211 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5356.98	51.30	74.00	-22.70	42.69	34.36	10.75	36.50	0.00	398	211 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																					
1	5356.98	51.30	74.00	-22.70	42.69	34.36	10.75	36.50	0.00	398	211 PEAK																																				
Avg	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5377.14</td><td>42.58</td><td>54.00</td><td>-11.42</td><td>33.89</td><td>34.38</td><td>10.76</td><td>36.45</td><td>0.00</td><td>398</td><td>211 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5377.14	42.58	54.00	-11.42	33.89	34.38	10.76	36.45	0.00	398	211 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																					
1	5377.14	42.58	54.00	-11.42	33.89	34.38	10.76	36.45	0.00	398	211 AVERAGE																																				





Mode	26																																																																																	
	Harmonic																																																																																	
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal						Vertical																																																																											
Peak Avg																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>10420.00</td><td>42.36</td><td>68.20</td><td>-25.84</td><td>56.50</td><td>37.40</td><td>15.51</td><td>67.05</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	10420.00	42.36	68.20	-25.84	56.50	37.40	15.51	67.05	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>10420.00</td><td>41.97</td><td>68.20</td><td>-26.23</td><td>56.10</td><td>37.41</td><td>15.52</td><td>67.06</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	10420.00	41.97	68.20	-26.23	56.10	37.41	15.52	67.06	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																								
1	10420.00	42.36	68.20	-25.84	56.50	37.40	15.51	67.05	0.00	---	---	PEAK																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																								
1	10420.00	41.97	68.20	-26.23	56.10	37.41	15.52	67.06	0.00	---	---	PEAK																																																																						







Mode	27																																																																																											
	Band Edge - L																																																																																											
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																											
ANT	1																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak																																																																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5138.08	52.68	74.00	-21.32	45.07	34.01	10.60	37.00	0.00	101	244	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>99.21</td><td>-----</td><td>-----</td><td>90.94</td><td>34.28</td><td>10.71</td><td>36.72</td><td>0.00</td><td>101</td><td>244</td><td>PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	99.21	-----	-----	90.94	34.28	10.71	36.72	0.00	101	244
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5138.08	52.68	74.00	-21.32	45.07	34.01	10.60	37.00	0.00	101	244	PEAK																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5290.00	99.21	-----	-----	90.94	34.28	10.71	36.72	0.00	101	244	PEAK																																																																																
Avg																																																																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5103.36	43.38	54.00	-10.62	35.82	33.91	10.56	36.91	0.00	101	244	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>91.30</td><td>-----</td><td>-----</td><td>82.94</td><td>34.30</td><td>10.72</td><td>36.66</td><td>0.00</td><td>101</td><td>244</td><td>AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	91.30	-----	-----	82.94	34.30	10.72	36.66	0.00	101	244
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5103.36	43.38	54.00	-10.62	35.82	33.91	10.56	36.91	0.00	101	244	AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5290.00	91.30	-----	-----	82.94	34.30	10.72	36.66	0.00	101	244	AVERAGE																																																																																



Mode	27																																																										
	Band Edge - R																																																										
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																										
ANT	1																																																										
Pol.	Horizontal						Fundamental																																																				
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.30</td><td>60.32</td><td>74.00</td><td>-13.68</td><td>51.74</td><td>34.35</td><td>10.75</td><td>36.52</td><td>0.00</td><td>101</td><td>244</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.30	60.32	74.00	-13.68	51.74	34.35	10.75	36.52	0.00	101	244	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5350.30	60.32	74.00	-13.68	51.74	34.35	10.75	36.52	0.00	101	244	PEAK																																															
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5358.20</td><td>50.04</td><td>54.00</td><td>-3.96</td><td>41.43</td><td>34.36</td><td>10.75</td><td>36.50</td><td>0.00</td><td>101</td><td>244</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5358.20	50.04	54.00	-3.96	41.43	34.36	10.75	36.50	0.00	101	244	AVERAGE	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5358.20	50.04	54.00	-3.96	41.43	34.36	10.75	36.50	0.00	101	244	AVERAGE																																															





Mode	27																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5123.84</td><td>53.04</td><td>74.00</td><td>-20.96</td><td>45.45</td><td>33.97</td><td>10.58</td><td>36.96</td><td>0.00</td><td>100</td><td>298</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5123.84	53.04	74.00	-20.96	45.45	33.97	10.58	36.96	0.00	100	298	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>92.90</td><td>-----</td><td>-----</td><td>84.63</td><td>34.28</td><td>10.71</td><td>36.72</td><td>0.00</td><td>100</td><td>298</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	92.90	-----	-----	84.63	34.28	10.71	36.72	0.00	100	298
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5123.84	53.04	74.00	-20.96	45.45	33.97	10.58	36.96	0.00	100	298	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5290.00	92.90	-----	-----	84.63	34.28	10.71	36.72	0.00	100	298	PEAK																																																																																											
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5143.84</td><td>43.33</td><td>54.00</td><td>-10.67</td><td>35.71</td><td>34.03</td><td>10.60</td><td>37.01</td><td>0.00</td><td>100</td><td>298</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5143.84	43.33	54.00	-10.67	35.71	34.03	10.60	37.01	0.00	100	298	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>84.79</td><td>-----</td><td>-----</td><td>76.48</td><td>34.29</td><td>10.71</td><td>36.69</td><td>0.00</td><td>100</td><td>298</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	84.79	-----	-----	76.48	34.29	10.71	36.69	0.00	100	298
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5143.84	43.33	54.00	-10.67	35.71	34.03	10.60	37.01	0.00	100	298	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5290.00	84.79	-----	-----	76.48	34.29	10.71	36.69	0.00	100	298	AVERAGE																																																																																											







Mode	27																																																					
	Band Edge - R																																																					
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																					
ANT	1																																																					
Pol.	Vertical						Fundamental																																															
Peak	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5355.20</td><td>55.51</td><td>74.00</td><td>-18.49</td><td>46.91</td><td>34.36</td><td>10.75</td><td>36.51</td><td>0.00</td><td>100</td><td>298</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5355.20	55.51	74.00	-18.49	46.91	34.36	10.75	36.51	0.00	100	298	PEAK	Blank				
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	5355.20	55.51	74.00	-18.49	46.91	34.36	10.75	36.51	0.00	100	298	PEAK																																										
Avg	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.60</td><td>45.33</td><td>54.00</td><td>-8.67</td><td>36.74</td><td>34.35</td><td>10.75</td><td>36.51</td><td>0.00</td><td>100</td><td>298</td><td>AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5353.60	45.33	54.00	-8.67	36.74	34.35	10.75	36.51	0.00	100	298	AVERAGE	Blank				
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	5353.60	45.33	54.00	-8.67	36.74	34.35	10.75	36.51	0.00	100	298	AVERAGE																																										




Mode	27																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																																																	
ANT	1																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7053.33</td><td>51.91</td><td>68.20</td><td>-16.29</td><td>69.26</td><td>35.55</td><td>12.52</td><td>65.42</td><td>0.00</td><td>258</td><td>325</td><td>PEAK</td></tr><tr><td>2</td><td>10580.00</td><td>42.79</td><td>68.20</td><td>-25.41</td><td>56.73</td><td>37.48</td><td>15.62</td><td>67.04</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7053.33	51.91	68.20	-16.29	69.26	35.55	12.52	65.42	0.00	258	325	PEAK	2	10580.00	42.79	68.20	-25.41	56.73	37.48	15.62	67.04	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7053.33</td><td>50.92</td><td>68.20</td><td>-17.28</td><td>68.26</td><td>35.55</td><td>12.53</td><td>65.42</td><td>0.00</td><td>100</td><td>225</td><td>PEAK</td></tr><tr><td>2</td><td>10580.00</td><td>42.11</td><td>68.20</td><td>-26.09</td><td>56.05</td><td>37.48</td><td>15.62</td><td>67.04</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7053.33	50.92	68.20	-17.28	68.26	35.55	12.53	65.42	0.00	100	225	PEAK	2	10580.00	42.11	68.20	-26.09	56.05	37.48	15.62	67.04	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	7053.33	51.91	68.20	-16.29	69.26	35.55	12.52	65.42	0.00	258	325	PEAK																																																																																																																						
2	10580.00	42.79	68.20	-25.41	56.73	37.48	15.62	67.04	0.00	---	---	PEAK																																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	7053.33	50.92	68.20	-17.28	68.26	35.55	12.53	65.42	0.00	100	225	PEAK																																																																																																																						
2	10580.00	42.11	68.20	-26.09	56.05	37.48	15.62	67.04	0.00	---	---	PEAK																																																																																																																						







Mode	28																																																																																																									
	Band Edge - L																																																																																																									
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																			
Peak																																																																																																										
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5436.40	60.41	74.00	-13.59	51.67	34.36	10.81	36.43	0.00	100	241 PEAK	2	5462.16	60.83	68.20	-7.37	52.09	34.34	10.84	36.44	0.00	100	241 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>98.60</td><td>-----</td><td>-----</td><td>89.76</td><td>34.35</td><td>10.91</td><td>36.42</td><td>0.00</td><td>100</td><td>241 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	98.60	-----	-----	89.76	34.35	10.91	36.42	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5436.40	60.41	74.00	-13.59	51.67	34.36	10.81	36.43	0.00	100	241 PEAK																																																																																															
2	5462.16	60.83	68.20	-7.37	52.09	34.34	10.84	36.44	0.00	100	241 PEAK																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5530.00	98.60	-----	-----	89.76	34.35	10.91	36.42	0.00	100	241 PEAK																																																																																															
Avg																																																																																																										
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.96	50.42	54.00	-3.58	41.68	34.35	10.83	36.44	0.00	100	241 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>89.90</td><td>-----</td><td>-----</td><td>81.06</td><td>34.35</td><td>10.91</td><td>36.42</td><td>0.00</td><td>100</td><td>241 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	89.90	-----	-----	81.06	34.35	10.91	36.42	0.00	100	241 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5454.96	50.42	54.00	-3.58	41.68	34.35	10.83	36.44	0.00	100	241 AVERAGE																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5530.00	89.90	-----	-----	81.06	34.35	10.91	36.42	0.00	100	241 AVERAGE																																																																																															




Mode	28																																																										
	Band Edge - R																																																										
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																										
ANT	1																																																										
Pol.	Horizontal						Fundamental																																																				
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5749.24</td><td>53.64</td><td>68.20</td><td>-14.56</td><td>44.32</td><td>34.55</td><td>11.21</td><td>36.44</td><td>0.00</td><td>100</td><td>241</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5749.24	53.64	68.20	-14.56	44.32	34.55	11.21	36.44	0.00	100	241	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5749.24	53.64	68.20	-14.56	44.32	34.55	11.21	36.44	0.00	100	241	PEAK																																															





Mode	28																																																																																																					
	Band Edge - L																																																																																																					
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Vertical						Fundamental																																																																																															
Peak																																																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.08	56.96	74.00	-17.04	48.22	34.35	10.83	36.44	0.00	100	96 PEAK	2	5467.28	55.96	68.20	-12.24	47.23	34.33	10.85	36.45	0.00	100	96 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>94.35</td><td>-----</td><td>-----</td><td>85.51</td><td>34.35</td><td>10.91</td><td>36.42</td><td>0.00</td><td>100</td><td>96 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	94.35	-----	-----	85.51	34.35	10.91	36.42	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5452.08	56.96	74.00	-17.04	48.22	34.35	10.83	36.44	0.00	100	96 PEAK																																																																																											
2	5467.28	55.96	68.20	-12.24	47.23	34.33	10.85	36.45	0.00	100	96 PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5530.00	94.35	-----	-----	85.51	34.35	10.91	36.42	0.00	100	96 PEAK																																																																																											
Avg																																																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.56	47.09	54.00	-6.91	38.35	34.35	10.83	36.44	0.00	100	96 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>85.49</td><td>-----</td><td>-----</td><td>76.62</td><td>34.36</td><td>10.92</td><td>36.41</td><td>0.00</td><td>100</td><td>96 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	85.49	-----	-----	76.62	34.36	10.92	36.41	0.00	100	96 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5452.56	47.09	54.00	-6.91	38.35	34.35	10.83	36.44	0.00	100	96 AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5530.00	85.49	-----	-----	76.62	34.36	10.92	36.41	0.00	100	96 AVERAGE																																																																																											







Mode	28																																																								
	Band Edge - R																																																								
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																								
ANT	1																																																								
Pol.	Vertical						Fundamental																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5748.52</td><td>53.87</td><td>68.20</td><td>-14.33</td><td>44.56</td><td>34.54</td><td>11.21</td><td>36.44</td><td>0.00</td><td>100</td><td>96</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5748.52	53.87	68.20	-14.33	44.56	34.54	11.21	36.44	0.00	100	96	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5748.52	53.87	68.20	-14.33	44.56	34.54	11.21	36.44	0.00	100	96																																														




Mode	28																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7373.33</td><td>44.26</td><td>74.00</td><td>-29.74</td><td>62.12</td><td>35.53</td><td>12.73</td><td>66.12</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11060.00</td><td>42.83</td><td>74.00</td><td>-31.17</td><td>55.52</td><td>37.85</td><td>16.08</td><td>66.62</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7373.33	44.26	74.00	-29.74	62.12	35.53	12.73	66.12	0.00	---	PEAK	2	11060.00	42.83	74.00	-31.17	55.52	37.85	16.08	66.62	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7373.33</td><td>45.37</td><td>74.00</td><td>-28.63</td><td>63.23</td><td>35.53</td><td>12.73</td><td>66.12</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11060.00</td><td>43.08</td><td>74.00</td><td>-30.92</td><td>55.77</td><td>37.85</td><td>16.08</td><td>66.62</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7373.33	45.37	74.00	-28.63	63.23	35.53	12.73	66.12	0.00	---	PEAK	2	11060.00	43.08	74.00	-30.92	55.77	37.85	16.08	66.62	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	7373.33	44.26	74.00	-29.74	62.12	35.53	12.73	66.12	0.00	---	PEAK																																																																																																																			
2	11060.00	42.83	74.00	-31.17	55.52	37.85	16.08	66.62	0.00	---	PEAK																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	7373.33	45.37	74.00	-28.63	63.23	35.53	12.73	66.12	0.00	---	PEAK																																																																																																																			
2	11060.00	43.08	74.00	-30.92	55.77	37.85	16.08	66.62	0.00	---	PEAK																																																																																																																			







Mode	29																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5434.00</td><td>53.45</td><td>74.00</td><td>-20.55</td><td>44.39</td><td>34.67</td><td>10.81</td><td>36.42</td><td>0.00</td><td>323</td><td>237 PEAK</td></tr><tr><td>2</td><td>5467.92</td><td>56.01</td><td>68.20</td><td>-12.19</td><td>46.91</td><td>34.70</td><td>10.85</td><td>36.45</td><td>0.00</td><td>323</td><td>237 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5434.00	53.45	74.00	-20.55	44.39	34.67	10.81	36.42	0.00	323	237 PEAK	2	5467.92	56.01	68.20	-12.19	46.91	34.70	10.85	36.45	0.00	323	237 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>103.56</td><td>-----</td><td>-----</td><td>93.98</td><td>34.83</td><td>11.01</td><td>36.26</td><td>0.00</td><td>323</td><td>237 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5610.00	103.56	-----	-----	93.98	34.83	11.01	36.26	0.00	323
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5434.00	53.45	74.00	-20.55	44.39	34.67	10.81	36.42	0.00	323	237 PEAK																																																																																																												
2	5467.92	56.01	68.20	-12.19	46.91	34.70	10.85	36.45	0.00	323	237 PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5610.00	103.56	-----	-----	93.98	34.83	11.01	36.26	0.00	323	237 PEAK																																																																																																												
Avg																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5454.48</td><td>44.82</td><td>54.00</td><td>-9.18</td><td>35.74</td><td>34.69</td><td>10.83</td><td>36.44</td><td>0.00</td><td>323</td><td>237 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5454.48	44.82	54.00	-9.18	35.74	34.69	10.83	36.44	0.00	323	237 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>94.67</td><td>-----</td><td>-----</td><td>85.09</td><td>34.83</td><td>11.01</td><td>36.26</td><td>0.00</td><td>323</td><td>237 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5610.00	94.67	-----	-----	85.09	34.83	11.01	36.26	0.00	323	237 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5454.48	44.82	54.00	-9.18	35.74	34.69	10.83	36.44	0.00	323	237 AVERAGE																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5610.00	94.67	-----	-----	85.09	34.83	11.01	36.26	0.00	323	237 AVERAGE																																																																																																												




Mode	29																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																						
ANT	1																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5727.08</td><td>56.53</td><td>68.20</td><td>-11.67</td><td>46.80</td><td>34.95</td><td>11.18</td><td>36.40</td><td>0.00</td><td>323 237 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.08	56.53	68.20	-11.67	46.80	34.95	11.18	36.40	0.00	323 237 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5727.08	56.53	68.20	-11.67	46.80	34.95	11.18	36.40	0.00	323 237 PEAK																																													





Mode	29																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5447.12</td><td>52.82</td><td>74.00</td><td>-21.18</td><td>43.74</td><td>34.68</td><td>10.83</td><td>36.43</td><td>0.00</td><td>100</td><td>104 PEAK</td></tr><tr><td>2</td><td>5460.40</td><td>52.66</td><td>68.20</td><td>-15.54</td><td>43.56</td><td>34.70</td><td>10.84</td><td>36.44</td><td>0.00</td><td>100</td><td>104 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5447.12	52.82	74.00	-21.18	43.74	34.68	10.83	36.43	0.00	100	104 PEAK	2	5460.40	52.66	68.20	-15.54	43.56	34.70	10.84	36.44	0.00	100	104 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>97.23</td><td>-----</td><td>-----</td><td>87.65</td><td>34.84</td><td>11.01</td><td>36.27</td><td>0.00</td><td>100</td><td>104 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	97.23	-----	-----	87.65	34.84	11.01	36.27	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5447.12	52.82	74.00	-21.18	43.74	34.68	10.83	36.43	0.00	100	104 PEAK																																																																																																					
2	5460.40	52.66	68.20	-15.54	43.56	34.70	10.84	36.44	0.00	100	104 PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	97.23	-----	-----	87.65	34.84	11.01	36.27	0.00	100	104 PEAK																																																																																																					
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.08</td><td>43.95</td><td>54.00</td><td>-10.05</td><td>34.86</td><td>34.69</td><td>10.84</td><td>36.44</td><td>0.00</td><td>100</td><td>104 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.08	43.95	54.00	-10.05	34.86	34.69	10.84	36.44	0.00	100	104 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>89.13</td><td>-----</td><td>-----</td><td>79.55</td><td>34.84</td><td>11.01</td><td>36.27</td><td>0.00</td><td>100</td><td>104 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	89.13	-----	-----	79.55	34.84	11.01	36.27	0.00	100	104 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5456.08	43.95	54.00	-10.05	34.86	34.69	10.84	36.44	0.00	100	104 AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	89.13	-----	-----	79.55	34.84	11.01	36.27	0.00	100	104 AVERAGE																																																																																																					





Mode	29																																																										
	Band Edge - R																																																										
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																										
ANT	1																																																										
Pol.	Vertical						Fundamental																																																				
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5750.20</td><td>54.80</td><td>68.20</td><td>-13.40</td><td>45.06</td><td>34.97</td><td>11.21</td><td>36.44</td><td>0.00</td><td>100</td><td>104</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5750.20	54.80	68.20	-13.40	45.06	34.97	11.21	36.44	0.00	100	104	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5750.20	54.80	68.20	-13.40	45.06	34.97	11.21	36.44	0.00	100	104	PEAK																																															




Mode	29																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7479.60</td><td>47.45</td><td>74.00</td><td>-26.55</td><td>65.17</td><td>35.80</td><td>12.84</td><td>66.36</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11228.00</td><td>44.75</td><td>74.00</td><td>-29.25</td><td>57.28</td><td>37.90</td><td>16.18</td><td>66.61</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7479.60	47.45	74.00	-26.55	65.17	35.80	12.84	66.36	0.00	---	Peak	2	11228.00	44.75	74.00	-29.25	57.28	37.90	16.18	66.61	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7479.60</td><td>47.06</td><td>74.00</td><td>-26.94</td><td>64.78</td><td>35.80</td><td>12.84</td><td>66.36</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11228.00</td><td>44.56</td><td>74.00</td><td>-29.44</td><td>57.09</td><td>37.90</td><td>16.18</td><td>66.61</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7479.60	47.06	74.00	-26.94	64.78	35.80	12.84	66.36	0.00	---	Peak	2	11228.00	44.56	74.00	-29.44	57.09	37.90	16.18	66.61	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	7479.60	47.45	74.00	-26.55	65.17	35.80	12.84	66.36	0.00	---	Peak																																																																																																																			
2	11228.00	44.75	74.00	-29.25	57.28	37.90	16.18	66.61	0.00	---	PEAK																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	7479.60	47.06	74.00	-26.94	64.78	35.80	12.84	66.36	0.00	---	Peak																																																																																																																			
2	11228.00	44.56	74.00	-29.44	57.09	37.90	16.18	66.61	0.00	---	PEAK																																																																																																																			






Mode	18	
	18G-40G	
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg		







Mode	18																																																																																																											
	30M-1G																																																																																																											
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																																																																											
ANT	1																																																																																																											
Pol.	Horizontal						Vertical																																																																																																					
Peak																																																																																																												
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>30.00</td><td>19.78</td><td>40.00</td><td>-20.22</td><td>26.02</td><td>25.14</td><td>0.83</td><td>32.21</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>96.93</td><td>18.72</td><td>43.50</td><td>-24.78</td><td>33.73</td><td>15.51</td><td>1.51</td><td>32.03</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>186.90</td><td>21.25</td><td>43.50</td><td>-22.25</td><td>36.52</td><td>14.74</td><td>2.07</td><td>32.08</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>273.71</td><td>21.44</td><td>46.00</td><td>-24.56</td><td>32.18</td><td>18.78</td><td>2.53</td><td>32.05</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>374.11</td><td>25.73</td><td>46.00</td><td>-20.27</td><td>34.02</td><td>20.82</td><td>2.95</td><td>32.06</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>561.08</td><td>30.41</td><td>46.00</td><td>-15.59</td><td>33.16</td><td>26.01</td><td>3.60</td><td>32.36</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	30.00	19.78	40.00	-20.22	26.02	25.14	0.83	32.21	--	--	Peak	2	96.93	18.72	43.50	-24.78	33.73	15.51	1.51	32.03	--	--	Peak	3	186.90	21.25	43.50	-22.25	36.52	14.74	2.07	32.08	--	--	Peak	4	273.71	21.44	46.00	-24.56	32.18	18.78	2.53	32.05	--	--	Peak	5	374.11	25.73	46.00	-20.27	34.02	20.82	2.95	32.06	--	--	Peak	6	561.08	30.41	46.00	-15.59	33.16	26.01	3.60	32.36	--	--	Peak
		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	30.00	19.78	40.00	-20.22	26.02	25.14	0.83	32.21	--	--	Peak																																																																																																	
2	96.93	18.72	43.50	-24.78	33.73	15.51	1.51	32.03	--	--	Peak																																																																																																	
3	186.90	21.25	43.50	-22.25	36.52	14.74	2.07	32.08	--	--	Peak																																																																																																	
4	273.71	21.44	46.00	-24.56	32.18	18.78	2.53	32.05	--	--	Peak																																																																																																	
5	374.11	25.73	46.00	-20.27	34.02	20.82	2.95	32.06	--	--	Peak																																																																																																	
6	561.08	30.41	46.00	-15.59	33.16	26.01	3.60	32.36	--	--	Peak																																																																																																	
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>45.04</td><td>23.55</td><td>40.00</td><td>-16.45</td><td>37.90</td><td>16.81</td><td>1.02</td><td>32.18</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>105.90</td><td>21.65</td><td>43.50</td><td>-21.85</td><td>35.52</td><td>16.62</td><td>1.57</td><td>32.06</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>260.62</td><td>17.15</td><td>46.00</td><td>-28.85</td><td>26.87</td><td>19.74</td><td>2.47</td><td>31.93</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>482.75</td><td>22.50</td><td>46.00</td><td>-23.50</td><td>27.70</td><td>23.62</td><td>3.35</td><td>32.17</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>560.83</td><td>31.24</td><td>46.00</td><td>-14.76</td><td>33.98</td><td>26.02</td><td>3.60</td><td>32.36</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>721.61</td><td>26.54</td><td>46.00</td><td>-19.46</td><td>27.47</td><td>27.12</td><td>4.09</td><td>32.14</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	45.04	23.55	40.00	-16.45	37.90	16.81	1.02	32.18	--	--	Peak	2	105.90	21.65	43.50	-21.85	35.52	16.62	1.57	32.06	--	--	Peak	3	260.62	17.15	46.00	-28.85	26.87	19.74	2.47	31.93	--	--	Peak	4	482.75	22.50	46.00	-23.50	27.70	23.62	3.35	32.17	--	--	Peak	5	560.83	31.24	46.00	-14.76	33.98	26.02	3.60	32.36	--	--	Peak	6	721.61	26.54	46.00	-19.46	27.47	27.12	4.09	32.14	--	--	Peak
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	45.04	23.55	40.00	-16.45	37.90	16.81	1.02	32.18	--	--	Peak																																																																																																	
2	105.90	21.65	43.50	-21.85	35.52	16.62	1.57	32.06	--	--	Peak																																																																																																	
3	260.62	17.15	46.00	-28.85	26.87	19.74	2.47	31.93	--	--	Peak																																																																																																	
4	482.75	22.50	46.00	-23.50	27.70	23.62	3.35	32.17	--	--	Peak																																																																																																	
5	560.83	31.24	46.00	-14.76	33.98	26.02	3.60	32.36	--	--	Peak																																																																																																	
6	721.61	26.54	46.00	-19.46	27.47	27.12	4.09	32.14	--	--	Peak																																																																																																	





Mode	30																																																																																																													
	Band Edge																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																													
ANT	1																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																							
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red limit line and a blue test signal. The signal peaks at approximately 5745 MHz. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 5600 to 6000 MHz. <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><td>1</td><td>5600.00</td><td>54.54</td><td>68.20</td><td>-13.66</td><td>45.30</td><td>34.50</td><td>11.00</td><td>36.26</td><td>0.00</td><td>132 360 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>50.42</td><td>68.80</td><td>-18.38</td><td>41.26</td><td>34.40</td><td>11.07</td><td>36.31</td><td>0.00</td><td>132 360 PEAK</td></tr><tr><td>3</td><td>5713.60</td><td>64.45</td><td>109.11</td><td>-44.66</td><td>55.29</td><td>34.37</td><td>11.16</td><td>36.37</td><td>0.00</td><td>132 360 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>66.14</td><td>110.90</td><td>-44.76</td><td>56.96</td><td>34.40</td><td>11.17</td><td>36.39</td><td>0.00</td><td>132 360 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5600.00	54.54	68.20	-13.66	45.30	34.50	11.00	36.26	0.00	132 360 PEAK	2	5650.00	50.42	68.80	-18.38	41.26	34.40	11.07	36.31	0.00	132 360 PEAK	3	5713.60	64.45	109.11	-44.66	55.29	34.37	11.16	36.37	0.00	132 360 PEAK	4	5720.00	66.14	110.90	-44.76	56.96	34.40	11.17	36.39	0.00	132 360 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red limit line and a blue test signal. The signal peaks at approximately 5745 MHz. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz. <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><td>1</td><td>5745.00</td><td>109.37</td><td>-----</td><td>-----</td><td>100.09</td><td>34.50</td><td>11.20</td><td>36.42</td><td>0.00</td><td>132 360 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	109.37	-----	-----	100.09	34.50	11.20	36.42	0.00	132 360 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
1	5600.00	54.54	68.20	-13.66	45.30	34.50	11.00	36.26	0.00	132 360 PEAK																																																																																																				
2	5650.00	50.42	68.80	-18.38	41.26	34.40	11.07	36.31	0.00	132 360 PEAK																																																																																																				
3	5713.60	64.45	109.11	-44.66	55.29	34.37	11.16	36.37	0.00	132 360 PEAK																																																																																																				
4	5720.00	66.14	110.90	-44.76	56.96	34.40	11.17	36.39	0.00	132 360 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
1	5745.00	109.37	-----	-----	100.09	34.50	11.20	36.42	0.00	132 360 PEAK																																																																																																				
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red limit line and a blue test signal. The signal peaks at approximately 5745 MHz. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz. <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><td>1</td><td>5745.00</td><td>100.47</td><td>-----</td><td>-----</td><td>91.16</td><td>34.53</td><td>11.21</td><td>36.43</td><td>0.00</td><td>132 360 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	100.47	-----	-----	91.16	34.53	11.21	36.43	0.00	132 360 AVERAGE																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
1	5745.00	100.47	-----	-----	91.16	34.53	11.21	36.43	0.00	132 360 AVERAGE																																																																																																				





Mode	30																																																																																																																																														
	Band Edge																																																																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																														
ANT	1																																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5635.60</td><td>52.48</td><td>68.20</td><td>-15.72</td><td>43.29</td><td>34.43</td><td>11.05</td><td>36.29</td><td>0.00</td><td>100</td><td>240</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>50.26</td><td>68.20</td><td>-17.94</td><td>41.10</td><td>34.40</td><td>11.07</td><td>36.31</td><td>0.00</td><td>100</td><td>240</td><td>PEAK</td></tr><tr><td>3</td><td>5714.40</td><td>63.57</td><td>109.33</td><td>-45.76</td><td>54.42</td><td>34.37</td><td>11.16</td><td>36.38</td><td>0.00</td><td>100</td><td>240</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>66.90</td><td>111.81</td><td>-44.91</td><td>57.72</td><td>34.40</td><td>11.17</td><td>36.39</td><td>0.00</td><td>100</td><td>240</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5635.60	52.48	68.20	-15.72	43.29	34.43	11.05	36.29	0.00	100	240	PEAK	2	5650.00	50.26	68.20	-17.94	41.10	34.40	11.07	36.31	0.00	100	240	PEAK	3	5714.40	63.57	109.33	-45.76	54.42	34.37	11.16	36.38	0.00	100	240	PEAK	4	5720.40	66.90	111.81	-44.91	57.72	34.40	11.17	36.39	0.00	100	240	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>106.89</td><td>-----</td><td>-----</td><td>97.61</td><td>34.50</td><td>11.20</td><td>36.42</td><td>0.00</td><td>100</td><td>240</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	106.89	-----	-----	97.61	34.50	11.20	36.42	0.00	100	240
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5635.60	52.48	68.20	-15.72	43.29	34.43	11.05	36.29	0.00	100	240	PEAK																																																																																																																																			
2	5650.00	50.26	68.20	-17.94	41.10	34.40	11.07	36.31	0.00	100	240	PEAK																																																																																																																																			
3	5714.40	63.57	109.33	-45.76	54.42	34.37	11.16	36.38	0.00	100	240	PEAK																																																																																																																																			
4	5720.40	66.90	111.81	-44.91	57.72	34.40	11.17	36.39	0.00	100	240	PEAK																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5745.00	106.89	-----	-----	97.61	34.50	11.20	36.42	0.00	100	240	PEAK																																																																																																																																			
Avg																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>97.88</td><td>-----</td><td>-----</td><td>88.57</td><td>34.53</td><td>11.21</td><td>36.43</td><td>0.00</td><td>100</td><td>240</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	97.88	-----	-----	88.57	34.53	11.21	36.43	0.00	100	240	AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5745.00	97.88	-----	-----	88.57	34.53	11.21	36.43	0.00	100	240	AVERAGE																																																																																																																																			






Mode	30																																																																																																						
	Harmonic																																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal						Vertical																																																																																																
Peak Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>44.89</td><td>74.00</td><td>-29.11</td><td>56.87</td><td>38.24</td><td>16.36</td><td>66.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	11490.00	44.89	74.00	-29.11	56.87	38.24	16.36	66.58	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>44.41</td><td>74.00</td><td>-29.59</td><td>56.39</td><td>38.24</td><td>16.36</td><td>66.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	11490.00	44.41	74.00	-29.59	56.39	38.24	16.36	66.58	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																													
1	11490.00	44.89	74.00	-29.11	56.87	38.24	16.36	66.58	0.00	---	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																													
1	11490.00	44.41	74.00	-29.59	56.39	38.24	16.36	66.58	0.00	---	---	PEAK																																																																																											






Mode	31																																																																																																								
	Harmonic																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																								
ANT	1																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>46.27</td><td>74.00</td><td>-27.73</td><td>58.08</td><td>38.31</td><td>16.41</td><td>66.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	46.27	74.00	-27.73	58.08	38.31	16.41	66.53	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>45.19</td><td>74.00</td><td>-28.81</td><td>57.00</td><td>38.31</td><td>16.41</td><td>66.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	45.19	74.00	-28.81	57.00	38.31	16.41	66.53	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11570.00	46.27	74.00	-27.73	58.08	38.31	16.41	66.53	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11570.00	45.19	74.00	-28.81	57.00	38.31	16.41	66.53	0.00	---	---	PEAK																																																																																													





Mode	32																																																																																																																		
	Band Edge																																																																																																																		
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																		
ANT	1																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>60.37</td><td>111.36</td><td>-50.99</td><td>50.81</td><td>34.85</td><td>11.34</td><td>36.63</td><td>0.00</td><td>132</td><td>0 PEAK</td></tr><tr><td>2</td><td>5856.40</td><td>59.69</td><td>110.51</td><td>-50.82</td><td>50.12</td><td>34.86</td><td>11.34</td><td>36.63</td><td>0.00</td><td>132</td><td>0 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>51.94</td><td>68.94</td><td>-17.00</td><td>42.39</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>132</td><td>0 PEAK</td></tr><tr><td>4</td><td>5945.60</td><td>55.24</td><td>68.20</td><td>-12.96</td><td>45.70</td><td>35.04</td><td>11.42</td><td>36.92</td><td>0.00</td><td>132</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5854.00	60.37	111.36	-50.99	50.81	34.85	11.34	36.63	0.00	132	0 PEAK	2	5856.40	59.69	110.51	-50.82	50.12	34.86	11.34	36.63	0.00	132	0 PEAK	3	5924.00	51.94	68.94	-17.00	42.39	34.97	11.40	36.82	0.00	132	0 PEAK	4	5945.60	55.24	68.20	-12.96	45.70	35.04	11.42	36.92	0.00	132	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>108.88</td><td>-----</td><td>-----</td><td>99.32</td><td>34.82</td><td>11.31</td><td>36.57</td><td>0.00</td><td>132</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5825.00	108.88	-----	-----	99.32	34.82	11.31	36.57	0.00	132
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5854.00	60.37	111.36	-50.99	50.81	34.85	11.34	36.63	0.00	132	0 PEAK																																																																																																								
2	5856.40	59.69	110.51	-50.82	50.12	34.86	11.34	36.63	0.00	132	0 PEAK																																																																																																								
3	5924.00	51.94	68.94	-17.00	42.39	34.97	11.40	36.82	0.00	132	0 PEAK																																																																																																								
4	5945.60	55.24	68.20	-12.96	45.70	35.04	11.42	36.92	0.00	132	0 PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5825.00	108.88	-----	-----	99.32	34.82	11.31	36.57	0.00	132	0 PEAK																																																																																																								
Avg	Blank																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>101.04</td><td>-----</td><td>-----</td><td>91.48</td><td>34.82</td><td>11.31</td><td>36.57</td><td>0.00</td><td>132</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5825.00	101.04	-----	-----	91.48	34.82	11.31	36.57	0.00	132	0 AVERAGE																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5825.00	101.04	-----	-----	91.48	34.82	11.31	36.57	0.00	132	0 AVERAGE																																																																																																								






Mode	32																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																								
ANT	1																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.80</td><td>57.96</td><td>111.36</td><td>-53.40</td><td>48.40</td><td>34.85</td><td>11.34</td><td>36.63</td><td>0.00</td><td>100</td><td>243 PEAK</td></tr><tr><td>2</td><td>5869.20</td><td>56.14</td><td>106.92</td><td>-50.78</td><td>46.57</td><td>34.87</td><td>11.35</td><td>36.65</td><td>0.00</td><td>100</td><td>243 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>50.96</td><td>68.35</td><td>-17.39</td><td>41.41</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>100</td><td>243 PEAK</td></tr><tr><td>4</td><td>5926.40</td><td>55.25</td><td>68.20</td><td>-12.95</td><td>45.70</td><td>34.98</td><td>11.40</td><td>36.83</td><td>0.00</td><td>100</td><td>243 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	57.96	111.36	-53.40	48.40	34.85	11.34	36.63	0.00	100	243 PEAK	2	5869.20	56.14	106.92	-50.78	46.57	34.87	11.35	36.65	0.00	100	243 PEAK	3	5924.80	50.96	68.35	-17.39	41.41	34.97	11.40	36.82	0.00	100	243 PEAK	4	5926.40	55.25	68.20	-12.95	45.70	34.98	11.40	36.83	0.00	100	243 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>106.49</td><td>-----</td><td>-----</td><td>96.93</td><td>34.82</td><td>11.31</td><td>36.57</td><td>0.00</td><td>100</td><td>243 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	106.49	-----	-----	96.93	34.82	11.31	36.57	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5854.80	57.96	111.36	-53.40	48.40	34.85	11.34	36.63	0.00	100	243 PEAK																																																																																																																														
2	5869.20	56.14	106.92	-50.78	46.57	34.87	11.35	36.65	0.00	100	243 PEAK																																																																																																																														
3	5924.80	50.96	68.35	-17.39	41.41	34.97	11.40	36.82	0.00	100	243 PEAK																																																																																																																														
4	5926.40	55.25	68.20	-12.95	45.70	34.98	11.40	36.83	0.00	100	243 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5825.00	106.49	-----	-----	96.93	34.82	11.31	36.57	0.00	100	243 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>98.94</td><td>-----</td><td>-----</td><td>89.38</td><td>34.82</td><td>11.31</td><td>36.57</td><td>0.00</td><td>100</td><td>243 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	98.94	-----	-----	89.38	34.82	11.31	36.57	0.00	100	243 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5825.00	98.94	-----	-----	89.38	34.82	11.31	36.57	0.00	100	243 AVERAGE																																																																																																																														






Mode	32																																																																																																								
	Harmonic																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																								
ANT	1																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>45.99</td><td>74.00</td><td>-28.01</td><td>57.62</td><td>38.38</td><td>16.46</td><td>66.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	45.99	74.00	-28.01	57.62	38.38	16.46	66.47	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>45.78</td><td>74.00</td><td>-28.22</td><td>57.41</td><td>38.38</td><td>16.46</td><td>66.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	45.78	74.00	-28.22	57.41	38.38	16.46	66.47	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11650.00	45.99	74.00	-28.01	57.62	38.38	16.46	66.47	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11650.00	45.78	74.00	-28.22	57.41	38.38	16.46	66.47	0.00	---	---	PEAK																																																																																													





Mode	33																																																																																																																		
	Band Edge																																																																																																																		
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																																		
ANT	1																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5606.00</td><td>52.62</td><td>68.20</td><td>-15.58</td><td>43.39</td><td>34.49</td><td>11.01</td><td>36.27</td><td>0.00</td><td>130</td><td>0 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>49.71</td><td>68.50</td><td>-18.79</td><td>40.55</td><td>34.40</td><td>11.07</td><td>36.31</td><td>0.00</td><td>130</td><td>0 PEAK</td></tr><tr><td>3</td><td>5720.00</td><td>66.12</td><td>110.90</td><td>-44.78</td><td>56.94</td><td>34.40</td><td>11.17</td><td>36.39</td><td>0.00</td><td>130</td><td>0 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>67.29</td><td>111.81</td><td>-44.52</td><td>58.11</td><td>34.40</td><td>11.17</td><td>36.39</td><td>0.00</td><td>130</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5606.00	52.62	68.20	-15.58	43.39	34.49	11.01	36.27	0.00	130	0 PEAK	2	5650.40	49.71	68.50	-18.79	40.55	34.40	11.07	36.31	0.00	130	0 PEAK	3	5720.00	66.12	110.90	-44.78	56.94	34.40	11.17	36.39	0.00	130	0 PEAK	4	5720.40	67.29	111.81	-44.52	58.11	34.40	11.17	36.39	0.00	130	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>107.41</td><td>-----</td><td>-----</td><td>98.13</td><td>34.50</td><td>11.20</td><td>36.42</td><td>0.00</td><td>130</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	107.41	-----	-----	98.13	34.50	11.20	36.42	0.00	130
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5606.00	52.62	68.20	-15.58	43.39	34.49	11.01	36.27	0.00	130	0 PEAK																																																																																																								
2	5650.40	49.71	68.50	-18.79	40.55	34.40	11.07	36.31	0.00	130	0 PEAK																																																																																																								
3	5720.00	66.12	110.90	-44.78	56.94	34.40	11.17	36.39	0.00	130	0 PEAK																																																																																																								
4	5720.40	67.29	111.81	-44.52	58.11	34.40	11.17	36.39	0.00	130	0 PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5745.00	107.41	-----	-----	98.13	34.50	11.20	36.42	0.00	130	0 PEAK																																																																																																								
Avg	Blank																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>99.33</td><td>-----</td><td>-----</td><td>90.02</td><td>34.53</td><td>11.21</td><td>36.43</td><td>0.00</td><td>130</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	99.33	-----	-----	90.02	34.53	11.21	36.43	0.00	130	0 AVERAGE																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5745.00	99.33	-----	-----	90.02	34.53	11.21	36.43	0.00	130	0 AVERAGE																																																																																																								





Mode	33																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Vertical						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5615.20</td><td>52.85</td><td>68.20</td><td>-15.35</td><td>43.63</td><td>34.47</td><td>11.02</td><td>36.27</td><td>0.00</td><td>111</td><td>242 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>51.31</td><td>68.80</td><td>-17.49</td><td>42.15</td><td>34.40</td><td>11.07</td><td>36.31</td><td>0.00</td><td>111</td><td>242 PEAK</td></tr><tr><td>3</td><td>5716.00</td><td>61.22</td><td>109.78</td><td>-48.56</td><td>52.06</td><td>34.38</td><td>11.16</td><td>36.38</td><td>0.00</td><td>111</td><td>242 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>62.20</td><td>110.90</td><td>-48.70</td><td>53.02</td><td>34.40</td><td>11.17</td><td>36.39</td><td>0.00</td><td>111</td><td>242 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5615.20	52.85	68.20	-15.35	43.63	34.47	11.02	36.27	0.00	111	242 PEAK	2	5650.00	51.31	68.80	-17.49	42.15	34.40	11.07	36.31	0.00	111	242 PEAK	3	5716.00	61.22	109.78	-48.56	52.06	34.38	11.16	36.38	0.00	111	242 PEAK	4	5720.00	62.20	110.90	-48.70	53.02	34.40	11.17	36.39	0.00	111	242 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>106.25</td><td>-----</td><td>-----</td><td>96.94</td><td>34.53</td><td>11.21</td><td>36.43</td><td>0.00</td><td>111</td><td>242 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5745.00	106.25	-----	-----	96.94	34.53	11.21	36.43	0.00	111
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5615.20	52.85	68.20	-15.35	43.63	34.47	11.02	36.27	0.00	111	242 PEAK																																																																																																												
2	5650.00	51.31	68.80	-17.49	42.15	34.40	11.07	36.31	0.00	111	242 PEAK																																																																																																												
3	5716.00	61.22	109.78	-48.56	52.06	34.38	11.16	36.38	0.00	111	242 PEAK																																																																																																												
4	5720.00	62.20	110.90	-48.70	53.02	34.40	11.17	36.39	0.00	111	242 PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5745.00	106.25	-----	-----	96.94	34.53	11.21	36.43	0.00	111	242 PEAK																																																																																																												
Avg	Blank																																																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>97.59</td><td>-----</td><td>-----</td><td>88.28</td><td>34.53</td><td>11.21</td><td>36.43</td><td>0.00</td><td>111</td><td>242 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5745.00	97.59	-----	-----	88.28	34.53	11.21	36.43	0.00	111	242 AVERAGE																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5745.00	97.59	-----	-----	88.28	34.53	11.21	36.43	0.00	111	242 AVERAGE																																																																																																												






Mode	33											
	Harmonic											
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz											
ANT	1											
Pol.	Horizontal						Vertical					
Peak Avg												
	1 11490.00 45.37 74.00 -28.63 57.35 38.24 16.36 66.58 0.00 --- --- PEAK						1 11490.00 44.74 74.00 -29.26 56.72 38.24 16.36 66.58 0.00 --- --- PEAK					






Mode	34																																																																																																								
	Harmonic																																																																																																								
	U-NII-3_5.725-5.85_802.11ac VHT20_CH157_5785MHz																																																																																																								
ANT	1																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>45.30</td><td>74.00</td><td>-28.70</td><td>57.11</td><td>38.31</td><td>16.41</td><td>66.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	45.30	74.00	-28.70	57.11	38.31	16.41	66.53	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>45.52</td><td>74.00</td><td>-28.48</td><td>57.33</td><td>38.31</td><td>16.41</td><td>66.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	45.52	74.00	-28.48	57.33	38.31	16.41	66.53	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11570.00	45.30	74.00	-28.70	57.11	38.31	16.41	66.53	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11570.00	45.52	74.00	-28.48	57.33	38.31	16.41	66.53	0.00	---	---	PEAK																																																																																													





Mode	35																																																																																																																																				
	Band Edge																																																																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																																				
ANT	1																																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																																														
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.40</td><td>62.33</td><td>112.27</td><td>-49.94</td><td>52.78</td><td>34.85</td><td>11.33</td><td>36.63</td><td>0.00</td><td>132</td><td>0</td><td>PEAK</td></tr><tr><td>2 5855.60</td><td>60.96</td><td>110.73</td><td>-49.77</td><td>51.39</td><td>34.86</td><td>11.34</td><td>36.63</td><td>0.00</td><td>132</td><td>0</td><td>PEAK</td></tr><tr><td>3 5924.80</td><td>51.97</td><td>68.35</td><td>-16.38</td><td>42.42</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>132</td><td>0</td><td>PEAK</td></tr><tr><td>4 5977.20</td><td>53.93</td><td>68.20</td><td>-14.27</td><td>44.41</td><td>35.13</td><td>11.45</td><td>37.06</td><td>0.00</td><td>132</td><td>0</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.40	62.33	112.27	-49.94	52.78	34.85	11.33	36.63	0.00	132	0	PEAK	2 5855.60	60.96	110.73	-49.77	51.39	34.86	11.34	36.63	0.00	132	0	PEAK	3 5924.80	51.97	68.35	-16.38	42.42	34.97	11.40	36.82	0.00	132	0	PEAK	4 5977.20	53.93	68.20	-14.27	44.41	35.13	11.45	37.06	0.00	132	0	PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>109.45</td><td>-----</td><td>-----</td><td>99.89</td><td>34.82</td><td>11.31</td><td>36.57</td><td>0.00</td><td>132</td><td>0</td><td>PEAK</td></tr></tbody></table>					Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	109.45	-----	-----	99.89	34.82	11.31	36.57	0.00	132	0	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5854.40	62.33	112.27	-49.94	52.78	34.85	11.33	36.63	0.00	132	0	PEAK																																																																																																																										
2 5855.60	60.96	110.73	-49.77	51.39	34.86	11.34	36.63	0.00	132	0	PEAK																																																																																																																										
3 5924.80	51.97	68.35	-16.38	42.42	34.97	11.40	36.82	0.00	132	0	PEAK																																																																																																																										
4 5977.20	53.93	68.20	-14.27	44.41	35.13	11.45	37.06	0.00	132	0	PEAK																																																																																																																										
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5825.00	109.45	-----	-----	99.89	34.82	11.31	36.57	0.00	132	0	PEAK																																																																																																																										
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>100.31</td><td>-----</td><td>-----</td><td>90.75</td><td>34.82</td><td>11.31</td><td>36.57</td><td>0.00</td><td>132</td><td>0</td><td>AVERAGE</td></tr></tbody></table>					Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	100.31	-----	-----	90.75	34.82	11.31	36.57	0.00	132	0	AVERAGE																																																																															
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5825.00	100.31	-----	-----	90.75	34.82	11.31	36.57	0.00	132	0	AVERAGE																																																																																																																										






Mode	35																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>57.17</td><td>111.36</td><td>-54.19</td><td>47.61</td><td>34.85</td><td>11.34</td><td>36.63</td><td>0.00</td><td>100</td><td>241 PEAK</td></tr><tr><td>2 5860.00</td><td>56.99</td><td>109.27</td><td>-52.28</td><td>47.43</td><td>34.86</td><td>11.34</td><td>36.64</td><td>0.00</td><td>100</td><td>241 PEAK</td></tr><tr><td>3 5922.00</td><td>53.54</td><td>70.42</td><td>-16.88</td><td>43.98</td><td>34.97</td><td>11.40</td><td>36.81</td><td>0.00</td><td>100</td><td>241 PEAK</td></tr><tr><td>4 5943.60</td><td>53.72</td><td>68.20</td><td>-14.48</td><td>44.18</td><td>35.03</td><td>11.42</td><td>36.91</td><td>0.00</td><td>100</td><td>241 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	57.17	111.36	-54.19	47.61	34.85	11.34	36.63	0.00	100	241 PEAK	2 5860.00	56.99	109.27	-52.28	47.43	34.86	11.34	36.64	0.00	100	241 PEAK	3 5922.00	53.54	70.42	-16.88	43.98	34.97	11.40	36.81	0.00	100	241 PEAK	4 5943.60	53.72	68.20	-14.48	44.18	35.03	11.42	36.91	0.00	100	241 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>107.56</td><td>-----</td><td>-----</td><td>98.00</td><td>34.82</td><td>11.31</td><td>36.57</td><td>0.00</td><td>100</td><td>241 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	107.56	-----	-----	98.00	34.82	11.31	36.57	0.00	100	241 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5854.00	57.17	111.36	-54.19	47.61	34.85	11.34	36.63	0.00	100	241 PEAK																																																																																																																										
2 5860.00	56.99	109.27	-52.28	47.43	34.86	11.34	36.64	0.00	100	241 PEAK																																																																																																																										
3 5922.00	53.54	70.42	-16.88	43.98	34.97	11.40	36.81	0.00	100	241 PEAK																																																																																																																										
4 5943.60	53.72	68.20	-14.48	44.18	35.03	11.42	36.91	0.00	100	241 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	107.56	-----	-----	98.00	34.82	11.31	36.57	0.00	100	241 PEAK																																																																																																																										
Avg	Blank						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>99.10</td><td>-----</td><td>-----</td><td>89.54</td><td>34.82</td><td>11.31</td><td>36.57</td><td>0.00</td><td>100</td><td>241 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	99.10	-----	-----	89.54	34.82	11.31	36.57	0.00	100	241 AVERAGE																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	99.10	-----	-----	89.54	34.82	11.31	36.57	0.00	100	241 AVERAGE																																																																																																																										




Mode	35																																																																																																								
	Harmonic																																																																																																								
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																								
ANT	1																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>46.30</td><td>74.00</td><td>-27.70</td><td>57.93</td><td>38.38</td><td>16.46</td><td>66.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	46.30	74.00	-27.70	57.93	38.38	16.46	66.47	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>45.55</td><td>74.00</td><td>-28.45</td><td>57.18</td><td>38.38</td><td>16.46</td><td>66.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	45.55	74.00	-28.45	57.18	38.38	16.46	66.47	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11650.00	46.30	74.00	-27.70	57.93	38.38	16.46	66.47	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11650.00	45.55	74.00	-28.45	57.18	38.38	16.46	66.47	0.00	---	---	PEAK																																																																																													






Mode	36																																																																																																																																							
	Band Edge - L																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																																							
ANT	1																																																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5603.72</td><td>53.27</td><td>68.20</td><td>-14.93</td><td>44.03</td><td>34.49</td><td>11.01</td><td>36.26</td><td>0.00</td><td>151</td><td>0 PEAK</td></tr><tr><td>2</td><td>5650.38</td><td>52.03</td><td>68.48</td><td>-16.45</td><td>42.87</td><td>34.40</td><td>11.07</td><td>36.31</td><td>0.00</td><td>151</td><td>0 PEAK</td></tr><tr><td>3</td><td>5711.14</td><td>73.03</td><td>108.42</td><td>-35.39</td><td>63.88</td><td>34.36</td><td>11.16</td><td>36.37</td><td>0.00</td><td>151</td><td>0 PEAK</td></tr><tr><td>4</td><td>5720.59</td><td>71.33</td><td>112.25</td><td>-40.92</td><td>62.15</td><td>34.40</td><td>11.17</td><td>36.39</td><td>0.00</td><td>151</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5603.72	53.27	68.20	-14.93	44.03	34.49	11.01	36.26	0.00	151	0 PEAK	2	5650.38	52.03	68.48	-16.45	42.87	34.40	11.07	36.31	0.00	151	0 PEAK	3	5711.14	73.03	108.42	-35.39	63.88	34.36	11.16	36.37	0.00	151	0 PEAK	4	5720.59	71.33	112.25	-40.92	62.15	34.40	11.17	36.39	0.00	151	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>105.28</td><td>-----</td><td>-----</td><td>95.92</td><td>34.59</td><td>11.22</td><td>36.45</td><td>0.00</td><td>151</td><td>0 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	105.28	-----	-----	95.92	34.59	11.22	36.45	0.00	151
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5603.72	53.27	68.20	-14.93	44.03	34.49	11.01	36.26	0.00	151	0 PEAK																																																																																																																													
2	5650.38	52.03	68.48	-16.45	42.87	34.40	11.07	36.31	0.00	151	0 PEAK																																																																																																																													
3	5711.14	73.03	108.42	-35.39	63.88	34.36	11.16	36.37	0.00	151	0 PEAK																																																																																																																													
4	5720.59	71.33	112.25	-40.92	62.15	34.40	11.17	36.39	0.00	151	0 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5755.00	105.28	-----	-----	95.92	34.59	11.22	36.45	0.00	151	0 PEAK																																																																																																																													
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>96.91</td><td>-----</td><td>-----</td><td>87.55</td><td>34.59</td><td>11.22</td><td>36.45</td><td>0.00</td><td>151</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	96.91	-----	-----	87.55	34.59	11.22	36.45	0.00	151	0 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5755.00	96.91	-----	-----	87.55	34.59	11.22	36.45	0.00	151	0 AVERAGE																																																																																																																													




Mode	36																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																		
ANT	1																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.26</td><td>54.81</td><td>112.60</td><td>-57.79</td><td>45.26</td><td>34.85</td><td>11.33</td><td>36.63</td><td>0.00</td><td>151</td><td>0 PEAK</td></tr><tr><td>2</td><td>5873.76</td><td>52.79</td><td>105.65</td><td>-52.86</td><td>43.23</td><td>34.87</td><td>11.35</td><td>36.66</td><td>0.00</td><td>151</td><td>0 PEAK</td></tr><tr><td>3</td><td>5923.48</td><td>52.63</td><td>69.32</td><td>-16.69</td><td>43.08</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>151</td><td>0 PEAK</td></tr><tr><td>4</td><td>5931.48</td><td>53.67</td><td>68.20</td><td>-14.53</td><td>44.12</td><td>34.99</td><td>11.41</td><td>36.85</td><td>0.00</td><td>151</td><td>0 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.26	54.81	112.60	-57.79	45.26	34.85	11.33	36.63	0.00	151	0 PEAK	2	5873.76	52.79	105.65	-52.86	43.23	34.87	11.35	36.66	0.00	151	0 PEAK	3	5923.48	52.63	69.32	-16.69	43.08	34.97	11.40	36.82	0.00	151	0 PEAK	4	5931.48	53.67	68.20	-14.53	44.12	34.99	11.41	36.85	0.00	151	0 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.26	54.81	112.60	-57.79	45.26	34.85	11.33	36.63	0.00	151	0 PEAK																																																																								
2	5873.76	52.79	105.65	-52.86	43.23	34.87	11.35	36.66	0.00	151	0 PEAK																																																																								
3	5923.48	52.63	69.32	-16.69	43.08	34.97	11.40	36.82	0.00	151	0 PEAK																																																																								
4	5931.48	53.67	68.20	-14.53	44.12	34.99	11.41	36.85	0.00	151	0 PEAK																																																																								





Mode	36																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5602.02</td><td>52.00</td><td>68.20</td><td>-15.40</td><td>43.55</td><td>34.50</td><td>11.01</td><td>36.26</td><td>0.00</td><td>100</td><td>244 PEAK</td></tr><tr><td>2 5650.69</td><td>50.90</td><td>68.71</td><td>-17.81</td><td>41.74</td><td>34.40</td><td>11.07</td><td>36.31</td><td>0.00</td><td>100</td><td>244 PEAK</td></tr><tr><td>3 5715.48</td><td>69.80</td><td>109.63</td><td>-39.83</td><td>60.64</td><td>34.38</td><td>11.16</td><td>36.38</td><td>0.00</td><td>100</td><td>244 PEAK</td></tr><tr><td>4 5720.44</td><td>68.21</td><td>111.89</td><td>-43.68</td><td>59.03</td><td>34.40</td><td>11.17</td><td>36.39</td><td>0.00</td><td>100</td><td>244 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5602.02	52.00	68.20	-15.40	43.55	34.50	11.01	36.26	0.00	100	244 PEAK	2 5650.69	50.90	68.71	-17.81	41.74	34.40	11.07	36.31	0.00	100	244 PEAK	3 5715.48	69.80	109.63	-39.83	60.64	34.38	11.16	36.38	0.00	100	244 PEAK	4 5720.44	68.21	111.89	-43.68	59.03	34.40	11.17	36.39	0.00	100	244 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>103.06</td><td>-----</td><td>-----</td><td>93.68</td><td>34.62</td><td>11.23</td><td>36.47</td><td>0.00</td><td>100</td><td>244 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	103.06	-----	-----	93.68	34.62	11.23	36.47	0.00	100	244 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5602.02	52.00	68.20	-15.40	43.55	34.50	11.01	36.26	0.00	100	244 PEAK																																																																																																																										
2 5650.69	50.90	68.71	-17.81	41.74	34.40	11.07	36.31	0.00	100	244 PEAK																																																																																																																										
3 5715.48	69.80	109.63	-39.83	60.64	34.38	11.16	36.38	0.00	100	244 PEAK																																																																																																																										
4 5720.44	68.21	111.89	-43.68	59.03	34.40	11.17	36.39	0.00	100	244 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5755.00	103.06	-----	-----	93.68	34.62	11.23	36.47	0.00	100	244 PEAK																																																																																																																										
Avg	Blank						 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>93.62</td><td>-----</td><td>-----</td><td>84.26</td><td>34.59</td><td>11.22</td><td>36.45</td><td>0.00</td><td>100</td><td>244 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	93.62	-----	-----	84.26	34.59	11.22	36.45	0.00	100	244 AVERAGE																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5755.00	93.62	-----	-----	84.26	34.59	11.22	36.45	0.00	100	244 AVERAGE																																																																																																																										






Mode	36																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																											
ANT	1																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>51.03</td><td>111.26</td><td>-60.23</td><td>41.47</td><td>34.85</td><td>11.34</td><td>36.63</td><td>0.00</td><td>100</td><td>244 PEAK</td></tr><tr><td>2</td><td>5873.37</td><td>52.65</td><td>105.76</td><td>-53.11</td><td>43.09</td><td>34.87</td><td>11.35</td><td>36.66</td><td>0.00</td><td>100</td><td>244 PEAK</td></tr><tr><td>3</td><td>5922.51</td><td>54.12</td><td>70.04</td><td>-15.92</td><td>44.56</td><td>34.97</td><td>11.40</td><td>36.81</td><td>0.00</td><td>100</td><td>244 PEAK</td></tr><tr><td>4</td><td>5939.28</td><td>54.54</td><td>68.20</td><td>-13.66</td><td>44.99</td><td>35.02</td><td>11.42</td><td>36.89</td><td>0.00</td><td>100</td><td>244 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.84	51.03	111.26	-60.23	41.47	34.85	11.34	36.63	0.00	100	244 PEAK	2	5873.37	52.65	105.76	-53.11	43.09	34.87	11.35	36.66	0.00	100	244 PEAK	3	5922.51	54.12	70.04	-15.92	44.56	34.97	11.40	36.81	0.00	100	244 PEAK	4	5939.28	54.54	68.20	-13.66	44.99	35.02	11.42	36.89	0.00	100	244 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.84	51.03	111.26	-60.23	41.47	34.85	11.34	36.63	0.00	100	244 PEAK																																																																																	
2	5873.37	52.65	105.76	-53.11	43.09	34.87	11.35	36.66	0.00	100	244 PEAK																																																																																	
3	5922.51	54.12	70.04	-15.92	44.56	34.97	11.40	36.81	0.00	100	244 PEAK																																																																																	
4	5939.28	54.54	68.20	-13.66	44.99	35.02	11.42	36.89	0.00	100	244 PEAK																																																																																	




Mode	36																																																																																																								
	Harmonic																																																																																																								
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																								
ANT	1																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>45.50</td><td>74.00</td><td>-28.50</td><td>57.44</td><td>38.26</td><td>16.37</td><td>66.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	45.50	74.00	-28.50	57.44	38.26	16.37	66.57	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>44.88</td><td>74.00</td><td>-29.12</td><td>56.82</td><td>38.26</td><td>16.37</td><td>66.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	44.88	74.00	-29.12	56.82	38.26	16.37	66.57	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11510.00	45.50	74.00	-28.50	57.44	38.26	16.37	66.57	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11510.00	44.88	74.00	-29.12	56.82	38.26	16.37	66.57	0.00	---	---	PEAK																																																																																													






Mode	37																																																																																																																																													
	Band Edge - L																																																																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																																													
ANT	1																																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																																							
Peak																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5639.60</td><td>51.59</td><td>68.20</td><td>-16.61</td><td>41.96</td><td>34.87</td><td>11.06</td><td>36.30</td><td>0.00</td><td>109</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5652.00</td><td>50.12</td><td>69.69</td><td>-19.57</td><td>40.48</td><td>34.88</td><td>11.07</td><td>36.31</td><td>0.00</td><td>109</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5710.40</td><td>55.64</td><td>108.21</td><td>-52.57</td><td>45.92</td><td>34.93</td><td>11.16</td><td>36.37</td><td>0.00</td><td>109</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>60.71</td><td>111.81</td><td>-51.10</td><td>50.99</td><td>34.94</td><td>11.17</td><td>36.39</td><td>0.00</td><td>109</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5639.60	51.59	68.20	-16.61	41.96	34.87	11.06	36.30	0.00	109	360	PEAK	2	5652.00	50.12	69.69	-19.57	40.48	34.88	11.07	36.31	0.00	109	360	PEAK	3	5710.40	55.64	108.21	-52.57	45.92	34.93	11.16	36.37	0.00	109	360	PEAK	4	5720.40	60.71	111.81	-51.10	50.99	34.94	11.17	36.39	0.00	109	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>105.50</td><td>-----</td><td>-----</td><td>95.74</td><td>35.01</td><td>11.26</td><td>36.51</td><td>0.00</td><td>109</td><td>360</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	105.50	-----	-----	95.74	35.01	11.26	36.51	0.00	109	360	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5639.60	51.59	68.20	-16.61	41.96	34.87	11.06	36.30	0.00	109	360	PEAK																																																																																																																																		
2	5652.00	50.12	69.69	-19.57	40.48	34.88	11.07	36.31	0.00	109	360	PEAK																																																																																																																																		
3	5710.40	55.64	108.21	-52.57	45.92	34.93	11.16	36.37	0.00	109	360	PEAK																																																																																																																																		
4	5720.40	60.71	111.81	-51.10	50.99	34.94	11.17	36.39	0.00	109	360	PEAK																																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5795.00	105.50	-----	-----	95.74	35.01	11.26	36.51	0.00	109	360	PEAK																																																																																																																																		
Avg	Blank																																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>97.11</td><td>-----</td><td>-----</td><td>87.35</td><td>35.01</td><td>11.27</td><td>36.52</td><td>0.00</td><td>109</td><td>360</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	97.11	-----	-----	87.35	35.01	11.27	36.52	0.00	109	360	AVERAGE																																																																																					
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5795.00	97.11	-----	-----	87.35	35.01	11.27	36.52	0.00	109	360	AVERAGE																																																																																																																																		




Mode	37																																																																																						
	Band Edge - R																																																																																						
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																						
ANT	1																																																																																						
Pol.	Horizontal	Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>56.07</td><td>111.36</td><td>-55.29</td><td>46.29</td><td>35.07</td><td>11.34</td><td>36.63</td><td>0.00</td><td>109</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5868.80</td><td>56.08</td><td>107.03</td><td>-50.95</td><td>46.30</td><td>35.08</td><td>11.35</td><td>36.65</td><td>0.00</td><td>109</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5922.80</td><td>52.43</td><td>69.83</td><td>-17.40</td><td>42.71</td><td>35.13</td><td>11.40</td><td>36.81</td><td>0.00</td><td>109</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5951.60</td><td>52.09</td><td>68.20</td><td>-16.11</td><td>42.44</td><td>35.16</td><td>11.43</td><td>36.94</td><td>0.00</td><td>109</td><td>360</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	56.07	111.36	-55.29	46.29	35.07	11.34	36.63	0.00	109	360	PEAK	2	5868.80	56.08	107.03	-50.95	46.30	35.08	11.35	36.65	0.00	109	360	PEAK	3	5922.80	52.43	69.83	-17.40	42.71	35.13	11.40	36.81	0.00	109	360	PEAK	4	5951.60	52.09	68.20	-16.11	42.44	35.16	11.43	36.94	0.00	109	360	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	5854.80	56.07	111.36	-55.29	46.29	35.07	11.34	36.63	0.00	109	360	PEAK																																																																											
2	5868.80	56.08	107.03	-50.95	46.30	35.08	11.35	36.65	0.00	109	360	PEAK																																																																											
3	5922.80	52.43	69.83	-17.40	42.71	35.13	11.40	36.81	0.00	109	360	PEAK																																																																											
4	5951.60	52.09	68.20	-16.11	42.44	35.16	11.43	36.94	0.00	109	360	PEAK																																																																											





Mode	37																																																																																																																																														
	Band Edge - L																																																																																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																																														
ANT	1																																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																																								
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot includes a red limit line and a blue test signal. Four peaks are labeled 1, 2, 3, and 4. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5616.80</td><td>50.72</td><td>68.20</td><td>-17.48</td><td>41.13</td><td>34.84</td><td>11.03</td><td>36.28</td><td>0.00</td><td>101</td><td>237</td><td>PEAK</td></tr><tr><td>2</td><td>5650.80</td><td>49.51</td><td>68.80</td><td>-19.29</td><td>39.87</td><td>34.88</td><td>11.07</td><td>36.31</td><td>0.00</td><td>101</td><td>237</td><td>PEAK</td></tr><tr><td>3</td><td>5703.20</td><td>53.41</td><td>106.20</td><td>-52.79</td><td>43.69</td><td>34.93</td><td>11.15</td><td>36.36</td><td>0.00</td><td>101</td><td>237</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>54.63</td><td>111.81</td><td>-57.18</td><td>44.91</td><td>34.94</td><td>11.17</td><td>36.39</td><td>0.00</td><td>101</td><td>237</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5616.80	50.72	68.20	-17.48	41.13	34.84	11.03	36.28	0.00	101	237	PEAK	2	5650.80	49.51	68.80	-19.29	39.87	34.88	11.07	36.31	0.00	101	237	PEAK	3	5703.20	53.41	106.20	-52.79	43.69	34.93	11.15	36.36	0.00	101	237	PEAK	4	5720.40	54.63	111.81	-57.18	44.91	34.94	11.17	36.39	0.00	101	237	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot includes a red limit line and a blue test signal. A single peak is labeled 1. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>102.56</td><td>-----</td><td>-----</td><td>92.79</td><td>35.02</td><td>11.28</td><td>36.53</td><td>0.00</td><td>101</td><td>237</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	102.56	-----	-----	92.79	35.02	11.28	36.53	0.00	101	237	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5616.80	50.72	68.20	-17.48	41.13	34.84	11.03	36.28	0.00	101	237	PEAK																																																																																																																																			
2	5650.80	49.51	68.80	-19.29	39.87	34.88	11.07	36.31	0.00	101	237	PEAK																																																																																																																																			
3	5703.20	53.41	106.20	-52.79	43.69	34.93	11.15	36.36	0.00	101	237	PEAK																																																																																																																																			
4	5720.40	54.63	111.81	-57.18	44.91	34.94	11.17	36.39	0.00	101	237	PEAK																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5795.00	102.56	-----	-----	92.79	35.02	11.28	36.53	0.00	101	237	PEAK																																																																																																																																			
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot includes a red limit line and a blue test signal. A single peak is labeled 1. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>95.19</td><td>-----</td><td>-----</td><td>85.42</td><td>35.02</td><td>11.28</td><td>36.53</td><td>0.00</td><td>101</td><td>237</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	95.19	-----	-----	85.42	35.02	11.28	36.53	0.00	101	237	AVERAGE																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5795.00	95.19	-----	-----	85.42	35.02	11.28	36.53	0.00	101	237	AVERAGE																																																																																																																																			






Mode	37																																																																																						
	Band Edge - R																																																																																						
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																						
ANT	1																																																																																						
Pol.	Vertical	Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>57.22</td><td>111.36</td><td>-54.14</td><td>47.44</td><td>35.07</td><td>11.34</td><td>36.63</td><td>0.00</td><td>101</td><td>237</td><td>PEAK</td></tr><tr><td>2</td><td>5856.80</td><td>58.61</td><td>110.40</td><td>-51.79</td><td>48.83</td><td>35.07</td><td>11.34</td><td>36.63</td><td>0.00</td><td>101</td><td>237</td><td>PEAK</td></tr><tr><td>3</td><td>5922.40</td><td>50.49</td><td>70.12</td><td>-19.63</td><td>40.77</td><td>35.13</td><td>11.40</td><td>36.81</td><td>0.00</td><td>101</td><td>237</td><td>PEAK</td></tr><tr><td>4</td><td>5957.60</td><td>52.44</td><td>68.20</td><td>-15.76</td><td>42.81</td><td>35.17</td><td>11.43</td><td>36.97</td><td>0.00</td><td>101</td><td>237</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	57.22	111.36	-54.14	47.44	35.07	11.34	36.63	0.00	101	237	PEAK	2	5856.80	58.61	110.40	-51.79	48.83	35.07	11.34	36.63	0.00	101	237	PEAK	3	5922.40	50.49	70.12	-19.63	40.77	35.13	11.40	36.81	0.00	101	237	PEAK	4	5957.60	52.44	68.20	-15.76	42.81	35.17	11.43	36.97	0.00	101	237	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	5854.80	57.22	111.36	-54.14	47.44	35.07	11.34	36.63	0.00	101	237	PEAK																																																																											
2	5856.80	58.61	110.40	-51.79	48.83	35.07	11.34	36.63	0.00	101	237	PEAK																																																																											
3	5922.40	50.49	70.12	-19.63	40.77	35.13	11.40	36.81	0.00	101	237	PEAK																																																																											
4	5957.60	52.44	68.20	-15.76	42.81	35.17	11.43	36.97	0.00	101	237	PEAK																																																																											




Mode	37																																																																																																																																		
	Harmonic																																																																																																																																		
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																																		
ANT	1																																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																																												
Peak Avg																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>7726.47</td><td>44.69</td><td>74.00</td><td>-29.31</td><td>62.00</td><td>36.15</td><td>13.13</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>45.15</td><td>74.00</td><td>-28.85</td><td>57.05</td><td>38.20</td><td>16.42</td><td>66.52</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7726.47	44.69	74.00	-29.31	62.00	36.15	13.13	66.59	0.00	---	---	PEAK	2	11590.00	45.15	74.00	-28.85	57.05	38.20	16.42	66.52	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>7726.47</td><td>44.27</td><td>74.00</td><td>-29.73</td><td>61.58</td><td>36.15</td><td>13.13</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>44.46</td><td>74.00</td><td>-29.54</td><td>56.36</td><td>38.20</td><td>16.42</td><td>66.52</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7726.47	44.27	74.00	-29.73	61.58	36.15	13.13	66.59	0.00	---	---	PEAK	2	11590.00	44.46	74.00	-29.54	56.36	38.20	16.42	66.52	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	7726.47	44.69	74.00	-29.31	62.00	36.15	13.13	66.59	0.00	---	---	PEAK																																																																																																																							
2	11590.00	45.15	74.00	-28.85	57.05	38.20	16.42	66.52	0.00	---	---	PEAK																																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	7726.47	44.27	74.00	-29.73	61.58	36.15	13.13	66.59	0.00	---	---	PEAK																																																																																																																							
2	11590.00	44.46	74.00	-29.54	56.36	38.20	16.42	66.52	0.00	---	---	PEAK																																																																																																																							






Mode	38																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																								
ANT	1																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a blue signal line with several peaks. A red limit line is shown. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 5600 to 6000 MHz. Peaks are labeled 1, 2, 3, and 4. A red line labeled 'U-NII-3' is also present. <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5642.00</td><td>53.38</td><td>68.20</td><td>-14.82</td><td>43.75</td><td>34.87</td><td>11.06</td><td>36.30</td><td>0.00</td><td>120</td><td>1 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>51.76</td><td>68.20</td><td>-16.44</td><td>42.12</td><td>34.88</td><td>11.07</td><td>36.31</td><td>0.00</td><td>120</td><td>1 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>73.50</td><td>105.30</td><td>-31.80</td><td>63.79</td><td>34.92</td><td>11.14</td><td>36.35</td><td>0.00</td><td>120</td><td>1 PEAK</td></tr><tr><td>4</td><td>5721.20</td><td>74.24</td><td>113.64</td><td>-39.40</td><td>64.52</td><td>34.94</td><td>11.17</td><td>36.39</td><td>0.00</td><td>120</td><td>1 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5642.00	53.38	68.20	-14.82	43.75	34.87	11.06	36.30	0.00	120	1 PEAK	2	5650.00	51.76	68.20	-16.44	42.12	34.88	11.07	36.31	0.00	120	1 PEAK	3	5700.00	73.50	105.30	-31.80	63.79	34.92	11.14	36.35	0.00	120	1 PEAK	4	5721.20	74.24	113.64	-39.40	64.52	34.94	11.17	36.39	0.00	120	1 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a blue signal line with a prominent peak at 5775 MHz. A red limit line is shown. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz. A red line labeled 'U-NII-3' is also present. <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>102.15</td><td>-----</td><td>-----</td><td>92.39</td><td>35.00</td><td>11.26</td><td>36.50</td><td>0.00</td><td>120</td><td>1 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	102.15	-----	-----	92.39	35.00	11.26	36.50	0.00	120	1 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5642.00	53.38	68.20	-14.82	43.75	34.87	11.06	36.30	0.00	120	1 PEAK																																																																																																																														
2	5650.00	51.76	68.20	-16.44	42.12	34.88	11.07	36.31	0.00	120	1 PEAK																																																																																																																														
3	5700.00	73.50	105.30	-31.80	63.79	34.92	11.14	36.35	0.00	120	1 PEAK																																																																																																																														
4	5721.20	74.24	113.64	-39.40	64.52	34.94	11.17	36.39	0.00	120	1 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5775.00	102.15	-----	-----	92.39	35.00	11.26	36.50	0.00	120	1 PEAK																																																																																																																														
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a blue signal line with a prominent peak at 5775 MHz. A red limit line is shown. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz. A red line labeled 'U-NII-3(AVG)' is also present. <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>93.97</td><td>-----</td><td>-----</td><td>84.21</td><td>35.00</td><td>11.26</td><td>36.50</td><td>0.00</td><td>120</td><td>1 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	93.97	-----	-----	84.21	35.00	11.26	36.50	0.00	120	1 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5775.00	93.97	-----	-----	84.21	35.00	11.26	36.50	0.00	120	1 AVERAGE																																																																																																																														




Mode	38																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																		
ANT	1																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>70.55</td><td>112.27</td><td>-41.72</td><td>60.78</td><td>35.07</td><td>11.33</td><td>36.63</td><td>0.00</td><td>120</td><td>1 PEAK</td></tr><tr><td>2</td><td>5856.40</td><td>70.32</td><td>110.51</td><td>-40.19</td><td>60.54</td><td>35.07</td><td>11.34</td><td>36.63</td><td>0.00</td><td>120</td><td>1 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>52.67</td><td>68.35</td><td>-15.68</td><td>42.96</td><td>35.13</td><td>11.40</td><td>36.82</td><td>0.00</td><td>120</td><td>1 PEAK</td></tr><tr><td>4</td><td>5931.20</td><td>52.62</td><td>68.20</td><td>-15.58</td><td>42.92</td><td>35.14</td><td>11.41</td><td>36.85</td><td>0.00</td><td>120</td><td>1 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	70.55	112.27	-41.72	60.78	35.07	11.33	36.63	0.00	120	1 PEAK	2	5856.40	70.32	110.51	-40.19	60.54	35.07	11.34	36.63	0.00	120	1 PEAK	3	5924.80	52.67	68.35	-15.68	42.96	35.13	11.40	36.82	0.00	120	1 PEAK	4	5931.20	52.62	68.20	-15.58	42.92	35.14	11.41	36.85	0.00	120	1 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1	5854.40	70.55	112.27	-41.72	60.78	35.07	11.33	36.63	0.00	120	1 PEAK																																																																								
2	5856.40	70.32	110.51	-40.19	60.54	35.07	11.34	36.63	0.00	120	1 PEAK																																																																								
3	5924.80	52.67	68.35	-15.68	42.96	35.13	11.40	36.82	0.00	120	1 PEAK																																																																								
4	5931.20	52.62	68.20	-15.58	42.92	35.14	11.41	36.85	0.00	120	1 PEAK																																																																								





Mode	38																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																									
ANT	1																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5640.40</td><td>52.65</td><td>68.20</td><td>-15.55</td><td>43.02</td><td>34.87</td><td>11.06</td><td>36.30</td><td>0.00</td><td>100</td><td>246 PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>51.42</td><td>69.09</td><td>-17.67</td><td>41.78</td><td>34.88</td><td>11.07</td><td>36.31</td><td>0.00</td><td>100</td><td>246 PEAK</td></tr><tr><td>3</td><td>5701.60</td><td>70.15</td><td>105.75</td><td>-35.60</td><td>60.44</td><td>34.92</td><td>11.14</td><td>36.35</td><td>0.00</td><td>100</td><td>246 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>72.46</td><td>110.90</td><td>-38.44</td><td>62.74</td><td>34.94</td><td>11.17</td><td>36.39</td><td>0.00</td><td>100</td><td>246 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5640.40	52.65	68.20	-15.55	43.02	34.87	11.06	36.30	0.00	100	246 PEAK	2	5651.20	51.42	69.09	-17.67	41.78	34.88	11.07	36.31	0.00	100	246 PEAK	3	5701.60	70.15	105.75	-35.60	60.44	34.92	11.14	36.35	0.00	100	246 PEAK	4	5720.00	72.46	110.90	-38.44	62.74	34.94	11.17	36.39	0.00	100	246 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>90.78</td><td>-----</td><td>-----</td><td>89.02</td><td>35.00</td><td>11.26</td><td>36.50</td><td>0.00</td><td>100</td><td>246 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	90.78	-----	-----	89.02	35.00	11.26	36.50	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5640.40	52.65	68.20	-15.55	43.02	34.87	11.06	36.30	0.00	100	246 PEAK																																																																																																																															
2	5651.20	51.42	69.09	-17.67	41.78	34.88	11.07	36.31	0.00	100	246 PEAK																																																																																																																															
3	5701.60	70.15	105.75	-35.60	60.44	34.92	11.14	36.35	0.00	100	246 PEAK																																																																																																																															
4	5720.00	72.46	110.90	-38.44	62.74	34.94	11.17	36.39	0.00	100	246 PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5775.00	90.78	-----	-----	89.02	35.00	11.26	36.50	0.00	100	246 PEAK																																																																																																																															
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>90.96</td><td>-----</td><td>-----</td><td>81.21</td><td>34.99</td><td>11.24</td><td>36.48</td><td>0.00</td><td>100</td><td>246 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	90.96	-----	-----	81.21	34.99	11.24	36.48	0.00	100	246 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5775.00	90.96	-----	-----	81.21	34.99	11.24	36.48	0.00	100	246 AVERAGE																																																																																																																															





Mode	38																																																																																															
	Band Edge - R																																																																																															
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																															
ANT	1																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>66.53</td><td>111.36</td><td>-44.83</td><td>56.75</td><td>35.07</td><td>11.34</td><td>36.63</td><td>0.00</td><td>100</td><td>246</td><td>PEAK</td></tr><tr><td>2</td><td>5868.80</td><td>66.65</td><td>107.03</td><td>-40.38</td><td>56.87</td><td>35.08</td><td>11.35</td><td>36.65</td><td>0.00</td><td>100</td><td>246</td><td>PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>53.43</td><td>69.23</td><td>-15.80</td><td>43.72</td><td>35.13</td><td>11.40</td><td>36.82</td><td>0.00</td><td>100</td><td>246</td><td>PEAK</td></tr><tr><td>4</td><td>5945.60</td><td>52.28</td><td>68.20</td><td>-15.92</td><td>42.63</td><td>35.15</td><td>11.42</td><td>36.92</td><td>0.00</td><td>100</td><td>246</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	66.53	111.36	-44.83	56.75	35.07	11.34	36.63	0.00	100	246	PEAK	2	5868.80	66.65	107.03	-40.38	56.87	35.08	11.35	36.65	0.00	100	246	PEAK	3	5923.60	53.43	69.23	-15.80	43.72	35.13	11.40	36.82	0.00	100	246	PEAK	4	5945.60	52.28	68.20	-15.92	42.63	35.15	11.42	36.92	0.00	100	246	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5854.80	66.53	111.36	-44.83	56.75	35.07	11.34	36.63	0.00	100	246	PEAK																																																																																				
2	5868.80	66.65	107.03	-40.38	56.87	35.08	11.35	36.65	0.00	100	246	PEAK																																																																																				
3	5923.60	53.43	69.23	-15.80	43.72	35.13	11.40	36.82	0.00	100	246	PEAK																																																																																				
4	5945.60	52.28	68.20	-15.92	42.63	35.15	11.42	36.92	0.00	100	246	PEAK																																																																																				



Mode	38																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																												
ANT	1																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7699.81</td><td>44.34</td><td>74.00</td><td>-29.66</td><td>61.70</td><td>36.10</td><td>13.11</td><td>66.57</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11550.00</td><td>45.20</td><td>74.00</td><td>-28.80</td><td>57.15</td><td>38.20</td><td>16.39</td><td>66.54</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7699.81	44.34	74.00	-29.66	61.70	36.10	13.11	66.57	0.00	---	PEAK	2	11550.00	45.20	74.00	-28.80	57.15	38.20	16.39	66.54	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7699.81</td><td>44.15</td><td>74.00</td><td>-29.85</td><td>61.51</td><td>36.10</td><td>13.11</td><td>66.57</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11550.00</td><td>44.51</td><td>74.00</td><td>-29.49</td><td>56.46</td><td>38.20</td><td>16.39</td><td>66.54</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7699.81	44.15	74.00	-29.85	61.51	36.10	13.11	66.57	0.00	---	PEAK	2	11550.00	44.51	74.00	-29.49	56.46	38.20	16.39	66.54	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	7699.81	44.34	74.00	-29.66	61.70	36.10	13.11	66.57	0.00	---	PEAK																																																																																																																		
2	11550.00	45.20	74.00	-28.80	57.15	38.20	16.39	66.54	0.00	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	7699.81	44.15	74.00	-29.85	61.51	36.10	13.11	66.57	0.00	---	PEAK																																																																																																																		
2	11550.00	44.51	74.00	-29.49	56.46	38.20	16.39	66.54	0.00	---	PEAK																																																																																																																		



Mode	32	
	18G-40G	
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg		



Mode	32											
	30M-1G											
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz											
ANT	1											
Pol.	Horizontal						Vertical					
Peak	<											





Mode	39																																																																																																									
	Harmonic																																																																																																									
	U-NII-2C_5.47-5.725_802.11a_CH144_5720MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>45.94</td><td>74.00</td><td>-28.06</td><td>58.01</td><td>38.20</td><td>16.32</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	45.94	74.00	-28.06	58.01	38.20	16.32	66.59	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>46.21</td><td>74.00</td><td>-27.79</td><td>58.28</td><td>38.20</td><td>16.32</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	46.21	74.00	-27.79	58.28	38.20	16.32	66.59	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11440.00	45.94	74.00	-28.06	58.01	38.20	16.32	66.59	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11440.00	46.21	74.00	-27.79	58.28	38.20	16.32	66.59	0.00	---	---	PEAK																																																																																														





Mode	40																																																																																																									
	Harmonic																																																																																																									
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH144_5720MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>45.70</td><td>74.00</td><td>-28.30</td><td>57.77</td><td>38.20</td><td>16.32</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	45.70	74.00	-28.30	57.77	38.20	16.32	66.59	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>45.08</td><td>74.00</td><td>-28.92</td><td>57.15</td><td>38.20</td><td>16.32</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	45.08	74.00	-28.92	57.15	38.20	16.32	66.59	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11440.00	45.70	74.00	-28.30	57.77	38.20	16.32	66.59	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11440.00	45.08	74.00	-28.92	57.15	38.20	16.32	66.59	0.00	---	---	PEAK																																																																																														



Mode	41																																																																																																								
	Harmonic																																																																																																								
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH142_5710MHz																																																																																																								
ANT	1																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>45.60</td><td>74.00</td><td>-28.40</td><td>57.70</td><td>38.18</td><td>16.31</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11420.00	45.60	74.00	-28.40	57.70	38.18	16.31	66.59	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>45.43</td><td>74.00</td><td>-28.57</td><td>57.53</td><td>38.18</td><td>16.31</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11420.00	45.43	74.00	-28.57	57.53	38.18	16.31	66.59	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11420.00	45.60	74.00	-28.40	57.70	38.18	16.31	66.59	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11420.00	45.43	74.00	-28.57	57.53	38.18	16.31	66.59	0.00	---	---	PEAK																																																																																													






Mode	42																																																																																																								
	Harmonic																																																																																																								
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH138_5690MHz																																																																																																								
ANT	1																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>44.58</td><td>74.00</td><td>-29.42</td><td>56.74</td><td>38.14</td><td>16.29</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11380.00	44.58	74.00	-29.42	56.74	38.14	16.29	66.59	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>44.27</td><td>74.00</td><td>-29.73</td><td>56.43</td><td>38.14</td><td>16.29</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11380.00	44.27	74.00	-29.73	56.43	38.14	16.29	66.59	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11380.00	44.58	74.00	-29.42	56.74	38.14	16.29	66.59	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11380.00	44.27	74.00	-29.73	56.43	38.14	16.29	66.59	0.00	---	---	PEAK																																																																																													





For Co-location mode:

Mode	43																																																																																																			
	Band Edge																																																																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.00</td><td>64.90</td><td>68.20</td><td>-3.30</td><td>55.69</td><td>34.42</td><td>11.18</td><td>36.39</td><td>0.00</td><td>279</td><td>239</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5725.00	64.90	68.20	-3.30	55.69	34.42	11.18	36.39	0.00	279	239	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>107.22</td><td>-----</td><td>-----</td><td>98.11</td><td>34.32</td><td>11.15</td><td>36.36</td><td>0.00</td><td>279</td><td>239</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	107.22	-----	-----	98.11	34.32	11.15	36.36	0.00	279	239	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5725.00	64.90	68.20	-3.30	55.69	34.42	11.18	36.39	0.00	279	239	PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5700.00	107.22	-----	-----	98.11	34.32	11.15	36.36	0.00	279	239	PEAK																																																																																								
Avg	Blank																																																																																																			
							<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>100.05</td><td>-----</td><td>-----</td><td>90.96</td><td>34.30</td><td>11.14</td><td>36.35</td><td>0.00</td><td>279</td><td>239</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	100.05	-----	-----	90.96	34.30	11.14	36.35	0.00	279	239	AVERAGE																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5700.00	100.05	-----	-----	90.96	34.30	11.14	36.35	0.00	279	239	AVERAGE																																																																																								





Mode	43																																																																																																			
	Band Edge																																																																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5727.56</td><td>62.39</td><td>68.20</td><td>-5.81</td><td>53.17</td><td>34.44</td><td>11.18</td><td>36.40</td><td>0.00</td><td>100</td><td>259 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.56	62.39	68.20	-5.81	53.17	34.44	11.18	36.40	0.00	100	259 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>104.06</td><td>-----</td><td>-----</td><td>94.95</td><td>34.32</td><td>11.15</td><td>36.36</td><td>0.00</td><td>100</td><td>259 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	104.06	-----	-----	94.95	34.32	11.15	36.36	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5727.56	62.39	68.20	-5.81	53.17	34.44	11.18	36.40	0.00	100	259 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	104.06	-----	-----	94.95	34.32	11.15	36.36	0.00	100	259 PEAK																																																																																									
Avg	Blank																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>97.11</td><td>-----</td><td>-----</td><td>88.02</td><td>34.30</td><td>11.14</td><td>36.35</td><td>0.00</td><td>100</td><td>259 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	97.11	-----	-----	88.02	34.30	11.14	36.35	0.00	100	259 AVERAGE																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	97.11	-----	-----	88.02	34.30	11.14	36.35	0.00	100	259 AVERAGE																																																																																									






Mode	43																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7599.81</td><td>43.50</td><td>74.00</td><td>-30.50</td><td>61.27</td><td>35.70</td><td>13.02</td><td>66.49</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>45.28</td><td>74.00</td><td>-28.72</td><td>57.41</td><td>38.16</td><td>16.30</td><td>66.59</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7599.81	43.50	74.00	-30.50	61.27	35.70	13.02	66.49	0.00	---	PEAK	2	11400.00	45.28	74.00	-28.72	57.41	38.16	16.30	66.59	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7599.81</td><td>44.20</td><td>74.00</td><td>-29.80</td><td>61.97</td><td>35.70</td><td>13.02</td><td>66.49</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>45.96</td><td>74.00</td><td>-28.04</td><td>58.09</td><td>38.16</td><td>16.30</td><td>66.59</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7599.81	44.20	74.00	-29.80	61.97	35.70	13.02	66.49	0.00	---	PEAK	2	11400.00	45.96	74.00	-28.04	58.09	38.16	16.30	66.59	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	7599.81	43.50	74.00	-30.50	61.27	35.70	13.02	66.49	0.00	---	PEAK																																																																																																																			
2	11400.00	45.28	74.00	-28.72	57.41	38.16	16.30	66.59	0.00	---	PEAK																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	7599.81	44.20	74.00	-29.80	61.97	35.70	13.02	66.49	0.00	---	PEAK																																																																																																																			
2	11400.00	45.96	74.00	-28.04	58.09	38.16	16.30	66.59	0.00	---	PEAK																																																																																																																			






Mode	44																																																						
	Band Edge																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																						
ANT	1																																																						
Pol.	Horizontal						Fundamental																																																
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5729.88</td><td>64.16</td><td>68.20</td><td>-4.04</td><td>54.93</td><td>34.45</td><td>11.18</td><td>36.40</td><td>0.00</td><td>133</td><td>240</td><td>PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5729.88	64.16	68.20	-4.04	54.93	34.45	11.18	36.40	0.00	133	240	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 5729.88	64.16	68.20	-4.04	54.93	34.45	11.18	36.40	0.00	133	240	PEAK																																												
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>99.25</td><td>-----</td><td>-----</td><td>90.14</td><td>34.32</td><td>11.15</td><td>36.36</td><td>0.00</td><td>133</td><td>240</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	99.25	-----	-----	90.14	34.32	11.15	36.36	0.00	133	240	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 5700.00	99.25	-----	-----	90.14	34.32	11.15	36.36	0.00	133	240	AVERAGE																																												





Mode	44																																																																																																	
	Band Edge																																																																																																	
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5728.92</td><td>60.90</td><td>68.20</td><td>-7.30</td><td>51.68</td><td>34.44</td><td>11.18</td><td>36.40</td><td>0.00</td><td>320</td><td>271 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5728.92	60.90	68.20	-7.30	51.68	34.44	11.18	36.40	0.00	320	271 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>108.03</td><td>-----</td><td>-----</td><td>98.94</td><td>34.30</td><td>11.14</td><td>36.35</td><td>0.00</td><td>320</td><td>271 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	108.03	-----	-----	98.94	34.30	11.14	36.35	0.00	320
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5728.92	60.90	68.20	-7.30	51.68	34.44	11.18	36.40	0.00	320	271 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5700.00	108.03	-----	-----	98.94	34.30	11.14	36.35	0.00	320	271 PEAK																																																																																								
Avg	Blank																																																																																																	
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>98.46</td><td>-----</td><td>-----</td><td>89.37</td><td>34.30</td><td>11.14</td><td>36.35</td><td>0.00</td><td>320</td><td>271 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	98.46	-----	-----	89.37	34.30	11.14	36.35	0.00	320	271 AVERAGE																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5700.00	98.46	-----	-----	89.37	34.30	11.14	36.35	0.00	320	271 AVERAGE																																																																																								



Mode	44																																																																																																																																			
	Harmonic																																																																																																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																													
Peak Avg																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7600.60</td><td>44.88</td><td>74.00</td><td>-29.12</td><td>62.65</td><td>35.70</td><td>13.02</td><td>66.49</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11400.00</td><td>44.34</td><td>74.00</td><td>-29.66</td><td>56.47</td><td>38.16</td><td>16.30</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7600.60	44.88	74.00	-29.12	62.65	35.70	13.02	66.49	0.00	---	---	Peak	2	11400.00	44.34	74.00	-29.66	56.47	38.16	16.30	66.59	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7600.60</td><td>45.42</td><td>74.00</td><td>-28.58</td><td>63.19</td><td>35.70</td><td>13.02</td><td>66.49</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11400.00</td><td>45.18</td><td>74.00</td><td>-28.82</td><td>57.31</td><td>38.16</td><td>16.30</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7600.60	45.42	74.00	-28.58	63.19	35.70	13.02	66.49	0.00	---	---	Peak	2	11400.00	45.18	74.00	-28.82	57.31	38.16	16.30	66.59	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	7600.60	44.88	74.00	-29.12	62.65	35.70	13.02	66.49	0.00	---	---	Peak																																																																																																																								
2	11400.00	44.34	74.00	-29.66	56.47	38.16	16.30	66.59	0.00	---	---	PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	7600.60	45.42	74.00	-28.58	63.19	35.70	13.02	66.49	0.00	---	---	Peak																																																																																																																								
2	11400.00	45.18	74.00	-28.82	57.31	38.16	16.30	66.59	0.00	---	---	PEAK																																																																																																																								






Mode	44																																																																																																																																																																																																											
	30M-1G																																																																																																																																																																																																											
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																																																																																																																																																																											
ANT	1																																																																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																																																																					
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a blue signal line with several peaks labeled 1 through 6. A red line indicates the limit. The x-axis ranges from 30 to 1000 MHz, and the y-axis ranges from -20 to 80 dBuV/m. <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV/m</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td><td></td></tr><tr><td>1</td><td>31.21</td><td>22.09</td><td>40.00</td><td>-17.91</td><td>30.03</td><td>24.50</td><td>0.36</td><td>32.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>102.02</td><td>22.42</td><td>43.50</td><td>-21.08</td><td>37.83</td><td>16.19</td><td>1.05</td><td>32.65</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>199.99</td><td>26.69</td><td>43.50</td><td>-16.81</td><td>42.93</td><td>15.03</td><td>1.49</td><td>32.76</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>385.26</td><td>27.46</td><td>46.00</td><td>-18.54</td><td>37.10</td><td>21.25</td><td>2.09</td><td>32.98</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>421.88</td><td>27.39</td><td>46.00</td><td>-18.61</td><td>35.66</td><td>22.58</td><td>2.19</td><td>33.04</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>648.86</td><td>28.24</td><td>46.00</td><td>-17.76</td><td>32.42</td><td>26.43</td><td>2.66</td><td>33.27</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		1	31.21	22.09	40.00	-17.91	30.03	24.50	0.36	32.00	---	---	Peak	2	102.02	22.42	43.50	-21.08	37.83	16.19	1.05	32.65	---	---	Peak	3	199.99	26.69	43.50	-16.81	42.93	15.03	1.49	32.76	---	---	Peak	4	385.26	27.46	46.00	-18.54	37.10	21.25	2.09	32.98	---	---	Peak	5	421.88	27.39	46.00	-18.61	35.66	22.58	2.19	33.04	---	---	Peak	6	648.86	28.24	46.00	-17.76	32.42	26.43	2.66	33.27	---	---	Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a blue signal line with several peaks labeled 1 through 6. A red line indicates the limit. The x-axis ranges from 30 to 1000 MHz, and the y-axis ranges from -20 to 80 dBuV/m. <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV/m</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td><td></td></tr><tr><td>1</td><td>38.00</td><td>23.86</td><td>40.00</td><td>-16.14</td><td>35.14</td><td>20.94</td><td>0.60</td><td>32.82</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>72.44</td><td>24.26</td><td>40.00</td><td>-15.74</td><td>43.50</td><td>12.67</td><td>0.80</td><td>32.71</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>100.00</td><td>26.27</td><td>43.50</td><td>-17.23</td><td>41.88</td><td>15.99</td><td>1.05</td><td>32.65</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>249.95</td><td>21.65</td><td>46.00</td><td>-24.35</td><td>34.41</td><td>18.48</td><td>1.65</td><td>32.89</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>382.84</td><td>25.38</td><td>46.00</td><td>-20.62</td><td>35.12</td><td>21.16</td><td>2.07</td><td>32.97</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>648.86</td><td>30.58</td><td>46.00</td><td>-15.42</td><td>34.76</td><td>26.43</td><td>2.66</td><td>33.27</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		1	38.00	23.86	40.00	-16.14	35.14	20.94	0.60	32.82	---	---	Peak	2	72.44	24.26	40.00	-15.74	43.50	12.67	0.80	32.71	---	---	Peak	3	100.00	26.27	43.50	-17.23	41.88	15.99	1.05	32.65	---	---	Peak	4	249.95	21.65	46.00	-24.35	34.41	18.48	1.65	32.89	---	---	Peak	5	382.84	25.38	46.00	-20.62	35.12	21.16	2.07	32.97	---	---	Peak	6	648.86	30.58	46.00	-15.42	34.76	26.43	2.66	33.27	---	---	Peak
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																																																																																																																																																																		
1	31.21	22.09	40.00	-17.91	30.03	24.50	0.36	32.00	---	---	Peak																																																																																																																																																																																																	
2	102.02	22.42	43.50	-21.08	37.83	16.19	1.05	32.65	---	---	Peak																																																																																																																																																																																																	
3	199.99	26.69	43.50	-16.81	42.93	15.03	1.49	32.76	---	---	Peak																																																																																																																																																																																																	
4	385.26	27.46	46.00	-18.54	37.10	21.25	2.09	32.98	---	---	Peak																																																																																																																																																																																																	
5	421.88	27.39	46.00	-18.61	35.66	22.58	2.19	33.04	---	---	Peak																																																																																																																																																																																																	
6	648.86	28.24	46.00	-17.76	32.42	26.43	2.66	33.27	---	---	Peak																																																																																																																																																																																																	
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																																																																																																																																																																		
1	38.00	23.86	40.00	-16.14	35.14	20.94	0.60	32.82	---	---	Peak																																																																																																																																																																																																	
2	72.44	24.26	40.00	-15.74	43.50	12.67	0.80	32.71	---	---	Peak																																																																																																																																																																																																	
3	100.00	26.27	43.50	-17.23	41.88	15.99	1.05	32.65	---	---	Peak																																																																																																																																																																																																	
4	249.95	21.65	46.00	-24.35	34.41	18.48	1.65	32.89	---	---	Peak																																																																																																																																																																																																	
5	382.84	25.38	46.00	-20.62	35.12	21.16	2.07	32.97	---	---	Peak																																																																																																																																																																																																	
6	648.86	30.58	46.00	-15.42	34.76	26.43	2.66	33.27	---	---	Peak																																																																																																																																																																																																	

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	97.46	1.391	0.719	0.75KHz
802.11ac VHT20	97.42	1.313	0.762	0.82kKHz
802.11ac VHT40	94.96	0.655	1.527	1.6KHz
802.11ac VHT80	90.32	0.325	3.080	3.3kHz

802.11a






802.11ac VHT20



802.11ac VHT40





802.11ac VHT80

