



















Min emission bandwidth



Test Result B4


TestMode	Antenna	Freq(MHz)	6dB EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5745	15.32	5737.44	5752.76	0.5	PASS
		5785	15.56	5777.24	5792.80	0.5	PASS
		5825	15.64	5817.12	5832.76	0.5	PASS
11N20SISO	Ant1	5745	15.16	5737.44	5752.60	0.5	PASS
		5785	15.36	5777.24	5792.60	0.5	PASS
		5825	17.60	5816.20	5833.80	0.5	PASS
11N40SISO	Ant1	5755	35.44	5737.48	5772.92	0.5	PASS
		5795	35.52	5777.40	5812.92	0.5	PASS
11AC80SISO	Ant1	5775	75.20	5737.40	5812.60	0.5	PASS





Test Graphs B4













Maximum power spectral density

Test Result


TestMode	Antenna	Freq(MHz)	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1	5180	4.66	≤11.00	PASS
		5220	4.57	≤11.00	PASS
		5240	4.64	≤11.00	PASS
		5260	4.41	≤11.00	PASS
		5300	5.29	≤11.00	PASS
		5320	4.82	≤11.00	PASS
		5500	5.69	≤11.00	PASS
		5580	4.78	≤11.00	PASS
		5700	4.08	≤11.00	PASS
		5745	2.91	≤30.00	PASS
		5785	2.51	≤30.00	PASS
		5825	2.05	≤30.00	PASS
11N20SISO	Ant1	5180	4.52	≤11.00	PASS
		5220	4.67	≤11.00	PASS
		5240	4.37	≤11.00	PASS
		5260	4.87	≤11.00	PASS
		5300	4.73	≤11.00	PASS
		5320	4.68	≤11.00	PASS
		5500	5.08	≤11.00	PASS
		5580	5.16	≤11.00	PASS
		5700	4.43	≤11.00	PASS
		5745	2.85	≤30.00	PASS
		5785	2.04	≤30.00	PASS
		5825	1.80	≤30.00	PASS
11N40SISO	Ant1	5190	1.41	≤11.00	PASS
		5230	1.11	≤11.00	PASS
		5270	1.76	≤11.00	PASS
		5310	1.33	≤11.00	PASS
		5510	2.48	≤11.00	PASS
		5550	2.05	≤11.00	PASS
		5670	0.86	≤11.00	PASS
		5755	-0.56	≤30.00	PASS
		5795	-1.10	≤30.00	PASS
11AC80SISO	Ant1	5210	-4.00	≤11.00	PASS
		5290	-3.57	≤11.00	PASS
		5530	-3.40	≤11.00	PASS
		5610	-4.19	≤11.00	PASS
		5775	-5.64	≤30.00	PASS



Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.



2.The Duty Cycle Factor and is compensated in the graph.






Test Graphs





























































Appendix B. AC Conducted Emission Test Results

Test Engineer :	XuRuibin	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO02-SZ
Condition : FCC 15E_QP LISN-L_2026 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.15	28.84	-26.98	55.82	8.89	9.76	10.19	Average
2 *	0.15	48.84	-16.98	65.82	28.89	9.76	10.19	QP
3	0.18	23.61	-30.85	54.46	3.70	9.73	10.18	Average
4	0.18	43.41	-21.05	64.46	23.50	9.73	10.18	QP
5	0.40	20.07	-27.74	47.81	0.10	9.74	10.23	Average
6	0.40	32.47	-25.34	57.81	12.50	9.74	10.23	QP
7	0.74	35.56	-10.44	46.00	15.60	9.73	10.23	Average
8	0.74	35.96	-20.04	56.00	16.00	9.73	10.23	QP
9	2.24	20.98	-25.02	46.00	1.00	9.72	10.26	Average
10	2.24	23.78	-32.22	56.00	3.80	9.72	10.26	QP
11	28.30	17.06	-32.94	50.00	-3.20	9.74	10.52	Average
12	28.30	23.96	-36.04	60.00	3.70	9.74	10.52	QP



Test Engineer :	XuRuibin	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO02-SZ
Condition : FCC 15E_QP LISN-N_2026 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.15	28.78	-27.04	55.82	8.80	9.79	10.19	Average
2 *	0.15	49.58	-16.24	65.82	29.60	9.79	10.19	QP
3	0.21	23.26	-29.92	53.18	3.30	9.78	10.18	Average
4	0.21	41.66	-21.52	63.18	21.70	9.78	10.18	QP
5	0.27	17.98	-33.18	51.16	-2.00	9.78	10.20	Average
6	0.27	33.48	-27.68	61.16	13.50	9.78	10.20	QP
7	0.40	22.19	-25.58	47.77	2.19	9.77	10.23	Average
8	0.40	34.89	-22.88	57.77	14.89	9.77	10.23	QP
9	0.74	34.90	-11.10	46.00	14.91	9.76	10.23	Average
10	0.74	36.00	-20.00	56.00	16.01	9.76	10.23	QP
11	3.72	26.01	-19.99	46.00	6.00	9.74	10.27	Average
12	3.72	27.01	-28.99	56.00	7.00	9.74	10.27	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	HuaCong Liang	Relative Humidity :	50%
		Temperature :	20-22℃

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	1	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	1	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	1	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	1	802.11a	52	5260	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	1	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	1	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	1	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	1	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	1	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	1	802.11n HT20	36	5180	MCS0	-	-
Mode 11	U-NII-1	5.15-5.25	1	802.11n HT20	44	5220	MCS0	-	-
Mode 12	U-NII-1	5.15-5.25	1	802.11n HT20	48	5240	MCS0	-	-
Mode 13	U-NII-2A	5.25-5.35	1	802.11n HT20	52	5260	MCS0	-	-
Mode 14	U-NII-2A	5.25-5.35	1	802.11n HT20	60	5300	MCS0	-	-
Mode 15	U-NII-2A	5.25-5.35	1	802.11n HT20	64	5320	MCS0	-	-
Mode 16	U-NII-2C	5.47-5.725	1	802.11n HT20	100	5500	MCS0	-	-
Mode 17	U-NII-2C	5.47-5.725	1	802.11n HT20	116	5580	MCS0	-	-
Mode 18	U-NII-2C	5.47-5.725	1	802.11n HT20	140	5700	MCS0	-	-
Mode 19	U-NII-1	5.15-5.25	1	802.11n HT40	38	5190	MCS0	-	-
Mode 20	U-NII-1	5.15-5.25	1	802.11n HT40	46	5230	MCS0	-	-
Mode 21	U-NII-2A	5.25-5.35	1	802.11n HT40	54	5270	MCS0	-	-
Mode 22	U-NII-2A	5.25-5.35	1	802.11n HT40	62	5310	MCS0	-	-
Mode 23	U-NII-2C	5.47-5.725	1	802.11n HT40	102	5510	MCS0	-	-
Mode 24	U-NII-2C	5.47-5.725	1	802.11n HT40	134	5670	MCS0	-	-
Mode 25	U-NII-1	5.15-5.25	1	802.11ac VHT80	42	5210	MCS0	-	-
Mode 26	U-NII-2A	5.25-5.35	1	802.11ac VHT80	58	5290	MCS0	-	-
Mode 27	U-NII-2C	5.47-5.725	1	802.11ac VHT80	106	5530	MCS0	-	-
Mode 28	U-NII-2C	5.47-5.725	1	802.11ac VHT80	122	5610	MCS0	-	-
Mode 29	U-NII-3	5.725-5.85	1	802.11a	149	5745	6Mbps	-	-
Mode 30	U-NII-3	5.725-5.85	1	802.11a	157	5785	6Mbps	-	-
Mode 31	U-NII-3	5.725-5.85	1	802.11a	165	5825	6Mbps	-	-
Mode 32	U-NII-3	5.725-5.85	1	802.11n HT20	149	5745	MCS0	-	-
Mode 33	U-NII-3	5.725-5.85	1	802.11n HT20	157	5785	MCS0	-	-
Mode 34	U-NII-3	5.725-5.85	1	802.11n HT20	165	5825	MCS0	-	-
Mode 35	U-NII-3	5.725-5.85	1	802.11n HT40	151	5755	MCS0	-	-
Mode 36	U-NII-3	5.725-5.85	1	802.11n HT40	159	5795	MCS0	-	-
Mode 37	U-NII-3	5.725-5.85	1	802.11ac VHT80	155	5775	MCS0	-	-
Mode 38	U-NII-2C	5.47-5.725	1	802.11a	144	5720	6Mbps	-	-



Mode 39	U-NII-2C	5.47-5.725	1	802.11n HT20	144	5720	MCS0	-	-
Mode 40	U-NII-2C	5.47-5.725	1	802.11n HT40	142	5710	MCS0	-	-
Mode 41	U-NII-2C	5.47-5.725	1	802.11ac VHT80	138	5690	MCS0	-	-
Mode 42	U-NII-1	5.15-5.25	1	802.11ac VHT80	42	5210	MCS0	-	LF
Mode 43	U-NII-2C	5.47-5.725	1	802.11ac VHT80	138	5690	MCS0	-	LF
Mode 44	U-NII-2C	5.47-5.725	1	802.11n HT40	110	5550	MCS0	-	-

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5149.94	48.80	54.00	-5.20	H	AVERAGE	Pass	Band Edge
1	802.11a	36	10360.00	47.72	68.30	-20.58	H	Peak	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	10440.00	47.52	68.30	-20.78	V	Peak	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	10480.00	48.44	68.30	-19.86	V	Peak	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
4	802.11a	52	10520.00	47.43	68.30	-20.87	V	Peak	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	10600.00	48.62	74.00	-25.38	V	Peak	Pass	Harmonic
6	802.11a	64	5350.10	49.87	54.00	-4.13	H	AVERAGE	Pass	Band Edge
6	802.11a	64	15960.00	48.79	74.00	-25.21	H	Peak	Pass	Harmonic
7	802.11a	100	5468.35	64.79	68.30	-3.51	H	PEAK	Pass	Band Edge
7	802.11a	100	-	-	-	-	-	-	-	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	16740.00	47.84	68.30	-20.46	V	Peak	Pass	Harmonic
9	802.11a	140	5725.81	63.54	68.30	-4.76	H	PEAK	Pass	Band Edge
9	802.11a	140	17100.00	48.05	68.30	-20.25	V	Peak	Pass	Harmonic
10	802.11n HT20	36	5149.76	48.86	54.00	-5.14	H	AVERAGE	Pass	Band Edge
10	802.11n HT20	36	10360.00	47.38	68.30	-20.92	H	Peak	Pass	Harmonic
11	802.11n HT20	44	-	-	-	-	-	-	-	Band Edge
11	802.11n HT20	44	10440.00	48.08	68.30	-20.22	H	Peak	Pass	Harmonic
12	802.11n HT20	48	-	-	-	-	-	-	-	Band Edge
12	802.11n HT20	48	10480.00	47.47	68.30	-20.83	V	Peak	Pass	Harmonic
13	802.11n HT20	52	-	-	-	-	-	-	-	Band Edge
13	802.11n HT20	52	10520.00	46.75	68.30	-21.55	H	Peak	Pass	Harmonic
14	802.11n HT20	60	-	-	-	-	-	-	-	Band Edge
14	802.11n HT20	60	15900.00	48.37	74.00	-25.63	V	Peak	Pass	Harmonic
15	802.11n HT20	64	5350.10	49.02	54.00	-4.98	H	AVERAGE	Pass	Band Edge
15	802.11n HT20	64	15960.00	49.07	74.00	-24.93	H	Peak	Pass	Harmonic
16	802.11n HT20	100	5468.50	62.61	68.30	-5.69	H	PEAK	Pass	Band Edge
16	802.11n HT20	100	16500.00	48.82	68.30	-19.48	H	Peak	Pass	Harmonic
17	802.11n HT20	116	-	-	-	-	-	-	-	Band Edge
17	802.11n HT20	116	16740.00	48.29	68.30	-20.01	V	Peak	Pass	Harmonic







18	802.11n HT20	140	5725.55	64.73	68.30	-3.57	H	PEAK	Pass	Band Edge
18	802.11n HT20	140	17100.00	48.18	68.30	-20.12	H	Peak	Pass	Harmonic
19	802.11n HT40	38	5149.53	49.45	54.00	-4.55	H	AVERAGE	Pass	Band Edge
19	802.11n HT40	38	10380.00	48.67	68.30	-19.63	H	Peak	Pass	Harmonic
20	802.11n HT40	46	5149.96	49.58	54.00	-4.42	H	AVERAGE	Pass	Band Edge
20	802.11n HT40	46	10460.00	48.15	68.30	-20.15	H	Peak	Pass	Harmonic
21	802.11n HT40	54	5350.18	47.63	54.00	-6.37	H	AVERAGE	Pass	Band Edge
21	802.11n HT40	54	10540.00	48.47	68.30	-19.83	V	Peak	Pass	Harmonic
22	802.11n HT40	62	5350.50	50.26	54.00	-3.74	H	AVERAGE	Pass	Band Edge
22	802.11n HT40	62	10620.00	49.23	74.00	-24.77	H	Peak	Pass	Harmonic
23	802.11n HT40	102	5459.92	49.40	54.00	-4.60	H	AVERAGE	Pass	Band Edge
23	802.11n HT40	102	7346.48	42.34	54.00	-11.66	H	Average	Pass	Harmonic
24	802.11n HT40	134	5732.51	63.00	68.30	-5.30	H	PEAK	Pass	Band Edge
24	802.11n HT40	134	7559.81	40.44	54.00	-13.56	H	Average	Pass	Harmonic
25	802.11ac VHT80	42	5149.73	50.51	54.00	-3.49	H	AVERAGE	Pass	Band Edge
25	802.11ac VHT80	42	10420.00	48.75	68.30	-19.55	H	Peak	Pass	Harmonic
26	802.11ac VHT80	58	5359.36	47.89	54.00	-6.11	H	AVERAGE	Pass	Band Edge
26	802.11ac VHT80	58	10580.00	49.51	68.30	-18.79	H	Peak	Pass	Harmonic
27	802.11ac VHT80	106	5468.44	63.19	68.30	-5.11	H	PEAK	Pass	Band Edge
27	802.11ac VHT80	106	7373.15	43.07	54.00	-10.93	H	Average	Pass	Harmonic
28	802.11ac VHT80	122	5457.12	43.04	54.00	-10.96	H	AVERAGE	Pass	Band Edge
28	802.11ac VHT80	122	7479.81	40.97	54.00	-13.03	H	Average	Pass	Harmonic
29	802.11a	149	5641.62	53.60	68.30	-14.70	V	PEAK	Pass	Band Edge
29	802.11a	149	17235.00	49.59	68.30	-18.71	H	Peak	Pass	Harmonic
30	802.11a	157	-	-	-	-	-	-	-	Band Edge
30	802.11a	157	17355.00	50.19	68.30	-18.11	H	Peak	Pass	Harmonic
31	802.11a	165	5940.50	53.49	68.30	-14.81	H	PEAK	Pass	Band Edge
31	802.11a	165	17475.00	50.11	68.30	-18.19	H	Peak	Pass	Harmonic
32	802.11n HT20	149	5626.25	52.86	68.30	-15.44	V	PEAK	Pass	Band Edge
32	802.11n HT20	149	17235.00	48.62	68.30	-19.68	H	Peak	Pass	Harmonic
33	802.11n HT20	157	-	-	-	-	-	-	-	Band Edge
33	802.11n HT20	157	17355.00	49.24	68.30	-19.06	H	Peak	Pass	Harmonic
34	802.11n HT20	165	5936.63	53.30	68.30	-15.00	V	PEAK	Pass	Band Edge
34	802.11n HT20	165	17475.00	48.39	68.30	-19.91	H	Peak	Pass	Harmonic
35	802.11n HT40	151	5649.91	54.78	68.30	-13.52	V	PEAK	Pass	Band Edge
35	802.11n HT40	151	17265.00	48.94	68.30	-19.36	H	Peak	Pass	Harmonic
36	802.11n HT40	159	5635.30	53.45	68.30	-14.85	H	PEAK	Pass	Band Edge
36	802.11n HT40	159	17385.00	48.36	68.30	-19.94	H	Peak	Pass	Harmonic
37	802.11ac VHT80	155	5930.58	56.39	68.30	-11.91	V	PEAK	Pass	Band Edge
37	802.11ac VHT80	155	17325.00	48.93	68.30	-19.37	V	Peak	Pass	Harmonic
38	802.11a	144	5459.45	40.92	54.00	-13.08	V	Peak	Pass	Band Edge
38	802.11a	144	17160.00	48.97	68.30	-19.33	V	Peak	Pass	Harmonic
39	802.11n HT20	144	5435.25	41.85	54.00	-12.15	V	Peak	Pass	Band Edge
39	802.11n HT20	144	17160.00	49.26	68.30	-19.04	H	Peak	Pass	Harmonic
40	802.11n HT40	142	5398.40	42.70	54.00	-11.30	H	Peak	Pass	Band Edge
40	802.11n HT40	142	17130.00	49.85	68.30	-18.45	H	Peak	Pass	Harmonic
41	802.11ac VHT80	138	5437.45	42.83	54.00	-11.17	V	Peak	Pass	Band Edge







41	802.11ac VHT80	138	17070.00	48.31	68.30	-19.99	V	Peak	Pass	Harmonic
42	802.11ac VHT80	42	65.89	25.08	40.00	-14.92	V	Peak	Pass	LF
43	802.11ac VHT80	155	66.86	25.06	40.00	-14.94	V	Peak	Pass	LF
44	802.11n HT40	110	5459.20	45.15	54.00	-8.85	H	AVERAGE	Pass	Band Edge
44	802.11n HT40	110	-	-	-	-	-	-	-	Harmonic





Mode	1																																																																																					
	Band Edge																																																																																					
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																					
ANT	1																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2026-03-14  500050365072510851445180 <table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.76</td><td>58.06</td><td>74.00</td><td>-15.94</td><td>44.32</td><td>35.86</td><td>10.51</td><td>32.63</td><td>100</td><td>9 PEAK</td></tr></table>			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5149.76	58.06	74.00	-15.94	44.32	35.86	10.51	32.63	100	9 PEAK	Level (dBuV/m) Date: 2026-03-14  100022003400460058007000 <table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>111.51</td><td>-----</td><td>-----</td><td>97.82</td><td>35.87</td><td>10.46</td><td>32.64</td><td>100</td><td>9 PEAK</td></tr></table>			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5180.00	111.51	-----	-----	97.82	35.87	10.46	32.64	100	9 PEAK
			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5149.76	58.06	74.00	-15.94	44.32	35.86	10.51	32.63	100	9 PEAK																																																																												
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5180.00	111.51	-----	-----	97.82	35.87	10.46	32.64	100	9 PEAK																																																																												
Avg	Level (dBuV/m) Date: 2026-03-14  500050365072510851445180 <table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.94</td><td>48.80</td><td>54.00</td><td>-5.20</td><td>35.06</td><td>35.86</td><td>10.51</td><td>32.63</td><td>100</td><td>9 AVERAGE</td></tr></table>			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5149.94	48.80	54.00	-5.20	35.06	35.86	10.51	32.63	100	9 AVERAGE	Level (dBuV/m) Date: 2026-03-14  100022003400460058007000 <table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>104.78</td><td>-----</td><td>-----</td><td>91.11</td><td>35.87</td><td>10.44</td><td>32.64</td><td>100</td><td>9 AVERAGE</td></tr></table>			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5180.00	104.78	-----	-----	91.11	35.87	10.44	32.64	100	9 AVERAGE
			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5149.94	48.80	54.00	-5.20	35.06	35.86	10.51	32.63	100	9 AVERAGE																																																																												
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5180.00	104.78	-----	-----	91.11	35.87	10.44	32.64	100	9 AVERAGE																																																																												





Mode	1																																																																															
	Band Edge																																																																															
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																															
ANT	1																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	Date: 2026-03-14  Level (dBuV/m) vs Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5129.96</td><td>58.67</td><td>74.00</td><td>-15.33</td><td>44.90</td><td>35.85</td><td>10.55</td><td>32.63</td><td>231</td><td>95 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5129.96	58.67	74.00	-15.33	44.90	35.85	10.55	32.63	231	95 PEAK	Date: 2026-03-14  Level (dBuV/m) vs Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>107.67</td><td>-----</td><td>-----</td><td>94.00</td><td>35.87</td><td>10.44</td><td>32.64</td><td>231</td><td>95 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5180.00	107.67	-----	-----	94.00	35.87	10.44	32.64	231	95 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5129.96	58.67	74.00	-15.33	44.90	35.85	10.55	32.63	231	95 PEAK																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5180.00	107.67	-----	-----	94.00	35.87	10.44	32.64	231	95 PEAK																																																																						
Avg	Date: 2026-03-14  Level (dBuV/m) vs Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.76</td><td>45.74</td><td>54.00</td><td>-8.26</td><td>32.00</td><td>35.86</td><td>10.51</td><td>32.63</td><td>231</td><td>95 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5149.76	45.74	54.00	-8.26	32.00	35.86	10.51	32.63	231	95 AVERAGE	Date: 2026-03-14  Level (dBuV/m) vs Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>101.47</td><td>-----</td><td>-----</td><td>87.78</td><td>35.87</td><td>10.46</td><td>32.64</td><td>231</td><td>95 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5180.00	101.47	-----	-----	87.78	35.87	10.46	32.64	231	95 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5149.76	45.74	54.00	-8.26	32.00	35.86	10.51	32.63	231	95 AVERAGE																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5180.00	101.47	-----	-----	87.78	35.87	10.46	32.64	231	95 AVERAGE																																																																						





Mode	1																																																																																															
	Harmonic																																																																																															
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 10360.00</td><td>47.72</td><td>68.30</td><td>-20.58</td><td>46.66</td><td>37.90</td><td>14.59</td><td>51.43</td></tr><tr><td>2 15540.00</td><td>48.57</td><td>74.00</td><td>-25.43</td><td>42.80</td><td>40.79</td><td>17.17</td><td>52.19</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 10360.00	47.72	68.30	-20.58	46.66	37.90	14.59	51.43	2 15540.00	48.57	74.00	-25.43	42.80	40.79	17.17	52.19	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 10360.00</td><td>47.51</td><td>68.30</td><td>-20.79</td><td>46.45</td><td>37.90</td><td>14.59</td><td>51.43</td></tr><tr><td>2 15540.00</td><td>47.36</td><td>74.00</td><td>-26.64</td><td>41.59</td><td>40.79</td><td>17.17</td><td>52.19</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 10360.00	47.51	68.30	-20.79	46.45	37.90	14.59	51.43	2 15540.00	47.36	74.00	-26.64	41.59	40.79	17.17	52.19
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1 10360.00	47.72	68.30	-20.58	46.66	37.90	14.59	51.43																																																																																									
2 15540.00	48.57	74.00	-25.43	42.80	40.79	17.17	52.19																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1 10360.00	47.51	68.30	-20.79	46.45	37.90	14.59	51.43																																																																																									
2 15540.00	47.36	74.00	-26.64	41.59	40.79	17.17	52.19																																																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr><tr><td>1 10360.00</td><td>47.72</td><td>68.30</td><td>-20.58</td><td>46.66</td><td>37.90</td><td>14.59</td><td>51.43</td></tr><tr><td>2 15540.00</td><td>48.57</td><td>74.00</td><td>-25.43</td><td>42.80</td><td>40.79</td><td>17.17</td><td>52.19</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 10360.00	47.72	68.30	-20.58	46.66	37.90	14.59	51.43	2 15540.00	48.57	74.00	-25.43	42.80	40.79	17.17	52.19	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr><tr><td>1 10360.00</td><td>47.51</td><td>68.30</td><td>-20.79</td><td>46.45</td><td>37.90</td><td>14.59</td><td>51.43</td></tr><tr><td>2 15540.00</td><td>47.36</td><td>74.00</td><td>-26.64</td><td>41.59</td><td>40.79</td><td>17.17</td><td>52.19</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 10360.00	47.51	68.30	-20.79	46.45	37.90	14.59	51.43	2 15540.00	47.36	74.00	-26.64	41.59	40.79	17.17	52.19	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																									
1 10360.00	47.72	68.30	-20.58	46.66	37.90	14.59	51.43																																																																																									
2 15540.00	48.57	74.00	-25.43	42.80	40.79	17.17	52.19																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																									
1 10360.00	47.51	68.30	-20.79	46.45	37.90	14.59	51.43																																																																																									
2 15540.00	47.36	74.00	-26.64	41.59	40.79	17.17	52.19																																																																																									





Mode	2																																																																																																																	
	Harmonic																																																																																																																	
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																																	
ANT	1																																																																																																																	
Pol.	Horizontal					Vertical																																																																																																												
Peak Avg																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10440.00</td><td>47.40</td><td>68.30</td><td>-20.90</td><td>46.32</td><td>37.90</td><td>14.59</td><td>51.41</td><td>---</td><td>--- Peak</td></tr><tr><td>2</td><td>15660.00</td><td>46.93</td><td>74.00</td><td>-27.07</td><td>41.30</td><td>40.89</td><td>17.19</td><td>52.45</td><td>---</td><td>--- Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	47.40	68.30	-20.90	46.32	37.90	14.59	51.41	---	--- Peak	2	15660.00	46.93	74.00	-27.07	41.30	40.89	17.19	52.45	---	--- Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10440.00</td><td>47.52</td><td>68.30</td><td>-20.78</td><td>46.44</td><td>37.90</td><td>14.59</td><td>51.41</td><td>---</td><td>--- Peak</td></tr><tr><td>2</td><td>15660.00</td><td>45.97</td><td>74.00</td><td>-28.03</td><td>40.34</td><td>40.89</td><td>17.19</td><td>52.45</td><td>---</td><td>--- Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	47.52	68.30	-20.78	46.44	37.90	14.59	51.41	---	--- Peak	2	15660.00	45.97	74.00	-28.03	40.34	40.89	17.19	52.45	---	--- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	10440.00	47.40	68.30	-20.90	46.32	37.90	14.59	51.41	---	--- Peak																																																																																																								
2	15660.00	46.93	74.00	-27.07	41.30	40.89	17.19	52.45	---	--- Peak																																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	10440.00	47.52	68.30	-20.78	46.44	37.90	14.59	51.41	---	--- Peak																																																																																																								
2	15660.00	45.97	74.00	-28.03	40.34	40.89	17.19	52.45	---	--- Peak																																																																																																								





Mode	3																																																																																															
	Harmonic																																																																																															
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 10480.00</td><td>48.11</td><td>68.30</td><td>-20.19</td><td>47.02</td><td>37.90</td><td>14.59</td><td>51.40</td></tr><tr><td>2 15720.00</td><td>46.79</td><td>74.00</td><td>-27.21</td><td>41.23</td><td>40.95</td><td>17.19</td><td>52.58</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 10480.00	48.11	68.30	-20.19	47.02	37.90	14.59	51.40	2 15720.00	46.79	74.00	-27.21	41.23	40.95	17.19	52.58	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 10480.00</td><td>48.44</td><td>68.30</td><td>-19.86</td><td>47.35</td><td>37.90</td><td>14.59</td><td>51.40</td></tr><tr><td>2 15720.00</td><td>47.38</td><td>74.00</td><td>-26.62</td><td>41.82</td><td>40.95</td><td>17.19</td><td>52.58</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 10480.00	48.44	68.30	-19.86	47.35	37.90	14.59	51.40	2 15720.00	47.38	74.00	-26.62	41.82	40.95	17.19	52.58
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1 10480.00	48.11	68.30	-20.19	47.02	37.90	14.59	51.40																																																																																									
2 15720.00	46.79	74.00	-27.21	41.23	40.95	17.19	52.58																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1 10480.00	48.44	68.30	-19.86	47.35	37.90	14.59	51.40																																																																																									
2 15720.00	47.38	74.00	-26.62	41.82	40.95	17.19	52.58																																																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr><tr><td>1 10480.00</td><td>48.11</td><td>68.30</td><td>-20.19</td><td>47.02</td><td>37.90</td><td>14.59</td><td>51.40</td></tr><tr><td>2 15720.00</td><td>46.79</td><td>74.00</td><td>-27.21</td><td>41.23</td><td>40.95</td><td>17.19</td><td>52.58</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 10480.00	48.11	68.30	-20.19	47.02	37.90	14.59	51.40	2 15720.00	46.79	74.00	-27.21	41.23	40.95	17.19	52.58	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr><tr><td>1 10480.00</td><td>48.44</td><td>68.30</td><td>-19.86</td><td>47.35</td><td>37.90</td><td>14.59</td><td>51.40</td></tr><tr><td>2 15720.00</td><td>47.38</td><td>74.00</td><td>-26.62</td><td>41.82</td><td>40.95</td><td>17.19</td><td>52.58</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 10480.00	48.44	68.30	-19.86	47.35	37.90	14.59	51.40	2 15720.00	47.38	74.00	-26.62	41.82	40.95	17.19	52.58	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																									
1 10480.00	48.11	68.30	-20.19	47.02	37.90	14.59	51.40																																																																																									
2 15720.00	46.79	74.00	-27.21	41.23	40.95	17.19	52.58																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																									
1 10480.00	48.44	68.30	-19.86	47.35	37.90	14.59	51.40																																																																																									
2 15720.00	47.38	74.00	-26.62	41.82	40.95	17.19	52.58																																																																																									



Mode	4																																																																																															
	Harmonic																																																																																															
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>10520.00</td><td>47.18</td><td>68.30</td><td>-21.12</td><td>46.06</td><td>37.90</td><td>14.60</td></tr><tr><td>2</td><td>15780.00</td><td>47.97</td><td>74.00</td><td>-26.03</td><td>42.49</td><td>41.00</td><td>17.20</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	10520.00	47.18	68.30	-21.12	46.06	37.90	14.60	2	15780.00	47.97	74.00	-26.03	42.49	41.00	17.20	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>10520.00</td><td>47.43</td><td>68.30</td><td>-20.87</td><td>46.31</td><td>37.90</td><td>14.60</td></tr><tr><td>2</td><td>15780.00</td><td>49.00</td><td>74.00</td><td>-25.00</td><td>43.52</td><td>41.00</td><td>17.20</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	10520.00	47.43	68.30	-20.87	46.31	37.90	14.60	2	15780.00	49.00	74.00	-25.00	43.52	41.00	17.20
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	10520.00	47.18	68.30	-21.12	46.06	37.90	14.60																																																																																									
2	15780.00	47.97	74.00	-26.03	42.49	41.00	17.20																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	10520.00	47.43	68.30	-20.87	46.31	37.90	14.60																																																																																									
2	15780.00	49.00	74.00	-25.00	43.52	41.00	17.20																																																																																									
<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10520.00</td><td>47.18</td><td>68.30</td><td>-21.12</td><td>46.06</td><td>37.90</td><td>14.60</td><td>---</td><td>---</td></tr><tr><td>2</td><td>15780.00</td><td>47.97</td><td>74.00</td><td>-26.03</td><td>42.49</td><td>41.00</td><td>17.20</td><td>---</td><td>---</td></tr></tbody></table>									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10520.00	47.18	68.30	-21.12	46.06	37.90	14.60	---	---	2	15780.00	47.97	74.00	-26.03	42.49	41.00	17.20	---	---	<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10520.00</td><td>47.43</td><td>68.30</td><td>-20.87</td><td>46.31</td><td>37.90</td><td>14.60</td><td>---</td><td>---</td></tr><tr><td>2</td><td>15780.00</td><td>49.00</td><td>74.00</td><td>-25.00</td><td>43.52</td><td>41.00</td><td>17.20</td><td>---</td><td>---</td></tr></tbody></table>									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10520.00	47.43	68.30	-20.87	46.31	37.90	14.60	---	---	2	15780.00	49.00	74.00	-25.00	43.52	41.00	17.20	---	---																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	10520.00	47.18	68.30	-21.12	46.06	37.90	14.60	---	---																																																																																							
2	15780.00	47.97	74.00	-26.03	42.49	41.00	17.20	---	---																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	10520.00	47.43	68.30	-20.87	46.31	37.90	14.60	---	---																																																																																							
2	15780.00	49.00	74.00	-25.00	43.52	41.00	17.20	---	---																																																																																							
Peak								Peak																																																																																								



Mode	5																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																																																	
ANT	1																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10600.00</td><td>47.92</td><td>74.00</td><td>-26.08</td><td>46.72</td><td>37.90</td><td>14.60</td><td>51.30</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15900.00</td><td>48.54</td><td>74.00</td><td>-25.46</td><td>43.19</td><td>41.11</td><td>17.22</td><td>52.98</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		cm	deg			1	10600.00	47.92	74.00	-26.08	46.72	37.90	14.60	51.30	---	---	Peak	2	15900.00	48.54	74.00	-25.46	43.19	41.11	17.22	52.98	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10600.00</td><td>48.62</td><td>74.00</td><td>-25.38</td><td>47.42</td><td>37.90</td><td>14.60</td><td>51.30</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15900.00</td><td>48.48</td><td>74.00</td><td>-25.52</td><td>43.13</td><td>41.11</td><td>17.22</td><td>52.98</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		cm	deg			1	10600.00	48.62	74.00	-25.38	47.42	37.90	14.60	51.30	---	---	Peak	2	15900.00	48.48	74.00	-25.52	43.13	41.11	17.22	52.98	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		cm	deg																																																																																																																									
1	10600.00	47.92	74.00	-26.08	46.72	37.90	14.60	51.30	---	---	Peak																																																																																																																							
2	15900.00	48.54	74.00	-25.46	43.19	41.11	17.22	52.98	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		cm	deg																																																																																																																									
1	10600.00	48.62	74.00	-25.38	47.42	37.90	14.60	51.30	---	---	Peak																																																																																																																							
2	15900.00	48.48	74.00	-25.52	43.13	41.11	17.22	52.98	---	---	Peak																																																																																																																							
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10600.00</td><td>47.92</td><td>74.00</td><td>-26.08</td><td>46.72</td><td>37.90</td><td>14.60</td><td>51.30</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15900.00</td><td>48.54</td><td>74.00</td><td>-25.46</td><td>43.19</td><td>41.11</td><td>17.22</td><td>52.98</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		cm	deg			1	10600.00	47.92	74.00	-26.08	46.72	37.90	14.60	51.30	---	---	Peak	2	15900.00	48.54	74.00	-25.46	43.19	41.11	17.22	52.98	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10600.00</td><td>48.62</td><td>74.00</td><td>-25.38</td><td>47.42</td><td>37.90</td><td>14.60</td><td>51.30</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15900.00</td><td>48.48</td><td>74.00</td><td>-25.52</td><td>43.13</td><td>41.11</td><td>17.22</td><td>52.98</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		cm	deg			1	10600.00	48.62	74.00	-25.38	47.42	37.90	14.60	51.30	---	---	Peak	2	15900.00	48.48	74.00	-25.52	43.13	41.11	17.22	52.98	---	---	Peak
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		cm	deg																																																																																																																									
1	10600.00	47.92	74.00	-26.08	46.72	37.90	14.60	51.30	---	---	Peak																																																																																																																							
2	15900.00	48.54	74.00	-25.46	43.19	41.11	17.22	52.98	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		cm	deg																																																																																																																									
1	10600.00	48.62	74.00	-25.38	47.42	37.90	14.60	51.30	---	---	Peak																																																																																																																							
2	15900.00	48.48	74.00	-25.52	43.13	41.11	17.22	52.98	---	---	Peak																																																																																																																							





		6	
Mode	Band Edge		
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz		
ANT	1		
Pol.	Horizontal	Fundamental	
Peak	<		



Mode	6																																																																																								
	Band Edge																																																																																								
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																								
ANT	1																																																																																								
Pol.	Vertical					Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2026-03-15 PART 15.407					Level (dBuV/m) Date: 2026-03-15 PART 15.407																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5350.24</td><td>57.82</td><td>74.00</td><td>-16.18</td><td>44.00</td><td>35.94</td><td>10.55</td><td>32.67</td><td>247</td><td>85 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5350.24	57.82	74.00	-16.18	44.00	35.94	10.55	32.67	247	85 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5320.00</td><td>109.03</td><td>-----</td><td>-----</td><td>95.19</td><td>35.93</td><td>10.58</td><td>32.67</td><td>247</td><td>85 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5320.00	109.03	-----	-----	95.19	35.93	10.58	32.67	247
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5350.24	57.82	74.00	-16.18	44.00	35.94	10.55	32.67	247	85 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5320.00	109.03	-----	-----	95.19	35.93	10.58	32.67	247	85 PEAK																																																																																
Avg	Level (dBuV/m) Date: 2026-03-15 PART 15.407 AVG					Level (dBuV/m) Date: 2026-03-15 PART 15.407 AVG																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5350.10</td><td>48.04</td><td>54.00</td><td>-5.96</td><td>34.22</td><td>35.94</td><td>10.55</td><td>32.67</td><td>247</td><td>85 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5350.10	48.04	54.00	-5.96	34.22	35.94	10.55	32.67	247	85 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5320.00</td><td>101.61</td><td>-----</td><td>-----</td><td>87.76</td><td>35.93</td><td>10.58</td><td>32.66</td><td>247</td><td>85 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5320.00	101.61	-----	-----	87.76	35.93	10.58	32.66	247
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5350.10	48.04	54.00	-5.96	34.22	35.94	10.55	32.67	247	85 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5320.00	101.61	-----	-----	87.76	35.93	10.58	32.66	247	85 AVERAGE																																																																																



Mode	6																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																																	
ANT	1																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10640.00</td><td>47.35</td><td>74.00</td><td>-26.65</td><td>46.11</td><td>37.90</td><td>14.60</td><td>51.26</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15960.00</td><td>48.79</td><td>74.00</td><td>-25.21</td><td>43.51</td><td>41.16</td><td>17.23</td><td>53.11</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	10640.00	47.35	74.00	-26.65	46.11	37.90	14.60	51.26	---	---	Peak	2	15960.00	48.79	74.00	-25.21	43.51	41.16	17.23	53.11	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10640.00</td><td>47.51</td><td>74.00</td><td>-26.49</td><td>46.27</td><td>37.90</td><td>14.60</td><td>51.26</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15960.00</td><td>48.65</td><td>74.00</td><td>-25.35</td><td>43.37</td><td>41.16</td><td>17.23</td><td>53.11</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	10640.00	47.51	74.00	-26.49	46.27	37.90	14.60	51.26	---	---	Peak	2	15960.00	48.65	74.00	-25.35	43.37	41.16	17.23	53.11	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	10640.00	47.35	74.00	-26.65	46.11	37.90	14.60	51.26	---	---	Peak																																																																																																																							
2	15960.00	48.79	74.00	-25.21	43.51	41.16	17.23	53.11	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	10640.00	47.51	74.00	-26.49	46.27	37.90	14.60	51.26	---	---	Peak																																																																																																																							
2	15960.00	48.65	74.00	-25.35	43.37	41.16	17.23	53.11	---	---	Peak																																																																																																																							
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10640.00</td><td>47.35</td><td>74.00</td><td>-26.65</td><td>46.11</td><td>37.90</td><td>14.60</td><td>51.26</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15960.00</td><td>48.79</td><td>74.00</td><td>-25.21</td><td>43.51</td><td>41.16</td><td>17.23</td><td>53.11</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	10640.00	47.35	74.00	-26.65	46.11	37.90	14.60	51.26	---	---	Peak	2	15960.00	48.79	74.00	-25.21	43.51	41.16	17.23	53.11	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10640.00</td><td>47.51</td><td>74.00</td><td>-26.49</td><td>46.27</td><td>37.90</td><td>14.60</td><td>51.26</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15960.00</td><td>48.65</td><td>74.00</td><td>-25.35</td><td>43.37</td><td>41.16</td><td>17.23</td><td>53.11</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	10640.00	47.51	74.00	-26.49	46.27	37.90	14.60	51.26	---	---	Peak	2	15960.00	48.65	74.00	-25.35	43.37	41.16	17.23	53.11	---	---	Peak
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	10640.00	47.35	74.00	-26.65	46.11	37.90	14.60	51.26	---	---	Peak																																																																																																																							
2	15960.00	48.79	74.00	-25.21	43.51	41.16	17.23	53.11	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	10640.00	47.51	74.00	-26.49	46.27	37.90	14.60	51.26	---	---	Peak																																																																																																																							
2	15960.00	48.65	74.00	-25.35	43.37	41.16	17.23	53.11	---	---	Peak																																																																																																																							





Mode	7																																																																																													
	Band Edge																																																																																													
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																													
ANT	1																																																																																													
Pol.	Horizontal	Fundamental																																																																																												
Peak	Level (dBuV/m) Date: 2026-03-15 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.30</td><td>56.16</td><td>74.00</td><td>-17.84</td><td>42.33</td><td>35.98</td><td>10.54</td><td>32.69</td><td>114</td><td>0 PEAK</td></tr><tr><td>2</td><td>5468.35</td><td>64.79</td><td>68.30</td><td>-3.51</td><td>50.94</td><td>35.99</td><td>10.55</td><td>32.69</td><td>114</td><td>0 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5458.30	56.16	74.00	-17.84	42.33	35.98	10.54	32.69	114	0 PEAK	2	5468.35	64.79	68.30	-3.51	50.94	35.99	10.55	32.69	114	0 PEAK	Level (dBuV/m) Date: 2026-03-15 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>109.71</td><td>-----</td><td>95.83</td><td>36.00</td><td>10.58</td><td>32.70</td><td>114</td><td>0 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	109.71	-----	95.83	36.00	10.58	32.70	114	0 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5458.30	56.16	74.00	-17.84	42.33	35.98	10.54	32.69	114	0 PEAK																																																																																				
2	5468.35	64.79	68.30	-3.51	50.94	35.99	10.55	32.69	114	0 PEAK																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5500.00	109.71	-----	95.83	36.00	10.58	32.70	114	0 PEAK																																																																																					
Avg	Level (dBuV/m) Date: 2026-03-15 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.95</td><td>46.51</td><td>54.00</td><td>-7.49</td><td>32.68</td><td>35.98</td><td>10.54</td><td>32.69</td><td>114</td><td>0 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.95	46.51	54.00	-7.49	32.68	35.98	10.54	32.69	114	0 AVERAGE	Level (dBuV/m) Date: 2026-03-15 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>102.51</td><td>-----</td><td>88.63</td><td>36.00</td><td>10.58</td><td>32.70</td><td>114</td><td>0 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	102.51	-----	88.63	36.00	10.58	32.70	114	0 AVERAGE											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5459.95	46.51	54.00	-7.49	32.68	35.98	10.54	32.69	114	0 AVERAGE																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5500.00	102.51	-----	88.63	36.00	10.58	32.70	114	0 AVERAGE																																																																																					





Mode	7	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak		



Mode	7																																																																																																									
	Harmonic																																																																																																									
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Horizontal	Vertical																																																																																																								
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>47.35</td><td>74.00</td><td>-26.65</td><td>46.11</td><td>37.90</td><td>14.60</td><td>51.26</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15960.00</td><td>48.79</td><td>74.00</td><td>-25.21</td><td>43.51</td><td>41.16</td><td>17.23</td><td>53.11</td><td>---</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	47.35	74.00	-26.65	46.11	37.90	14.60	51.26	---	---	Peak	2	15960.00	48.79	74.00	-25.21	43.51	41.16	17.23	53.11	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>47.51</td><td>74.00</td><td>-26.49</td><td>46.27</td><td>37.90</td><td>14.60</td><td>51.26</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15960.00</td><td>48.65</td><td>74.00</td><td>-25.35</td><td>43.37</td><td>41.16</td><td>17.23</td><td>53.11</td><td>---</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	47.51	74.00	-26.49	46.27	37.90	14.60	51.26	---	---	Peak	2	15960.00	48.65	74.00	-25.35	43.37	41.16	17.23	53.11	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	10640.00	47.35	74.00	-26.65	46.11	37.90	14.60	51.26	---	---	Peak																																																																																															
2	15960.00	48.79	74.00	-25.21	43.51	41.16	17.23	53.11	---	---	Peak																																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	10640.00	47.51	74.00	-26.49	46.27	37.90	14.60	51.26	---	---	Peak																																																																																															
2	15960.00	48.65	74.00	-25.35	43.37	41.16	17.23	53.11	---	---	Peak																																																																																															



Mode	8																																																																																															
	Harmonic																																																																																															
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 11160.00</td><td>47.96</td><td>74.00</td><td>-26.04</td><td>45.94</td><td>38.01</td><td>14.72</td><td>50.71</td></tr><tr><td>2 16740.00</td><td>47.47</td><td>68.30</td><td>-20.83</td><td>40.03</td><td>42.38</td><td>17.87</td><td>52.81</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11160.00	47.96	74.00	-26.04	45.94	38.01	14.72	50.71	2 16740.00	47.47	68.30	-20.83	40.03	42.38	17.87	52.81	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 11160.00</td><td>47.57</td><td>74.00</td><td>-26.43</td><td>45.55</td><td>38.01</td><td>14.72</td><td>50.71</td></tr><tr><td>2 16740.00</td><td>47.84</td><td>68.30</td><td>-20.46</td><td>40.40</td><td>42.38</td><td>17.87</td><td>52.81</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11160.00	47.57	74.00	-26.43	45.55	38.01	14.72	50.71	2 16740.00	47.84	68.30	-20.46	40.40	42.38	17.87	52.81
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1 11160.00	47.96	74.00	-26.04	45.94	38.01	14.72	50.71																																																																																									
2 16740.00	47.47	68.30	-20.83	40.03	42.38	17.87	52.81																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1 11160.00	47.57	74.00	-26.43	45.55	38.01	14.72	50.71																																																																																									
2 16740.00	47.84	68.30	-20.46	40.40	42.38	17.87	52.81																																																																																									
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 11160.00</td><td>47.96</td><td>74.00</td><td>-26.04</td><td>45.94</td><td>38.01</td><td>14.72</td><td>50.71</td></tr><tr><td>2 16740.00</td><td>47.47</td><td>68.30</td><td>-20.83</td><td>40.03</td><td>42.38</td><td>17.87</td><td>52.81</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 11160.00	47.96	74.00	-26.04	45.94	38.01	14.72	50.71	2 16740.00	47.47	68.30	-20.83	40.03	42.38	17.87	52.81	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 11160.00</td><td>47.57</td><td>74.00</td><td>-26.43</td><td>45.55</td><td>38.01</td><td>14.72</td><td>50.71</td></tr><tr><td>2 16740.00</td><td>47.84</td><td>68.30</td><td>-20.46</td><td>40.40</td><td>42.38</td><td>17.87</td><td>52.81</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 11160.00	47.57	74.00	-26.43	45.55	38.01	14.72	50.71	2 16740.00	47.84	68.30	-20.46	40.40	42.38	17.87	52.81	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																									
1 11160.00	47.96	74.00	-26.04	45.94	38.01	14.72	50.71																																																																																									
2 16740.00	47.47	68.30	-20.83	40.03	42.38	17.87	52.81																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																									
1 11160.00	47.57	74.00	-26.43	45.55	38.01	14.72	50.71																																																																																									
2 16740.00	47.84	68.30	-20.46	40.40	42.38	17.87	52.81																																																																																									





Mode	9																																																																																	
	Band Edge																																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2026-03-15 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.81</td><td>63.54</td><td>68.30</td><td>-4.76</td><td>49.10</td><td>36.36</td><td>10.87</td><td>32.79</td><td>100 5 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5725.81	63.54	68.30	-4.76	49.10	36.36	10.87	32.79	100 5 PEAK	Level (dBuV/m) Date: 2026-03-15 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>110.23</td><td>-----</td><td>-----</td><td>95.79</td><td>36.32</td><td>10.90</td><td>32.78</td><td>100 5 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	110.23	-----	-----	95.79	36.32	10.90	32.78	100 5 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5725.81	63.54	68.30	-4.76	49.10	36.36	10.87	32.79	100 5 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5700.00	110.23	-----	-----	95.79	36.32	10.90	32.78	100 5 PEAK																																																																									
Avg	Blank	Level (dBuV/m) Date: 2026-03-15 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>102.78</td><td>-----</td><td>-----</td><td>88.34</td><td>36.32</td><td>10.90</td><td>32.78</td><td>100 5 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	102.78	-----	-----	88.34	36.32	10.90	32.78	100 5 AVERAGE																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5700.00	102.78	-----	-----	88.34	36.32	10.90	32.78	100 5 AVERAGE																																																																									







Mode	9																																																																																			
	Band Edge																																																																																			
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																			
ANT	1																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2026-03-15 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.26</td><td>61.08</td><td>68.30</td><td>-7.22</td><td>46.64</td><td>36.36</td><td>10.87</td><td>32.79</td><td>261</td><td>92 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5726.26	61.08	68.30	-7.22	46.64	36.36	10.87	32.79	261	92 PEAK	Level (dBuV/m) Date: 2026-03-15 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>105.60</td><td>-----</td><td>-----</td><td>91.16</td><td>36.33</td><td>10.89</td><td>32.78</td><td>261</td><td>92 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	105.60	-----	-----	91.16	36.33	10.89	32.78	261	92 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5726.26	61.08	68.30	-7.22	46.64	36.36	10.87	32.79	261	92 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5700.00	105.60	-----	-----	91.16	36.33	10.89	32.78	261	92 PEAK																																																																										
Avg	Blank	Level (dBuV/m) Date: 2026-03-15 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>98.86</td><td>-----</td><td>-----</td><td>84.42</td><td>36.32</td><td>10.90</td><td>32.78</td><td>261</td><td>92 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	98.86	-----	-----	84.42	36.32	10.90	32.78	261	92 AVERAGE																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5700.00	98.86	-----	-----	84.42	36.32	10.90	32.78	261	92 AVERAGE																																																																										







Mode	9																																																																																	
	Harmonic																																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>11400.00</td><td>47.69</td><td>74.00</td><td>-26.31</td><td>45.06</td><td>38.18</td><td>14.87</td></tr><tr><td>2</td><td>17100.00</td><td>47.16</td><td>68.30</td><td>-21.14</td><td>39.01</td><td>42.81</td><td>18.06</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11400.00	47.69	74.00	-26.31	45.06	38.18	14.87	2	17100.00	47.16	68.30	-21.14	39.01	42.81	18.06	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>11400.00</td><td>48.05</td><td>74.00</td><td>-25.95</td><td>45.42</td><td>38.18</td><td>14.87</td></tr><tr><td>2</td><td>17100.00</td><td>48.05</td><td>68.30</td><td>-20.25</td><td>39.90</td><td>42.81</td><td>18.06</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11400.00	48.05	74.00	-25.95	45.42	38.18	14.87	2	17100.00	48.05	68.30	-20.25	39.90	42.81	18.06
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																											
1	11400.00	47.69	74.00	-26.31	45.06	38.18	14.87																																																																											
2	17100.00	47.16	68.30	-21.14	39.01	42.81	18.06																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																											
1	11400.00	48.05	74.00	-25.95	45.42	38.18	14.87																																																																											
2	17100.00	48.05	68.30	-20.25	39.90	42.81	18.06																																																																											





Mode	10																																																																																							
	Band Edge																																																																																							
	U-NII-1_5.15-5.25_802.11n HT20_CH36_5180MHz																																																																																							
ANT	1																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2026-03-15  500050365072510851445180 <table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5149.58</td><td>59.15</td><td>74.00</td><td>-14.85</td><td>45.41</td><td>35.86</td><td>10.51</td><td>32.63</td><td>102</td><td>0</td><td>PEAK</td></tr></table>			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1 5149.58	59.15	74.00	-14.85	45.41	35.86	10.51	32.63	102	0	PEAK	Level (dBuV/m) Date: 2026-03-15  100022003400460058007000 <table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5180.00</td><td>111.43</td><td>-----</td><td>-----</td><td>97.74</td><td>35.87</td><td>10.46</td><td>32.64</td><td>102</td><td>0</td><td>PEAK</td></tr></table>			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1 5180.00	111.43	-----	-----	97.74	35.87	10.46	32.64	102	0	PEAK
			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5149.58	59.15	74.00	-14.85	45.41	35.86	10.51	32.63	102	0	PEAK																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5180.00	111.43	-----	-----	97.74	35.87	10.46	32.64	102	0	PEAK																																																																														
Avg	Level (dBuV/m) Date: 2026-03-15  500050365072510851445180 <table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5149.76</td><td>48.86</td><td>54.00</td><td>-5.14</td><td>35.12</td><td>35.86</td><td>10.51</td><td>32.63</td><td>102</td><td>0</td><td>AVERAGE</td></tr></table>			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1 5149.76	48.86	54.00	-5.14	35.12	35.86	10.51	32.63	102	0	AVERAGE	Level (dBuV/m) Date: 2026-03-15  100022003400460058007000 <table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5180.00</td><td>104.02</td><td>-----</td><td>-----</td><td>90.35</td><td>35.87</td><td>10.44</td><td>32.64</td><td>102</td><td>0</td><td>AVERAGE</td></tr></table>			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1 5180.00	104.02	-----	-----	90.35	35.87	10.44	32.64	102	0	AVERAGE
			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5149.76	48.86	54.00	-5.14	35.12	35.86	10.51	32.63	102	0	AVERAGE																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5180.00	104.02	-----	-----	90.35	35.87	10.44	32.64	102	0	AVERAGE																																																																														





Mode	10																																																																																	
	Band Edge																																																																																	
	U-NII-1_5.15-5.25_802.11n HT20_CH36_5180MHz																																																																																	
ANT	1																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2026-03-15  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5149.40</td><td>57.27</td><td>74.00</td><td>-16.73</td><td>43.53</td><td>35.86</td><td>10.51</td><td>32.63</td><td>215</td><td>92 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5149.40	57.27	74.00	-16.73	43.53	35.86	10.51	32.63	215	92 PEAK	Level (dBuV/m) Date: 2026-03-15  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5180.00</td><td>109.87</td><td>-----</td><td>-----</td><td>96.20</td><td>35.87</td><td>10.44</td><td>32.64</td><td>215</td><td>92 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5180.00	109.87	-----	-----	96.20	35.87	10.44	32.64	215	92 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5149.40	57.27	74.00	-16.73	43.53	35.86	10.51	32.63	215	92 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5180.00	109.87	-----	-----	96.20	35.87	10.44	32.64	215	92 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2026-03-15  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5149.76</td><td>47.63</td><td>54.00</td><td>-6.37</td><td>33.89</td><td>35.86</td><td>10.51</td><td>32.63</td><td>215</td><td>92 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5149.76	47.63	54.00	-6.37	33.89	35.86	10.51	32.63	215	92 AVERAGE	Level (dBuV/m) Date: 2026-03-15  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5180.00</td><td>102.54</td><td>-----</td><td>-----</td><td>88.87</td><td>35.87</td><td>10.44</td><td>32.64</td><td>215</td><td>92 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5180.00	102.54	-----	-----	88.87	35.87	10.44	32.64	215	92 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5149.76	47.63	54.00	-6.37	33.89	35.86	10.51	32.63	215	92 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5180.00	102.54	-----	-----	88.87	35.87	10.44	32.64	215	92 AVERAGE																																																																									





Mode	10																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-1_5.15-5.25_802.11n HT20_CH36_5180MHz																																																																																																																																	
ANT	1																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10360.00</td><td>47.38</td><td>68.30</td><td>-20.92</td><td>46.32</td><td>37.90</td><td>14.59</td><td>51.43</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15540.00</td><td>46.99</td><td>74.00</td><td>-27.01</td><td>41.22</td><td>40.79</td><td>17.17</td><td>52.19</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	10360.00	47.38	68.30	-20.92	46.32	37.90	14.59	51.43	---	---	Peak	2	15540.00	46.99	74.00	-27.01	41.22	40.79	17.17	52.19	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10360.00</td><td>47.03</td><td>68.30</td><td>-21.27</td><td>45.97</td><td>37.90</td><td>14.59</td><td>51.43</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15540.00</td><td>46.97</td><td>74.00</td><td>-27.03</td><td>41.20</td><td>40.79</td><td>17.17</td><td>52.19</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	10360.00	47.03	68.30	-21.27	45.97	37.90	14.59	51.43	---	---	Peak	2	15540.00	46.97	74.00	-27.03	41.20	40.79	17.17	52.19	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	10360.00	47.38	68.30	-20.92	46.32	37.90	14.59	51.43	---	---	Peak																																																																																																																							
2	15540.00	46.99	74.00	-27.01	41.22	40.79	17.17	52.19	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	10360.00	47.03	68.30	-21.27	45.97	37.90	14.59	51.43	---	---	Peak																																																																																																																							
2	15540.00	46.97	74.00	-27.03	41.20	40.79	17.17	52.19	---	---	Peak																																																																																																																							





Mode	11																																																																																															
	Harmonic																																																																																															
	U-NII-1_5.15-5.25_802.11n HT20_CH44_5220MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal										Vertical																																																																																					
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>10440.00</td><td>48.08</td><td>68.30</td><td>-20.22</td><td>47.00</td><td>37.90</td><td>14.59</td></tr><tr><td>2</td><td>15660.00</td><td>47.26</td><td>74.00</td><td>-26.74</td><td>41.63</td><td>40.89</td><td>17.19</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	10440.00	48.08	68.30	-20.22	47.00	37.90	14.59	2	15660.00	47.26	74.00	-26.74	41.63	40.89	17.19	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>10440.00</td><td>46.85</td><td>68.30</td><td>-21.45</td><td>45.77</td><td>37.90</td><td>14.59</td></tr><tr><td>2</td><td>15660.00</td><td>46.58</td><td>74.00</td><td>-27.42</td><td>40.95</td><td>40.89</td><td>17.19</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	10440.00	46.85	68.30	-21.45	45.77	37.90	14.59	2	15660.00	46.58	74.00	-27.42	40.95	40.89	17.19
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	10440.00	48.08	68.30	-20.22	47.00	37.90	14.59																																																																																									
2	15660.00	47.26	74.00	-26.74	41.63	40.89	17.19																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	10440.00	46.85	68.30	-21.45	45.77	37.90	14.59																																																																																									
2	15660.00	46.58	74.00	-27.42	40.95	40.89	17.19																																																																																									





Mode	12																																																																																															
	Harmonic																																																																																															
	U-NII-1_5.15-5.25_802.11n HT20_CH48_5240MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>10480.00</td><td>47.20</td><td>68.30</td><td>-21.10</td><td>46.11</td><td>37.90</td><td>14.59</td></tr><tr><td>2</td><td>15720.00</td><td>46.75</td><td>74.00</td><td>-27.25</td><td>41.19</td><td>40.95</td><td>17.19</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	10480.00	47.20	68.30	-21.10	46.11	37.90	14.59	2	15720.00	46.75	74.00	-27.25	41.19	40.95	17.19	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>10480.00</td><td>47.47</td><td>68.30</td><td>-20.83</td><td>46.38</td><td>37.90</td><td>14.59</td></tr><tr><td>2</td><td>15720.00</td><td>47.02</td><td>74.00</td><td>-26.98</td><td>41.46</td><td>40.95</td><td>17.19</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	10480.00	47.47	68.30	-20.83	46.38	37.90	14.59	2	15720.00	47.02	74.00	-26.98	41.46	40.95	17.19
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	10480.00	47.20	68.30	-21.10	46.11	37.90	14.59																																																																																									
2	15720.00	46.75	74.00	-27.25	41.19	40.95	17.19																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	10480.00	47.47	68.30	-20.83	46.38	37.90	14.59																																																																																									
2	15720.00	47.02	74.00	-26.98	41.46	40.95	17.19																																																																																									



Mode	13																																																																																															
	Harmonic																																																																																															
	U-NII-2A_5.25-5.35_802.11n HT20_CH52_5260MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 10520.00</td><td>46.75</td><td>68.30</td><td>-21.55</td><td>45.63</td><td>37.90</td><td>14.60</td><td>51.38</td></tr><tr><td>2 15780.00</td><td>47.78</td><td>74.00</td><td>-26.22</td><td>42.30</td><td>41.00</td><td>17.20</td><td>52.72</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 10520.00	46.75	68.30	-21.55	45.63	37.90	14.60	51.38	2 15780.00	47.78	74.00	-26.22	42.30	41.00	17.20	52.72	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 10520.00</td><td>46.56</td><td>68.30</td><td>-21.74</td><td>45.44</td><td>37.90</td><td>14.60</td><td>51.38</td></tr><tr><td>2 15780.00</td><td>47.87</td><td>74.00</td><td>-26.13</td><td>42.39</td><td>41.00</td><td>17.20</td><td>52.72</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 10520.00	46.56	68.30	-21.74	45.44	37.90	14.60	51.38	2 15780.00	47.87	74.00	-26.13	42.39	41.00	17.20	52.72
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1 10520.00	46.75	68.30	-21.55	45.63	37.90	14.60	51.38																																																																																									
2 15780.00	47.78	74.00	-26.22	42.30	41.00	17.20	52.72																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1 10520.00	46.56	68.30	-21.74	45.44	37.90	14.60	51.38																																																																																									
2 15780.00	47.87	74.00	-26.13	42.39	41.00	17.20	52.72																																																																																									







Mode	14																																																																																															
	Harmonic																																																																																															
	U-NII-2A_5.25-5.35_802.11n HT20_CH60_5300MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>10600.00</td><td>46.67</td><td>74.00</td><td>-27.33</td><td>45.47</td><td>37.90</td><td>14.60</td></tr><tr><td>2</td><td>15900.00</td><td>47.58</td><td>74.00</td><td>-26.42</td><td>42.23</td><td>41.11</td><td>17.22</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	10600.00	46.67	74.00	-27.33	45.47	37.90	14.60	2	15900.00	47.58	74.00	-26.42	42.23	41.11	17.22	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>10600.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>46.33</td><td>37.90</td><td>14.60</td></tr><tr><td>2</td><td>15900.00</td><td>48.37</td><td>74.00</td><td>-25.63</td><td>43.02</td><td>41.11</td><td>17.22</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	10600.00	47.53	74.00	-26.47	46.33	37.90	14.60	2	15900.00	48.37	74.00	-25.63	43.02	41.11	17.22
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	10600.00	46.67	74.00	-27.33	45.47	37.90	14.60																																																																																									
2	15900.00	47.58	74.00	-26.42	42.23	41.11	17.22																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	10600.00	47.53	74.00	-26.47	46.33	37.90	14.60																																																																																									
2	15900.00	48.37	74.00	-25.63	43.02	41.11	17.22																																																																																									





Mode	15																																																																																	
	Band Edge																																																																																	
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2026-03-15 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5352.20</td><td>59.56</td><td>74.00</td><td>-14.44</td><td>45.74</td><td>35.94</td><td>10.55</td><td>32.67</td><td>107</td><td>0 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5352.20	59.56	74.00	-14.44	45.74	35.94	10.55	32.67	107	0 PEAK	Level (dBuV/m) Date: 2026-03-15 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5320.00</td><td>111.24</td><td>-----</td><td>-----</td><td>97.39</td><td>35.93</td><td>10.58</td><td>32.66</td><td>107</td><td>0 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5320.00	111.24	-----	-----	97.39	35.93	10.58	32.66	107	0 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5352.20	59.56	74.00	-14.44	45.74	35.94	10.55	32.67	107	0 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5320.00	111.24	-----	-----	97.39	35.93	10.58	32.66	107	0 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2026-03-15 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5350.10</td><td>49.02</td><td>54.00</td><td>-4.98</td><td>35.20</td><td>35.94</td><td>10.55</td><td>32.67</td><td>107</td><td>0 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5350.10	49.02	54.00	-4.98	35.20	35.94	10.55	32.67	107	0 AVERAGE	Level (dBuV/m) Date: 2026-03-15 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5320.00</td><td>104.48</td><td>-----</td><td>-----</td><td>90.63</td><td>35.93</td><td>10.58</td><td>32.66</td><td>107</td><td>0 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5320.00	104.48	-----	-----	90.63	35.93	10.58	32.66	107	0 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5350.10	49.02	54.00	-4.98	35.20	35.94	10.55	32.67	107	0 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5320.00	104.48	-----	-----	90.63	35.93	10.58	32.66	107	0 AVERAGE																																																																									



		15																																																																																		
Mode		Band Edge																																																																																		
		U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																																		
ANT		1																																																																																		
Pol.		Vertical					Fundamental																																																																													
Peak	 Date: 2026-03-15 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5351.50</td><td>56.58</td><td>74.00</td><td>-17.42</td><td>42.76</td><td>35.94</td><td>10.55</td><td>32.67</td><td>249 85 PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5351.50	56.58	74.00	-17.42	42.76	35.94	10.55	32.67	249 85 PEAK	 Date: 2026-03-15 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>107.94</td><td>-----</td><td>-----</td><td>94.09</td><td>35.93</td><td>10.58</td><td>32.66</td><td>249 85 PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	107.94	-----	-----	94.09	35.93	10.58	32.66	249 85 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5351.50	56.58	74.00	-17.42	42.76	35.94	10.55	32.67	249 85 PEAK																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5320.00	107.94	-----	-----	94.09	35.93	10.58	32.66	249 85 PEAK																																																																											
Avg	 Date: 2026-03-15 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.10</td><td>47.49</td><td>54.00</td><td>-6.51</td><td>33.67</td><td>35.94</td><td>10.55</td><td>32.67</td><td>249 85 AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5350.10	47.49	54.00	-6.51	33.67	35.94	10.55	32.67	249 85 AVERAGE	 Date: 2026-03-15 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>101.42</td><td>-----</td><td>-----</td><td>87.57</td><td>35.93</td><td>10.58</td><td>32.66</td><td>249 85 AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	101.42	-----	-----	87.57	35.93	10.58	32.66	249 85 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5350.10	47.49	54.00	-6.51	33.67	35.94	10.55	32.67	249 85 AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5320.00	101.42	-----	-----	87.57	35.93	10.58	32.66	249 85 AVERAGE																																																																											



Mode	15																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																																																																			
ANT	1																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>47.10</td><td>74.00</td><td>-26.90</td><td>45.86</td><td>37.90</td><td>14.60</td><td>51.26</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15960.00</td><td>49.07</td><td>74.00</td><td>-24.93</td><td>43.79</td><td>41.16</td><td>17.23</td><td>53.11</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10640.00	47.10	74.00	-26.90	45.86	37.90	14.60	51.26	---	---	Peak	2	15960.00	49.07	74.00	-24.93	43.79	41.16	17.23	53.11	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>47.51</td><td>74.00</td><td>-26.49</td><td>46.27</td><td>37.90</td><td>14.60</td><td>51.26</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15960.00</td><td>47.66</td><td>74.00</td><td>-26.34</td><td>42.38</td><td>41.16</td><td>17.23</td><td>53.11</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	47.51	74.00	-26.49	46.27	37.90	14.60	51.26	---	---	Peak	2	15960.00	47.66	74.00	-26.34	42.38	41.16	17.23	53.11	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	10640.00	47.10	74.00	-26.90	45.86	37.90	14.60	51.26	---	---	Peak																																																																																																									
2	15960.00	49.07	74.00	-24.93	43.79	41.16	17.23	53.11	---	---	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	10640.00	47.51	74.00	-26.49	46.27	37.90	14.60	51.26	---	---	Peak																																																																																																									
2	15960.00	47.66	74.00	-26.34	42.38	41.16	17.23	53.11	---	---	Peak																																																																																																									





Mode	16																																																			
	Band Edge																																																			
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																			
ANT	1																																																			
Pol.	Horizontal	Fundamental																																																		
Peak	Level (dBuV/m) Date: 2026-03-16 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1 5459.05</td><td>56.27</td><td>74.00</td><td>-17.73</td><td>42.44</td><td>35.98</td><td>10.54</td><td>32.69</td><td>113</td><td>6 PEAK</td></tr><tr><td>2 5468.50</td><td>62.61</td><td>68.30</td><td>-5.69</td><td>48.76</td><td>35.99</td><td>10.55</td><td>32.69</td><td>113</td><td>6 PEAK</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5459.05	56.27	74.00	-17.73	42.44	35.98	10.54	32.69	113	6 PEAK	2 5468.50	62.61	68.30	-5.69	48.76	35.99	10.55	32.69	113	6 PEAK	Level (dBuV/m) Date: 2026-03-16 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1 5500.00</td><td>109.81</td><td>-----</td><td>-----</td><td>95.93</td><td>36.00</td><td>10.58</td><td>32.70</td><td>113</td><td>6 PEAK</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5500.00	109.81	-----	-----	95.93	36.00	10.58	32.70	113	6 PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																										
1 5459.05	56.27	74.00	-17.73	42.44	35.98	10.54	32.69	113	6 PEAK																																											
2 5468.50	62.61	68.30	-5.69	48.76	35.99	10.55	32.69	113	6 PEAK																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																											
1 5500.00	109.81	-----	-----	95.93	36.00	10.58	32.70	113	6 PEAK																																											
Avg	Level (dBuV/m) Date: 2026-03-16 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1 5459.80</td><td>46.65</td><td>54.00</td><td>-7.35</td><td>32.82</td><td>35.98</td><td>10.54</td><td>32.69</td><td>113</td><td>6 AVERAGE</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5459.80	46.65	54.00	-7.35	32.82	35.98	10.54	32.69	113	6 AVERAGE	Level (dBuV/m) Date: 2026-03-16 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1 5500.00</td><td>102.55</td><td>-----</td><td>-----</td><td>88.67</td><td>36.00</td><td>10.58</td><td>32.70</td><td>113</td><td>6 AVERAGE</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5500.00	102.55	-----	-----	88.67	36.00	10.58	32.70	113	6 AVERAGE										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																											
1 5459.80	46.65	54.00	-7.35	32.82	35.98	10.54	32.69	113	6 AVERAGE																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																											
1 5500.00	102.55	-----	-----	88.67	36.00	10.58	32.70	113	6 AVERAGE																																											





Mode	16																																																																																											
	Band Edge																																																																																											
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																																											
ANT	1																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2026-03-16 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.65</td><td>54.18</td><td>74.00</td><td>-19.82</td><td>40.35</td><td>35.98</td><td>10.54</td><td>32.69</td><td>224 92 PEAK</td></tr><tr><td>2</td><td>5467.60</td><td>60.13</td><td>68.30</td><td>-8.17</td><td>46.28</td><td>35.99</td><td>10.55</td><td>32.69</td><td>224 92 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.65	54.18	74.00	-19.82	40.35	35.98	10.54	32.69	224 92 PEAK	2	5467.60	60.13	68.30	-8.17	46.28	35.99	10.55	32.69	224 92 PEAK	Level (dBuV/m) Date: 2026-03-16 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>107.06</td><td>-----</td><td>-----</td><td>93.18</td><td>36.00</td><td>10.58</td><td>32.70</td><td>224 92 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	107.06	-----	-----	93.18	36.00	10.58	32.70	224 92 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5459.65	54.18	74.00	-19.82	40.35	35.98	10.54	32.69	224 92 PEAK																																																																																			
2	5467.60	60.13	68.30	-8.17	46.28	35.99	10.55	32.69	224 92 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5500.00	107.06	-----	-----	93.18	36.00	10.58	32.70	224 92 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2026-03-16 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.95</td><td>44.93</td><td>54.00</td><td>-9.07</td><td>31.10</td><td>35.98</td><td>10.54</td><td>32.69</td><td>224 92 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.95	44.93	54.00	-9.07	31.10	35.98	10.54	32.69	224 92 AVERAGE	Level (dBuV/m) Date: 2026-03-16 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>100.00</td><td>-----</td><td>-----</td><td>86.12</td><td>36.00</td><td>10.58</td><td>32.70</td><td>224 92 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	100.00	-----	-----	86.12	36.00	10.58	32.70	224 92 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5459.95	44.93	54.00	-9.07	31.10	35.98	10.54	32.69	224 92 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5500.00	100.00	-----	-----	86.12	36.00	10.58	32.70	224 92 AVERAGE																																																																																			



Mode	16																																																																																																																																																																	
	Harmonic																																																																																																																																																																	
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																																																																																																																	
ANT	1																																																																																																																																																																	
Pol.	Horizontal										Vertical																																																																																																																																																							
Peak Avg																																																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.00</td><td>48.23</td><td>74.00</td><td>-25.77</td><td>51.96</td><td>36.50</td><td>12.00</td><td>52.23</td><td>100</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>7333.00</td><td>40.02</td><td>54.00</td><td>-13.98</td><td>43.75</td><td>36.50</td><td>12.00</td><td>52.23</td><td>100</td><td>360</td><td>Average</td></tr><tr><td>3</td><td>11000.00</td><td>47.45</td><td>74.00</td><td>-26.55</td><td>45.83</td><td>37.90</td><td>14.62</td><td>50.90</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>16500.00</td><td>48.82</td><td>68.30</td><td>-19.48</td><td>42.26</td><td>42.00</td><td>17.66</td><td>53.10</td><td>---</td><td>---</td><td>Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7333.00	48.23	74.00	-25.77	51.96	36.50	12.00	52.23	100	360	Peak	2	7333.00	40.02	54.00	-13.98	43.75	36.50	12.00	52.23	100	360	Average	3	11000.00	47.45	74.00	-26.55	45.83	37.90	14.62	50.90	---	---	Peak	4	16500.00	48.82	68.30	-19.48	42.26	42.00	17.66	53.10	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.00</td><td>46.13</td><td>74.00</td><td>-27.87</td><td>49.86</td><td>36.50</td><td>12.00</td><td>52.23</td><td>120</td><td>323</td><td>Peak</td></tr><tr><td>2</td><td>7333.00</td><td>38.23</td><td>54.00</td><td>-15.77</td><td>41.96</td><td>36.50</td><td>12.00</td><td>52.23</td><td>120</td><td>323</td><td>Average</td></tr><tr><td>3</td><td>11000.00</td><td>45.92</td><td>74.00</td><td>-28.08</td><td>44.30</td><td>37.90</td><td>14.62</td><td>50.90</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>16500.00</td><td>48.17</td><td>68.30</td><td>-20.13</td><td>41.61</td><td>42.00</td><td>17.66</td><td>53.10</td><td>---</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7333.00	46.13	74.00	-27.87	49.86	36.50	12.00	52.23	120	323	Peak	2	7333.00	38.23	54.00	-15.77	41.96	36.50	12.00	52.23	120	323	Average	3	11000.00	45.92	74.00	-28.08	44.30	37.90	14.62	50.90	---	---	Peak	4	16500.00	48.17	68.30	-20.13	41.61	42.00	17.66	53.10	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	7333.00	48.23	74.00	-25.77	51.96	36.50	12.00	52.23	100	360	Peak																																																																																																																																																							
2	7333.00	40.02	54.00	-13.98	43.75	36.50	12.00	52.23	100	360	Average																																																																																																																																																							
3	11000.00	47.45	74.00	-26.55	45.83	37.90	14.62	50.90	---	---	Peak																																																																																																																																																							
4	16500.00	48.82	68.30	-19.48	42.26	42.00	17.66	53.10	---	---	Peak																																																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	7333.00	46.13	74.00	-27.87	49.86	36.50	12.00	52.23	120	323	Peak																																																																																																																																																							
2	7333.00	38.23	54.00	-15.77	41.96	36.50	12.00	52.23	120	323	Average																																																																																																																																																							
3	11000.00	45.92	74.00	-28.08	44.30	37.90	14.62	50.90	---	---	Peak																																																																																																																																																							
4	16500.00	48.17	68.30	-20.13	41.61	42.00	17.66	53.10	---	---	Peak																																																																																																																																																							






Mode	17																																																																																															
	Harmonic																																																																																															
	U-NII-2C_5.47-5.725_802.11n HT20_CH116_5580MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal										Vertical																																																																																					
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 11160.00</td><td>46.00</td><td>74.00</td><td>-28.00</td><td>43.98</td><td>38.01</td><td>14.72</td><td>50.71</td></tr><tr><td>2 16740.00</td><td>47.04</td><td>68.30</td><td>-21.26</td><td>39.60</td><td>42.38</td><td>17.87</td><td>52.81</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11160.00	46.00	74.00	-28.00	43.98	38.01	14.72	50.71	2 16740.00	47.04	68.30	-21.26	39.60	42.38	17.87	52.81	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 11160.00</td><td>46.90</td><td>74.00</td><td>-27.10</td><td>44.88</td><td>38.01</td><td>14.72</td><td>50.71</td></tr><tr><td>2 16740.00</td><td>48.29</td><td>68.30</td><td>-20.01</td><td>40.85</td><td>42.38</td><td>17.87</td><td>52.81</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11160.00	46.90	74.00	-27.10	44.88	38.01	14.72	50.71	2 16740.00	48.29	68.30	-20.01	40.85	42.38	17.87	52.81
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1 11160.00	46.00	74.00	-28.00	43.98	38.01	14.72	50.71																																																																																									
2 16740.00	47.04	68.30	-21.26	39.60	42.38	17.87	52.81																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1 11160.00	46.90	74.00	-27.10	44.88	38.01	14.72	50.71																																																																																									
2 16740.00	48.29	68.30	-20.01	40.85	42.38	17.87	52.81																																																																																									





Mode	18																																																																																		
	Band Edge																																																																																		
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																		
ANT	1																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2026-03-15 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.55</td><td>64.73</td><td>68.30</td><td>-3.57</td><td>50.29</td><td>36.36</td><td>10.87</td><td>32.79</td><td>101</td><td>6 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5725.55	64.73	68.30	-3.57	50.29	36.36	10.87	32.79	101	6 PEAK	Level (dBuV/m) Date: 2026-03-15 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>109.51</td><td>-----</td><td>95.07</td><td>36.33</td><td>10.89</td><td>32.78</td><td>101</td><td>6 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	109.51	-----	95.07	36.33	10.89	32.78	101	6 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5725.55	64.73	68.30	-3.57	50.29	36.36	10.87	32.79	101	6 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5700.00	109.51	-----	95.07	36.33	10.89	32.78	101	6 PEAK																																																																										
Avg	Blank	Level (dBuV/m) Date: 2026-03-15 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>102.44</td><td>-----</td><td>88.00</td><td>36.32</td><td>10.90</td><td>32.78</td><td>101</td><td>6 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	102.44	-----	88.00	36.32	10.90	32.78	101	6 AVERAGE																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5700.00	102.44	-----	88.00	36.32	10.90	32.78	101	6 AVERAGE																																																																										







Mode	18																																																																																			
	Band Edge																																																																																			
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																			
ANT	1																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2026-03-15  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.55</td><td>59.97</td><td>68.30</td><td>-8.33</td><td>45.53</td><td>36.36</td><td>10.87</td><td>32.79</td><td>249</td><td>92 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5725.55	59.97	68.30	-8.33	45.53	36.36	10.87	32.79	249	92 PEAK	Level (dBuV/m) Date: 2026-03-15  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>105.59</td><td>-----</td><td>-----</td><td>91.15</td><td>36.32</td><td>10.90</td><td>32.78</td><td>249</td><td>92 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	105.59	-----	-----	91.15	36.32	10.90	32.78	249	92 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5725.55	59.97	68.30	-8.33	45.53	36.36	10.87	32.79	249	92 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5700.00	105.59	-----	-----	91.15	36.32	10.90	32.78	249	92 PEAK																																																																										
Avg	Blank	Level (dBuV/m) Date: 2026-03-15  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>98.13</td><td>-----</td><td>-----</td><td>83.69</td><td>36.32</td><td>10.90</td><td>32.78</td><td>249</td><td>92 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	98.13	-----	-----	83.69	36.32	10.90	32.78	249	92 AVERAGE																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5700.00	98.13	-----	-----	83.69	36.32	10.90	32.78	249	92 AVERAGE																																																																										



Mode	18																																																																																															
	Harmonic																																																																																															
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11400.00</td><td>47.83</td><td>74.00</td><td>-26.17</td><td>45.20</td><td>38.18</td><td>14.87</td></tr><tr><td>2</td><td>17100.00</td><td>48.18</td><td>68.30</td><td>-20.12</td><td>40.03</td><td>42.81</td><td>18.06</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11400.00	47.83	74.00	-26.17	45.20	38.18	14.87	2	17100.00	48.18	68.30	-20.12	40.03	42.81	18.06	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11400.00</td><td>47.43</td><td>74.00</td><td>-26.57</td><td>44.80</td><td>38.18</td><td>14.87</td></tr><tr><td>2</td><td>17100.00</td><td>48.02</td><td>68.30</td><td>-20.28</td><td>39.87</td><td>42.81</td><td>18.06</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11400.00	47.43	74.00	-26.57	44.80	38.18	14.87	2	17100.00	48.02	68.30	-20.28	39.87	42.81	18.06
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11400.00	47.83	74.00	-26.17	45.20	38.18	14.87																																																																																									
2	17100.00	48.18	68.30	-20.12	40.03	42.81	18.06																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11400.00	47.43	74.00	-26.57	44.80	38.18	14.87																																																																																									
2	17100.00	48.02	68.30	-20.28	39.87	42.81	18.06																																																																																									



Mode	19																																																																																		
	Band Edge - L																																																																																		
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																																																		
ANT	1																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	Date: 2026-03-15  Level (dBuV/m) Frequency (MHz) PART 15.407 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5148.96</td><td>59.50</td><td>74.00</td><td>-14.50</td><td>45.76</td><td>35.86</td><td>10.51</td><td>32.63</td><td>100</td><td>0 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5148.96	59.50	74.00	-14.50	45.76	35.86	10.51	32.63	100	0 PEAK	Date: 2026-03-15  Level (dBuV/m) Frequency (MHz) PART 15.407 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>106.15</td><td>-----</td><td>92.48</td><td>35.87</td><td>10.44</td><td>32.64</td><td>100</td><td>0 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	106.15	-----	92.48	35.87	10.44	32.64	100	0 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5148.96	59.50	74.00	-14.50	45.76	35.86	10.51	32.63	100	0 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5190.00	106.15	-----	92.48	35.87	10.44	32.64	100	0 PEAK																																																																										
Avg	Date: 2026-03-15  Level (dBuV/m) Frequency (MHz) PART 15.407 AVG <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.53</td><td>49.45</td><td>54.00</td><td>-4.55</td><td>35.71</td><td>35.86</td><td>10.51</td><td>32.63</td><td>100</td><td>0 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.53	49.45	54.00	-4.55	35.71	35.86	10.51	32.63	100	0 AVERAGE	Date: 2026-03-15  Level (dBuV/m) Frequency (MHz) PART 15.407 AVG <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>99.49</td><td>-----</td><td>85.82</td><td>35.88</td><td>10.43</td><td>32.64</td><td>100</td><td>0 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	99.49	-----	85.82	35.88	10.43	32.64	100	0 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5149.53	49.45	54.00	-4.55	35.71	35.86	10.51	32.63	100	0 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5190.00	99.49	-----	85.82	35.88	10.43	32.64	100	0 AVERAGE																																																																										



Mode	19																																					
	Band Edge - R																																					
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																					
ANT	1																																					
Pol.	Horizontal	Fundamental																																				
Peak	Date: 2026-03-15 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>5456.49</td><td>51.85</td><td>74.00</td><td>-22.15</td><td>38.02</td><td>35.98</td><td>10.54</td><td>32.69</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	1	5456.49	51.85	74.00	-22.15	38.02	35.98	10.54	32.69	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm																														
1	5456.49	51.85	74.00	-22.15	38.02	35.98	10.54	32.69																														
Avg	Date: 2026-03-15 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>5364.69</td><td>42.83</td><td>54.00</td><td>-11.17</td><td>29.01</td><td>35.95</td><td>10.54</td><td>32.67</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	1	5364.69	42.83	54.00	-11.17	29.01	35.95	10.54	32.67	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm																														
1	5364.69	42.83	54.00	-11.17	29.01	35.95	10.54	32.67																														