












Mode	18																																																																																																								
	Band Edge																																																																																																								
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																																								
ANT	1																																																																																																								
Pol.	Vertical						Fundamental																																																																																																		
Peak																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.52</td><td>61.81</td><td>68.20</td><td>-6.39</td><td>53.09</td><td>34.95</td><td>11.33</td><td>37.56</td><td>0.00</td><td>199</td><td>264</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5726.52	61.81	68.20	-6.39	53.09	34.95	11.33	37.56	0.00	199	264	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>106.29</td><td>-----</td><td>-----</td><td>97.54</td><td>34.90</td><td>11.29</td><td>37.44</td><td>0.00</td><td>199</td><td>264</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	106.29	-----	-----	97.54	34.90	11.29	37.44	0.00	199	264
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5726.52	61.81	68.20	-6.39	53.09	34.95	11.33	37.56	0.00	199	264	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5700.00	106.29	-----	-----	97.54	34.90	11.29	37.44	0.00	199	264	PEAK																																																																																													
Avg	Blank																																																																																																								
							<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>99.18</td><td>-----</td><td>-----</td><td>90.43</td><td>34.90</td><td>11.29</td><td>37.44</td><td>0.00</td><td>199</td><td>264</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	99.18	-----	-----	90.43	34.90	11.29	37.44	0.00	199	264	AVERAGE																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5700.00	99.18	-----	-----	90.43	34.90	11.29	37.44	0.00	199	264	AVERAGE																																																																																													





Mode	18																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>43.26</td><td>74.00</td><td>-30.74</td><td>55.73</td><td>38.20</td><td>16.05</td><td>66.72</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	43.26	74.00	-30.74	55.73	38.20	16.05	66.72	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>44.45</td><td>74.00</td><td>-29.55</td><td>56.92</td><td>38.20</td><td>16.05</td><td>66.72</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	44.45	74.00	-29.55	56.92	38.20	16.05	66.72	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11400.00	43.26	74.00	-30.74	55.73	38.20	16.05	66.72	0.00	---	---	PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11400.00	44.45	74.00	-29.55	56.92	38.20	16.05	66.72	0.00	---	---	PEAK																																																																																								







Mode	19																																																																																																				
	Band Edge - L																																																																																																				
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5144.16</td><td>57.53</td><td>74.00</td><td>-16.47</td><td>49.72</td><td>34.60</td><td>10.65</td><td>37.44</td><td>0.00</td><td>300</td><td>17 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5144.16	57.53	74.00	-16.47	49.72	34.60	10.65	37.44	0.00	300	17 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>96.67</td><td>-----</td><td>-----</td><td>88.61</td><td>34.78</td><td>10.70</td><td>37.42</td><td>0.00</td><td>300</td><td>17 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	96.67	-----	-----	88.61	34.78	10.70	37.42	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5144.16	57.53	74.00	-16.47	49.72	34.60	10.65	37.44	0.00	300	17 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5190.00	96.67	-----	-----	88.61	34.78	10.70	37.42	0.00	300	17 PEAK																																																																																										
Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.44</td><td>45.15</td><td>54.00</td><td>-8.85</td><td>37.33</td><td>34.60</td><td>10.65</td><td>37.43</td><td>0.00</td><td>300</td><td>17 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.44	45.15	54.00	-8.85	37.33	34.60	10.65	37.43	0.00	300	17 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>88.45</td><td>-----</td><td>-----</td><td>80.39</td><td>34.78</td><td>10.70</td><td>37.42</td><td>0.00</td><td>300</td><td>17 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	88.45	-----	-----	80.39	34.78	10.70	37.42	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5149.44	45.15	54.00	-8.85	37.33	34.60	10.65	37.43	0.00	300	17 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5190.00	88.45	-----	-----	80.39	34.78	10.70	37.42	0.00	300	17 AVERAGE																																																																																										





Mode	19																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																						
ANT	1																																																						
Pol.	Horizontal										Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5446.77</td><td>48.16</td><td>74.00</td><td>-25.84</td><td>39.52</td><td>34.99</td><td>10.95</td><td>37.30</td><td>0.00</td><td>300</td><td>17</td><td>PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5446.77	48.16	74.00	-25.84	39.52	34.99	10.95	37.30	0.00	300	17	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5446.77	48.16	74.00	-25.84	39.52	34.99	10.95	37.30	0.00	300	17	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.57</td><td>38.03</td><td>54.00</td><td>-15.97</td><td>29.39</td><td>34.98</td><td>10.96</td><td>37.30</td><td>0.00</td><td>300</td><td>17</td><td>AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.57	38.03	54.00	-15.97	29.39	34.98	10.96	37.30	0.00	300	17	AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5457.57	38.03	54.00	-15.97	29.39	34.98	10.96	37.30	0.00	300	17	AVERAGE																																											





Mode	19																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.76</td><td>60.59</td><td>74.00</td><td>-13.41</td><td>52.77</td><td>34.60</td><td>10.65</td><td>37.43</td><td>0.00</td><td>100</td><td>293 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.76	60.59	74.00	-13.41	52.77	34.60	10.65	37.43	0.00	100	293 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>101.98</td><td>-----</td><td>-----</td><td>93.95</td><td>34.75</td><td>10.70</td><td>37.42</td><td>0.00</td><td>100</td><td>293 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	101.98	-----	-----	93.95	34.75	10.70	37.42	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5149.76	60.59	74.00	-13.41	52.77	34.60	10.65	37.43	0.00	100	293 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5190.00	101.98	-----	-----	93.95	34.75	10.70	37.42	0.00	100	293 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.92</td><td>50.81</td><td>54.00</td><td>-3.19</td><td>42.99</td><td>34.60</td><td>10.65</td><td>37.43</td><td>0.00</td><td>100</td><td>293 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.92	50.81	54.00	-3.19	42.99	34.60	10.65	37.43	0.00	100	293 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>93.75</td><td>-----</td><td>-----</td><td>85.72</td><td>34.75</td><td>10.70</td><td>37.42</td><td>0.00</td><td>100</td><td>293 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	93.75	-----	-----	85.72	34.75	10.70	37.42	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5149.92	50.81	54.00	-3.19	42.99	34.60	10.65	37.43	0.00	100	293 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5190.00	93.75	-----	-----	85.72	34.75	10.70	37.42	0.00	100	293 AVERAGE																																																																																									







Mode	19																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																							
ANT	1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5368.37</td><td>48.20</td><td>74.00</td><td>-25.80</td><td>39.87</td><td>34.82</td><td>10.85</td><td>37.34</td><td>0.00</td><td>100</td><td>293 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5368.37	48.20	74.00	-25.80	39.87	34.82	10.85	37.34	0.00	100	293 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5368.37	48.20	74.00	-25.80	39.87	34.82	10.85	37.34	0.00	100	293 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5451.36</td><td>38.03</td><td>54.00</td><td>-15.97</td><td>29.37</td><td>35.00</td><td>10.96</td><td>37.30</td><td>0.00</td><td>100</td><td>293 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.36	38.03	54.00	-15.97	29.37	35.00	10.96	37.30	0.00	100	293 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5451.36	38.03	54.00	-15.97	29.37	35.00	10.96	37.30	0.00	100	293 AVERAGE																																													



Mode	19																																																																																																			
	Harmonic																																																																																																			
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10380.00</td><td>44.18</td><td>68.20</td><td>-24.02</td><td>58.39</td><td>37.80</td><td>15.33</td><td>67.34</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10380.00	44.18	68.20	-24.02	58.39	37.80	15.33	67.34	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10380.00</td><td>44.19</td><td>68.20</td><td>-24.01</td><td>58.43</td><td>37.80</td><td>15.32</td><td>67.36</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10380.00	44.19	68.20	-24.01	58.43	37.80	15.32	67.36	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10380.00	44.18	68.20	-24.02	58.39	37.80	15.33	67.34	0.00	---	---	PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10380.00	44.19	68.20	-24.01	58.43	37.80	15.32	67.36	0.00	---	---	PEAK																																																																																								



Mode	20																																																																																																				
	Band Edge - L																																																																																																				
	U-NII-1_5.15-5.25_802.11ac VHT40_CH46_5230MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5142.24</td><td>50.04</td><td>74.00</td><td>-23.96</td><td>42.23</td><td>34.60</td><td>10.65</td><td>37.44</td><td>0.00</td><td>217</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5142.24	50.04	74.00	-23.96	42.23	34.60	10.65	37.44	0.00	217	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5230.00</td><td>102.09</td><td>-----</td><td>-----</td><td>93.95</td><td>34.80</td><td>10.74</td><td>37.40</td><td>0.00</td><td>217</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	102.09	-----	-----	93.95	34.80	10.74	37.40	0.00	217
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5142.24	50.04	74.00	-23.96	42.23	34.60	10.65	37.44	0.00	217	0 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5230.00	102.09	-----	-----	93.95	34.80	10.74	37.40	0.00	217	0 PEAK																																																																																										
Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5147.84</td><td>40.01</td><td>54.00</td><td>-13.99</td><td>32.20</td><td>34.60</td><td>10.65</td><td>37.44</td><td>0.00</td><td>217</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.84	40.01	54.00	-13.99	32.20	34.60	10.65	37.44	0.00	217	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5230.00</td><td>93.46</td><td>-----</td><td>-----</td><td>85.33</td><td>34.80</td><td>10.73</td><td>37.40</td><td>0.00</td><td>217</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	93.46	-----	-----	85.33	34.80	10.73	37.40	0.00	217
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5147.84	40.01	54.00	-13.99	32.20	34.60	10.65	37.44	0.00	217	0 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5230.00	93.46	-----	-----	85.33	34.80	10.73	37.40	0.00	217	0 AVERAGE																																																																																										





Mode	20																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11ac VHT40_CH46_5230MHz																																																							
ANT	1																																																							
Pol.	Horizontal	Fundamental																																																						
Peak	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5387.58</td><td>47.96</td><td>74.00</td><td>-26.04</td><td>39.53</td><td>34.88</td><td>10.88</td><td>37.33</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>217</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 PEAK</td></tr></table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5387.58	47.96	74.00	-26.04	39.53	34.88	10.88	37.33								0.00	217									0 PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																
1	5387.58	47.96	74.00	-26.04	39.53	34.88	10.88	37.33																																																
							0.00	217																																																
								0 PEAK																																																
Avg	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5385.24</td><td>37.68</td><td>54.00</td><td>-16.32</td><td>29.26</td><td>34.87</td><td>10.88</td><td>37.33</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>217</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 AVERAGE</td></tr></table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5385.24	37.68	54.00	-16.32	29.26	34.87	10.88	37.33								0.00	217									0 AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																
1	5385.24	37.68	54.00	-16.32	29.26	34.87	10.88	37.33																																																
							0.00	217																																																
								0 AVERAGE																																																





Mode	20																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-1_5.15-5.25_802.11ac VHT40_CH46_5230MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5143.36</td><td>51.90</td><td>74.00</td><td>-22.10</td><td>44.09</td><td>34.60</td><td>10.65</td><td>37.44</td><td>0.00</td><td>100</td><td>287</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5143.36	51.90	74.00	-22.10	44.09	34.60	10.65	37.44	0.00	100	287	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5230.00</td><td>104.70</td><td>-----</td><td>-----</td><td>96.57</td><td>34.80</td><td>10.73</td><td>37.40</td><td>0.00</td><td>100</td><td>287</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	104.70	-----	-----	96.57	34.80	10.73	37.40	0.00	100	287
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5143.36	51.90	74.00	-22.10	44.09	34.60	10.65	37.44	0.00	100	287	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5230.00	104.70	-----	-----	96.57	34.80	10.73	37.40	0.00	100	287	PEAK																																																																																											
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.92</td><td>41.78</td><td>54.00</td><td>-12.22</td><td>33.96</td><td>34.60</td><td>10.65</td><td>37.43</td><td>0.00</td><td>100</td><td>287</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.92	41.78	54.00	-12.22	33.96	34.60	10.65	37.43	0.00	100	287	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5230.00</td><td>95.99</td><td>-----</td><td>-----</td><td>87.86</td><td>34.80</td><td>10.73</td><td>37.40</td><td>0.00</td><td>100</td><td>287</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	95.99	-----	-----	87.86	34.80	10.73	37.40	0.00	100	287
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5149.92	41.78	54.00	-12.22	33.96	34.60	10.65	37.43	0.00	100	287	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5230.00	95.99	-----	-----	87.86	34.80	10.73	37.40	0.00	100	287	AVERAGE																																																																																											







Mode	20																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11ac VHT40_CH46_5230MHz																																																						
ANT	1																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.74</td><td>48.10</td><td>74.00</td><td>-25.90</td><td>39.80</td><td>34.81</td><td>10.84</td><td>37.35</td><td>0.00</td><td>100</td><td>287</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.74	48.10	74.00	-25.90	39.80	34.81	10.84	37.35	0.00	100	287	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5353.74	48.10	74.00	-25.90	39.80	34.81	10.84	37.35	0.00	100	287	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5356.26</td><td>37.84</td><td>54.00</td><td>-16.16</td><td>29.52</td><td>34.81</td><td>10.85</td><td>37.34</td><td>0.00</td><td>100</td><td>287</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5356.26	37.84	54.00	-16.16	29.52	34.81	10.85	37.34	0.00	100	287	AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5356.26	37.84	54.00	-16.16	29.52	34.81	10.85	37.34	0.00	100	287	AVERAGE																																											





Mode	20																																																																																																			
	Harmonic																																																																																																			
	U-NII-1_5.15-5.25_802.11ac VHT40_CH46_5230MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10460.00</td><td>44.57</td><td>68.20</td><td>-23.63</td><td>58.64</td><td>37.85</td><td>15.36</td><td>67.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10460.00	44.57	68.20	-23.63	58.64	37.85	15.36	67.28	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10460.00</td><td>44.19</td><td>68.20</td><td>-24.01</td><td>58.25</td><td>37.85</td><td>15.36</td><td>67.27</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10460.00	44.19	68.20	-24.01	58.25	37.85	15.36	67.27	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10460.00	44.57	68.20	-23.63	58.64	37.85	15.36	67.28	0.00	---	---	PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10460.00	44.19	68.20	-24.01	58.25	37.85	15.36	67.27	0.00	---	---	PEAK																																																																																								







Mode	21																																																					
	Band Edge - L																																																					
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH54_5270MHz																																																					
ANT	1																																																					
Pol.	Horizontal																																																					
Peak	Fundamental																																																					
																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5092.07</td><td>50.70</td><td>-23.30</td><td>42.99</td><td>34.58</td><td>10.59</td><td>37.46</td><td>0.00</td><td>212</td><td>0 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5092.07	50.70	-23.30	42.99	34.58	10.59	37.46	0.00	212
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	5092.07	50.70	-23.30	42.99	34.58	10.59	37.46	0.00	212	0 PEAK																																												
Avg	Fundamental																																																					
																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5097.20</td><td>39.50</td><td>-14.50</td><td>31.77</td><td>34.59</td><td>10.60</td><td>37.46</td><td>0.00</td><td>212</td><td>0 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5097.20	39.50	-14.50	31.77	34.59	10.60	37.46	0.00	212
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	5097.20	39.50	-14.50	31.77	34.59	10.60	37.46	0.00	212	0 AVERAGE																																												
Peak	Fundamental																																																					
																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5270.00</td><td>101.13</td><td>-----</td><td>92.98</td><td>34.77</td><td>10.76</td><td>37.38</td><td>0.00</td><td>212</td><td>0 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5270.00	101.13	-----	92.98	34.77	10.76	37.38	0.00	212
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	5270.00	101.13	-----	92.98	34.77	10.76	37.38	0.00	212	0 PEAK																																												
Avg	Fundamental																																																					
																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5270.00</td><td>92.52</td><td>-----</td><td>84.37</td><td>34.77</td><td>10.76</td><td>37.38</td><td>0.00</td><td>212</td><td>0 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5270.00	92.52	-----	84.37	34.77	10.76	37.38	0.00	212
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	5270.00	92.52	-----	84.37	34.77	10.76	37.38	0.00	212	0 AVERAGE																																												



Mode	21																																																					
	Band Edge - R																																																					
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH54_5270MHz																																																					
ANT	1																																																					
Pol.	Horizontal										Fundamental																																											
Peak											Blank																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5381.15</td><td>48.75</td><td>74.00</td><td>-25.25</td><td>40.35</td><td>34.86</td><td>10.87</td><td>37.33</td><td>0.00</td><td>212</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5381.15	48.75	74.00	-25.25	40.35	34.86	10.87	37.33	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5381.15	48.75	74.00	-25.25	40.35	34.86	10.87	37.33	0.00	212	0 PEAK																																											
Avg											Blank																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.37</td><td>38.92</td><td>54.00</td><td>-15.08</td><td>30.63</td><td>34.00</td><td>10.84</td><td>37.35</td><td>0.00</td><td>212</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.37	38.92	54.00	-15.08	30.63	34.00	10.84	37.35	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5350.37	38.92	54.00	-15.08	30.63	34.00	10.84	37.35	0.00	212	0 AVERAGE																																											





Mode	21																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH54_5270MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>49.44</td><td>74.00</td><td>-24.56</td><td>41.87</td><td>34.54</td><td>10.52</td><td>37.49</td><td>0.00</td><td>300</td><td>289 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	49.44	74.00	-24.56	41.87	34.54	10.52	37.49	0.00	300	289 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>106.78</td><td>-----</td><td>-----</td><td>98.63</td><td>34.76</td><td>10.77</td><td>37.38</td><td>0.00</td><td>300</td><td>289 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	106.78	-----	-----	98.63	34.76	10.77	37.38	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5270.00	49.44	74.00	-24.56	41.87	34.54	10.52	37.49	0.00	300	289 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5270.00	106.78	-----	-----	98.63	34.76	10.77	37.38	0.00	300	289 PEAK																																																																																																				
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5097.74</td><td>39.42</td><td>54.00</td><td>-14.58</td><td>31.68</td><td>34.60</td><td>10.60</td><td>37.46</td><td>0.00</td><td>300</td><td>289 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5097.74	39.42	54.00	-14.58	31.68	34.60	10.60	37.46	0.00	300	289 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>97.43</td><td>-----</td><td>-----</td><td>89.28</td><td>34.77</td><td>10.76</td><td>37.38</td><td>0.00</td><td>300</td><td>289 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	97.43	-----	-----	89.28	34.77	10.76	37.38	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5097.74	39.42	54.00	-14.58	31.68	34.60	10.60	37.46	0.00	300	289 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5270.00	97.43	-----	-----	89.28	34.77	10.76	37.38	0.00	300	289 AVERAGE																																																																																																				







Mode	21																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH54_5270MHz																																																						
ANT	1																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.79</td><td>50.71</td><td>74.00</td><td>-23.29</td><td>42.41</td><td>34.81</td><td>10.84</td><td>37.35</td><td>0.00</td><td>300</td><td>289</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.79	50.71	74.00	-23.29	42.41	34.81	10.84	37.35	0.00	300	289	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5353.79	50.71	74.00	-23.29	42.41	34.81	10.84	37.35	0.00	300	289	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.18</td><td>41.42</td><td>54.00</td><td>-12.58</td><td>33.13</td><td>34.00</td><td>10.84</td><td>37.35</td><td>0.00</td><td>300</td><td>289</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.18	41.42	54.00	-12.58	33.13	34.00	10.84	37.35	0.00	300	289	AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.18	41.42	54.00	-12.58	33.13	34.00	10.84	37.35	0.00	300	289	AVERAGE																																											





Mode	21																																																																																																					
	Harmonic																																																																																																					
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH54_5270MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10540.00</td><td>43.37</td><td>68.20</td><td>-24.83</td><td>57.25</td><td>37.88</td><td>15.42</td><td>67.18</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10540.00	43.37	68.20	-24.83	57.25	37.88	15.42	67.18	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10540.00</td><td>43.86</td><td>68.20</td><td>-24.34</td><td>57.74</td><td>37.88</td><td>15.42</td><td>67.18</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10540.00	43.86	68.20	-24.34	57.74	37.88	15.42	67.18	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	10540.00	43.37	68.20	-24.83	57.25	37.88	15.42	67.18	0.00	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	10540.00	43.86	68.20	-24.34	57.74	37.88	15.42	67.18	0.00	---	PEAK																																																																																											







Mode	22																																																																																																				
	Band Edge - L																																																																																																				
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5119.20</td><td>49.55</td><td>74.00</td><td>-24.45</td><td>41.78</td><td>34.60</td><td>10.62</td><td>37.45</td><td>0.00</td><td>300</td><td>17 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5119.20	49.55	74.00	-24.45	41.78	34.60	10.62	37.45	0.00	300	17 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>100.14</td><td>-----</td><td>-----</td><td>91.97</td><td>34.73</td><td>10.80</td><td>37.36</td><td>0.00</td><td>300</td><td>17 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5310.00	100.14	-----	-----	91.97	34.73	10.80	37.36	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5119.20	49.55	74.00	-24.45	41.78	34.60	10.62	37.45	0.00	300	17 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5310.00	100.14	-----	-----	91.97	34.73	10.80	37.36	0.00	300	17 PEAK																																																																																										
Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5100.64</td><td>39.33</td><td>54.00</td><td>-14.67</td><td>31.59</td><td>34.60</td><td>10.60</td><td>37.46</td><td>0.00</td><td>300</td><td>17 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5100.64	39.33	54.00	-14.67	31.59	34.60	10.60	37.46	0.00	300	17 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>91.51</td><td>-----</td><td>-----</td><td>83.36</td><td>34.72</td><td>10.80</td><td>37.37</td><td>0.00</td><td>300</td><td>17 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5310.00	91.51	-----	-----	83.36	34.72	10.80	37.37	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5100.64	39.33	54.00	-14.67	31.59	34.60	10.60	37.46	0.00	300	17 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5310.00	91.51	-----	-----	83.36	34.72	10.80	37.37	0.00	300	17 AVERAGE																																																																																										





Mode	22																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.00</td><td>54.38</td><td>74.00</td><td>-19.62</td><td>46.09</td><td>34.00</td><td>10.84</td><td>37.35</td><td>0.00</td><td>300</td><td>17 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.00	54.38	74.00	-19.62	46.09	34.00	10.84	37.35	0.00	300	17 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5350.00	54.38	74.00	-19.62	46.09	34.00	10.84	37.35	0.00	300	17 PEAK																																													
Avg	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.00</td><td>45.35</td><td>54.00</td><td>-8.65</td><td>37.06</td><td>34.00</td><td>10.84</td><td>37.35</td><td>0.00</td><td>300</td><td>17 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.00	45.35	54.00	-8.65	37.06	34.00	10.84	37.35	0.00	300	17 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5350.00	45.35	54.00	-8.65	37.06	34.00	10.84	37.35	0.00	300	17 AVERAGE																																													





Mode	22																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5108.00</td><td>49.44</td><td>74.00</td><td>-24.56</td><td>41.68</td><td>34.60</td><td>10.61</td><td>37.45</td><td>0.00</td><td>300</td><td>299 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5108.00	49.44	74.00	-24.56	41.68	34.60	10.61	37.45	0.00	300	299 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5310.00</td><td>103.17</td><td>-----</td><td>-----</td><td>94.98</td><td>34.74</td><td>10.81</td><td>37.36</td><td>0.00</td><td>300</td><td>299 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5310.00	103.17	-----	-----	94.98	34.74	10.81	37.36	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5108.00	49.44	74.00	-24.56	41.68	34.60	10.61	37.45	0.00	300	299 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5310.00	103.17	-----	-----	94.98	34.74	10.81	37.36	0.00	300	299 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5100.48</td><td>39.23</td><td>54.00</td><td>-14.77</td><td>31.49</td><td>34.60</td><td>10.60</td><td>37.46</td><td>0.00</td><td>300</td><td>299 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5100.48	39.23	54.00	-14.77	31.49	34.60	10.60	37.46	0.00	300	299 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5310.00</td><td>94.76</td><td>-----</td><td>-----</td><td>86.59</td><td>34.73</td><td>10.80</td><td>37.36</td><td>0.00</td><td>300</td><td>299 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5310.00	94.76	-----	-----	86.59	34.73	10.80	37.36	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5100.48	39.23	54.00	-14.77	31.49	34.60	10.60	37.46	0.00	300	299 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5310.00	94.76	-----	-----	86.59	34.73	10.80	37.36	0.00	300	299 AVERAGE																																																																																								







Mode	22																																																			
	Band Edge - R																																																			
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																			
ANT	1																																																			
Pol.	Vertical						Fundamental																																													
Peak							Blank																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.30</td><td>62.14</td><td>74.00</td><td>-11.86</td><td>53.83</td><td>34.81</td><td>10.84</td><td>37.34</td><td>0.00</td><td>300</td><td>299</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5354.30	62.14	74.00	-11.86	53.83	34.81
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																									
1	5354.30	62.14	74.00	-11.86	53.83	34.81	10.84	37.34	0.00	300	299	PEAK																																								
Avg							Blank																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>50.52</td><td>54.00</td><td>-3.48</td><td>42.23</td><td>34.00</td><td>10.84</td><td>37.35</td><td>0.00</td><td>300</td><td>299</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.00	50.52	54.00	-3.48	42.23	34.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																									
1	5350.00	50.52	54.00	-3.48	42.23	34.00	10.84	37.35	0.00	300	299	AVERAGE																																								




Mode	22																																																																																																			
	Harmonic																																																																																																			
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10620.00</td><td>43.43</td><td>74.00</td><td>-30.57</td><td>57.20</td><td>37.84</td><td>15.49</td><td>67.10</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10620.00	43.43	74.00	-30.57	57.20	37.84	15.49	67.10	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10620.00</td><td>43.61</td><td>74.00</td><td>-30.39</td><td>57.38</td><td>37.84</td><td>15.49</td><td>67.10</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10620.00	43.61	74.00	-30.39	57.38	37.84	15.49	67.10	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10620.00	43.43	74.00	-30.57	57.20	37.84	15.49	67.10	0.00	---	---	PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10620.00	43.61	74.00	-30.39	57.38	37.84	15.49	67.10	0.00	---	---	PEAK																																																																																								



Mode	23																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.92</td><td>52.43</td><td>74.00</td><td>-21.57</td><td>43.78</td><td>34.98</td><td>10.97</td><td>37.30</td><td>0.00</td><td>278</td><td>11 PEAK</td></tr><tr><td>2</td><td>5468.56</td><td>57.72</td><td>68.20</td><td>-10.48</td><td>49.08</td><td>34.96</td><td>10.98</td><td>37.30</td><td>0.00</td><td>278</td><td>11 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	52.43	74.00	-21.57	43.78	34.98	10.97	37.30	0.00	278	11 PEAK	2	5468.56	57.72	68.20	-10.48	49.08	34.96	10.98	37.30	0.00	278	11 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>98.97</td><td>-----</td><td>-----</td><td>90.30</td><td>34.90</td><td>11.04</td><td>37.27</td><td>0.00</td><td>278</td><td>11 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	98.97	-----	-----	90.30	34.90	11.04	37.27	0.00	278	11 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.92	52.43	74.00	-21.57	43.78	34.98	10.97	37.30	0.00	278	11 PEAK																																																																																																						
2	5468.56	57.72	68.20	-10.48	49.08	34.96	10.98	37.30	0.00	278	11 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5510.00	98.97	-----	-----	90.30	34.90	11.04	37.27	0.00	278	11 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.92</td><td>43.44</td><td>54.00</td><td>-10.56</td><td>34.79</td><td>34.98</td><td>10.97</td><td>37.30</td><td>0.00</td><td>278</td><td>11 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	43.44	54.00	-10.56	34.79	34.98	10.97	37.30	0.00	278	11 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>90.24</td><td>-----</td><td>-----</td><td>81.58</td><td>34.90</td><td>11.04</td><td>37.28</td><td>0.00</td><td>278</td><td>11 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	90.24	-----	-----	81.58	34.90	11.04	37.28	0.00	278	11 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.92	43.44	54.00	-10.56	34.79	34.98	10.97	37.30	0.00	278	11 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5510.00	90.24	-----	-----	81.58	34.90	11.04	37.28	0.00	278	11 AVERAGE																																																																																																						




Mode	23																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																						
ANT	1																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5735.64</td><td>49.70</td><td>68.20</td><td>-18.50</td><td>40.97</td><td>34.97</td><td>11.35</td><td>37.59</td><td>0.00</td><td>278 11 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5735.64	49.70	68.20	-18.50	40.97	34.97	11.35	37.59	0.00	278 11 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5735.64	49.70	68.20	-18.50	40.97	34.97	11.35	37.59	0.00	278 11 PEAK																																													





		23																																																																	
Mode	Band Edge - L																																																																		
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																		
ANT	1																																																																		
Pol.	Vertical																																																																		
Peak																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.76</td><td>60.50</td><td>74.00</td><td>-13.50</td><td>51.85</td><td>34.98</td><td>10.97</td><td>37.30</td><td>0.00</td><td>300</td><td>284 PEAK</td></tr><tr><td>2</td><td>5462.48</td><td>64.26</td><td>68.20</td><td>-3.94</td><td>55.61</td><td>34.98</td><td>10.97</td><td>37.30</td><td>0.00</td><td>300</td><td>284 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.76	60.50	74.00	-13.50	51.85	34.98	10.97	37.30	0.00	300	284 PEAK	2	5462.48	64.26	68.20	-3.94	55.61	34.98	10.97	37.30	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5459.76	60.50	74.00	-13.50	51.85	34.98	10.97	37.30	0.00	300	284 PEAK																																																								
2	5462.48	64.26	68.20	-3.94	55.61	34.98	10.97	37.30	0.00	300	284 PEAK																																																								
Fundamental																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>103.30</td><td>-----</td><td>-----</td><td>94.65</td><td>34.90</td><td>11.03</td><td>37.28</td><td>0.00</td><td>300</td><td>284 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	103.30	-----	-----	94.65	34.90	11.03	37.28	0.00	300	284 PEAK											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5510.00	103.30	-----	-----	94.65	34.90	11.03	37.28	0.00	300	284 PEAK																																																								
Avg																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>48.58</td><td>54.00</td><td>-5.42</td><td>39.93</td><td>34.98</td><td>10.97</td><td>37.30</td><td>0.00</td><td>300</td><td>284 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	48.58	54.00	-5.42	39.93	34.98	10.97	37.30	0.00	300	284 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5459.92	48.58	54.00	-5.42	39.93	34.98	10.97	37.30	0.00	300	284 AVERAGE																																																								
AVERAGE																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>94.22</td><td>-----</td><td>-----</td><td>85.57</td><td>34.90</td><td>11.03</td><td>37.28</td><td>0.00</td><td>300</td><td>284 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	94.22	-----	-----	85.57	34.90	11.03	37.28	0.00	300	284 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5510.00	94.22	-----	-----	85.57	34.90	11.03	37.28	0.00	300	284 AVERAGE																																																								







Mode	23																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																						
ANT	1																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5732.60</td><td>49.09</td><td>68.20</td><td>-19.11</td><td>40.36</td><td>34.97</td><td>11.34</td><td>37.58</td><td>0.00</td><td>300</td><td>284</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5732.60	49.09	68.20	-19.11	40.36	34.97	11.34	37.58	0.00	300	284	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5732.60	49.09	68.20	-19.11	40.36	34.97	11.34	37.58	0.00	300	284	PEAK																																											




Mode	23																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>45.84</td><td>74.00</td><td>-28.16</td><td>58.67</td><td>38.20</td><td>15.77</td><td>66.80</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	45.84	74.00	-28.16	58.67	38.20	15.77	66.80	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>45.51</td><td>74.00</td><td>-28.49</td><td>58.34</td><td>38.20</td><td>15.77</td><td>66.80</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	45.51	74.00	-28.49	58.34	38.20	15.77	66.80	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11020.00	45.84	74.00	-28.16	58.67	38.20	15.77	66.80	0.00	---	---	PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11020.00	45.51	74.00	-28.49	58.34	38.20	15.77	66.80	0.00	---	---	PEAK																																																																																								



Mode	24																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5443.60</td><td>47.98</td><td>74.00</td><td>-26.02</td><td>39.35</td><td>34.99</td><td>10.95</td><td>37.31</td><td>0.00</td><td>134</td><td>232 PEAK</td></tr><tr><td>2</td><td>5462.60</td><td>49.32</td><td>68.20</td><td>-18.88</td><td>40.68</td><td>34.97</td><td>10.97</td><td>37.30</td><td>0.00</td><td>134</td><td>232 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5443.60	47.98	74.00	-26.02	39.35	34.99	10.95	37.31	0.00	134	232 PEAK	2	5462.60	49.32	68.20	-18.88	40.68	34.97	10.97	37.30	0.00	134	232 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>98.76</td><td>-----</td><td>-----</td><td>90.04</td><td>34.90</td><td>11.08</td><td>37.26</td><td>0.00</td><td>134</td><td>232 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5550.00	98.76	-----	-----	90.04	34.90	11.08	37.26	0.00	134	232 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	5443.60	47.98	74.00	-26.02	39.35	34.99	10.95	37.31	0.00	134	232 PEAK																																																																																																																									
2	5462.60	49.32	68.20	-18.88	40.68	34.97	10.97	37.30	0.00	134	232 PEAK																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	5550.00	98.76	-----	-----	90.04	34.90	11.08	37.26	0.00	134	232 PEAK																																																																																																																									
Avg																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.00</td><td>38.96</td><td>54.00</td><td>-15.04</td><td>30.31</td><td>34.98</td><td>10.97</td><td>37.30</td><td>0.00</td><td>134</td><td>232 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.00	38.96	54.00	-15.04	30.31	34.98	10.97	37.30	0.00	134	232 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>90.15</td><td>-----</td><td>-----</td><td>81.42</td><td>34.90</td><td>11.09</td><td>37.26</td><td>0.00</td><td>134</td><td>232 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5550.00	90.15	-----	-----	81.42	34.90	11.09	37.26	0.00	134	232 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	5458.00	38.96	54.00	-15.04	30.31	34.98	10.97	37.30	0.00	134	232 AVERAGE																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	5550.00	90.15	-----	-----	81.42	34.90	11.09	37.26	0.00	134	232 AVERAGE																																																																																																																									




Mode	24																																															
	Band Edge - R																																															
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																															
ANT	1																																															
Pol.	Horizontal	Fundamental																																														
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5749.31</td><td>48.37</td><td>68.20</td><td>-19.83</td><td>39.64</td><td>35.00</td><td>11.37</td><td>37.64</td><td>0.00</td><td>134</td><td>232</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5749.31	48.37	68.20	-19.83	39.64	35.00	11.37	37.64	0.00	134	232	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1	5749.31	48.37	68.20	-19.83	39.64	35.00	11.37	37.64	0.00	134	232																																					





Mode	24																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.40</td><td>50.40</td><td>74.00</td><td>-23.60</td><td>41.75</td><td>34.99</td><td>10.96</td><td>37.30</td><td>0.00</td><td>272</td><td>290 PEAK</td></tr><tr><td>2</td><td>5462.60</td><td>54.00</td><td>68.20</td><td>-14.20</td><td>45.36</td><td>34.97</td><td>10.97</td><td>37.30</td><td>0.00</td><td>272</td><td>290 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.40	50.40	74.00	-23.60	41.75	34.99	10.96	37.30	0.00	272	290 PEAK	2	5462.60	54.00	68.20	-14.20	45.36	34.97	10.97	37.30	0.00	272	290 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>105.37</td><td>-----</td><td>-----</td><td>96.65</td><td>34.90</td><td>11.08</td><td>37.26</td><td>0.00</td><td>272</td><td>290 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	105.37	-----	-----	96.65	34.90	11.08	37.26	0.00	272	290 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5456.40	50.40	74.00	-23.60	41.75	34.99	10.96	37.30	0.00	272	290 PEAK																																																																																																						
2	5462.60	54.00	68.20	-14.20	45.36	34.97	10.97	37.30	0.00	272	290 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5550.00	105.37	-----	-----	96.65	34.90	11.08	37.26	0.00	272	290 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.00</td><td>41.17</td><td>54.00</td><td>-12.83</td><td>32.52</td><td>34.98</td><td>10.97</td><td>37.30</td><td>0.00</td><td>272</td><td>290 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.00	41.17	54.00	-12.83	32.52	34.98	10.97	37.30	0.00	272	290 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>96.64</td><td>-----</td><td>-----</td><td>87.91</td><td>34.90</td><td>11.09</td><td>37.26</td><td>0.00</td><td>272</td><td>290 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	96.64	-----	-----	87.91	34.90	11.09	37.26	0.00	272	290 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.00	41.17	54.00	-12.83	32.52	34.98	10.97	37.30	0.00	272	290 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5550.00	96.64	-----	-----	87.91	34.90	11.09	37.26	0.00	272	290 AVERAGE																																																																																																						







Mode	24																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																													
ANT	1																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5727.38</td><td>49.21</td><td>68.20</td><td>-18.99</td><td>40.49</td><td>34.95</td><td>11.33</td><td>37.56</td><td>0.00</td><td>272 290 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.38	49.21	68.20	-18.99	40.49	34.95	11.33	37.56	0.00	272 290 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5727.38	49.21	68.20	-18.99	40.49	34.95	11.33	37.56	0.00	272 290 PEAK																																				




		24																																																																																																																		
Mode		Harmonic																																																																																																																		
		U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																																																																																																		
ANT		1																																																																																																																		
Pol.		Horizontal						Vertical																																																																																																												
Peak Avg																																																																																																																				
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11100.00</td><td>45.86</td><td>74.00</td><td>-28.14</td><td>58.61</td><td>38.20</td><td>15.83</td><td>66.78</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11100.00	45.86	74.00	-28.14	58.61	38.20	15.83	66.78	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11100.00</td><td>44.90</td><td>74.00</td><td>-29.10</td><td>57.65</td><td>38.20</td><td>15.83</td><td>66.78</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11100.00	44.90	74.00	-29.10	57.65	38.20	15.83	66.78	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	11100.00	45.86	74.00	-28.14	58.61	38.20	15.83	66.78	0.00	---	---	PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	11100.00	44.90	74.00	-29.10	57.65	38.20	15.83	66.78	0.00	---	---	PEAK																																																																																																								



Mode	25																																																																																																																	
	Band Edge - L																																																																																																																	
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																																																																	
ANT	1																																																																																																																	
Pol.	Horizontal						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5427.92</td><td>48.09</td><td>74.00</td><td>-25.91</td><td>39.51</td><td>34.96</td><td>10.93</td><td>37.31</td><td>0.00</td><td>115</td><td>221 PEAK</td></tr><tr><td>2</td><td>5462.64</td><td>46.54</td><td>68.20</td><td>-21.66</td><td>37.90</td><td>34.97</td><td>10.97</td><td>37.30</td><td>0.00</td><td>115</td><td>221 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5427.92	48.09	74.00	-25.91	39.51	34.96	10.93	37.31	0.00	115	221 PEAK	2	5462.64	46.54	68.20	-21.66	37.90	34.97	10.97	37.30	0.00	115	221 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>99.86</td><td>-----</td><td>-----</td><td>91.04</td><td>34.90</td><td>11.25</td><td>37.33</td><td>0.00</td><td>115</td><td>221 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	99.86	-----	-----	91.04	34.90	11.25	37.33	0.00	115	221 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	5427.92	48.09	74.00	-25.91	39.51	34.96	10.93	37.31	0.00	115	221 PEAK																																																																																																							
2	5462.64	46.54	68.20	-21.66	37.90	34.97	10.97	37.30	0.00	115	221 PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	5670.00	99.86	-----	-----	91.04	34.90	11.25	37.33	0.00	115	221 PEAK																																																																																																							
Avg																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5454.16</td><td>38.06</td><td>54.00</td><td>-15.94</td><td>29.41</td><td>34.99</td><td>10.96</td><td>37.30</td><td>0.00</td><td>115</td><td>221 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.16	38.06	54.00	-15.94	29.41	34.99	10.96	37.30	0.00	115	221 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>91.55</td><td>-----</td><td>-----</td><td>82.73</td><td>34.90</td><td>11.25</td><td>37.33</td><td>0.00</td><td>115</td><td>221 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	91.55	-----	-----	82.73	34.90	11.25	37.33	0.00	115	221 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	5454.16	38.06	54.00	-15.94	29.41	34.99	10.96	37.30	0.00	115	221 AVERAGE																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	5670.00	91.55	-----	-----	82.73	34.90	11.25	37.33	0.00	115	221 AVERAGE																																																																																																							




Mode	25																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.72</td><td>57.06</td><td>68.20</td><td>-11.14</td><td>48.33</td><td>34.95</td><td>11.33</td><td>37.55</td><td>0.00</td><td>115</td><td>221</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.72	57.06	68.20	-11.14	48.33	34.95	11.33	37.55	0.00	115	221	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5725.72	57.06	68.20	-11.14	48.33	34.95	11.33	37.55	0.00	115	221	PEAK																																												





Mode	25																																																																																																																				
	Band Edge - L																																																																																																																				
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																																																																				
ANT	1																																																																																																																				
Pol.	Vertical						Fundamental																																																																																																														
Peak																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5431.76</td><td>48.05</td><td>74.00</td><td>-25.95</td><td>39.47</td><td>34.96</td><td>10.93</td><td>37.31</td><td>0.00</td><td>162</td><td>266</td><td>PEAK</td></tr><tr><td>2</td><td>5461.52</td><td>48.18</td><td>68.20</td><td>-20.02</td><td>39.53</td><td>34.98</td><td>10.97</td><td>37.30</td><td>0.00</td><td>162</td><td>266</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5431.76	48.05	74.00	-25.95	39.47	34.96	10.93	37.31	0.00	162	266	PEAK	2	5461.52	48.18	68.20	-20.02	39.53	34.98	10.97	37.30	0.00	162	266	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>105.23</td><td>-----</td><td>-----</td><td>96.41</td><td>34.90</td><td>11.25</td><td>37.33</td><td>0.00</td><td>162</td><td>266</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	105.23	-----	-----	96.41	34.90	11.25	37.33	0.00	162	266	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5431.76	48.05	74.00	-25.95	39.47	34.96	10.93	37.31	0.00	162	266	PEAK																																																																																																									
2	5461.52	48.18	68.20	-20.02	39.53	34.98	10.97	37.30	0.00	162	266	PEAK																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5670.00	105.23	-----	-----	96.41	34.90	11.25	37.33	0.00	162	266	PEAK																																																																																																									
Avg																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.84</td><td>38.10</td><td>54.00</td><td>-15.90</td><td>29.45</td><td>34.98</td><td>10.97</td><td>37.30</td><td>0.00</td><td>162</td><td>266</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.84	38.10	54.00	-15.90	29.45	34.98	10.97	37.30	0.00	162	266	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>96.44</td><td>-----</td><td>-----</td><td>87.62</td><td>34.90</td><td>11.25</td><td>37.33</td><td>0.00</td><td>162</td><td>266</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	96.44	-----	-----	87.62	34.90	11.25	37.33	0.00	162	266	AVERAGE													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5457.84	38.10	54.00	-15.90	29.45	34.98	10.97	37.30	0.00	162	266	AVERAGE																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5670.00	96.44	-----	-----	87.62	34.90	11.25	37.33	0.00	162	266	AVERAGE																																																																																																									







Mode	25																																																								
	Band Edge - R																																																								
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																								
ANT	1																																																								
Pol.	Vertical						Fundamental																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.48</td><td>60.88</td><td>68.20</td><td>-7.32</td><td>52.15</td><td>34.95</td><td>11.33</td><td>37.55</td><td>0.00</td><td>162</td><td>266</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5725.48	60.88	68.20	-7.32	52.15	34.95	11.33	37.55	0.00	162	266	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5725.48	60.88	68.20	-7.32	52.15	34.95	11.33	37.55	0.00	162	266																																														



Mode	25																																																																																																		
	Harmonic																																																																																																		
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>43.80</td><td>74.00</td><td>-30.20</td><td>56.38</td><td>38.14</td><td>16.01</td><td>66.73</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11340.00	43.80	74.00	-30.20	56.38	38.14	16.01	66.73	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>44.07</td><td>74.00</td><td>-29.93</td><td>56.65</td><td>38.14</td><td>16.01</td><td>66.73</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11340.00	44.07	74.00	-29.93	56.65	38.14	16.01	66.73	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11340.00	43.80	74.00	-30.20	56.38	38.14	16.01	66.73	0.00	---	---	PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11340.00	44.07	74.00	-29.93	56.65	38.14	16.01	66.73	0.00	---	---	PEAK																																																																																							







Mode	26																																																																																														
	Band Edge - L																																																																																														
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																														
ANT	1																																																																																														
Pol.	Horizontal					Fundamental																																																																																									
Peak																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5148.64</td><td>54.81</td><td>74.00</td><td>-19.19</td><td>46.99</td><td>34.60</td><td>10.65</td><td>37.43</td><td>0.00</td><td>101</td><td>5 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5148.64	54.81	74.00	-19.19	46.99	34.60	10.65	37.43	0.00	101	5 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>93.43</td><td>-----</td><td>-----</td><td>85.32</td><td>34.80</td><td>10.72</td><td>37.41</td><td>0.00</td><td>101</td><td>5 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5210.00	93.43	-----	-----	85.32	34.80	10.72	37.41	0.00	101
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5148.64	54.81	74.00	-19.19	46.99	34.60	10.65	37.43	0.00	101	5 PEAK																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5210.00	93.43	-----	-----	85.32	34.80	10.72	37.41	0.00	101	5 PEAK																																																																																				
Avg																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5147.68</td><td>44.82</td><td>54.00</td><td>-9.18</td><td>37.01</td><td>34.60</td><td>10.65</td><td>37.44</td><td>0.00</td><td>101</td><td>5 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5147.68	44.82	54.00	-9.18	37.01	34.60	10.65	37.44	0.00	101	5 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>84.63</td><td>-----</td><td>-----</td><td>76.52</td><td>34.80</td><td>10.72</td><td>37.41</td><td>0.00</td><td>101</td><td>5 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5210.00	84.63	-----	-----	76.52	34.80	10.72	37.41	0.00	101
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5147.68	44.82	54.00	-9.18	37.01	34.60	10.65	37.44	0.00	101	5 AVERAGE																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5210.00	84.63	-----	-----	76.52	34.80	10.72	37.41	0.00	101	5 AVERAGE																																																																																				





Mode	26																																																				
	Band Edge - R																																																				
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																				
ANT	1																																																				
Pol.	Horizontal						Fundamental																																														
Peak	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5357.34</td><td>46.94</td><td>74.00</td><td>-27.06</td><td>38.62</td><td>34.81</td><td>10.85</td><td>37.34</td><td>0.00</td><td>101</td><td>5 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5357.34	46.94	74.00	-27.06	38.62	34.81	10.85	37.34	0.00	101	5 PEAK	Blank				
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1	5357.34	46.94	74.00	-27.06	38.62	34.81	10.85	37.34	0.00	101	5 PEAK																																										
Avg	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5379.84</td><td>37.83</td><td>54.00</td><td>-16.17</td><td>29.43</td><td>34.86</td><td>10.87</td><td>37.33</td><td>0.00</td><td>101</td><td>5 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5379.84	37.83	54.00	-16.17	29.43	34.86	10.87	37.33	0.00	101	5 AVERAGE	Blank				
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1	5379.84	37.83	54.00	-16.17	29.43	34.86	10.87	37.33	0.00	101	5 AVERAGE																																										





Mode	26																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5132.96</td><td>60.39</td><td>74.00</td><td>-13.61</td><td>52.59</td><td>34.60</td><td>10.64</td><td>37.44</td><td>0.00</td><td>101</td><td>289</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5132.96	60.39	74.00	-13.61	52.59	34.60	10.64	37.44	0.00	101	289	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>98.50</td><td>-----</td><td>-----</td><td>90.40</td><td>34.80</td><td>10.71</td><td>37.41</td><td>0.00</td><td>101</td><td>289</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	98.50	-----	-----	90.40	34.80	10.71	37.41	0.00	101	289
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5132.96	60.39	74.00	-13.61	52.59	34.60	10.64	37.44	0.00	101	289	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5210.00	98.50	-----	-----	90.40	34.80	10.71	37.41	0.00	101	289	PEAK																																																																																											
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5146.40</td><td>50.15</td><td>54.00</td><td>-3.85</td><td>42.34</td><td>34.60</td><td>10.65</td><td>37.44</td><td>0.00</td><td>101</td><td>289</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.40	50.15	54.00	-3.85	42.34	34.60	10.65	37.44	0.00	101	289	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>89.86</td><td>-----</td><td>-----</td><td>81.75</td><td>34.80</td><td>10.72</td><td>37.41</td><td>0.00</td><td>101</td><td>289</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	89.86	-----	-----	81.75	34.80	10.72	37.41	0.00	101	289
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5146.40	50.15	54.00	-3.85	42.34	34.60	10.65	37.44	0.00	101	289	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5210.00	89.86	-----	-----	81.75	34.80	10.72	37.41	0.00	101	289	AVERAGE																																																																																											







Mode	26																																																			
	Band Edge - R																																																			
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																			
ANT	1																																																			
Pol.	Vertical						Fundamental																																													
Peak							Blank																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5355.36</td><td>48.32</td><td>74.00</td><td>-25.68</td><td>40.00</td><td>34.81</td><td>10.85</td><td>37.34</td><td>0.00</td><td>101</td><td>289</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5355.36	48.32	74.00	-25.68	40.00	34.81
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																									
1	5355.36	48.32	74.00	-25.68	40.00	34.81	10.85	37.34	0.00	101	289	PEAK																																								
Avg							Blank																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5360.04</td><td>38.43</td><td>54.00</td><td>-15.57</td><td>30.10</td><td>34.82</td><td>10.85</td><td>37.34</td><td>0.00</td><td>101</td><td>289</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5360.04	38.43	54.00	-15.57	30.10	34.82
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																									
1	5360.04	38.43	54.00	-15.57	30.10	34.82	10.85	37.34	0.00	101	289	AVERAGE																																								



Mode	26																																																																																																			
	Harmonic																																																																																																			
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>44.03</td><td>68.20</td><td>-24.17</td><td>58.15</td><td>37.83</td><td>15.35</td><td>67.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	44.03	68.20	-24.17	58.15	37.83	15.35	67.30	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>43.84</td><td>68.20</td><td>-24.36</td><td>57.87</td><td>37.86</td><td>15.37</td><td>67.26</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	43.84	68.20	-24.36	57.87	37.86	15.37	67.26	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10420.00	44.03	68.20	-24.17	58.15	37.83	15.35	67.30	0.00	---	---	PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10420.00	43.84	68.20	-24.36	57.87	37.86	15.37	67.26	0.00	---	---	PEAK																																																																																								







		27																																																							
Mode		Band Edge - L																																																							
		U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																							
ANT		1																																																							
Pol.		Horizontal																																																							
Peak																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5137.76</td><td>49.45</td><td>74.00</td><td>-24.55</td><td>41.65</td><td>34.60</td><td>10.64</td><td>37.44</td><td>0.00</td><td>300</td><td>9 PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5137.76	49.45	74.00	-24.55	41.65	34.60	10.64	37.44	0.00	300	9 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5137.76	49.45	74.00	-24.55	41.65	34.60	10.64	37.44	0.00	300	9 PEAK																																														
Fundamental																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>93.72</td><td>-----</td><td>-----</td><td>85.59</td><td>34.71</td><td>10.79</td><td>37.37</td><td>0.00</td><td>300</td><td>9 PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5290.00	93.72	-----	-----	85.59	34.71	10.79	37.37	0.00	300	9 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5290.00	93.72	-----	-----	85.59	34.71	10.79	37.37	0.00	300	9 PEAK																																														
Avg																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5110.00</td><td>39.93</td><td>54.00</td><td>-14.07</td><td>32.17</td><td>34.60</td><td>10.61</td><td>37.45</td><td>0.00</td><td>300</td><td>9 AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5110.00	39.93	54.00	-14.07	32.17	34.60	10.61	37.45	0.00	300	9 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5110.00	39.93	54.00	-14.07	32.17	34.60	10.61	37.45	0.00	300	9 AVERAGE																																														
Fundamental																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>85.40</td><td>-----</td><td>-----</td><td>77.27</td><td>34.71</td><td>10.79</td><td>37.37</td><td>0.00</td><td>300</td><td>9 AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5290.00	85.40	-----	-----	77.27	34.71	10.79	37.37	0.00	300	9 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5290.00	85.40	-----	-----	77.27	34.71	10.79	37.37	0.00	300	9 AVERAGE																																														



Mode	27																																																				
	Band Edge - R																																																				
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																				
ANT	1																																																				
Pol.	Horizontal										Fundamental																																										
Peak	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5357.00</td><td>54.30</td><td>74.00</td><td>-19.70</td><td>45.98</td><td>34.81</td><td>10.85</td><td>37.34</td><td>0.00</td><td>300</td><td>9 PEAK</td></tr></table>										Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5357.00	54.30	74.00	-19.70	45.98	34.81	10.85	37.34	0.00	300	9 PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1	5357.00	54.30	74.00	-19.70	45.98	34.81	10.85	37.34	0.00	300	9 PEAK																																										
Avg	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.00</td><td>45.01</td><td>54.00</td><td>-8.99</td><td>36.71</td><td>34.81</td><td>10.84</td><td>37.35</td><td>0.00</td><td>300</td><td>9 AVERAGE</td></tr></table>										Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5353.00	45.01	54.00	-8.99	36.71	34.81	10.84	37.35	0.00	300	9 AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1	5353.00	45.01	54.00	-8.99	36.71	34.81	10.84	37.35	0.00	300	9 AVERAGE																																										





Mode	27																																																																																																								
	Band Edge - L																																																																																																								
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																								
ANT	1																																																																																																								
Pol.	Vertical						Fundamental																																																																																																		
Peak																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5125.76</td><td>49.76</td><td>74.00</td><td>-24.24</td><td>41.97</td><td>34.60</td><td>10.63</td><td>37.44</td><td>0.00</td><td>282</td><td>288</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5125.76	49.76	74.00	-24.24	41.97	34.60	10.63	37.44	0.00	282	288	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>97.96</td><td>-----</td><td>-----</td><td>89.83</td><td>34.73</td><td>10.78</td><td>37.38</td><td>0.00</td><td>282</td><td>288</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5290.00	97.96	-----	-----	89.83	34.73	10.78	37.38	0.00	282	288
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5125.76	49.76	74.00	-24.24	41.97	34.60	10.63	37.44	0.00	282	288	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5290.00	97.96	-----	-----	89.83	34.73	10.78	37.38	0.00	282	288	PEAK																																																																																													
Avg																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5145.44</td><td>39.87</td><td>54.00</td><td>-14.13</td><td>32.06</td><td>34.60</td><td>10.65</td><td>37.44</td><td>0.00</td><td>282</td><td>288</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5145.44	39.87	54.00	-14.13	32.06	34.60	10.65	37.44	0.00	282	288	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>89.78</td><td>-----</td><td>-----</td><td>81.65</td><td>34.73</td><td>10.78</td><td>37.38</td><td>0.00</td><td>282</td><td>288</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5290.00	89.78	-----	-----	81.65	34.73	10.78	37.38	0.00	282	288
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5145.44	39.87	54.00	-14.13	32.06	34.60	10.65	37.44	0.00	282	288	AVERAGE																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5290.00	89.78	-----	-----	81.65	34.73	10.78	37.38	0.00	282	288	AVERAGE																																																																																													







Mode	27																																																					
	Band Edge - R																																																					
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																					
ANT	1																																																					
Pol.	Vertical						Fundamental																																															
Peak	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.10</td><td>59.96</td><td>74.00</td><td>-14.04</td><td>51.67</td><td>34.00</td><td>10.84</td><td>37.35</td><td>0.00</td><td>282</td><td>288</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5352.10	59.96	74.00	-14.04	51.67	34.00	10.84	37.35	0.00	282	288	PEAK	Blank				
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	5352.10	59.96	74.00	-14.04	51.67	34.00	10.84	37.35	0.00	282	288	PEAK																																										
Avg	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.20</td><td>50.19</td><td>54.00</td><td>-3.81</td><td>41.90</td><td>34.00</td><td>10.84</td><td>37.35</td><td>0.00</td><td>282</td><td>288</td><td>AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.20	50.19	54.00	-3.81	41.90	34.00	10.84	37.35	0.00	282	288	AVERAGE	Blank				
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	5350.20	50.19	54.00	-3.81	41.90	34.00	10.84	37.35	0.00	282	288	AVERAGE																																										




		27																																																																																																																								
Mode		Harmonic																																																																																																																								
		U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																																								
ANT		1																																																																																																																								
Pol.		Horizontal						Vertical																																																																																																																		
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10580.00</td><td>42.91</td><td>68.20</td><td>-25.29</td><td>56.77</td><td>37.83</td><td>15.45</td><td>67.14</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10580.00	42.91	68.20	-25.29	56.77	37.83	15.45	67.14	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10580.00</td><td>43.18</td><td>68.20</td><td>-25.02</td><td>57.06</td><td>37.86</td><td>15.43</td><td>67.17</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10580.00	43.18	68.20	-25.02	57.06	37.86	15.43	67.17	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1	10580.00	42.91	68.20	-25.29	56.77	37.83	15.45	67.14	0.00	---	---	PEAK																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1	10580.00	43.18	68.20	-25.02	57.06	37.86	15.43	67.17	0.00	---	---	PEAK																																																																																																														



Mode	28																																																																			
	Band Edge - L																																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																			
ANT	1																																																																			
Pol.	Horizontal																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5451.92</td><td>52.43</td><td>74.00</td><td>-21.57</td><td>43.77</td><td>35.00</td><td>10.96</td><td>37.30</td><td>0.00</td><td>263</td><td>0 PEAK</td></tr><tr><td>2</td><td>5466.00</td><td>53.82</td><td>68.20</td><td>-14.38</td><td>45.17</td><td>34.97</td><td>10.98</td><td>37.30</td><td>0.00</td><td>263</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.92	52.43	74.00	-21.57	43.77	35.00	10.96	37.30	0.00	263	0 PEAK	2	5466.00	53.82	68.20	-14.38	45.17	34.97	10.98	37.30	0.00	263	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5451.92	52.43	74.00	-21.57	43.77	35.00	10.96	37.30	0.00	263	0 PEAK																																																									
2	5466.00	53.82	68.20	-14.38	45.17	34.97	10.98	37.30	0.00	263	0 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.96</td><td>44.20</td><td>54.00</td><td>-9.80</td><td>35.55</td><td>34.98</td><td>10.97</td><td>37.30</td><td>0.00</td><td>263</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.96	44.20	54.00	-9.80	35.55	34.98	10.97	37.30	0.00	263	0 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5458.96	44.20	54.00	-9.80	35.55	34.98	10.97	37.30	0.00	263	0 AVERAGE																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>93.32</td><td>-----</td><td>84.64</td><td>34.90</td><td>11.05</td><td>37.27</td><td>0.00</td><td>263</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	93.32	-----	84.64	34.90	11.05	37.27	0.00	263	0 PEAK													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5530.00	93.32	-----	84.64	34.90	11.05	37.27	0.00	263	0 PEAK																																																										
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>84.26</td><td>-----</td><td>75.58</td><td>34.90</td><td>11.05</td><td>37.27</td><td>0.00</td><td>263</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	84.26	-----	75.58	34.90	11.05	37.27	0.00	263	0 AVERAGE													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5530.00	84.26	-----	75.58	34.90	11.05	37.27	0.00	263	0 AVERAGE																																																										




Mode	28																																																								
	Band Edge - R																																																								
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																								
ANT	1																																																								
Pol.	Horizontal						Fundamental																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.24</td><td>50.33</td><td>68.20</td><td>-17.87</td><td>41.61</td><td>34.99</td><td>11.36</td><td>37.63</td><td>0.00</td><td>263</td><td>0</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.24	50.33	68.20	-17.87	41.61	34.99	11.36	37.63	0.00	263	0	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5745.24	50.33	68.20	-17.87	41.61	34.99	11.36	37.63	0.00	263	0																																														





Mode	28																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5449.04</td><td>59.11</td><td>74.00</td><td>-14.89</td><td>50.46</td><td>35.00</td><td>10.95</td><td>37.30</td><td>0.00</td><td>300</td><td>291 PEAK</td></tr><tr><td>2</td><td>5470.00</td><td>60.43</td><td>68.20</td><td>-7.77</td><td>51.78</td><td>34.96</td><td>10.98</td><td>37.29</td><td>0.00</td><td>300</td><td>291 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5449.04	59.11	74.00	-14.89	50.46	35.00	10.95	37.30	0.00	300	291 PEAK	2	5470.00	60.43	68.20	-7.77	51.78	34.96	10.98	37.29	0.00	300	291 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>97.06</td><td>-----</td><td>-----</td><td>88.38</td><td>34.90</td><td>11.05</td><td>37.27</td><td>0.00</td><td>300</td><td>291 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	97.06	-----	-----	88.38	34.90	11.05	37.27	0.00	300	291 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5449.04	59.11	74.00	-14.89	50.46	35.00	10.95	37.30	0.00	300	291 PEAK																																																																																																						
2	5470.00	60.43	68.20	-7.77	51.78	34.96	10.98	37.29	0.00	300	291 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5530.00	97.06	-----	-----	88.38	34.90	11.05	37.27	0.00	300	291 PEAK																																																																																																						
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.44</td><td>50.43</td><td>54.00</td><td>-3.57</td><td>41.78</td><td>34.98</td><td>10.97</td><td>37.30</td><td>0.00</td><td>300</td><td>291 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.44	50.43	54.00	-3.57	41.78	34.98	10.97	37.30	0.00	300	291 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>87.99</td><td>-----</td><td>-----</td><td>79.31</td><td>34.90</td><td>11.05</td><td>37.27</td><td>0.00</td><td>300</td><td>291 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	87.99	-----	-----	79.31	34.90	11.05	37.27	0.00	300	291 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.44	50.43	54.00	-3.57	41.78	34.98	10.97	37.30	0.00	300	291 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5530.00	87.99	-----	-----	79.31	34.90	11.05	37.27	0.00	300	291 AVERAGE																																																																																																						







Mode	28																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																													
ANT	1																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.56</td><td>49.20</td><td>68.20</td><td>-19.00</td><td>40.48</td><td>35.01</td><td>11.38</td><td>37.67</td><td>0.00</td><td>300</td><td>291</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.56	49.20	68.20	-19.00	40.48	35.01	11.38	37.67	0.00	300	291	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5755.56	49.20	68.20	-19.00	40.48	35.01	11.38	37.67	0.00	300	291	PEAK																																		




Mode	28																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>44.80</td><td>74.00</td><td>-29.20</td><td>57.59</td><td>38.20</td><td>15.80</td><td>66.79</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	44.80	74.00	-29.20	57.59	38.20	15.80	66.79	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>45.28</td><td>74.00</td><td>-28.72</td><td>58.07</td><td>38.20</td><td>15.80</td><td>66.79</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	45.28	74.00	-28.72	58.07	38.20	15.80	66.79	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11060.00	44.80	74.00	-29.20	57.59	38.20	15.80	66.79	0.00	---	---	PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11060.00	45.28	74.00	-28.72	58.07	38.20	15.80	66.79	0.00	---	---	PEAK																																																																																								



Mode	29																																																																																																																			
	Band Edge - L																																																																																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																																			
ANT	1																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																													
Peak																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5373.36</td><td>47.90</td><td>74.00</td><td>-26.10</td><td>39.53</td><td>34.85</td><td>10.86</td><td>37.34</td><td>0.00</td><td>119</td><td>220</td><td>PEAK</td></tr><tr><td>2</td><td>5465.68</td><td>48.44</td><td>68.20</td><td>-19.76</td><td>39.79</td><td>34.97</td><td>10.98</td><td>37.30</td><td>0.00</td><td>119</td><td>220</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5373.36	47.90	74.00	-26.10	39.53	34.85	10.86	37.34	0.00	119	220	PEAK	2	5465.68	48.44	68.20	-19.76	39.79	34.97	10.98	37.30	0.00	119	220	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>98.25</td><td>-----</td><td>-----</td><td>89.42</td><td>34.90</td><td>11.16</td><td>37.23</td><td>0.00</td><td>119</td><td>220</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	98.25	-----	-----	89.42	34.90	11.16	37.23	0.00	119	220
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5373.36	47.90	74.00	-26.10	39.53	34.85	10.86	37.34	0.00	119	220	PEAK																																																																																																								
2	5465.68	48.44	68.20	-19.76	39.79	34.97	10.98	37.30	0.00	119	220	PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5610.00	98.25	-----	-----	89.42	34.90	11.16	37.23	0.00	119	220	PEAK																																																																																																								
Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.48</td><td>39.25</td><td>54.00</td><td>-14.75</td><td>30.60</td><td>34.98</td><td>10.97</td><td>37.30</td><td>0.00</td><td>119</td><td>220</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.48	39.25	54.00	-14.75	30.60	34.98	10.97	37.30	0.00	119	220	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>89.04</td><td>-----</td><td>-----</td><td>80.20</td><td>34.90</td><td>11.17</td><td>37.23</td><td>0.00</td><td>119</td><td>220</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	89.04	-----	-----	80.20	34.90	11.17	37.23	0.00	119	220	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5458.48	39.25	54.00	-14.75	30.60	34.98	10.97	37.30	0.00	119	220	AVERAGE																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5610.00	89.04	-----	-----	80.20	34.90	11.17	37.23	0.00	119	220	AVERAGE																																																																																																								




Mode	29																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5727.24</td><td>51.28</td><td>68.20</td><td>-16.92</td><td>42.56</td><td>34.95</td><td>11.33</td><td>37.56</td><td>0.00</td><td>119 220 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.24	51.28	68.20	-16.92	42.56	34.95	11.33	37.56	0.00	119 220 PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5727.24	51.28	68.20	-16.92	42.56	34.95	11.33	37.56	0.00	119 220 PEAK																																														





Mode	29																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																													
ANT	1																																																																																																													
Pol.	Vertical						Fundamental																																																																																																							
Peak																																																																																																														
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.68	50.69	74.00	-23.31	42.04	34.99	10.96	37.30	0.00	196	265	PEAK	2	5464.24	51.61	68.20	-16.59	42.97	34.97	10.97	37.30	0.00	196	265	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>102.46</td><td>-----</td><td>-----</td><td>93.65</td><td>34.90</td><td>11.15</td><td>37.24</td><td>0.00</td><td>196</td><td>265</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	102.46	-----	-----	93.65	34.90	11.15	37.24	0.00	196	265
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5453.68	50.69	74.00	-23.31	42.04	34.99	10.96	37.30	0.00	196	265	PEAK																																																																																																		
2	5464.24	51.61	68.20	-16.59	42.97	34.97	10.97	37.30	0.00	196	265	PEAK																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5610.00	102.46	-----	-----	93.65	34.90	11.15	37.24	0.00	196	265	PEAK																																																																																																		
Avg																																																																																																														
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.64	41.17	54.00	-12.83	32.52	34.98	10.97	37.30	0.00	196	265	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>93.52</td><td>-----</td><td>-----</td><td>84.69</td><td>34.90</td><td>11.16</td><td>37.23</td><td>0.00</td><td>196</td><td>265</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	93.52	-----	-----	84.69	34.90	11.16	37.23	0.00	196	265	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5458.64	41.17	54.00	-12.83	32.52	34.98	10.97	37.30	0.00	196	265	AVERAGE																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5610.00	93.52	-----	-----	84.69	34.90	11.16	37.23	0.00	196	265	AVERAGE																																																																																																		



Mode	29																																																								
	Band Edge - R																																																								
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																								
ANT	1																																																								
Pol.	Vertical						Fundamental																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.28</td><td>53.72</td><td>68.20</td><td>-14.48</td><td>44.99</td><td>34.95</td><td>11.33</td><td>37.55</td><td>0.00</td><td>196</td><td>265</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5726.28	53.72	68.20	-14.48	44.99	34.95	11.33	37.55	0.00	196	265	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5726.28	53.72	68.20	-14.48	44.99	34.95	11.33	37.55	0.00	196	265																																														





		29																																																							
Mode		Harmonic																																																							
		U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																							
ANT		1																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
																																																									
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11220.00</td><td>44.86</td><td>74.00</td><td>-29.14</td><td>57.60</td><td>38.10</td><td>15.92</td><td>66.76</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11220.00	44.86	74.00	-29.14	57.60	38.10	15.92	66.76	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11220.00	44.86	74.00	-29.14	57.60	38.10	15.92	66.76	0.00	---	---	PEAK																																													
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11220.00</td><td>43.64</td><td>74.00</td><td>-30.36</td><td>56.38</td><td>38.10</td><td>15.92</td><td>66.76</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11220.00	43.64	74.00	-30.36	56.38	38.10	15.92	66.76	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11220.00	43.64	74.00	-30.36	56.38	38.10	15.92	66.76	0.00	---	---	PEAK																																													







Mode	19																																																																																																																																																																																																										
	LF																																																																																																																																																																																																										
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																																																																																																																																																																										
ANT	1																																																																																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																																																																																				
QP																																																																																																																																																																																																											
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>31.70</td><td>20.00</td><td>40.00</td><td>-19.20</td><td>28.81</td><td>24.41</td><td>0.37</td><td>32.79</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>190.30</td><td>33.96</td><td>43.50</td><td>-9.54</td><td>50.20</td><td>14.96</td><td>1.56</td><td>32.76</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>216.97</td><td>26.37</td><td>46.00</td><td>-19.63</td><td>42.44</td><td>15.10</td><td>1.63</td><td>32.80</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>280.75</td><td>28.17</td><td>46.00</td><td>-17.83</td><td>40.21</td><td>18.97</td><td>1.84</td><td>32.85</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>329.49</td><td>25.28</td><td>46.00</td><td>-20.72</td><td>36.39</td><td>19.74</td><td>1.99</td><td>32.84</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>964.35</td><td>30.30</td><td>54.00</td><td>-23.70</td><td>27.16</td><td>31.29</td><td>3.36</td><td>31.51</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	31.70	20.00	40.00	-19.20	28.81	24.41	0.37	32.79	---	---	Peak	2	190.30	33.96	43.50	-9.54	50.20	14.96	1.56	32.76	---	---	Peak	3	216.97	26.37	46.00	-19.63	42.44	15.10	1.63	32.80	---	---	Peak	4	280.75	28.17	46.00	-17.83	40.21	18.97	1.84	32.85	---	---	Peak	5	329.49	25.28	46.00	-20.72	36.39	19.74	1.99	32.84	---	---	Peak	6	964.35	30.30	54.00	-23.70	27.16	31.29	3.36	31.51	---	---	Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>31.21</td><td>23.39</td><td>40.00</td><td>-16.61</td><td>31.12</td><td>24.71</td><td>0.36</td><td>32.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>58.37</td><td>17.09</td><td>40.00</td><td>-22.91</td><td>37.04</td><td>12.13</td><td>0.64</td><td>32.72</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>195.39</td><td>22.86</td><td>43.50</td><td>-20.64</td><td>39.19</td><td>14.88</td><td>1.55</td><td>32.76</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>559.62</td><td>24.48</td><td>46.00</td><td>-21.52</td><td>28.59</td><td>26.55</td><td>2.58</td><td>33.24</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>768.66</td><td>27.77</td><td>46.00</td><td>-18.23</td><td>29.49</td><td>28.43</td><td>3.00</td><td>33.15</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>976.24</td><td>29.58</td><td>54.00</td><td>-24.42</td><td>26.54</td><td>31.05</td><td>3.38</td><td>31.39</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	31.21	23.39	40.00	-16.61	31.12	24.71	0.36	32.00	---	---	Peak	2	58.37	17.09	40.00	-22.91	37.04	12.13	0.64	32.72	---	---	Peak	3	195.39	22.86	43.50	-20.64	39.19	14.88	1.55	32.76	---	---	Peak	4	559.62	24.48	46.00	-21.52	28.59	26.55	2.58	33.24	---	---	Peak	5	768.66	27.77	46.00	-18.23	29.49	28.43	3.00	33.15	---	---	Peak	6	976.24	29.58	54.00	-24.42	26.54	31.05	3.38	31.39	---	---
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																	
1	31.70	20.00	40.00	-19.20	28.81	24.41	0.37	32.79	---	---	Peak																																																																																																																																																																																																
2	190.30	33.96	43.50	-9.54	50.20	14.96	1.56	32.76	---	---	Peak																																																																																																																																																																																																
3	216.97	26.37	46.00	-19.63	42.44	15.10	1.63	32.80	---	---	Peak																																																																																																																																																																																																
4	280.75	28.17	46.00	-17.83	40.21	18.97	1.84	32.85	---	---	Peak																																																																																																																																																																																																
5	329.49	25.28	46.00	-20.72	36.39	19.74	1.99	32.84	---	---	Peak																																																																																																																																																																																																
6	964.35	30.30	54.00	-23.70	27.16	31.29	3.36	31.51	---	---	Peak																																																																																																																																																																																																
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																	
1	31.21	23.39	40.00	-16.61	31.12	24.71	0.36	32.00	---	---	Peak																																																																																																																																																																																																
2	58.37	17.09	40.00	-22.91	37.04	12.13	0.64	32.72	---	---	Peak																																																																																																																																																																																																
3	195.39	22.86	43.50	-20.64	39.19	14.88	1.55	32.76	---	---	Peak																																																																																																																																																																																																
4	559.62	24.48	46.00	-21.52	28.59	26.55	2.58	33.24	---	---	Peak																																																																																																																																																																																																
5	768.66	27.77	46.00	-18.23	29.49	28.43	3.00	33.15	---	---	Peak																																																																																																																																																																																																
6	976.24	29.58	54.00	-24.42	26.54	31.05	3.38	31.39	---	---	Peak																																																																																																																																																																																																





Mode	19	
	18-40G	
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak		
Avg		





Mode	30																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																									
ANT	1																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5645.00</td><td>49.18</td><td>68.20</td><td>-19.02</td><td>40.31</td><td>34.90</td><td>11.21</td><td>37.24</td><td>0.00</td><td>114</td><td>41 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>45.76</td><td>68.50</td><td>-22.74</td><td>36.90</td><td>34.90</td><td>11.22</td><td>37.26</td><td>0.00</td><td>114</td><td>41 PEAK</td></tr><tr><td>3</td><td>5715.20</td><td>60.48</td><td>109.56</td><td>-49.08</td><td>51.75</td><td>34.93</td><td>11.31</td><td>37.51</td><td>0.00</td><td>114</td><td>41 PEAK</td></tr><tr><td>4</td><td>5720.80</td><td>61.83</td><td>112.72</td><td>-50.89</td><td>53.10</td><td>34.94</td><td>11.32</td><td>37.53</td><td>0.00</td><td>114</td><td>41 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5645.00	49.18	68.20	-19.02	40.31	34.90	11.21	37.24	0.00	114	41 PEAK	2	5650.40	45.76	68.50	-22.74	36.90	34.90	11.22	37.26	0.00	114	41 PEAK	3	5715.20	60.48	109.56	-49.08	51.75	34.93	11.31	37.51	0.00	114	41 PEAK	4	5720.80	61.83	112.72	-50.89	53.10	34.94	11.32	37.53	0.00	114	41 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>103.53</td><td>-----</td><td>-----</td><td>94.81</td><td>34.99</td><td>11.36</td><td>37.63</td><td>0.00</td><td>114</td><td>41 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	103.53	-----	-----	94.81	34.99	11.36	37.63	0.00	114	41 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5645.00	49.18	68.20	-19.02	40.31	34.90	11.21	37.24	0.00	114	41 PEAK																																																																																																																															
2	5650.40	45.76	68.50	-22.74	36.90	34.90	11.22	37.26	0.00	114	41 PEAK																																																																																																																															
3	5715.20	60.48	109.56	-49.08	51.75	34.93	11.31	37.51	0.00	114	41 PEAK																																																																																																																															
4	5720.80	61.83	112.72	-50.89	53.10	34.94	11.32	37.53	0.00	114	41 PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	103.53	-----	-----	94.81	34.99	11.36	37.63	0.00	114	41 PEAK																																																																																																																															













Mode	31																																																																																																									
	Harmonic																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>45.06</td><td>74.00</td><td>-28.94</td><td>57.05</td><td>38.40</td><td>16.18</td><td>66.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	45.06	74.00	-28.94	57.05	38.40	16.18	66.57	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>44.44</td><td>74.00</td><td>-29.56</td><td>56.43</td><td>38.40</td><td>16.18</td><td>66.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	44.44	74.00	-29.56	56.43	38.40	16.18	66.57	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11570.00	45.06	74.00	-28.94	57.05	38.40	16.18	66.57	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11570.00	44.44	74.00	-29.56	56.43	38.40	16.18	66.57	0.00	---	---	PEAK																																																																																														





Mode	32																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																								
ANT	1																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.40</td><td>59.55</td><td>112.27</td><td>-52.72</td><td>50.71</td><td>35.11</td><td>11.49</td><td>37.76</td><td>0.00</td><td>110</td><td>44 PEAK</td></tr><tr><td>2</td><td>5857.60</td><td>54.87</td><td>110.17</td><td>-55.30</td><td>46.01</td><td>35.12</td><td>11.50</td><td>37.76</td><td>0.00</td><td>110</td><td>44 PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>48.35</td><td>69.53</td><td>-21.18</td><td>39.17</td><td>35.29</td><td>11.55</td><td>37.66</td><td>0.00</td><td>110</td><td>44 PEAK</td></tr><tr><td>4</td><td>5938.80</td><td>49.29</td><td>68.20</td><td>-18.91</td><td>40.01</td><td>35.36</td><td>11.56</td><td>37.64</td><td>0.00</td><td>110</td><td>44 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	59.55	112.27	-52.72	50.71	35.11	11.49	37.76	0.00	110	44 PEAK	2	5857.60	54.87	110.17	-55.30	46.01	35.12	11.50	37.76	0.00	110	44 PEAK	3	5923.20	48.35	69.53	-21.18	39.17	35.29	11.55	37.66	0.00	110	44 PEAK	4	5938.80	49.29	68.20	-18.91	40.01	35.36	11.56	37.64	0.00	110	44 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>104.32</td><td>-----</td><td>-----</td><td>95.56</td><td>35.10</td><td>11.47</td><td>37.81</td><td>0.00</td><td>110</td><td>44 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	104.32	-----	-----	95.56	35.10	11.47	37.81	0.00	110	44 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5854.40	59.55	112.27	-52.72	50.71	35.11	11.49	37.76	0.00	110	44 PEAK																																																																																																																														
2	5857.60	54.87	110.17	-55.30	46.01	35.12	11.50	37.76	0.00	110	44 PEAK																																																																																																																														
3	5923.20	48.35	69.53	-21.18	39.17	35.29	11.55	37.66	0.00	110	44 PEAK																																																																																																																														
4	5938.80	49.29	68.20	-18.91	40.01	35.36	11.56	37.64	0.00	110	44 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5825.00	104.32	-----	-----	95.56	35.10	11.47	37.81	0.00	110	44 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>96.09</td><td>-----</td><td>-----</td><td>87.33</td><td>35.10</td><td>11.47</td><td>37.81</td><td>0.00</td><td>110</td><td>44 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	96.09	-----	-----	87.33	35.10	11.47	37.81	0.00	110	44 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5825.00	96.09	-----	-----	87.33	35.10	11.47	37.81	0.00	110	44 AVERAGE																																																																																																																														






Mode	32																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>57.70</td><td>113.18</td><td>-55.48</td><td>48.86</td><td>35.11</td><td>11.49</td><td>37.76</td><td>0.00</td><td>101 126 PEAK</td></tr><tr><td>2</td><td>5858.00</td><td>55.32</td><td>110.06</td><td>-54.74</td><td>46.46</td><td>35.12</td><td>11.50</td><td>37.76</td><td>0.00</td><td>101 126 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>48.49</td><td>68.94</td><td>-20.45</td><td>39.30</td><td>35.30</td><td>11.55</td><td>37.66</td><td>0.00</td><td>101 126 PEAK</td></tr><tr><td>4</td><td>5969.20</td><td>49.17</td><td>68.20</td><td>-19.03</td><td>39.62</td><td>35.55</td><td>11.59</td><td>37.59</td><td>0.00</td><td>101 126 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	57.70	113.18	-55.48	48.86	35.11	11.49	37.76	0.00	101 126 PEAK	2	5858.00	55.32	110.06	-54.74	46.46	35.12	11.50	37.76	0.00	101 126 PEAK	3	5924.00	48.49	68.94	-20.45	39.30	35.30	11.55	37.66	0.00	101 126 PEAK	4	5969.20	49.17	68.20	-19.03	39.62	35.55	11.59	37.59	0.00	101 126 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>105.72</td><td>-----</td><td>-----</td><td>96.95</td><td>35.10</td><td>11.47</td><td>37.80</td><td>0.00</td><td>101 126 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	105.72	-----	-----	96.95	35.10	11.47	37.80	0.00	101 126 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	5854.00	57.70	113.18	-55.48	48.86	35.11	11.49	37.76	0.00	101 126 PEAK																																																																																																																										
2	5858.00	55.32	110.06	-54.74	46.46	35.12	11.50	37.76	0.00	101 126 PEAK																																																																																																																										
3	5924.00	48.49	68.94	-20.45	39.30	35.30	11.55	37.66	0.00	101 126 PEAK																																																																																																																										
4	5969.20	49.17	68.20	-19.03	39.62	35.55	11.59	37.59	0.00	101 126 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	5825.00	105.72	-----	-----	96.95	35.10	11.47	37.80	0.00	101 126 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>97.07</td><td>-----</td><td>-----</td><td>88.31</td><td>35.10</td><td>11.47</td><td>37.81</td><td>0.00</td><td>101 126 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	97.07	-----	-----	88.31	35.10	11.47	37.81	0.00	101 126 AVERAGE																																																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	5825.00	97.07	-----	-----	88.31	35.10	11.47	37.81	0.00	101 126 AVERAGE																																																																																																																										






Mode	32																																																																																																									
	Harmonic																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>44.71</td><td>74.00</td><td>-29.29</td><td>56.36</td><td>38.55</td><td>16.23</td><td>66.43</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	44.71	74.00	-29.29	56.36	38.55	16.23	66.43	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>44.41</td><td>74.00</td><td>-29.59</td><td>56.06</td><td>38.55</td><td>16.23</td><td>66.43</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	44.41	74.00	-29.59	56.06	38.55	16.23	66.43	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11650.00	44.71	74.00	-29.29	56.36	38.55	16.23	66.43	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11650.00	44.41	74.00	-29.59	56.06	38.55	16.23	66.43	0.00	---	---	PEAK																																																																																														





Mode	33																																																																																																																		
	Band Edge																																																																																																																		
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																																		
ANT	1																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5611.60</td><td>49.80</td><td>68.20</td><td>-18.40</td><td>40.96</td><td>34.90</td><td>11.17</td><td>37.23</td><td>0.00</td><td>184</td><td>41 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>48.17</td><td>68.20</td><td>-20.03</td><td>39.31</td><td>34.90</td><td>11.22</td><td>37.26</td><td>0.00</td><td>184</td><td>41 PEAK</td></tr><tr><td>3</td><td>5710.00</td><td>55.81</td><td>108.10</td><td>-52.29</td><td>47.07</td><td>34.92</td><td>11.31</td><td>37.49</td><td>0.00</td><td>184</td><td>41 PEAK</td></tr><tr><td>4</td><td>5722.00</td><td>62.27</td><td>115.46</td><td>-53.19</td><td>53.54</td><td>34.94</td><td>11.33</td><td>37.54</td><td>0.00</td><td>184</td><td>41 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5611.60	49.80	68.20	-18.40	40.96	34.90	11.17	37.23	0.00	184	41 PEAK	2	5650.00	48.17	68.20	-20.03	39.31	34.90	11.22	37.26	0.00	184	41 PEAK	3	5710.00	55.81	108.10	-52.29	47.07	34.92	11.31	37.49	0.00	184	41 PEAK	4	5722.00	62.27	115.46	-53.19	53.54	34.94	11.33	37.54	0.00	184	41 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>103.67</td><td>-----</td><td>-----</td><td>94.95</td><td>34.99</td><td>11.36</td><td>37.63</td><td>0.00</td><td>184</td><td>41 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	103.67	-----	-----	94.95	34.99	11.36	37.63	0.00	184	41 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5611.60	49.80	68.20	-18.40	40.96	34.90	11.17	37.23	0.00	184	41 PEAK																																																																																																								
2	5650.00	48.17	68.20	-20.03	39.31	34.90	11.22	37.26	0.00	184	41 PEAK																																																																																																								
3	5710.00	55.81	108.10	-52.29	47.07	34.92	11.31	37.49	0.00	184	41 PEAK																																																																																																								
4	5722.00	62.27	115.46	-53.19	53.54	34.94	11.33	37.54	0.00	184	41 PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5745.00	103.67	-----	-----	94.95	34.99	11.36	37.63	0.00	184	41 PEAK																																																																																																								
Avg	Blank																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>94.40</td><td>-----</td><td>-----</td><td>85.68</td><td>34.99</td><td>11.36</td><td>37.63</td><td>0.00</td><td>184</td><td>41 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	94.40	-----	-----	85.68	34.99	11.36	37.63	0.00	184	41 AVERAGE																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5745.00	94.40	-----	-----	85.68	34.99	11.36	37.63	0.00	184	41 AVERAGE																																																																																																								





Mode	33																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																																																								
ANT	1																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5611.60</td><td>49.09</td><td>68.20</td><td>-19.11</td><td>40.25</td><td>34.90</td><td>11.17</td><td>37.23</td><td>0.00</td><td>271</td><td>74 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>46.84</td><td>68.50</td><td>-21.66</td><td>37.98</td><td>34.90</td><td>11.22</td><td>37.26</td><td>0.00</td><td>271</td><td>74 PEAK</td></tr><tr><td>3</td><td>5713.60</td><td>58.40</td><td>109.11</td><td>-50.71</td><td>49.67</td><td>34.93</td><td>11.31</td><td>37.51</td><td>0.00</td><td>271</td><td>74 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>62.03</td><td>111.81</td><td>-49.78</td><td>53.30</td><td>34.94</td><td>11.32</td><td>37.53</td><td>0.00</td><td>271</td><td>74 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5611.60	49.09	68.20	-19.11	40.25	34.90	11.17	37.23	0.00	271	74 PEAK	2	5650.40	46.84	68.50	-21.66	37.98	34.90	11.22	37.26	0.00	271	74 PEAK	3	5713.60	58.40	109.11	-50.71	49.67	34.93	11.31	37.51	0.00	271	74 PEAK	4	5720.40	62.03	111.81	-49.78	53.30	34.94	11.32	37.53	0.00	271	74 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>106.05</td><td>-----</td><td>-----</td><td>97.33</td><td>34.99</td><td>11.36</td><td>37.63</td><td>0.00</td><td>271</td><td>74 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	106.05	-----	-----	97.33	34.99	11.36	37.63	0.00	271
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5611.60	49.09	68.20	-19.11	40.25	34.90	11.17	37.23	0.00	271	74 PEAK																																																																																																																														
2	5650.40	46.84	68.50	-21.66	37.98	34.90	11.22	37.26	0.00	271	74 PEAK																																																																																																																														
3	5713.60	58.40	109.11	-50.71	49.67	34.93	11.31	37.51	0.00	271	74 PEAK																																																																																																																														
4	5720.40	62.03	111.81	-49.78	53.30	34.94	11.32	37.53	0.00	271	74 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	106.05	-----	-----	97.33	34.99	11.36	37.63	0.00	271	74 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>97.29</td><td>-----</td><td>-----</td><td>88.57</td><td>34.99</td><td>11.36</td><td>37.63</td><td>0.00</td><td>271</td><td>74 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	97.29	-----	-----	88.57	34.99	11.36	37.63	0.00	271	74 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	97.29	-----	-----	88.57	34.99	11.36	37.63	0.00	271	74 AVERAGE																																																																																																																														






Mode	33																																																																																																									
	Harmonic																																																																																																									
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>44.92</td><td>74.00</td><td>-29.08</td><td>57.12</td><td>38.38</td><td>16.12</td><td>66.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	44.92	74.00	-29.08	57.12	38.38	16.12	66.70	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>43.37</td><td>74.00</td><td>-30.63</td><td>55.57</td><td>38.38</td><td>16.12</td><td>66.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	43.37	74.00	-30.63	55.57	38.38	16.12	66.70	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11490.00	44.92	74.00	-29.08	57.12	38.38	16.12	66.70	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11490.00	43.37	74.00	-30.63	55.57	38.38	16.12	66.70	0.00	---	---	PEAK																																																																																														






Mode	34																																																																																																									
	Harmonic																																																																																																									
	U-NII-3_5.725-5.85_802.11n HT20_CH157_5785MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>44.99</td><td>74.00</td><td>-29.01</td><td>56.98</td><td>38.40</td><td>16.18</td><td>66.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	44.99	74.00	-29.01	56.98	38.40	16.18	66.57	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>43.32</td><td>74.00</td><td>-30.68</td><td>55.31</td><td>38.40</td><td>16.18</td><td>66.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	43.32	74.00	-30.68	55.31	38.40	16.18	66.57	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11570.00	44.99	74.00	-29.01	56.98	38.40	16.18	66.57	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11570.00	43.32	74.00	-30.68	55.31	38.40	16.18	66.57	0.00	---	---	PEAK																																																																																														





Mode	35																																																																																																																																	
	Band Edge																																																																																																																																	
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																																																	
ANT	1																																																																																																																																	
Pol.	Horizontal					Fundamental																																																																																																																												
Peak																																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.40</td><td>54.09</td><td>112.27</td><td>-57.38</td><td>46.05</td><td>35.11</td><td>11.49</td><td>37.76</td><td>0.00</td><td>110</td><td>42 PEAK</td></tr><tr><td>2 5856.40</td><td>54.31</td><td>110.51</td><td>-56.20</td><td>45.46</td><td>35.11</td><td>11.50</td><td>37.76</td><td>0.00</td><td>110</td><td>42 PEAK</td></tr><tr><td>3 5923.60</td><td>47.14</td><td>69.23</td><td>-22.09</td><td>37.96</td><td>35.29</td><td>11.55</td><td>37.66</td><td>0.00</td><td>110</td><td>42 PEAK</td></tr><tr><td>4 5941.20</td><td>49.02</td><td>68.20</td><td>-19.18</td><td>39.74</td><td>35.36</td><td>11.56</td><td>37.64</td><td>0.00</td><td>110</td><td>42 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.40	54.09	112.27	-57.38	46.05	35.11	11.49	37.76	0.00	110	42 PEAK	2 5856.40	54.31	110.51	-56.20	45.46	35.11	11.50	37.76	0.00	110	42 PEAK	3 5923.60	47.14	69.23	-22.09	37.96	35.29	11.55	37.66	0.00	110	42 PEAK	4 5941.20	49.02	68.20	-19.18	39.74	35.36	11.56	37.64	0.00	110	42 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>103.14</td><td>-----</td><td>-----</td><td>94.38</td><td>35.10</td><td>11.47</td><td>37.81</td><td>0.00</td><td>110</td><td>42 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	103.14	-----	-----	94.38	35.10	11.47	37.81	0.00	110
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5854.40	54.09	112.27	-57.38	46.05	35.11	11.49	37.76	0.00	110	42 PEAK																																																																																																																								
2 5856.40	54.31	110.51	-56.20	45.46	35.11	11.50	37.76	0.00	110	42 PEAK																																																																																																																								
3 5923.60	47.14	69.23	-22.09	37.96	35.29	11.55	37.66	0.00	110	42 PEAK																																																																																																																								
4 5941.20	49.02	68.20	-19.18	39.74	35.36	11.56	37.64	0.00	110	42 PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5825.00	103.14	-----	-----	94.38	35.10	11.47	37.81	0.00	110	42 PEAK																																																																																																																								
Avg	Blank																																																																																																																																	
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>94.77</td><td>-----</td><td>-----</td><td>86.01</td><td>35.10</td><td>11.47</td><td>37.81</td><td>0.00</td><td>110</td><td>42 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	94.77	-----	-----	86.01	35.10	11.47	37.81	0.00	110	42 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5825.00	94.77	-----	-----	86.01	35.10	11.47	37.81	0.00	110	42 AVERAGE																																																																																																																								






Mode	35																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																																																								
ANT	1																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.40</td><td>56.89</td><td>112.27</td><td>-55.38</td><td>48.05</td><td>35.11</td><td>11.49</td><td>37.76</td><td>0.00</td><td>310</td><td>96 PEAK</td></tr><tr><td>2</td><td>5855.60</td><td>57.60</td><td>110.73</td><td>-53.13</td><td>48.76</td><td>35.11</td><td>11.49</td><td>37.76</td><td>0.00</td><td>310</td><td>96 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>49.12</td><td>68.94</td><td>-19.82</td><td>39.93</td><td>35.30</td><td>11.55</td><td>37.66</td><td>0.00</td><td>310</td><td>96 PEAK</td></tr><tr><td>4</td><td>5957.20</td><td>49.05</td><td>68.20</td><td>-19.15</td><td>39.62</td><td>35.46</td><td>11.58</td><td>37.61</td><td>0.00</td><td>310</td><td>96 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	56.89	112.27	-55.38	48.05	35.11	11.49	37.76	0.00	310	96 PEAK	2	5855.60	57.60	110.73	-53.13	48.76	35.11	11.49	37.76	0.00	310	96 PEAK	3	5924.00	49.12	68.94	-19.82	39.93	35.30	11.55	37.66	0.00	310	96 PEAK	4	5957.20	49.05	68.20	-19.15	39.62	35.46	11.58	37.61	0.00	310	96 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>105.88</td><td>-----</td><td>-----</td><td>97.11</td><td>35.10</td><td>11.47</td><td>37.80</td><td>0.00</td><td>310</td><td>96 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	105.88	-----	-----	97.11	35.10	11.47	37.80	0.00	310	96 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5854.40	56.89	112.27	-55.38	48.05	35.11	11.49	37.76	0.00	310	96 PEAK																																																																																																																														
2	5855.60	57.60	110.73	-53.13	48.76	35.11	11.49	37.76	0.00	310	96 PEAK																																																																																																																														
3	5924.00	49.12	68.94	-19.82	39.93	35.30	11.55	37.66	0.00	310	96 PEAK																																																																																																																														
4	5957.20	49.05	68.20	-19.15	39.62	35.46	11.58	37.61	0.00	310	96 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	105.88	-----	-----	97.11	35.10	11.47	37.80	0.00	310	96 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>97.52</td><td>-----</td><td>-----</td><td>88.76</td><td>35.10</td><td>11.47</td><td>37.81</td><td>0.00</td><td>310</td><td>96 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	97.52	-----	-----	88.76	35.10	11.47	37.81	0.00	310	96 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	97.52	-----	-----	88.76	35.10	11.47	37.81	0.00	310	96 AVERAGE																																																																																																																														




Mode	35																																																																																																									
	Harmonic																																																																																																									
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>44.89</td><td>74.00</td><td>-29.11</td><td>56.54</td><td>38.55</td><td>16.23</td><td>66.43</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	44.89	74.00	-29.11	56.54	38.55	16.23	66.43	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>42.69</td><td>74.00</td><td>-31.31</td><td>54.34</td><td>38.55</td><td>16.23</td><td>66.43</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	42.69	74.00	-31.31	54.34	38.55	16.23	66.43	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11650.00	44.89	74.00	-29.11	56.54	38.55	16.23	66.43	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11650.00	42.69	74.00	-31.31	54.34	38.55	16.23	66.43	0.00	---	---	PEAK																																																																																														






Mode	36																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																																								
ANT	1																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5648.98</td><td>49.43</td><td>68.20</td><td>-18.77</td><td>40.56</td><td>34.90</td><td>11.22</td><td>37.25</td><td>0.00</td><td>177</td><td>41 PEAK</td></tr><tr><td>2</td><td>5650.69</td><td>47.88</td><td>68.71</td><td>-20.83</td><td>39.02</td><td>34.90</td><td>11.22</td><td>37.26</td><td>0.00</td><td>177</td><td>41 PEAK</td></tr><tr><td>3</td><td>5711.45</td><td>67.90</td><td>108.51</td><td>-40.61</td><td>59.17</td><td>34.92</td><td>11.31</td><td>37.50</td><td>0.00</td><td>177</td><td>41 PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>69.46</td><td>111.19</td><td>-41.73</td><td>60.73</td><td>34.94</td><td>11.32</td><td>37.53</td><td>0.00</td><td>177</td><td>41 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5648.98	49.43	68.20	-18.77	40.56	34.90	11.22	37.25	0.00	177	41 PEAK	2	5650.69	47.88	68.71	-20.83	39.02	34.90	11.22	37.26	0.00	177	41 PEAK	3	5711.45	67.90	108.51	-40.61	59.17	34.92	11.31	37.50	0.00	177	41 PEAK	4	5720.13	69.46	111.19	-41.73	60.73	34.94	11.32	37.53	0.00	177	41 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>100.95</td><td>-----</td><td>-----</td><td>92.23</td><td>35.00</td><td>11.37</td><td>37.65</td><td>0.00</td><td>177</td><td>41 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	100.95	-----	-----	92.23	35.00	11.37	37.65	0.00	177	41 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5648.98	49.43	68.20	-18.77	40.56	34.90	11.22	37.25	0.00	177	41 PEAK																																																																																																																														
2	5650.69	47.88	68.71	-20.83	39.02	34.90	11.22	37.26	0.00	177	41 PEAK																																																																																																																														
3	5711.45	67.90	108.51	-40.61	59.17	34.92	11.31	37.50	0.00	177	41 PEAK																																																																																																																														
4	5720.13	69.46	111.19	-41.73	60.73	34.94	11.32	37.53	0.00	177	41 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5755.00	100.95	-----	-----	92.23	35.00	11.37	37.65	0.00	177	41 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>92.62</td><td>-----</td><td>-----</td><td>83.90</td><td>35.00</td><td>11.37</td><td>37.65</td><td>0.00</td><td>177</td><td>41 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	92.62	-----	-----	83.90	35.00	11.37	37.65	0.00	177	41 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5755.00	92.62	-----	-----	83.90	35.00	11.37	37.65	0.00	177	41 AVERAGE																																																																																																																														




Mode	36																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																													
ANT	1																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.65</td><td>46.62</td><td>111.71</td><td>-65.09</td><td>37.78</td><td>35.11</td><td>11.49</td><td>37.76</td><td>0.00</td><td>177</td><td>41</td><td>PEAK</td></tr><tr><td>2</td><td>5874.15</td><td>47.51</td><td>105.54</td><td>-58.03</td><td>38.58</td><td>35.15</td><td>11.51</td><td>37.73</td><td>0.00</td><td>177</td><td>41</td><td>PEAK</td></tr><tr><td>3</td><td>5924.65</td><td>46.40</td><td>68.46</td><td>-22.06</td><td>37.21</td><td>35.30</td><td>11.55</td><td>37.66</td><td>0.00</td><td>177</td><td>41</td><td>PEAK</td></tr><tr><td>4</td><td>5942.98</td><td>49.58</td><td>68.20</td><td>-18.62</td><td>40.28</td><td>35.37</td><td>11.56</td><td>37.63</td><td>0.00</td><td>177</td><td>41</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.65	46.62	111.71	-65.09	37.78	35.11	11.49	37.76	0.00	177	41	PEAK	2	5874.15	47.51	105.54	-58.03	38.58	35.15	11.51	37.73	0.00	177	41	PEAK	3	5924.65	46.40	68.46	-22.06	37.21	35.30	11.55	37.66	0.00	177	41	PEAK	4	5942.98	49.58	68.20	-18.62	40.28	35.37	11.56	37.63	0.00	177	41	PEAK	Blank				
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.65	46.62	111.71	-65.09	37.78	35.11	11.49	37.76	0.00	177	41	PEAK																																																																																		
2	5874.15	47.51	105.54	-58.03	38.58	35.15	11.51	37.73	0.00	177	41	PEAK																																																																																		
3	5924.65	46.40	68.46	-22.06	37.21	35.30	11.55	37.66	0.00	177	41	PEAK																																																																																		
4	5942.98	49.58	68.20	-18.62	40.28	35.37	11.56	37.63	0.00	177	41	PEAK																																																																																		





Mode	36																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																																								
ANT	1																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5648.52</td><td>50.10</td><td>68.20</td><td>-18.10</td><td>41.23</td><td>34.90</td><td>11.22</td><td>37.25</td><td>0.00</td><td>271</td><td>75 PEAK</td></tr><tr><td>2</td><td>5650.07</td><td>47.68</td><td>68.25</td><td>-20.57</td><td>38.82</td><td>34.90</td><td>11.22</td><td>37.26</td><td>0.00</td><td>271</td><td>75 PEAK</td></tr><tr><td>3</td><td>5711.76</td><td>71.81</td><td>108.59</td><td>-36.78</td><td>63.08</td><td>34.92</td><td>11.31</td><td>37.50</td><td>0.00</td><td>271</td><td>75 PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>71.64</td><td>111.19</td><td>-39.55</td><td>62.91</td><td>34.94</td><td>11.32</td><td>37.53</td><td>0.00</td><td>271</td><td>75 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5648.52	50.10	68.20	-18.10	41.23	34.90	11.22	37.25	0.00	271	75 PEAK	2	5650.07	47.68	68.25	-20.57	38.82	34.90	11.22	37.26	0.00	271	75 PEAK	3	5711.76	71.81	108.59	-36.78	63.08	34.92	11.31	37.50	0.00	271	75 PEAK	4	5720.13	71.64	111.19	-39.55	62.91	34.94	11.32	37.53	0.00	271	75 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>103.16</td><td>-----</td><td>-----</td><td>94.44</td><td>35.03</td><td>11.39</td><td>37.70</td><td>0.00</td><td>271</td><td>75 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	103.16	-----	-----	94.44	35.03	11.39	37.70	0.00	271	75 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5648.52	50.10	68.20	-18.10	41.23	34.90	11.22	37.25	0.00	271	75 PEAK																																																																																																																														
2	5650.07	47.68	68.25	-20.57	38.82	34.90	11.22	37.26	0.00	271	75 PEAK																																																																																																																														
3	5711.76	71.81	108.59	-36.78	63.08	34.92	11.31	37.50	0.00	271	75 PEAK																																																																																																																														
4	5720.13	71.64	111.19	-39.55	62.91	34.94	11.32	37.53	0.00	271	75 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5755.00	103.16	-----	-----	94.44	35.03	11.39	37.70	0.00	271	75 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>95.17</td><td>-----</td><td>-----</td><td>86.45</td><td>35.00</td><td>11.37</td><td>37.65</td><td>0.00</td><td>271</td><td>75 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	95.17	-----	-----	86.45	35.00	11.37	37.65	0.00	271	75 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5755.00	95.17	-----	-----	86.45	35.00	11.37	37.65	0.00	271	75 AVERAGE																																																																																																																														






Mode	36																																																																						
	Band Edge - R																																																																						
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																						
ANT	1																																																																						
Pol.	Vertical	Fundamental																																																																					
Peak	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5854.84</td><td>47.98</td><td>111.26</td><td>-63.28</td><td>39.14</td><td>35.11</td><td>11.49</td><td>37.76</td><td>0.00</td><td>271</td><td>75 PEAK</td></tr><tr><td>2</td><td>5873.17</td><td>49.04</td><td>105.81</td><td>-56.77</td><td>40.11</td><td>35.15</td><td>11.51</td><td>37.73</td><td>0.00</td><td>271</td><td>75 PEAK</td></tr><tr><td>3</td><td>5923.09</td><td>48.55</td><td>69.61</td><td>-21.06</td><td>39.37</td><td>35.29</td><td>11.55</td><td>37.66</td><td>0.00</td><td>271</td><td>75 PEAK</td></tr><tr><td>4</td><td>5929.72</td><td>48.87</td><td>68.20</td><td>-19.33</td><td>39.65</td><td>35.32</td><td>11.55</td><td>37.65</td><td>0.00</td><td>271</td><td>75 PEAK</td></tr></table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	5854.84	47.98	111.26	-63.28	39.14	35.11	11.49	37.76	0.00	271	75 PEAK	2	5873.17	49.04	105.81	-56.77	40.11	35.15	11.51	37.73	0.00	271	75 PEAK	3	5923.09	48.55	69.61	-21.06	39.37	35.29	11.55	37.66	0.00	271	75 PEAK	4	5929.72	48.87	68.20	-19.33	39.65	35.32	11.55	37.65	0.00	271	75 PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																												
1	5854.84	47.98	111.26	-63.28	39.14	35.11	11.49	37.76	0.00	271	75 PEAK																																																												
2	5873.17	49.04	105.81	-56.77	40.11	35.15	11.51	37.73	0.00	271	75 PEAK																																																												
3	5923.09	48.55	69.61	-21.06	39.37	35.29	11.55	37.66	0.00	271	75 PEAK																																																												
4	5929.72	48.87	68.20	-19.33	39.65	35.32	11.55	37.65	0.00	271	75 PEAK																																																												




Mode	36																																																																																																									
	Harmonic																																																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>43.74</td><td>74.00</td><td>-30.26</td><td>55.89</td><td>38.40</td><td>16.13</td><td>66.68</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	43.74	74.00	-30.26	55.89	38.40	16.13	66.68	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>42.96</td><td>74.00</td><td>-31.04</td><td>55.11</td><td>38.40</td><td>16.13</td><td>66.68</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	42.96	74.00	-31.04	55.11	38.40	16.13	66.68	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11510.00	43.74	74.00	-30.26	55.89	38.40	16.13	66.68	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11510.00	42.96	74.00	-31.04	55.11	38.40	16.13	66.68	0.00	---	---	PEAK																																																																																														






Mode	37																																																																																																																																				
	Band Edge - L																																																																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																																				
ANT	1																																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																																														
Peak																																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5606.00</td><td>49.31</td><td>68.20</td><td>-18.89</td><td>40.48</td><td>34.90</td><td>11.16</td><td>37.23</td><td>0.00</td><td>107</td><td>42 PEAK</td></tr><tr><td>2 5650.00</td><td>46.13</td><td>68.20</td><td>-22.07</td><td>37.27</td><td>34.90</td><td>11.22</td><td>37.26</td><td>0.00</td><td>107</td><td>42 PEAK</td></tr><tr><td>3 5701.60</td><td>47.43</td><td>105.75</td><td>-58.32</td><td>38.70</td><td>34.90</td><td>11.29</td><td>37.46</td><td>0.00</td><td>107</td><td>42 PEAK</td></tr><tr><td>4 5720.00</td><td>49.98</td><td>110.90</td><td>-60.92</td><td>41.25</td><td>34.94</td><td>11.32</td><td>37.53</td><td>0.00</td><td>107</td><td>42 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5606.00	49.31	68.20	-18.89	40.48	34.90	11.16	37.23	0.00	107	42 PEAK	2 5650.00	46.13	68.20	-22.07	37.27	34.90	11.22	37.26	0.00	107	42 PEAK	3 5701.60	47.43	105.75	-58.32	38.70	34.90	11.29	37.46	0.00	107	42 PEAK	4 5720.00	49.98	110.90	-60.92	41.25	34.94	11.32	37.53	0.00	107	42 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>100.00</td><td>-----</td><td>-----</td><td>91.28</td><td>35.08</td><td>11.43</td><td>37.79</td><td>0.00</td><td>107</td><td>42 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	100.00	-----	-----	91.28	35.08	11.43	37.79	0.00	107	42 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5606.00	49.31	68.20	-18.89	40.48	34.90	11.16	37.23	0.00	107	42 PEAK																																																																																																																											
2 5650.00	46.13	68.20	-22.07	37.27	34.90	11.22	37.26	0.00	107	42 PEAK																																																																																																																											
3 5701.60	47.43	105.75	-58.32	38.70	34.90	11.29	37.46	0.00	107	42 PEAK																																																																																																																											
4 5720.00	49.98	110.90	-60.92	41.25	34.94	11.32	37.53	0.00	107	42 PEAK																																																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5795.00	100.00	-----	-----	91.28	35.08	11.43	37.79	0.00	107	42 PEAK																																																																																																																											
Avg	Blank																																																																																																																																				
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>92.55</td><td>-----</td><td>-----</td><td>83.84</td><td>35.09</td><td>11.44</td><td>37.82</td><td>0.00</td><td>107</td><td>42 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	92.55	-----	-----	83.84	35.09	11.44	37.82	0.00	107	42 AVERAGE																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5795.00	92.55	-----	-----	83.84	35.09	11.44	37.82	0.00	107	42 AVERAGE																																																																																																																											




Mode	37																																																																																															
	Band Edge - R																																																																																															
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>53.33</td><td>111.36</td><td>-58.03</td><td>44.49</td><td>35.11</td><td>11.49</td><td>37.76</td><td>0.00</td><td>107</td><td>42</td><td>PEAK</td></tr><tr><td>2</td><td>5866.00</td><td>51.87</td><td>107.59</td><td>-55.72</td><td>42.98</td><td>35.13</td><td>11.50</td><td>37.74</td><td>0.00</td><td>107</td><td>42</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>48.05</td><td>68.35</td><td>-20.30</td><td>38.86</td><td>35.30</td><td>11.55</td><td>37.66</td><td>0.00</td><td>107</td><td>42</td><td>PEAK</td></tr><tr><td>4</td><td>5967.20</td><td>49.49</td><td>68.20</td><td>-18.71</td><td>39.97</td><td>35.54</td><td>11.58</td><td>37.60</td><td>0.00</td><td>107</td><td>42</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	53.33	111.36	-58.03	44.49	35.11	11.49	37.76	0.00	107	42	PEAK	2	5866.00	51.87	107.59	-55.72	42.98	35.13	11.50	37.74	0.00	107	42	PEAK	3	5924.00	48.05	68.35	-20.30	38.86	35.30	11.55	37.66	0.00	107	42	PEAK	4	5967.20	49.49	68.20	-18.71	39.97	35.54	11.58	37.60	0.00	107	42	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5854.00	53.33	111.36	-58.03	44.49	35.11	11.49	37.76	0.00	107	42	PEAK																																																																																				
2	5866.00	51.87	107.59	-55.72	42.98	35.13	11.50	37.74	0.00	107	42	PEAK																																																																																				
3	5924.00	48.05	68.35	-20.30	38.86	35.30	11.55	37.66	0.00	107	42	PEAK																																																																																				
4	5967.20	49.49	68.20	-18.71	39.97	35.54	11.58	37.60	0.00	107	42	PEAK																																																																																				





Mode	37																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																																								
ANT	1																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5622.00</td><td>49.83</td><td>68.20</td><td>-18.37</td><td>40.90</td><td>34.90</td><td>11.18</td><td>37.23</td><td>0.00</td><td>300</td><td>95 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>47.01</td><td>68.50</td><td>-21.49</td><td>38.15</td><td>34.90</td><td>11.22</td><td>37.26</td><td>0.00</td><td>300</td><td>95 PEAK</td></tr><tr><td>3</td><td>5704.40</td><td>50.15</td><td>106.53</td><td>-56.38</td><td>41.41</td><td>34.91</td><td>11.30</td><td>37.47</td><td>0.00</td><td>300</td><td>95 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>51.71</td><td>110.90</td><td>-59.19</td><td>42.98</td><td>34.94</td><td>11.32</td><td>37.53</td><td>0.00</td><td>300</td><td>95 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5622.00	49.83	68.20	-18.37	40.90	34.90	11.18	37.23	0.00	300	95 PEAK	2	5650.40	47.01	68.50	-21.49	38.15	34.90	11.22	37.26	0.00	300	95 PEAK	3	5704.40	50.15	106.53	-56.38	41.41	34.91	11.30	37.47	0.00	300	95 PEAK	4	5720.00	51.71	110.90	-59.19	42.98	34.94	11.32	37.53	0.00	300	95 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>103.59</td><td>-----</td><td>-----</td><td>94.88</td><td>35.10</td><td>11.45</td><td>37.84</td><td>0.00</td><td>300</td><td>95 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	103.59	-----	-----	94.88	35.10	11.45	37.84	0.00	300	95 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5622.00	49.83	68.20	-18.37	40.90	34.90	11.18	37.23	0.00	300	95 PEAK																																																																																																																														
2	5650.40	47.01	68.50	-21.49	38.15	34.90	11.22	37.26	0.00	300	95 PEAK																																																																																																																														
3	5704.40	50.15	106.53	-56.38	41.41	34.91	11.30	37.47	0.00	300	95 PEAK																																																																																																																														
4	5720.00	51.71	110.90	-59.19	42.98	34.94	11.32	37.53	0.00	300	95 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5795.00	103.59	-----	-----	94.88	35.10	11.45	37.84	0.00	300	95 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>95.02</td><td>-----</td><td>-----</td><td>86.31</td><td>35.09</td><td>11.44</td><td>37.82</td><td>0.00</td><td>300</td><td>95 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	95.02	-----	-----	86.31	35.09	11.44	37.82	0.00	300	95 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5795.00	95.02	-----	-----	86.31	35.09	11.44	37.82	0.00	300	95 AVERAGE																																																																																																																														






Mode	37																																																																
	Band Edge - R																																																																
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																
ANT	1																																																																
Pol.	Vertical	Fundamental																																																															
Peak	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5854.00</td><td>56.53</td><td>111.36</td><td>-54.83</td><td>47.69</td><td>35.11</td><td>11.49</td><td>37.76</td></tr><tr><td>2</td><td>5872.00</td><td>52.45</td><td>105.92</td><td>-53.47</td><td>43.52</td><td>35.15</td><td>11.51</td><td>37.73</td></tr><tr><td>3</td><td>5924.00</td><td>48.05</td><td>68.35</td><td>-20.30</td><td>38.06</td><td>35.30</td><td>11.55</td><td>37.66</td></tr><tr><td>4</td><td>5978.40</td><td>50.55</td><td>68.20</td><td>-17.65</td><td>40.91</td><td>35.63</td><td>11.59</td><td>37.58</td></tr></table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5854.00	56.53	111.36	-54.83	47.69	35.11	11.49	37.76	2	5872.00	52.45	105.92	-53.47	43.52	35.15	11.51	37.73	3	5924.00	48.05	68.35	-20.30	38.06	35.30	11.55	37.66	4	5978.40	50.55	68.20	-17.65	40.91	35.63	11.59	37.58	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																									
1	5854.00	56.53	111.36	-54.83	47.69	35.11	11.49	37.76																																																									
2	5872.00	52.45	105.92	-53.47	43.52	35.15	11.51	37.73																																																									
3	5924.00	48.05	68.35	-20.30	38.06	35.30	11.55	37.66																																																									
4	5978.40	50.55	68.20	-17.65	40.91	35.63	11.59	37.58																																																									




Mode	37																																																																																																							
	Harmonic																																																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																							
ANT	1																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak Avg																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>44.63</td><td>74.00</td><td>-29.37</td><td>56.58</td><td>38.40</td><td>16.19</td><td>66.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	44.63	74.00	-29.37	56.58	38.40	16.19	66.54	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>43.89</td><td>74.00</td><td>-30.11</td><td>55.84</td><td>38.40</td><td>16.19</td><td>66.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	43.89	74.00	-30.11	55.84	38.40	16.19	66.54	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	11590.00	44.63	74.00	-29.37	56.58	38.40	16.19	66.54	0.00	---	---	PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	11590.00	43.89	74.00	-30.11	55.84	38.40	16.19	66.54	0.00	---	---	PEAK																																																																																												






Mode	38																																																																																																																							
	Band Edge - L																																																																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																							
ANT	1																																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																																	
Peak																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5649.60</td><td>52.03</td><td>68.20</td><td>-16.17</td><td>43.17</td><td>34.90</td><td>11.22</td><td>37.26</td><td>0.00</td><td>194</td><td>44</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>50.47</td><td>68.20</td><td>-17.73</td><td>41.61</td><td>34.90</td><td>11.22</td><td>37.26</td><td>0.00</td><td>194</td><td>44</td><td>PEAK</td></tr><tr><td>3</td><td>5710.80</td><td>69.05</td><td>108.33</td><td>-39.28</td><td>60.31</td><td>34.92</td><td>11.31</td><td>37.49</td><td>0.00</td><td>194</td><td>44</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>71.48</td><td>111.81</td><td>-40.33</td><td>62.75</td><td>34.94</td><td>11.32</td><td>37.53</td><td>0.00</td><td>194</td><td>44</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5649.60	52.03	68.20	-16.17	43.17	34.90	11.22	37.26	0.00	194	44	PEAK	2	5650.00	50.47	68.20	-17.73	41.61	34.90	11.22	37.26	0.00	194	44	PEAK	3	5710.80	69.05	108.33	-39.28	60.31	34.92	11.31	37.49	0.00	194	44	PEAK	4	5720.40	71.48	111.81	-40.33	62.75	34.94	11.32	37.53	0.00	194	44	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>97.25</td><td>-----</td><td>-----</td><td>88.53</td><td>35.04</td><td>11.40</td><td>37.72</td><td>0.00</td><td>194</td><td>44</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5775.00	97.25	-----	-----	88.53	35.04	11.40	37.72	0.00	194	44
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																														
1	5649.60	52.03	68.20	-16.17	43.17	34.90	11.22	37.26	0.00	194	44	PEAK																																																																																																												
2	5650.00	50.47	68.20	-17.73	41.61	34.90	11.22	37.26	0.00	194	44	PEAK																																																																																																												
3	5710.80	69.05	108.33	-39.28	60.31	34.92	11.31	37.49	0.00	194	44	PEAK																																																																																																												
4	5720.40	71.48	111.81	-40.33	62.75	34.94	11.32	37.53	0.00	194	44	PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																														
1	5775.00	97.25	-----	-----	88.53	35.04	11.40	37.72	0.00	194	44	PEAK																																																																																																												
Avg	Blank																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>89.11</td><td>-----</td><td>-----</td><td>80.39</td><td>35.04</td><td>11.40</td><td>37.72</td><td>0.00</td><td>194</td><td>44</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5775.00	89.11	-----	-----	80.39	35.04	11.40	37.72	0.00	194	44	AVERAGE																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																														
1	5775.00	89.11	-----	-----	80.39	35.04	11.40	37.72	0.00	194	44	AVERAGE																																																																																																												




Mode	38																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																		
ANT	1																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>59.95</td><td>111.36</td><td>-51.41</td><td>51.11</td><td>35.11</td><td>11.49</td><td>37.76</td><td>0.00</td><td>194</td><td>44 PEAK</td></tr><tr><td>2</td><td>5864.40</td><td>62.33</td><td>108.27</td><td>-45.94</td><td>53.45</td><td>35.13</td><td>11.50</td><td>37.75</td><td>0.00</td><td>194</td><td>44 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>46.91</td><td>68.94</td><td>-22.03</td><td>37.72</td><td>35.30</td><td>11.55</td><td>37.66</td><td>0.00</td><td>194</td><td>44 PEAK</td></tr><tr><td>4</td><td>5940.00</td><td>48.77</td><td>68.20</td><td>-19.43</td><td>39.49</td><td>35.36</td><td>11.56</td><td>37.64</td><td>0.00</td><td>194</td><td>44 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	59.95	111.36	-51.41	51.11	35.11	11.49	37.76	0.00	194	44 PEAK	2	5864.40	62.33	108.27	-45.94	53.45	35.13	11.50	37.75	0.00	194	44 PEAK	3	5924.00	46.91	68.94	-22.03	37.72	35.30	11.55	37.66	0.00	194	44 PEAK	4	5940.00	48.77	68.20	-19.43	39.49	35.36	11.56	37.64	0.00	194	44 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.00	59.95	111.36	-51.41	51.11	35.11	11.49	37.76	0.00	194	44 PEAK																																																																								
2	5864.40	62.33	108.27	-45.94	53.45	35.13	11.50	37.75	0.00	194	44 PEAK																																																																								
3	5924.00	46.91	68.94	-22.03	37.72	35.30	11.55	37.66	0.00	194	44 PEAK																																																																								
4	5940.00	48.77	68.20	-19.43	39.49	35.36	11.56	37.64	0.00	194	44 PEAK																																																																								





		38																																																																																										
Mode	Band Edge - L																																																																																											
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																											
ANT	1																																																																																											
Pol.	Vertical																																																																																											
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5650.00</td><td>52.84</td><td>68.20</td><td>-15.36</td><td>43.98</td><td>34.90</td><td>11.22</td><td>37.26</td><td>0.00</td><td>300</td><td>75 PEAK</td></tr><tr><td>2</td><td>5650.10</td><td>52.84</td><td>68.20</td><td>-15.36</td><td>43.98</td><td>34.90</td><td>11.22</td><td>37.26</td><td>0.00</td><td>300</td><td>75 PEAK</td></tr><tr><td>3</td><td>5711.20</td><td>71.92</td><td>108.44</td><td>-36.52</td><td>63.19</td><td>34.92</td><td>11.31</td><td>37.50</td><td>0.00</td><td>300</td><td>75 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>70.53</td><td>110.90</td><td>-40.37</td><td>61.80</td><td>34.94</td><td>11.32</td><td>37.53</td><td>0.00</td><td>300</td><td>75 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5650.00	52.84	68.20	-15.36	43.98	34.90	11.22	37.26	0.00	300	75 PEAK	2	5650.10	52.84	68.20	-15.36	43.98	34.90	11.22	37.26	0.00	300	75 PEAK	3	5711.20	71.92	108.44	-36.52	63.19	34.92	11.31	37.50	0.00	300	75 PEAK	4	5720.00	70.53	110.90	-40.37	61.80	34.94	11.32	37.53	0.00	300	75 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5650.00	52.84	68.20	-15.36	43.98	34.90	11.22	37.26	0.00	300	75 PEAK																																																																																	
2	5650.10	52.84	68.20	-15.36	43.98	34.90	11.22	37.26	0.00	300	75 PEAK																																																																																	
3	5711.20	71.92	108.44	-36.52	63.19	34.92	11.31	37.50	0.00	300	75 PEAK																																																																																	
4	5720.00	70.53	110.90	-40.37	61.80	34.94	11.32	37.53	0.00	300	75 PEAK																																																																																	
Fundamental																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>100.28</td><td>-----</td><td>-----</td><td>91.56</td><td>35.04</td><td>11.40</td><td>37.72</td><td>0.00</td><td>300</td><td>75 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	100.28	-----	-----	91.56	35.04	11.40	37.72	0.00	300	75 PEAK																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5775.00	100.28	-----	-----	91.56	35.04	11.40	37.72	0.00	300	75 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>91.67</td><td>-----</td><td>-----</td><td>82.96</td><td>35.06</td><td>11.42</td><td>37.77</td><td>0.00</td><td>300</td><td>75 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	91.67	-----	-----	82.96	35.06	11.42	37.77	0.00	300	75 AVERAGE																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5775.00	91.67	-----	-----	82.96	35.06	11.42	37.77	0.00	300	75 AVERAGE																																																																																	





Mode	38																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																											
ANT	1																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>65.87</td><td>112.27</td><td>-46.40</td><td>57.03</td><td>35.11</td><td>11.49</td><td>37.76</td><td>0.00</td><td>300</td><td>75 PEAK</td></tr><tr><td>2</td><td>5870.80</td><td>63.58</td><td>106.47</td><td>-42.89</td><td>54.67</td><td>35.14</td><td>11.51</td><td>37.74</td><td>0.00</td><td>300</td><td>75 PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>48.76</td><td>69.23</td><td>-20.47</td><td>39.58</td><td>35.29</td><td>11.55</td><td>37.66</td><td>0.00</td><td>300</td><td>75 PEAK</td></tr><tr><td>4</td><td>5928.00</td><td>50.18</td><td>68.20</td><td>-18.02</td><td>40.97</td><td>35.31</td><td>11.55</td><td>37.65</td><td>0.00</td><td>300</td><td>75 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	65.87	112.27	-46.40	57.03	35.11	11.49	37.76	0.00	300	75 PEAK	2	5870.80	63.58	106.47	-42.89	54.67	35.14	11.51	37.74	0.00	300	75 PEAK	3	5923.60	48.76	69.23	-20.47	39.58	35.29	11.55	37.66	0.00	300	75 PEAK	4	5928.00	50.18	68.20	-18.02	40.97	35.31	11.55	37.65	0.00	300	75 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.40	65.87	112.27	-46.40	57.03	35.11	11.49	37.76	0.00	300	75 PEAK																																																																																	
2	5870.80	63.58	106.47	-42.89	54.67	35.14	11.51	37.74	0.00	300	75 PEAK																																																																																	
3	5923.60	48.76	69.23	-20.47	39.58	35.29	11.55	37.66	0.00	300	75 PEAK																																																																																	
4	5928.00	50.18	68.20	-18.02	40.97	35.31	11.55	37.65	0.00	300	75 PEAK																																																																																	






Mode	38																																																																																																									
	Harmonic																																																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>43.85</td><td>74.00</td><td>-30.15</td><td>55.90</td><td>38.40</td><td>16.16</td><td>66.61</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11550.00	43.85	74.00	-30.15	55.90	38.40	16.16	66.61	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>43.39</td><td>74.00</td><td>-30.61</td><td>55.44</td><td>38.40</td><td>16.16</td><td>66.61</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11550.00	43.39	74.00	-30.61	55.44	38.40	16.16	66.61	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11550.00	43.85	74.00	-30.15	55.90	38.40	16.16	66.61	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11550.00	43.39	74.00	-30.61	55.44	38.40	16.16	66.61	0.00	---	---	PEAK																																																																																														





Mode	38																																																																																																																																																																																											
	LF																																																																																																																																																																																											
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																																																																											
ANT	1																																																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																																																					
QP																																																																																																																																																																																												
	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>196.84</td><td>32.51</td><td>43.50</td><td>-10.99</td><td>48.80</td><td>14.92</td><td>1.55</td><td>32.76</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>216.97</td><td>26.56</td><td>46.00</td><td>-19.44</td><td>42.63</td><td>15.10</td><td>1.63</td><td>32.80</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>239.28</td><td>22.98</td><td>46.00</td><td>-23.02</td><td>36.90</td><td>17.24</td><td>1.70</td><td>32.86</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>282.20</td><td>28.56</td><td>46.00</td><td>-17.44</td><td>40.51</td><td>19.05</td><td>1.85</td><td>32.85</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>354.22</td><td>22.35</td><td>46.00</td><td>-23.65</td><td>32.69</td><td>20.47</td><td>2.06</td><td>32.87</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>791.94</td><td>28.39</td><td>46.00</td><td>-17.61</td><td>29.68</td><td>28.70</td><td>3.05</td><td>33.04</td><td>---</td><td>Peak</td></tr></table>						Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	196.84	32.51	43.50	-10.99	48.80	14.92	1.55	32.76	---	Peak	2	216.97	26.56	46.00	-19.44	42.63	15.10	1.63	32.80	---	Peak	3	239.28	22.98	46.00	-23.02	36.90	17.24	1.70	32.86	---	Peak	4	282.20	28.56	46.00	-17.44	40.51	19.05	1.85	32.85	---	Peak	5	354.22	22.35	46.00	-23.65	32.69	20.47	2.06	32.87	---	Peak	6	791.94	28.39	46.00	-17.61	29.68	28.70	3.05	33.04	---	Peak	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>31.46</td><td>23.88</td><td>40.00</td><td>-16.12</td><td>31.75</td><td>24.56</td><td>0.37</td><td>32.80</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>58.37</td><td>18.52</td><td>40.00</td><td>-21.48</td><td>38.47</td><td>12.13</td><td>0.64</td><td>32.72</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>193.93</td><td>19.62</td><td>43.50</td><td>-23.88</td><td>36.00</td><td>14.83</td><td>1.54</td><td>32.75</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>249.95</td><td>19.85</td><td>46.00</td><td>-26.15</td><td>32.30</td><td>18.70</td><td>1.74</td><td>32.89</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>282.20</td><td>21.01</td><td>46.00</td><td>-24.99</td><td>32.96</td><td>19.05</td><td>1.85</td><td>32.85</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>851.11</td><td>28.09</td><td>46.00</td><td>-17.91</td><td>28.81</td><td>28.70</td><td>3.15</td><td>32.57</td><td>---</td><td>Peak</td></tr></table>						Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	31.46	23.88	40.00	-16.12	31.75	24.56	0.37	32.80	---	Peak	2	58.37	18.52	40.00	-21.48	38.47	12.13	0.64	32.72	---	Peak	3	193.93	19.62	43.50	-23.88	36.00	14.83	1.54	32.75	---	Peak	4	249.95	19.85	46.00	-26.15	32.30	18.70	1.74	32.89	---	Peak	5	282.20	21.01	46.00	-24.99	32.96	19.05	1.85	32.85	---	Peak	6	851.11	28.09	46.00	-17.91	28.81	28.70	3.15	32.57	---	Peak
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																		
	1	196.84	32.51	43.50	-10.99	48.80	14.92	1.55	32.76	---	Peak																																																																																																																																																																																	
	2	216.97	26.56	46.00	-19.44	42.63	15.10	1.63	32.80	---	Peak																																																																																																																																																																																	
	3	239.28	22.98	46.00	-23.02	36.90	17.24	1.70	32.86	---	Peak																																																																																																																																																																																	
4	282.20	28.56	46.00	-17.44	40.51	19.05	1.85	32.85	---	Peak																																																																																																																																																																																		
5	354.22	22.35	46.00	-23.65	32.69	20.47	2.06	32.87	---	Peak																																																																																																																																																																																		
6	791.94	28.39	46.00	-17.61	29.68	28.70	3.05	33.04	---	Peak																																																																																																																																																																																		
Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																			
1	31.46	23.88	40.00	-16.12	31.75	24.56	0.37	32.80	---	Peak																																																																																																																																																																																		
2	58.37	18.52	40.00	-21.48	38.47	12.13	0.64	32.72	---	Peak																																																																																																																																																																																		
3	193.93	19.62	43.50	-23.88	36.00	14.83	1.54	32.75	---	Peak																																																																																																																																																																																		
4	249.95	19.85	46.00	-26.15	32.30	18.70	1.74	32.89	---	Peak																																																																																																																																																																																		
5	282.20	21.01	46.00	-24.99	32.96	19.05	1.85	32.85	---	Peak																																																																																																																																																																																		
6	851.11	28.09	46.00	-17.91	28.81	28.70	3.15	32.57	---	Peak																																																																																																																																																																																		





Mode	38	
	18-40G	
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg		





Mode	40																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.47-5.85_802.11n HT20_CH144_5720MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>44.34</td><td>74.00</td><td>-29.66</td><td>56.69</td><td>38.28</td><td>16.08</td><td>66.71</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	44.34	74.00	-29.66	56.69	38.28	16.08	66.71	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>43.91</td><td>74.00</td><td>-30.09</td><td>56.26</td><td>38.28</td><td>16.08</td><td>66.71</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	43.91	74.00	-30.09	56.26	38.28	16.08	66.71	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11440.00	44.34	74.00	-29.66	56.69	38.28	16.08	66.71	0.00	---	---	PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11440.00	43.91	74.00	-30.09	56.26	38.28	16.08	66.71	0.00	---	---	PEAK																																																																																								



Mode	41																																																																							
	Harmonic																																																																							
	U-NII-2C_5.47-5.85_802.11ac VHT40_CH142_5710MHz																																																																							
ANT	1																																																																							
Pol.	Horizontal						Vertical																																																																	
Peak Avg																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><td>1 11420.00</td><td>43.98</td><td>74.00</td><td>-30.02</td><td>56.39</td><td>38.24</td><td>16.07</td><td>66.72</td><td>0.00</td><td>---</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	1 11420.00	43.98	74.00	-30.02	56.39	38.24	16.07	66.72	0.00	---	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><td>1 11420.00</td><td>43.63</td><td>74.00</td><td>-30.37</td><td>56.04</td><td>38.24</td><td>16.07</td><td>66.72</td><td>0.00</td><td>---</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	1 11420.00	43.63	74.00	-30.37	56.04	38.24	16.07	66.72	0.00	---
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																															
1 11420.00	43.98	74.00	-30.02	56.39	38.24	16.07	66.72	0.00	---																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																															
1 11420.00	43.63	74.00	-30.37	56.04	38.24	16.07	66.72	0.00	---																																																															
PEAK						PEAK																																																																		




Mode	42																																																											
	Harmonic																																																											
	U-NII-2C_5.47-5.85_802.11ac VHT80_CH138_5690MHz																																																											
ANT	1																																																											
Pol.	Horizontal											Vertical																																																
Peak Avg																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>42.60</td><td>74.00</td><td>-31.40</td><td>55.10</td><td>38.18</td><td>16.04</td><td>66.72</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11380.00	42.60	74.00	-31.40	55.10	38.18	16.04	66.72	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11380.00	42.60	74.00	-31.40	55.10	38.18	16.04	66.72	0.00	---	---	PEAK																																																
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>42.58</td><td>74.00</td><td>-31.42</td><td>55.08</td><td>38.18</td><td>16.04</td><td>66.72</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11380.00	42.58	74.00	-31.42	55.08	38.18	16.04	66.72	0.00	---	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11380.00	42.58	74.00	-31.42	55.08	38.18	16.04	66.72	0.00	---	---	PEAK																																																

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
11a	98.61	-	-	10Hz
11n HT20	98.09	-	-	10Hz
11ac VHT40	96.35	0.949	1.054	1.1kHz
11ac VHT80	92.37	0.460	2.174	2.2kHz

802.11a






802.11n HT20



11ac VHT40





11ac VHT80

