
















































Appendix B. AC Conducted Emission Test Results





Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15C RSS247-QP LISN-100334-N 2025 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.175	38.21	-26.51	64.72	18.20	9.55	10.46	QP
2	0.175	32.61	-22.11	54.72	12.60	9.55	10.46	Average
3	0.564	32.35	-23.65	56.00	12.20	9.77	10.38	QP
4	0.564	30.75	-15.25	46.00	10.60	9.77	10.38	Average
5	0.668	37.45	-18.55	56.00	17.30	9.80	10.35	QP
6 *	0.668	36.55	-9.45	46.00	16.40	9.80	10.35	Average
7	1.077	32.72	-23.28	56.00	12.50	9.95	10.27	QP
8	1.077	25.32	-20.68	46.00	5.10	9.95	10.27	Average
9	2.869	30.13	-25.87	56.00	10.20	9.71	10.22	QP
10	2.869	21.13	-24.87	46.00	1.20	9.71	10.22	Average
11	19.326	30.27	-29.73	60.00	10.19	9.78	10.30	QP
12	19.326	22.17	-27.83	50.00	2.09	9.78	10.30	Average

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C Radiated Spurious Emission Test Data

Test Engineer :	Jerry Xu	Relative Humidity :	41 ~ 42%
		Temperature :	22 ~ 23°C





Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	1	802.11b	01	2412	1Mbps	-	-
Mode 2	2400-2483.5	1	802.11b	06	2437	1Mbps	-	-
Mode 3	2400-2483.5	1	802.11b	11	2462	1Mbps	-	-
Mode 4	2400-2483.5	1	802.11g	01	2412	6Mbps	-	-
Mode 5	2400-2483.5	1	802.11g	06	2437	6Mbps	-	-
Mode 6	2400-2483.5	1	802.11g	11	2462	6Mbps	-	-
Mode 7	2400-2483.5	1	802.11n HT20	01	2412	MCS0	-	-
Mode 8	2400-2483.5	1	802.11n HT20	06	2437	MCS0	-	-
Mode 9	2400-2483.5	1	802.11n HT20	11	2462	MCS0	-	-
Mode 10	2400-2483.5	1	802.11n HT40	3	2422	MCS0	-	-
Mode 11	2400-2483.5	1	802.11n HT40	6	2437	MCS0	-	-
Mode 12	2400-2483.5	1	802.11n HT40	9	2452	MCS0	-	-
Mode 13	2400-2483.5	1	802.11n HT40	4	2427	MCS0	-	-

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11b	01	2386.44	44.17	54.00	-9.83	H	AVERAGE	Pass	Band Edge
1	802.11b	01	4824.00	45.69	54.00	-8.31	V	AVERAGE	Pass	Harmonic
2	802.11b	06	-	-	-	-	-	-	-	Band Edge
2	802.11b	06	4874.00	48.36	54.00	-5.64	V	AVERAGE	Pass	Harmonic
3	802.11b	11	2488.00	44.33	54.00	-9.67	H	AVERAGE	Pass	Band Edge
3	802.11b	11	4924.00	49.23	54.00	-4.77	V	AVERAGE	Pass	Harmonic
4	802.11g	01	2389.95	44.85	54.00	-9.15	H	AVERAGE	Pass	Band Edge
4	802.11g	01	4821.00	43.65	54.00	-10.35	H	Average	Pass	Harmonic
5	802.11g	06	-	-	-	-	-	-	-	Band Edge
5	802.11g	06	4874.00	45.52	54.00	-8.48	V	AVERAGE	Pass	Harmonic
6	802.11g	11	2483.50	49.73	54.00	-4.27	H	AVERAGE	Pass	Band Edge
6	802.11g	11	4924.00	38.31	54.00	-15.69	V	AVERAGE	Pass	Harmonic
7	802.11n HT20	01	2389.95	44.77	54.00	-9.23	H	AVERAGE	Pass	Band Edge
7	802.11n HT20	01	4824.00	42.07	54.00	-11.93	V	AVERAGE	Pass	Harmonic
8	802.11n HT20	06	-	-	-	-	-	-	-	Band Edge
8	802.11n HT20	06	4874.00	44.83	54.00	-9.17	V	AVERAGE	Pass	Harmonic
9	802.11n HT20	11	2483.50	50.19	54.00	-3.81	H	AVERAGE	Pass	Band Edge
9	802.11n HT20	11	4924.00	37.71	54.00	-16.29	V	AVERAGE	Pass	Harmonic
10	802.11n HT40	3	2389.17	50.57	54.00	-3.43	H	AVERAGE	Pass	Band Edge
10	802.11n HT40	3	4844.00	43.40	54.00	-10.60	V	AVERAGE	Pass	Harmonic
11	802.11n HT40	6	2389.95	48.47	54.00	-5.53	H	AVERAGE	Pass	Band Edge
11	802.11n HT40	6	4874.00	45.15	54.00	-8.85	H	AVERAGE	Pass	Harmonic
12	802.11n HT40	9	2484.46	47.10	54.00	-6.90	H	AVERAGE	Pass	Band Edge
12	802.11n HT40	9	6538.00	51.33	73.97	-22.64	V	Peak	Pass	Harmonic
13	802.11n HT40	4	2389.52	50.64	54.00	-3.36	H	AVERAGE	Pass	Band Edge
13	802.11n HT40	4	6472.00	47.88	69.78	-21.90	V	Peak	Pass	Harmonic





Mode	1																																																						
	Band Edge																																																						
	2400-2483.5_802.11b_CH01_2412MHz																																																						
ANT	1																																																						
Pol.	Horizontal																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2384.75</td><td>54.05</td><td>74.00</td><td>-19.95</td><td>44.88</td><td>32.21</td><td>7.95</td><td>36.99</td><td>6.00</td><td>125 70 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2384.75	54.05	74.00	-19.95	44.88	32.21	7.95	36.99	6.00	125 70 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2384.75	54.05	74.00	-19.95	44.88	32.21	7.95	36.99	6.00	125 70 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>110.10</td><td>-----</td><td>100.66</td><td>32.44</td><td>8.00</td><td>37.00</td><td>6.00</td><td>125</td><td>70 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	110.10	-----	100.66	32.44	8.00	37.00	6.00	125	70 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2412.00	110.10	-----	100.66	32.44	8.00	37.00	6.00	125	70 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.44</td><td>44.17</td><td>54.00</td><td>-9.83</td><td>34.98</td><td>32.22</td><td>7.96</td><td>36.99</td><td>6.00</td><td>125 70 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.44	44.17	54.00	-9.83	34.98	32.22	7.96	36.99	6.00	125 70 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2386.44	44.17	54.00	-9.83	34.98	32.22	7.96	36.99	6.00	125 70 AVERAGE																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>104.42</td><td>-----</td><td>94.98</td><td>32.44</td><td>8.00</td><td>37.00</td><td>6.00</td><td>125</td><td>70 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	104.42	-----	94.98	32.44	8.00	37.00	6.00	125	70 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2412.00	104.42	-----	94.98	32.44	8.00	37.00	6.00	125	70 AVERAGE																																													





Mode	1																																																																																									
	Band Edge																																																																																									
	2400-2483.5_802.11b_CH01_2412MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a peak at 2412 MHz. A red line indicates the FCC PART 15C limit at 74.00 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2386.83</td><td>54.73</td><td>74.00</td><td>-19.27</td><td>45.54</td><td>32.22</td><td>7.96</td><td>36.99</td><td>6.00</td><td>292 97 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.83	54.73	74.00	-19.27	45.54	32.22	7.96	36.99	6.00	292 97 PEAK	Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a peak at 2412 MHz. A red line indicates the FCC PART 15C limit at 74.00 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>109.35</td><td>-----</td><td>-----</td><td>99.91</td><td>32.44</td><td>8.00</td><td>37.00</td><td>6.00</td><td>292 97 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	109.35	-----	-----	99.91	32.44	8.00	37.00	6.00	292 97 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2386.83	54.73	74.00	-19.27	45.54	32.22	7.96	36.99	6.00	292 97 PEAK																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2412.00	109.35	-----	-----	99.91	32.44	8.00	37.00	6.00	292 97 PEAK																																																																																
Avg	Vertical Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a peak at 2412 MHz. A red line indicates the FCC PART 15C (AVG) limit at 74.00 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2386.18</td><td>43.10</td><td>54.00</td><td>-10.90</td><td>33.91</td><td>32.22</td><td>7.96</td><td>36.99</td><td>6.00</td><td>292 97 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.18	43.10	54.00	-10.90	33.91	32.22	7.96	36.99	6.00	292 97 AVERAGE	Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a peak at 2412 MHz. A red line indicates the FCC PART 15C (AVG) limit at 74.00 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>104.00</td><td>-----</td><td>-----</td><td>95.36</td><td>32.44</td><td>8.00</td><td>37.00</td><td>6.00</td><td>292 97 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	104.00	-----	-----	95.36	32.44	8.00	37.00	6.00	292 97 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2386.18	43.10	54.00	-10.90	33.91	32.22	7.96	36.99	6.00	292 97 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2412.00	104.00	-----	-----	95.36	32.44	8.00	37.00	6.00	292 97 AVERAGE																																																																																




Mode	1																																																																																																												
	Harmonic																																																																																																												
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																												
ANT	1																																																																																																												
Pol.	Horizontal						Vertical																																																																																																						
Peak Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>4824.00</td><td>44.44</td><td>74.00</td><td>-29.56</td><td>64.48</td><td>33.95</td><td>11.40</td><td>65.39</td><td>0.00</td><td>--- PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	4824.00	44.44	74.00	-29.56	64.48	33.95	11.40	65.39	0.00	--- PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>4824.00</td><td>48.84</td><td>74.00</td><td>-25.16</td><td>68.88</td><td>33.95</td><td>11.40</td><td>65.39</td><td>0.00</td><td>32 PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>45.69</td><td>54.00</td><td>-8.31</td><td>65.73</td><td>33.95</td><td>11.40</td><td>65.39</td><td>0.00</td><td>100 32 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	4824.00	48.84	74.00	-25.16	68.88	33.95	11.40	65.39	0.00	32 PEAK	2	4824.00	45.69	54.00	-8.31	65.73	33.95	11.40	65.39	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	4824.00	44.44	74.00	-29.56	64.48	33.95	11.40	65.39	0.00	--- PEAK																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	4824.00	48.84	74.00	-25.16	68.88	33.95	11.40	65.39	0.00	32 PEAK																																																																																																			
2	4824.00	45.69	54.00	-8.31	65.73	33.95	11.40	65.39	0.00	100 32 AVERAGE																																																																																																			



Mode	1	
	18G-25G	
	2400-2483.5_802.11b_CH01_2412MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg		







Mode	1																																																																																																													
	30-1G																																																																																																													
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																													
ANT	1																																																																																																													
Pol.	Horizontal																																																																																																													
Peak																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>39.58</td><td>21.80</td><td>40.00</td><td>-18.20</td><td>33.86</td><td>20.20</td><td>0.70</td><td>32.96</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>107.60</td><td>28.57</td><td>43.50</td><td>-14.93</td><td>42.81</td><td>16.94</td><td>1.67</td><td>32.85</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>152.95</td><td>30.35</td><td>43.50</td><td>-13.15</td><td>44.26</td><td>17.22</td><td>1.98</td><td>33.11</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>239.52</td><td>26.30</td><td>46.00</td><td>-19.70</td><td>39.19</td><td>17.42</td><td>2.51</td><td>32.82</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>284.38</td><td>25.81</td><td>46.00</td><td>-20.19</td><td>36.78</td><td>19.19</td><td>2.75</td><td>32.91</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>554.77</td><td>26.14</td><td>46.00</td><td>-19.86</td><td>28.85</td><td>26.16</td><td>3.83</td><td>32.70</td><td>0.00</td><td>--- Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	39.58	21.80	40.00	-18.20	33.86	20.20	0.70	32.96	0.00	--- Peak	2	107.60	28.57	43.50	-14.93	42.81	16.94	1.67	32.85	0.00	--- Peak	3	152.95	30.35	43.50	-13.15	44.26	17.22	1.98	33.11	0.00	--- Peak	4	239.52	26.30	46.00	-19.70	39.19	17.42	2.51	32.82	0.00	--- Peak	5	284.38	25.81	46.00	-20.19	36.78	19.19	2.75	32.91	0.00	--- Peak	6	554.77	26.14	46.00	-19.86	28.85	26.16	3.83	32.70	0.00	--- Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
	1	39.58	21.80	40.00	-18.20	33.86	20.20	0.70	32.96	0.00	--- Peak																																																																																																			
	2	107.60	28.57	43.50	-14.93	42.81	16.94	1.67	32.85	0.00	--- Peak																																																																																																			
	3	152.95	30.35	43.50	-13.15	44.26	17.22	1.98	33.11	0.00	--- Peak																																																																																																			
	4	239.52	26.30	46.00	-19.70	39.19	17.42	2.51	32.82	0.00	--- Peak																																																																																																			
	5	284.38	25.81	46.00	-20.19	36.78	19.19	2.75	32.91	0.00	--- Peak																																																																																																			
6	554.77	26.14	46.00	-19.86	28.85	26.16	3.83	32.70	0.00	--- Peak																																																																																																				
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>39.58</td><td>21.80</td><td>40.00</td><td>-18.20</td><td>33.86</td><td>20.20</td><td>0.70</td><td>32.96</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>107.60</td><td>28.57</td><td>43.50</td><td>-14.93</td><td>42.81</td><td>16.94</td><td>1.67</td><td>32.85</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>152.95</td><td>30.35</td><td>43.50</td><td>-13.15</td><td>44.26</td><td>17.22</td><td>1.98</td><td>33.11</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>239.52</td><td>26.30</td><td>46.00</td><td>-19.70</td><td>39.19</td><td>17.42</td><td>2.51</td><td>32.82</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>284.38</td><td>25.81</td><td>46.00</td><td>-20.19</td><td>36.78</td><td>19.19</td><td>2.75</td><td>32.91</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>554.77</td><td>26.14</td><td>46.00</td><td>-19.86</td><td>28.85</td><td>26.16</td><td>3.83</td><td>32.70</td><td>0.00</td><td>--- Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	39.58	21.80	40.00	-18.20	33.86	20.20	0.70	32.96	0.00	--- Peak	2	107.60	28.57	43.50	-14.93	42.81	16.94	1.67	32.85	0.00	--- Peak	3	152.95	30.35	43.50	-13.15	44.26	17.22	1.98	33.11	0.00	--- Peak	4	239.52	26.30	46.00	-19.70	39.19	17.42	2.51	32.82	0.00	--- Peak	5	284.38	25.81	46.00	-20.19	36.78	19.19	2.75	32.91	0.00	--- Peak	6	554.77	26.14	46.00	-19.86	28.85	26.16	3.83	32.70	0.00	--- Peak	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	39.58	21.80	40.00	-18.20	33.86	20.20	0.70	32.96	0.00	--- Peak																																																																																																				
2	107.60	28.57	43.50	-14.93	42.81	16.94	1.67	32.85	0.00	--- Peak																																																																																																				
3	152.95	30.35	43.50	-13.15	44.26	17.22	1.98	33.11	0.00	--- Peak																																																																																																				
4	239.52	26.30	46.00	-19.70	39.19	17.42	2.51	32.82	0.00	--- Peak																																																																																																				
5	284.38	25.81	46.00	-20.19	36.78	19.19	2.75	32.91	0.00	--- Peak																																																																																																				
6	554.77	26.14	46.00	-19.86	28.85	26.16	3.83	32.70	0.00	--- Peak																																																																																																				
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>39.58</td><td>21.80</td><td>40.00</td><td>-18.20</td><td>33.86</td><td>20.20</td><td>0.70</td><td>32.96</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>107.60</td><td>28.57</td><td>43.50</td><td>-14.93</td><td>42.81</td><td>16.94</td><td>1.67</td><td>32.85</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>152.95</td><td>30.35</td><td>43.50</td><td>-13.15</td><td>44.26</td><td>17.22</td><td>1.98</td><td>33.11</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>239.52</td><td>26.30</td><td>46.00</td><td>-19.70</td><td>39.19</td><td>17.42</td><td>2.51</td><td>32.82</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>284.38</td><td>25.81</td><td>46.00</td><td>-20.19</td><td>36.78</td><td>19.19</td><td>2.75</td><td>32.91</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>554.77</td><td>26.14</td><td>46.00</td><td>-19.86</td><td>28.85</td><td>26.16</td><td>3.83</td><td>32.70</td><td>0.00</td><td>--- Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	39.58	21.80	40.00	-18.20	33.86	20.20	0.70	32.96	0.00	--- Peak	2	107.60	28.57	43.50	-14.93	42.81	16.94	1.67	32.85	0.00	--- Peak	3	152.95	30.35	43.50	-13.15	44.26	17.22	1.98	33.11	0.00	--- Peak	4	239.52	26.30	46.00	-19.70	39.19	17.42	2.51	32.82	0.00	--- Peak	5	284.38	25.81	46.00	-20.19	36.78	19.19	2.75	32.91	0.00	--- Peak	6	554.77	26.14	46.00	-19.86	28.85	26.16	3.83	32.70	0.00	--- Peak	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	39.58	21.80	40.00	-18.20	33.86	20.20	0.70	32.96	0.00	--- Peak																																																																																																				
2	107.60	28.57	43.50	-14.93	42.81	16.94	1.67	32.85	0.00	--- Peak																																																																																																				
3	152.95	30.35	43.50	-13.15	44.26	17.22	1.98	33.11	0.00	--- Peak																																																																																																				
4	239.52	26.30	46.00	-19.70	39.19	17.42	2.51	32.82	0.00	--- Peak																																																																																																				
5	284.38	25.81	46.00	-20.19	36.78	19.19	2.75	32.91	0.00	--- Peak																																																																																																				
6	554.77	26.14	46.00	-19.86	28.85	26.16	3.83	32.70	0.00	--- Peak																																																																																																				
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>39.58</td><td>21.80</td><td>40.00</td><td>-18.20</td><td>33.86</td><td>20.20</td><td>0.70</td><td>32.96</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>107.60</td><td>28.57</td><td>43.50</td><td>-14.93</td><td>42.81</td><td>16.94</td><td>1.67</td><td>32.85</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>152.95</td><td>30.35</td><td>43.50</td><td>-13.15</td><td>44.26</td><td>17.22</td><td>1.98</td><td>33.11</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>239.52</td><td>26.30</td><td>46.00</td><td>-19.70</td><td>39.19</td><td>17.42</td><td>2.51</td><td>32.82</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>284.38</td><td>25.81</td><td>46.00</td><td>-20.19</td><td>36.78</td><td>19.19</td><td>2.75</td><td>32.91</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>554.77</td><td>26.14</td><td>46.00</td><td>-19.86</td><td>28.85</td><td>26.16</td><td>3.83</td><td>32.70</td><td>0.00</td><td>--- Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	39.58	21.80	40.00	-18.20	33.86	20.20	0.70	32.96	0.00	--- Peak	2	107.60	28.57	43.50	-14.93	42.81	16.94	1.67	32.85	0.00	--- Peak	3	152.95	30.35	43.50	-13.15	44.26	17.22	1.98	33.11	0.00	--- Peak	4	239.52	26.30	46.00	-19.70	39.19	17.42	2.51	32.82	0.00	--- Peak	5	284.38	25.81	46.00	-20.19	36.78	19.19	2.75	32.91	0.00	--- Peak	6	554.77	26.14	46.00	-19.86	28.85	26.16	3.83	32.70	0.00	--- Peak	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	39.58	21.80	40.00	-18.20	33.86	20.20	0.70	32.96	0.00	--- Peak																																																																																																				
2	107.60	28.57	43.50	-14.93	42.81	16.94	1.67	32.85	0.00	--- Peak																																																																																																				
3	152.95	30.35	43.50	-13.15	44.26	17.22	1.98	33.11	0.00	--- Peak																																																																																																				
4	239.52	26.30	46.00	-19.70	39.19	17.42	2.51	32.82	0.00	--- Peak																																																																																																				
5	284.38	25.81	46.00	-20.19	36.78	19.19	2.75	32.91	0.00	--- Peak																																																																																																				
6	554.77	26.14	46.00	-19.86	28.85	26.16	3.83	32.70	0.00	--- Peak																																																																																																				
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>39.58</td><td>21.80</td><td>40.00</td><td>-18.20</td><td>33.86</td><td>20.20</td><td>0.70</td><td>32.96</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>107.60</td><td>28.57</td><td>43.50</td><td>-14.93</td><td>42.81</td><td>16.94</td><td>1.67</td><td>32.85</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>152.95</td><td>30.35</td><td>43.50</td><td>-13.15</td><td>44.26</td><td>17.22</td><td>1.98</td><td>33.11</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>239.52</td><td>26.30</td><td>46.00</td><td>-19.70</td><td>39.19</td><td>17.42</td><td>2.51</td><td>32.82</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>284.38</td><td>25.81</td><td>46.00</td><td>-20.19</td><td>36.78</td><td>19.19</td><td>2.75</td><td>32.91</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>554.77</td><td>26.14</td><td>46.00</td><td>-19.86</td><td>28.85</td><td>26.16</td><td>3.83</td><td>32.70</td><td>0.00</td><td>--- Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	39.58	21.80	40.00	-18.20	33.86	20.20	0.70	32.96	0.00	--- Peak	2	107.60	28.57	43.50	-14.93	42.81	16.94	1.67	32.85	0.00	--- Peak	3	152.95	30.35	43.50	-13.15	44.26	17.22	1.98	33.11	0.00	--- Peak	4	239.52	26.30	46.00	-19.70	39.19	17.42	2.51	32.82	0.00	--- Peak	5	284.38	25.81	46.00	-20.19	36.78	19.19	2.75	32.91	0.00	--- Peak	6	554.77	26.14	46.00	-19.86	28.85	26.16	3.83	32.70	0.00	--- Peak	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	39.58	21.80	40.00	-18.20	33.86	20.20	0.70	32.96	0.00	--- Peak																																																																																																				
2	107.60	28.57	43.50	-14.93	42.81	16.94	1.67	32.85	0.00	--- Peak																																																																																																				
3	152.95	30.35	43.50	-13.15	44.26	17.22	1.98	33.11	0.00	--- Peak																																																																																																				
4	239.52	26.30	46.00	-19.70	39.19	17.42	2.51	32.82	0.00	--- Peak																																																																																																				
5	284.38	25.81	46.00	-20.19	36.78	19.19	2.75	32.91	0.00	--- Peak																																																																																																				
6	554.77	26.14	46.00	-19.86	28.85	26.16	3.83	32.70	0.00	--- Peak																																																																																																				
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>39.58</td><td>21.80</td><td>40.00</td><td>-18.20</td><td>33.86</td><td>20.20</td><td>0.70</td><td>32.96</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>107.60</td><td>28.57</td><td>43.50</td><td>-14.93</td><td>42.81</td><td>16.94</td><td>1.67</td><td>32.85</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>152.95</td><td>30.35</td><td>43.50</td><td>-13.15</td><td>44.26</td><td>17.22</td><td>1.98</td><td>33.11</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>239.52</td><td>26.30</td><td>46.00</td><td>-19.70</td><td>39.19</td><td>17.42</td><td>2.51</td><td>32.82</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>284.38</td><td>25.81</td><td>46.00</td><td>-20.19</td><td>36.78</td><td>19.19</td><td>2.75</td><td>32.91</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>554.77</td><td>26.14</td><td>46.00</td><td>-19.86</td><td>28.85</td><td>26.16</td><td>3.83</td><td>32.70</td><td>0.00</td><td>--- Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	39.58	21.80	40.00	-18.20	33.86	20.20	0.70	32.96	0.00	--- Peak	2	107.60	28.57	43.50	-14.93	42.81	16.94	1.67	32.85	0.00	--- Peak	3	152.95	30.35	43.50	-13.15	44.26	17.22	1.98	33.11	0.00	--- Peak	4	239.52	26.30	46.00	-19.70	39.19	17.42	2.51	32.82	0.00	--- Peak	5	284.38	25.81	46.00	-20.19	36.78	19.19	2.75	32.91	0.00	--- Peak	6	554.77	26.14	46.00	-19.86	28.85	26.16	3.83	32.70	0.00	--- Peak	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	39.58	21.80	40.00	-18.20	33.86	20.20	0.70	32.96	0.00	--- Peak																																																																																																				
2	107.60	28.57	43.50	-14.93	42.81	16.94	1.67	32.85	0.00	--- Peak																																																																																																				
3	152.95	30.35	43.50	-13.15	44.26	17.22	1.98	33.11	0.00	--- Peak																																																																																																				
4	239.52	26.30	46.00	-19.70	39.19	17.42	2.51	32.82	0.00	--- Peak																																																																																																				
5	284.38	25.81	46.00	-20.19	36.78	19.19	2.75	32.91	0.00	--- Peak																																																																																																				
6	554.77	26.14	46.00	-19.86	28.85	26.16	3.83	32.70	0.00	--- Peak																																																																																																				
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>39.58</td><td>21.80</td><td>40.00</td><td>-18.20</td><td>33.86</td><td>20.20</td><td>0.70</td><td>32.96</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>107.60</td><td>28.57</td><td>43.50</td><td>-14.93</td><td>42.81</td><td>16.94</td><td>1.67</td><td>32.85</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>152.95</td><td>30.35</td><td>43.50</td><td>-13.15</td><td>44.26</td><td>17.22</td><td>1.98</td><td>33.11</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>239.52</td><td>26.30</td><td>46.00</td><td>-19.70</td><td>39.19</td><td>17.42</td><td>2.51</td><td>32.82</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>284.38</td><td>25.81</td><td>46.00</td><td>-20.19</td><td>36.78</td><td>19.19</td><td>2.75</td><td>32.91</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>554.77</td><td>26.14</td><td>46.00</td><td>-19.86</td><td>28.85</td><td>26.16</td><td>3.83</td><td>32.70</td><td>0.00</td><td>--- Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	39.58	21.80	40.00	-18.20	33.86	20.20	0.70	32.96	0.00	--- Peak	2	107.60	28.57	43.50	-14.93	42.81	16.94	1.67	32.85	0.00	--- Peak	3	152.95	30.35	43.50	-13.15	44.26	17.22	1.98	33.11	0.00	--- Peak	4	239.52	26.30	46.00	-19.70	39.19	17.42	2.51	32.82	0.00	--- Peak	5	284.38	25.81	46.00	-20.19	36.78	19.19	2.75	32.91	0.00	--- Peak	6	554.77	26.14	46.00	-19.86	28.85	26.16	3.83	32.70	0.00	--- Peak	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	39.58	21.80	40.00	-18.20	33.86	20.20	0.70	32.96	0.00	--- Peak																																																																																																				
2	107.60	28.57	43.50	-14.93	42.81	16.94	1.67	32.85	0.00	--- Peak																																																																																																				
3	152.95	30.35	43.50	-13.15	44.26	17.22	1.98	33.11	0.00	--- Peak																																																																																																				
4	239.52	26.30	46.00	-19.70	39.19	17.42	2.51	32.82	0.00	--- Peak																																																																																																				
5	284.38	25.81	46.00	-20.19	36.78	19.19	2.75	32.91	0.00	--- Peak																																																																																																				
6	554.77	26.14	46.00	-19.86	28.85	26.16	3.83	32.70	0.00	--- Peak																																																																																																				
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>39.58</td><td>21.80</td><td>40.00</td><td>-18.20</td><td>33.86</td><td>20.20</td><td>0.70</td><td>32.96</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>107.60</td><td>28.57</td><td>43.50</td><td>-14.93</td><td>42.81</td><td>16.94</td><td>1.67</td><td>32.85</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>152.95</td><td>30.35</td><td>43.50</td><td>-13.15</td><td>44.26</td><td>17.22</td><td>1.98</td><td>33.11</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>239.52</td><td>26.30</td><td>46.00</td><td>-19.70</td><td>39.19</td><td>17.42</td><td>2.51</td><td>32.82</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>284.38</td><td>25.81</td><td>46.00</td><td>-20.19</td><td>36.78</td><td>19.19</td><td>2.75</td><td>32.91</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>554.77</td><td>26.14</td><td>46.00</td><td>-19.86</td><td>28.85</td><td>26.16</td><td>3.83</td><td>32.70</td><td>0.00</td><td>--- Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	39.58	21.80	40.00	-18.20	33.86	20.20	0.70	32.96	0.00	--- Peak	2	107.60	28.57	43.50	-14.93	42.81	16.94	1.67	32.85	0.00	--- Peak	3	152.95	30.35	43.50	-13.15	44.26	17.22	1.98	33.11	0.00	--- Peak	4	239.52	26.30	46.00	-19.70	39.19	17.42	2.51	32.82	0.00	--- Peak	5	284.38	25.81	46.00	-20.19	36.78	19.19	2.75	32.91	0.00	--- Peak	6	554.77	26.14	46.00	-19.86	28.85	26.16	3.83	32.70	0.00	--- Peak	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	39.58	21.80	40.00	-18.20	33.86	20.20	0.70	32.96	0.00	--- Peak																																																																																																				
2	107.60	28.57	43.50	-14.93	42.81	16.94	1.67	32.85	0.00	--- Peak																																																																																																				
3	152.95	30.35	43.50	-13.15	44.26	17.22	1.98	33.11	0.00	--- Peak																																																																																																				
4	239.52	26.30	46.00	-19.70	39.19	17.42	2.51	32.82	0.00	--- Peak																																																																																																				
5	284.38	25.81	46.00	-20.19	36.78	19.19	2.75	32.91	0.00	--- Peak																																																																																																				
6	554.77	26.14	46.00	-19.86	28.85	26.16	3.83	32.70	0.00	--- Peak																																																																																																				
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>39.58</td><td>21.80</td><td>40.00</td><td>-18.20</td><td>33.86</td><td>20.20</td><td>0.70</td><td>32.96</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>107.60</td><td>28.57</td><td>43.50</td><td>-14.93</td><td>42.81</td><td>16.94</td><td>1.67</td><td>32.85</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>152.95</td><td>30.35</td><td>43.50</td><td>-13.15</td><td>44.26</td><td>17.22</td><td>1.98</td><td>33.11</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>239.52</td><td>26.30</td><td>46.00</td><td>-19.70</td><td>39.19</td><td>17.42</td><td>2.51</td><td>32.82</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>284.38</td><td>25.81</td><td>46.00</td><td>-20.19</td><td>36.78</td><td>19.19</td><td>2.75</td><td>32.91</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>554.77</td><td>26.14</td><td>46.00</td><td>-19.86</td><td>28.85</td><td>26.16</td><td>3.83</td><td>32.70</td><td>0.00</td><td>--- Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	39.58	21.80	40.00	-18.20	33.86	20.20	0.70	32.96	0.00	--- Peak	2	107.60	28.57	43.50	-14.93	42.81	16.94	1.67	32.85	0.00	--- Peak	3	152.95	30.35	43.50	-13.15	44.26	17.22	1.98	33.11	0.00	--- Peak	4	239.52	26.30	46.00	-19.70	39.19	17.42	2.51	32.82	0.00	--- Peak	5	284.38	25.81	46.00	-20.19	36.78	19.19	2.75	32.91	0.00	--- Peak	6	554.77	26.14	46.00	-19.86	28.85	26.16	3.83	32.70	0.00	--- Peak	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	39.58	21.80	40.00	-18.20	33.86	20.20	0.70	32.96	0.00	--- Peak																																																																																																				
2	107.60	28.57	43.50	-14.93	42.81	16.94	1.67	32.85	0.00	--- Peak																																																																																																				
3	152.95	30.35	43.50	-13.15	44.26	17.22	1.98	33.11	0.00	--- Peak																																																																																																				
4	239.52	26.30	46.00	-19.70	39.19	17.42	2.51	32.82	0.00	--- Peak																																																																																																				
5	284.38	25.81	46.00	-20.19	36.78	19.19	2.75	32.91	0.00	--- Peak																																																																																																				
6	554.77	26.14	46.00	-19.86	28.85	26.16	3.83	32.70	0.00	--- Peak																																																																																																				
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>39.58</td><td>21.80</td><td>40.00</td><td>-18.20</td><td>33.86</td><td>20.20</td><td>0.70</td><td>32.96</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>107.60</td><td>28.57</td><td>43.50</td><td>-14.93</td><td>42.81</td><td>16.94</td><td>1.67</td><td>32.85</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>152.95</td><td>30.35</td><td>43.50</td><td>-13.15</td><td>44.26</td><td>17.22</td><td>1.98</td><td>33.11</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>239.52</td><td>26.30</td><td>46.00</td><td>-19.70</td><td>39.19</td><td>17.42</td><td>2.51</td><td>32.82</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>284.38</td><td>25.81</td><td>46.00</td><td>-20.19</td><td>36.78</td><td>19.19</td><td>2.75</td><td>32.91</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>554.77</td><td>26.14</td><td>46.00</td><td>-19.86</td><td>28.85</td><td>26.16</td><td>3.83</td><td>32.70</td><td>0.00</td><td>--- Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	39.58	21.80	40.00	-18.20	33.86	20.20	0.70	32.96	0.00	--- Peak	2	107.60	28.57	43.50	-14.93	42.81	16.94	1.67	32.85	0.00	--- Peak	3	152.95	30.35	43.50	-13.15	44.26	17.22	1.98	33.11	0.00	--- Peak	4	239.52	26.30	46.00	-19.70	39.19	17.42	2.51	32.82	0.00	--- Peak	5	284.38	25.81	46.00	-20.19	36.78	19.19	2.75	32.91	0.00	--- Peak	6	554.77	26.14	46.00	-19.86	28.85	26.16	3.83	32.70	0.00	--- Peak	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	39.58	21.80	40.00	-18.20	33.86	20.20	0.70	32.96	0.00	--- Peak																																																																																																				
2	107.60	28.57	43.50	-14.93	42.81	16.94	1.67	32.85	0.00	--- Peak																																																																																																				
3	152.95	30.35	43.50	-13.15	44.26	17.22	1.98	33.11	0.00	--- Peak																																																																																																				
4	239.52	26.30	46.00	-19.70	39.19	17.42	2.51	32.82	0.00	--- Peak																																																																																																				
5	284.38	25.81	46.00	-20.19	36.78	19.19	2.75	32.91	0.00	--- Peak																																																																																																				
6	554.77	26.14	46.00	-19.86	28.85	26.16	3.83	32.70	0.00	--- Peak																																																																																																				
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>39.58</td><td>21.80</td><td>40.00</td><td>-18.20</td><td>33.86</td><td>20.20</td><td>0.70</td><td>32.96</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>107.60</td><td>28.57</td><td>43.50</td><td>-14.93</td><td>42.81</td><td>16.94</td><td>1.67</td><td>32.85</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>152.95</td><td>30.35</td><td>43.50</td><td>-13.15</td><td>44.26</td><td>17.22</td><td>1.98</td><td>33.11</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>239.52</td><td>26.30</td><td>46.00</td><td>-19.70</td><td>39.19</td><td>17.42</td><td>2.51</td><td>32.82</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>284.38</td><td>25.81</td><td>46.00</td><td>-20.19</td><td>36.78</td><td>19.19</td><td>2.75</td><td>32.91</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>554.77</td><td>26.14</td><td>46.00</td><td>-19.86</td><td>28.85</td><td>26.16</td><td>3.83</td><td>32.70</td><td>0.00</td><td>--- Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	39.58	21.80	40.00	-18.20	33.86	20.20	0.70	32.96	0.00	--- Peak	2	107.60	28.57	43.50	-14.93	42.81	16.94	1.67	32.85	0.00	--- Peak	3	152.95	30.35	43.50	-13.15	44.26	17.22	1.98	33.11	0.00	--- Peak	4	239.52	26.30	46.00	-19.70	39.19	17.42	2.51	32.82	0.00	--- Peak	5	284.38	25.81	46.00	-20.19	36.78	19.19	2.75	32.91	0.00	--- Peak	6	554.77	26.14	46.00	-19.86	28.85	26.16	3.83	32.70	0.00	--- Peak	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	39.58	21.80	40.00	-18.20	33.86	20.20	0.70	32.96	0.00	--- Peak																																																																																																				
2	107.60	28.57	43.50	-14.93	42.81	16.94	1.67	32.85	0.00	--- Peak																																																																																																				
3	152.95	30.35	43.50	-13.15	44.26	17.22	1.98	33.11	0.00	--- Peak																																																																																																				
4	239.52	26.30	46.00	-19.70	39.19	17.42	2.51	32.82	0.00	--- Peak																																																																																																				
5	284.38	25.81	46.00	-20.19	36.78	19.19	2.75	32.91	0.00	--- Peak																																																																																																				
6	554.77	26.14	46.00	-19.86	28.85	26.16	3.83	32.70	0.00	--- Peak																																																																																																				
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>39.58</td><td>21.80</td><td>40.00</td><td>-18.20</td><td>33.86</td><td>20.20</td><td>0.70</td><td>32.96</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>107.60</td><td>28.57</td><td>43.50</td><td>-14.93</td><td>42.81</td><td>16.94</td><td>1.67</td><td>32.85</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>152.95</td><td>30.35</td><td>43.50</td><td>-13.15</td><td>44.26</td><td>17.22</td><td>1.98</td><td>33.11</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>239.52</td><td>26.30</td><td>46.00</td><td>-19.70</td><td>39.19</td><td>17.42</td><td>2.51</td><td>32.82</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>284.38</td><td>25.81</td><td>46.00</td><td>-20.19</td><td>36.78</td><td>19.19</td><td>2.75</td><td>32.91</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>554.77</td><td>26.14</td><td>46.00</td><td>-19.86</td><td>28.85</td><td>26.16</td><td>3.83</td><td>32.70</td><td>0.00</td><td>--- Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	39.58	21.80	40.00	-18.20	33.86	20.20	0.70	32.96	0.00	--- Peak	2	107.60	28.57	43.50	-14.93	42.81	16.94	1.67	32.85	0.00	--- Peak	3	152.95	30.35	43.50	-13.15	44.26	17.22	1.98	33.11	0.00	--- Peak	4	239.52	26.30	46.00	-19.70	39.19	17.42	2.51	32.82	0.00	--- Peak	5	284.38	25.81	46.00	-20.19	36.78	19.19	2.75	32.91	0.00	--- Peak	6	554.77	26.14	46.00	-19.86	28.85	26.16	3.83	32.70	0.00	--- Peak	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	39.58	21.80	40.00	-18.20	33.86	20.20	0.70	32.96	0.00	--- Peak																																																																																																				
2	107.60	28.57	43.50	-14.93	42.81	16.94	1.67	32.85	0.00	--- Peak																																																																																																				
3	152.95	30.35	43.50	-13.15	44.26	17.22	1.98	33.11	0.00	--- Peak																																																																																																				
4	239.52	26.30	46.00	-19.70	39.19	17.42	2.51	32.82	0.00	--- Peak																																																																																																				
5	284.38	25.81	46.00	-20.19	36.78	19.19	2.75	32.91	0.00	--- Peak																																																																																																				
6	554.77	26.14	46.00	-19.86	28.85	26.16	3.83	32.70	0.00	--- Peak																																																																																																				
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>39.58</td><td>21.80</td><td>40.00</td><td>-18.20</td><td>33.86</td><td>20.20</td><td>0.70</td><td>32.96</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>107.60</td><td>28.57</td><td>43.50</td><td>-14.93</td><td>42.81</td><td>16.94</td><td>1.67</td><td>32.85</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>152.95</td><td>30.35</td><td>43.50</td><td>-13.15</td><td>44.26</td><td>17.22</td><td>1.98</td><td>33.11</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>239.52</td><td>26.30</td><td>46.00</td><td>-19.70</td><td>39.19</td><td>17.42</td><td>2.51</td><td>32.82</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>284.38</td><td>25.81</td><td>46.00</td><td>-20.19</td><td>36.78</td><td>19.19</td><td>2.75</td><td>32.91</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>554.77</td><td>26.14</td><td>46.00</td><td>-19.86</td><td>28.85</td><td>26.16</td><td>3.83</td><td>32.70</td><td>0.00</td><td>--- Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	39.58	21.80	40.00	-18.20	33.86	20.20	0.70	32.96	0.00	--- Peak	2	107.60	28.57	43.50	-14.93	42.81	16.94	1.67	32.85	0.00	--- Peak	3	152.95	30.35	43.50	-13.15	44.26	17.22	1.98	33.11	0.00	--- Peak	4	239.52	26.30	46.00	-19.70	39.19	17.42	2.51	32.82	0.00	--- Peak	5	284.38	25.81	46.00	-20.19	36.78	19.19	2.75	32.91	0.00	--- Peak	6	554.77	26.14	46.00	-19.86	28.85	26.16	3.83	32.70	0.00	--- Peak	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	39.58	21.80	40.00	-18.20	33.86	20.20	0.70	32.96	0.00	--- Peak																																																																																																				
2	107.60	28.57	43.50	-14.93	42.81	16.94	1.67	32.85	0.00	--- Peak																																																																																																				
3	152.95	30.35	43.50	-13.15	44.26	17.22	1.98	33.11	0.00	--- Peak																																																																																																				
4	239.52	26.30	46.00	-19.70	39.19	17.42	2.51	32.82	0.00	--- Peak																																																																																																				
5	284.38	25.81	46.00	-20.19	36.78	19.19	2.75	32.91	0.00	--- Peak																																																																																																				
6	554.77	26.14	46.00	-19.86	28.85	26.16	3.83	32.70	0.00	--- Peak																																																																																																				
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>39.58</td><td>21.80</td><td>40.00</td><td>-18.20</td><td>33.86</td><td>20.20</td><td>0.70</td><td>32.96</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>107.60</td><td>28.57</td><td>43.50</td><td>-14.93</td><td>42.81</td><td>16.94</td><td>1.67</td><td>32.85</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>152.95</td><td>30.35</td><td>43.50</td><td>-13.15</td><td>44.26</td><td>17.22</td><td>1.98</td><td>33.11</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>239.52</td><td>26.30</td><td>46.00</td><td>-19.70</td><td>39.19</td><td>17.42</td><td>2.51</td><td>32.82</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>284.38</td><td>25.81</td><td>46.00</td><td>-20.19</td><td>36.78</td><td>19.19</td><td>2.75</td><td>32.91</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>554.77</td><td>26.14</td><td>46.00</td><td>-19.86</td><td>28.85</td><td>26.16</td><td>3.83</td><td>32.70</td><td>0.00</td><td>--- Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	39.58	21.80	40.00	-18.20	33.86	20.20	0.70	32.96	0.00	--- Peak	2	107.60	28.57	43.50	-14.93	42.81	16.94	1.67	32.85	0.00	--- Peak	3	152.95	30.35	43.50	-13.15	44.26	17.22	1.98	33.11	0.00	--- Peak	4	239.52	26.30	46.00	-19.70	39.19	17.42	2.51	32.82	0.00	--- Peak	5	284.38	25.81	46.00	-20.19	36.78	19.19	2.75	32.91	0.00	--- Peak	6	554.77	26.14	46.00	-19.86	28.85	26.16	3.83	32.70	0.00	--- Peak	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	39.58	21.80	40.00	-18.20	33.86	20.20	0.70	32.96	0.00	--- Peak																																																																																																				
2	107.60	28.57	43.50	-14.93	42.81	16.94	1.67	32.85	0.00	--- Peak																																																																																																				
3	152.95	30.35	43.50	-13.15	44.26	17.22	1.98	33.11	0.00	--- Peak																																																																																																				
4	239.52	26.30	46.00	-19.70	39.19	17.42	2.51	32.82	0.00	--- Peak																																																																																																				
5	284.38	25.81	46.00	-20.19	36.78	19.19	2.75	32.91	0.00	--- Peak																																																																																																				
6	554.77	26.14	46.00	-19.86	28.85	26.16	3.83	32.70	0.00	--- Peak																																																																																																				
<table><tr><th></th><th>Limit</th><</tr></table>												Limit																																																																																																		
	Limit																																																																																																													



		2																																																																														
Mode		Harmonic																																																																														
		2400-2483.5_802.11b_CH06_2437MHz																																																																														
ANT		1																																																																														
Pol.		Horizontal						Vertical																																																																								
Peak Avg																																																																																
		<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th colspan="2"></th><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td></td><td>4874.00</td><td>42.27</td><td>74.00</td><td>-31.73</td><td>62.45</td><td>33.90</td><td>11.47</td><td>65.55</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos					Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1		4874.00	42.27	74.00	-31.73	62.45	33.90	11.47	65.55	0.00	---	---	PEAK														
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																					
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1		4874.00	42.27	74.00	-31.73	62.45	33.90	11.47	65.55	0.00	---	---	PEAK																																																																			
		<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th colspan="2"></th><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td></td><td>4874.00</td><td>50.85</td><td>74.00</td><td>-23.15</td><td>71.03</td><td>33.90</td><td>11.47</td><td>65.55</td><td>0.00</td><td>218</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td></td><td>4874.00</td><td>48.36</td><td>54.00</td><td>-5.64</td><td>68.54</td><td>33.90</td><td>11.47</td><td>65.55</td><td>0.00</td><td>218</td><td>360</td><td>AVERAGE</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos					Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1		4874.00	50.85	74.00	-23.15	71.03	33.90	11.47	65.55	0.00	218	360	PEAK	2		4874.00	48.36	54.00	-5.64	68.54	33.90	11.47	65.55	0.00	218	360	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																					
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1		4874.00	50.85	74.00	-23.15	71.03	33.90	11.47	65.55	0.00	218	360	PEAK																																																																			
2		4874.00	48.36	54.00	-5.64	68.54	33.90	11.47	65.55	0.00	218	360	AVERAGE																																																																			





Mode	3																																																							
	Band Edge																																																							
	2400-2483.5_802.11b_CH11_2462MHz																																																							
ANT	1																																																							
Pol.	Horizontal																																																							
Peak	 Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.86</td><td>57.11</td><td>74.00</td><td>-16.89</td><td>47.50</td><td>32.56</td><td>8.10</td><td>37.05</td><td>6.00</td><td>128</td><td>68 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.86	57.11	74.00	-16.89	47.50	32.56	8.10	37.05	6.00	128	68 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2483.86	57.11	74.00	-16.89	47.50	32.56	8.10	37.05	6.00	128	68 PEAK																																													
Fundamental	 Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>111.18</td><td>-----</td><td>-----</td><td>101.36</td><td>32.78</td><td>8.07</td><td>37.03</td><td>6.00</td><td>128</td><td>68 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	111.18	-----	-----	101.36	32.78	8.07	37.03	6.00	128	68 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2462.00	111.18	-----	-----	101.36	32.78	8.07	37.03	6.00	128	68 PEAK																																													
Avg	 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2488.00</td><td>44.33</td><td>54.00</td><td>-9.67</td><td>34.75</td><td>32.52</td><td>8.11</td><td>37.05</td><td>6.00</td><td>128</td><td>68 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.00	44.33	54.00	-9.67	34.75	32.52	8.11	37.05	6.00	128	68 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2488.00	44.33	54.00	-9.67	34.75	32.52	8.11	37.05	6.00	128	68 AVERAGE																																													
Fundamental	 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>106.00</td><td>-----</td><td>-----</td><td>96.26</td><td>32.78</td><td>8.07</td><td>37.03</td><td>6.00</td><td>128</td><td>68 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	106.00	-----	-----	96.26	32.78	8.07	37.03	6.00	128	68 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2462.00	106.00	-----	-----	96.26	32.78	8.07	37.03	6.00	128	68 AVERAGE																																													







Mode	3																																																							
	Band Edge																																																							
	2400-2483.5_802.11b_CH11_2462MHz																																																							
ANT	1																																																							
Pol.	Vertical																																																							
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2491.90</td><td>54.35</td><td>74.00</td><td>-19.65</td><td>44.81</td><td>32.48</td><td>8.11</td><td>37.05</td><td>6.00</td><td>307</td><td>95 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2491.90	54.35	74.00	-19.65	44.81	32.48	8.11	37.05	6.00	307	95 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2491.90	54.35	74.00	-19.65	44.81	32.48	8.11	37.05	6.00	307	95 PEAK																																													
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>109.46</td><td>-----</td><td>-----</td><td>99.64</td><td>32.78</td><td>8.07</td><td>37.03</td><td>6.00</td><td>307</td><td>95 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	109.46	-----	-----	99.64	32.78	8.07	37.03	6.00	307	95 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2462.00	109.46	-----	-----	99.64	32.78	8.07	37.03	6.00	307	95 PEAK																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2488.24</td><td>43.31</td><td>54.00</td><td>-10.69</td><td>33.73</td><td>32.52</td><td>8.11</td><td>37.05</td><td>6.00</td><td>307</td><td>95 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.24	43.31	54.00	-10.69	33.73	32.52	8.11	37.05	6.00	307	95 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2488.24	43.31	54.00	-10.69	33.73	32.52	8.11	37.05	6.00	307	95 AVERAGE																																													
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>104.87</td><td>-----</td><td>-----</td><td>95.05</td><td>32.78</td><td>8.07</td><td>37.03</td><td>6.00</td><td>307</td><td>95 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	104.87	-----	-----	95.05	32.78	8.07	37.03	6.00	307	95 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2462.00	104.87	-----	-----	95.05	32.78	8.07	37.03	6.00	307	95 AVERAGE																																													







Mode	3																																																																																																																				
	Harmonic																																																																																																																				
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																																				
ANT	1																																																																																																																				
Pol.	Horizontal											Vertical																																																																																																									
Peak Avg																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>41.46</td><td>74.00</td><td>-32.54</td><td>61.57</td><td>33.90</td><td>11.54</td><td>65.55</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	41.46	74.00	-32.54	61.57	33.90	11.54	65.55	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>51.45</td><td>74.00</td><td>-22.55</td><td>71.56</td><td>33.90</td><td>11.54</td><td>65.55</td><td>0.00</td><td>146</td><td>356</td><td>PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>49.23</td><td>54.00</td><td>-4.77</td><td>69.34</td><td>33.90</td><td>11.54</td><td>65.55</td><td>0.00</td><td>146</td><td>356</td><td>AVERAGE</td></tr></table>			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	51.45	74.00	-22.55	71.56	33.90	11.54	65.55	0.00	146	356	PEAK	2	4924.00	49.23	54.00	-4.77	69.34	33.90	11.54	65.55	0.00	146	356
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	4924.00	41.46	74.00	-32.54	61.57	33.90	11.54	65.55	0.00	---	---	PEAK																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	4924.00	51.45	74.00	-22.55	71.56	33.90	11.54	65.55	0.00	146	356	PEAK																																																																																																									
2	4924.00	49.23	54.00	-4.77	69.34	33.90	11.54	65.55	0.00	146	356	AVERAGE																																																																																																									



Mode	4																																																						
	Band Edge																																																						
	2400-2483.5_802.11g_CH01_2412MHz																																																						
ANT	1																																																						
Pol.	Horizontal																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.82</td><td>56.18</td><td>74.00</td><td>-17.82</td><td>46.97</td><td>32.24</td><td>7.96</td><td>36.99</td><td>6.00</td><td>200 65 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	56.18	74.00	-17.82	46.97	32.24	7.96	36.99	6.00	200 65 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2389.82	56.18	74.00	-17.82	46.97	32.24	7.96	36.99	6.00	200 65 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>108.76</td><td>-----</td><td>-----</td><td>99.32</td><td>32.44</td><td>8.00</td><td>37.00</td><td>6.00</td><td>200 65 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	108.76	-----	-----	99.32	32.44	8.00	37.00	6.00	200 65 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2412.00	108.76	-----	-----	99.32	32.44	8.00	37.00	6.00	200 65 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>44.85</td><td>54.00</td><td>-9.15</td><td>35.64</td><td>32.24</td><td>7.96</td><td>36.99</td><td>6.00</td><td>200 65 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	44.85	54.00	-9.15	35.64	32.24	7.96	36.99	6.00	200 65 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2389.95	44.85	54.00	-9.15	35.64	32.24	7.96	36.99	6.00	200 65 AVERAGE																																													
Fundamental (Avg)																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>99.56</td><td>-----</td><td>-----</td><td>90.12</td><td>32.44</td><td>8.00</td><td>37.00</td><td>6.00</td><td>200 65 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	99.56	-----	-----	90.12	32.44	8.00	37.00	6.00	200 65 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2412.00	99.56	-----	-----	90.12	32.44	8.00	37.00	6.00	200 65 AVERAGE																																													





Mode	4																																																										
	Band Edge																																																										
	2400-2483.5_802.11g_CH01_2412MHz																																																										
ANT	1																																																										
Pol.	Vertical						Fundamental																																																				
Peak																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>54.63</td><td>74.00</td><td>-19.37</td><td>45.42</td><td>32.24</td><td>7.96</td><td>36.99</td><td>6.00</td><td>296</td><td>104 PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	2389.95	54.63	74.00	-19.37	45.42	32.24	7.96	36.99	6.00	296
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																		
1	2389.95	54.63	74.00	-19.37	45.42	32.24	7.96	36.99	6.00	296	104 PEAK																																																
Peak																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>106.24</td><td>-----</td><td>-----</td><td>96.83</td><td>32.42</td><td>7.99</td><td>37.00</td><td>6.00</td><td>296</td><td>104 PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	2412.00	106.24	-----	-----	96.83	32.42	7.99	37.00	6.00	296
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																		
1	2412.00	106.24	-----	-----	96.83	32.42	7.99	37.00	6.00	296	104 PEAK																																																
Avg																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>43.18</td><td>54.00</td><td>-10.82</td><td>33.97</td><td>32.24</td><td>7.96</td><td>36.99</td><td>6.00</td><td>296</td><td>104 AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	2389.95	43.18	54.00	-10.82	33.97	32.24	7.96	36.99	6.00	296
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																		
1	2389.95	43.18	54.00	-10.82	33.97	32.24	7.96	36.99	6.00	296	104 AVERAGE																																																
Avg																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>96.91</td><td>-----</td><td>-----</td><td>87.47</td><td>32.44</td><td>8.00</td><td>37.00</td><td>6.00</td><td>296</td><td>104 AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	2412.00	96.91	-----	-----	87.47	32.44	8.00	37.00	6.00	296
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																		
1	2412.00	96.91	-----	-----	87.47	32.44	8.00	37.00	6.00	296	104 AVERAGE																																																



Mode	4																																																																																																																		
	Harmonic																																																																																																																		
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																																		
ANT	1																																																																																																																		
Pol.	Horizontal																																																																																																																		
Peak Avg																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>3216.00</td><td>41.18</td><td>78.08</td><td>-36.90</td><td>64.40</td><td>32.80</td><td>9.20</td><td>65.22</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4821.00</td><td>48.86</td><td>74.00</td><td>-25.14</td><td>68.89</td><td>33.96</td><td>11.40</td><td>65.39</td><td>0.00</td><td>100</td><td>82 Peak</td></tr><tr><td>3</td><td>4821.00</td><td>43.65</td><td>54.00</td><td>-10.35</td><td>63.68</td><td>33.96</td><td>11.40</td><td>65.39</td><td>0.00</td><td>100</td><td>82 Average</td></tr><tr><td>4</td><td>5400.00</td><td>44.58</td><td>74.00</td><td>-29.42</td><td>63.52</td><td>34.60</td><td>12.01</td><td>65.55</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>8098.00</td><td>44.32</td><td>74.00</td><td>-29.68</td><td>60.24</td><td>36.00</td><td>14.90</td><td>66.82</td><td>0.00</td><td>---</td><td>Peak</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3216.00	41.18	78.08	-36.90	64.40	32.80	9.20	65.22	0.00	---	Peak	2	4821.00	48.86	74.00	-25.14	68.89	33.96	11.40	65.39	0.00	100	82 Peak	3	4821.00	43.65	54.00	-10.35	63.68	33.96	11.40	65.39	0.00	100	82 Average	4	5400.00	44.58	74.00	-29.42	63.52	34.60	12.01	65.55	0.00	---	Peak	5	8098.00	44.32	74.00	-29.68	60.24	36.00	14.90	66.82	0.00	---	Peak											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	3216.00	41.18	78.08	-36.90	64.40	32.80	9.20	65.22	0.00	---	Peak																																																																																																								
2	4821.00	48.86	74.00	-25.14	68.89	33.96	11.40	65.39	0.00	100	82 Peak																																																																																																								
3	4821.00	43.65	54.00	-10.35	63.68	33.96	11.40	65.39	0.00	100	82 Average																																																																																																								
4	5400.00	44.58	74.00	-29.42	63.52	34.60	12.01	65.55	0.00	---	Peak																																																																																																								
5	8098.00	44.32	74.00	-29.68	60.24	36.00	14.90	66.82	0.00	---	Peak																																																																																																								
Pol.	Vertical																																																																																																																		
Peak Avg																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>3216.00</td><td>44.13</td><td>77.69</td><td>-33.56</td><td>67.35</td><td>32.80</td><td>9.20</td><td>65.22</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4827.00</td><td>50.42</td><td>74.00</td><td>-23.58</td><td>70.46</td><td>33.95</td><td>11.41</td><td>65.40</td><td>0.00</td><td>300</td><td>92 Peak</td></tr><tr><td>3</td><td>4827.00</td><td>42.49</td><td>54.00</td><td>-11.51</td><td>62.53</td><td>33.95</td><td>11.41</td><td>65.40</td><td>0.00</td><td>300</td><td>92 Average</td></tr><tr><td>4</td><td>5400.00</td><td>44.79</td><td>74.00</td><td>-29.21</td><td>63.73</td><td>34.60</td><td>12.01</td><td>65.55</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>6432.00</td><td>51.81</td><td>77.69</td><td>-25.88</td><td>69.13</td><td>35.54</td><td>13.21</td><td>66.07</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>8101.00</td><td>44.78</td><td>74.00</td><td>-29.22</td><td>60.69</td><td>36.00</td><td>14.91</td><td>66.82</td><td>0.00</td><td>---</td><td>Peak</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3216.00	44.13	77.69	-33.56	67.35	32.80	9.20	65.22	0.00	---	Peak	2	4827.00	50.42	74.00	-23.58	70.46	33.95	11.41	65.40	0.00	300	92 Peak	3	4827.00	42.49	54.00	-11.51	62.53	33.95	11.41	65.40	0.00	300	92 Average	4	5400.00	44.79	74.00	-29.21	63.73	34.60	12.01	65.55	0.00	---	Peak	5	6432.00	51.81	77.69	-25.88	69.13	35.54	13.21	66.07	0.00	---	Peak	6	8101.00	44.78	74.00	-29.22	60.69	36.00	14.91	66.82	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	3216.00	44.13	77.69	-33.56	67.35	32.80	9.20	65.22	0.00	---	Peak																																																																																																								
2	4827.00	50.42	74.00	-23.58	70.46	33.95	11.41	65.40	0.00	300	92 Peak																																																																																																								
3	4827.00	42.49	54.00	-11.51	62.53	33.95	11.41	65.40	0.00	300	92 Average																																																																																																								
4	5400.00	44.79	74.00	-29.21	63.73	34.60	12.01	65.55	0.00	---	Peak																																																																																																								
5	6432.00	51.81	77.69	-25.88	69.13	35.54	13.21	66.07	0.00	---	Peak																																																																																																								
6	8101.00	44.78	74.00	-29.22	60.69	36.00	14.91	66.82	0.00	---	Peak																																																																																																								

Note: The non-restricted frequency which limit is 100kHz-PSD down 20dB







Mode	5																																																																																																																																					
	Harmonic																																																																																																																																					
	2400-2483.5_802.11g_CH06_2437MHz																																																																																																																																					
ANT	1																																																																																																																																					
Pol.	Horizontal																																																																																																																																					
Peak Avg																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3249.00</td><td>44.77</td><td>72.29</td><td>-27.52</td><td>68.11</td><td>32.61</td><td>9.26</td><td>65.21</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4874.00</td><td>55.90</td><td>74.00</td><td>-18.10</td><td>76.00</td><td>33.90</td><td>11.47</td><td>65.55</td><td>0.00</td><td>286</td><td>245</td><td>PEAK</td></tr><tr><td>3</td><td>4874.00</td><td>44.52</td><td>54.00</td><td>-9.48</td><td>64.70</td><td>33.90</td><td>11.47</td><td>65.55</td><td>0.00</td><td>286</td><td>245</td><td>AVERAGE</td></tr><tr><td>4</td><td>5400.00</td><td>43.82</td><td>74.00</td><td>-30.18</td><td>62.76</td><td>34.60</td><td>12.01</td><td>65.55</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>6498.00</td><td>44.05</td><td>72.29</td><td>-28.24</td><td>61.43</td><td>35.50</td><td>13.26</td><td>66.14</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>7311.00</td><td>44.01</td><td>74.00</td><td>-29.99</td><td>60.06</td><td>35.80</td><td>14.13</td><td>65.98</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>7</td><td>8181.00</td><td>44.55</td><td>74.00</td><td>-29.45</td><td>60.46</td><td>36.00</td><td>14.91</td><td>66.82</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3249.00	44.77	72.29	-27.52	68.11	32.61	9.26	65.21	0.00	---	---	Peak	2	4874.00	55.90	74.00	-18.10	76.00	33.90	11.47	65.55	0.00	286	245	PEAK	3	4874.00	44.52	54.00	-9.48	64.70	33.90	11.47	65.55	0.00	286	245	AVERAGE	4	5400.00	43.82	74.00	-30.18	62.76	34.60	12.01	65.55	0.00	---	---	Peak	5	6498.00	44.05	72.29	-28.24	61.43	35.50	13.26	66.14	0.00	---	---	Peak	6	7311.00	44.01	74.00	-29.99	60.06	35.80	14.13	65.98	0.00	---	---	PEAK	7	8181.00	44.55	74.00	-29.45	60.46	36.00	14.91	66.82	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	3249.00	44.77	72.29	-27.52	68.11	32.61	9.26	65.21	0.00	---	---	Peak																																																																																																																										
2	4874.00	55.90	74.00	-18.10	76.00	33.90	11.47	65.55	0.00	286	245	PEAK																																																																																																																										
3	4874.00	44.52	54.00	-9.48	64.70	33.90	11.47	65.55	0.00	286	245	AVERAGE																																																																																																																										
4	5400.00	43.82	74.00	-30.18	62.76	34.60	12.01	65.55	0.00	---	---	Peak																																																																																																																										
5	6498.00	44.05	72.29	-28.24	61.43	35.50	13.26	66.14	0.00	---	---	Peak																																																																																																																										
6	7311.00	44.01	74.00	-29.99	60.06	35.80	14.13	65.98	0.00	---	---	PEAK																																																																																																																										
7	8181.00	44.55	74.00	-29.45	60.46	36.00	14.91	66.82	0.00	---	---	Peak																																																																																																																										
Pol.	Vertical																																																																																																																																					
Peak Avg																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3249.00</td><td>49.34</td><td>73.26</td><td>-23.92</td><td>72.68</td><td>32.61</td><td>9.26</td><td>65.21</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4874.00</td><td>56.55</td><td>74.00</td><td>-17.45</td><td>76.73</td><td>33.90</td><td>11.47</td><td>65.55</td><td>0.00</td><td>300</td><td>155</td><td>PEAK</td></tr><tr><td>3</td><td>4874.00</td><td>45.52</td><td>54.00</td><td>-8.48</td><td>65.70</td><td>33.90</td><td>11.47</td><td>65.55</td><td>0.00</td><td>300</td><td>155</td><td>AVERAGE</td></tr><tr><td>4</td><td>5400.00</td><td>45.25</td><td>74.00</td><td>-28.75</td><td>64.19</td><td>34.60</td><td>12.01</td><td>65.55</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>6499.00</td><td>51.50</td><td>73.26</td><td>-21.76</td><td>68.88</td><td>35.50</td><td>13.26</td><td>66.14</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>7311.00</td><td>43.49</td><td>74.00</td><td>-30.51</td><td>59.54</td><td>35.80</td><td>14.13</td><td>65.98</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3249.00	49.34	73.26	-23.92	72.68	32.61	9.26	65.21	0.00	---	---	Peak	2	4874.00	56.55	74.00	-17.45	76.73	33.90	11.47	65.55	0.00	300	155	PEAK	3	4874.00	45.52	54.00	-8.48	65.70	33.90	11.47	65.55	0.00	300	155	AVERAGE	4	5400.00	45.25	74.00	-28.75	64.19	34.60	12.01	65.55	0.00	---	---	Peak	5	6499.00	51.50	73.26	-21.76	68.88	35.50	13.26	66.14	0.00	---	---	Peak	6	7311.00	43.49	74.00	-30.51	59.54	35.80	14.13	65.98	0.00	---	---	PEAK												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	3249.00	49.34	73.26	-23.92	72.68	32.61	9.26	65.21	0.00	---	---	Peak																																																																																																																										
2	4874.00	56.55	74.00	-17.45	76.73	33.90	11.47	65.55	0.00	300	155	PEAK																																																																																																																										
3	4874.00	45.52	54.00	-8.48	65.70	33.90	11.47	65.55	0.00	300	155	AVERAGE																																																																																																																										
4	5400.00	45.25	74.00	-28.75	64.19	34.60	12.01	65.55	0.00	---	---	Peak																																																																																																																										
5	6499.00	51.50	73.26	-21.76	68.88	35.50	13.26	66.14	0.00	---	---	Peak																																																																																																																										
6	7311.00	43.49	74.00	-30.51	59.54	35.80	14.13	65.98	0.00	---	---	PEAK																																																																																																																										

Note: The non-restricted frequency which limit is 100kHz-PSD down 20dB





Mode	6																																																							
	Band Edge																																																							
	2400-2483.5_802.11g_CH11_2462MHz																																																							
ANT	1																																																							
Pol.	Horizontal																																																							
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.80</td><td>61.41</td><td>74.00</td><td>-12.59</td><td>51.82</td><td>32.53</td><td>8.11</td><td>37.05</td><td>6.00</td><td>100</td><td>66 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.80	61.41	74.00	-12.59	51.82	32.53	8.11	37.05	6.00	100	66 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2486.80	61.41	74.00	-12.59	51.82	32.53	8.11	37.05	6.00	100	66 PEAK																																													
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>107.68</td><td>-----</td><td>-----</td><td>97.84</td><td>32.80</td><td>8.07</td><td>37.03</td><td>6.00</td><td>100</td><td>66 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	107.68	-----	-----	97.84	32.80	8.07	37.03	6.00	100	66 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2462.00	107.68	-----	-----	97.84	32.80	8.07	37.03	6.00	100	66 PEAK																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>49.73</td><td>54.00</td><td>-4.27</td><td>40.12</td><td>32.56</td><td>8.10</td><td>37.05</td><td>6.00</td><td>100</td><td>66 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	49.73	54.00	-4.27	40.12	32.56	8.10	37.05	6.00	100	66 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2483.50	49.73	54.00	-4.27	40.12	32.56	8.10	37.05	6.00	100	66 AVERAGE																																													
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>98.28</td><td>-----</td><td>-----</td><td>88.43</td><td>32.82</td><td>8.06</td><td>37.03</td><td>6.00</td><td>100</td><td>66 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	98.28	-----	-----	88.43	32.82	8.06	37.03	6.00	100	66 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2462.00	98.28	-----	-----	88.43	32.82	8.06	37.03	6.00	100	66 AVERAGE																																													







Mode	6																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>59.66</td><td>74.00</td><td>-14.34</td><td>50.05</td><td>32.56</td><td>8.10</td><td>37.05</td><td>6.00</td><td>311 105 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	59.66	74.00	-14.34	50.05	32.56	8.10	37.05	6.00	311 105 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>106.02</td><td>-----</td><td>-----</td><td>96.15</td><td>32.84</td><td>8.06</td><td>37.03</td><td>6.00</td><td>311 105 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	106.02	-----	-----	96.15	32.84	8.06	37.03	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2483.50	59.66	74.00	-14.34	50.05	32.56	8.10	37.05	6.00	311 105 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2462.00	106.02	-----	-----	96.15	32.84	8.06	37.03	6.00	311 105 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>46.80</td><td>54.00</td><td>-7.20</td><td>37.19</td><td>32.56</td><td>8.10</td><td>37.05</td><td>6.00</td><td>311 105 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	46.80	54.00	-7.20	37.19	32.56	8.10	37.05	6.00	311 105 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>96.46</td><td>-----</td><td>-----</td><td>86.61</td><td>32.82</td><td>8.06</td><td>37.03</td><td>6.00</td><td>311 105 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	96.46	-----	-----	86.61	32.82	8.06	37.03	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2483.50	46.80	54.00	-7.20	37.19	32.56	8.10	37.05	6.00	311 105 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2462.00	96.46	-----	-----	86.61	32.82	8.06	37.03	6.00	311 105 AVERAGE																																																																																								



Mode	6																																																																																																															
	Harmonic																																																																																																															
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal																																																																																																															
Peak Avg																																																																																																																
	<table><tr><th></th><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>47.76</td><td>74.00</td><td>-26.24</td><td>67.87</td><td>33.90</td><td>11.54</td><td>65.55</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>36.87</td><td>54.00</td><td>-17.13</td><td>56.98</td><td>33.90</td><td>11.54</td><td>65.55</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr><tr><td>3</td><td>5400.00</td><td>43.93</td><td>74.00</td><td>-30.07</td><td>62.87</td><td>34.60</td><td>12.01</td><td>65.55</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>6565.00</td><td>44.97</td><td>78.00</td><td>-33.03</td><td>62.16</td><td>35.53</td><td>13.31</td><td>66.03</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>7386.00</td><td>42.56</td><td>74.00</td><td>-31.44</td><td>58.72</td><td>35.80</td><td>14.19</td><td>66.15</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>6</td><td>8181.00</td><td>46.11</td><td>74.00</td><td>-27.89</td><td>62.02</td><td>36.00</td><td>14.91</td><td>66.82</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	47.76	74.00	-26.24	67.87	33.90	11.54	65.55	0.00	100	360	PEAK	2	4924.00	36.87	54.00	-17.13	56.98	33.90	11.54	65.55	0.00	100	360	AVERAGE	3	5400.00	43.93	74.00	-30.07	62.87	34.60	12.01	65.55	0.00	---	---	Peak	4	6565.00	44.97	78.00	-33.03	62.16	35.53	13.31	66.03	0.00	---	---	Peak	5	7386.00	42.56	74.00	-31.44	58.72	35.80	14.19	66.15	0.00	---	---	PEAK	6	8181.00	46.11	74.00	-27.89	62.02	36.00	14.91	66.82	0.00	---	---
	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	4924.00	47.76	74.00	-26.24	67.87	33.90	11.54	65.55	0.00	100	360	PEAK																																																																																																				
2	4924.00	36.87	54.00	-17.13	56.98	33.90	11.54	65.55	0.00	100	360	AVERAGE																																																																																																				
3	5400.00	43.93	74.00	-30.07	62.87	34.60	12.01	65.55	0.00	---	---	Peak																																																																																																				
4	6565.00	44.97	78.00	-33.03	62.16	35.53	13.31	66.03	0.00	---	---	Peak																																																																																																				
5	7386.00	42.56	74.00	-31.44	58.72	35.80	14.19	66.15	0.00	---	---	PEAK																																																																																																				
6	8181.00	46.11	74.00	-27.89	62.02	36.00	14.91	66.82	0.00	---	---	Peak																																																																																																				
Pol.	Vertical																																																																																																															
Peak Avg																																																																																																																
	<table><tr><th></th><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3282.00</td><td>42.29</td><td>74.43</td><td>-32.14</td><td>65.70</td><td>32.47</td><td>9.31</td><td>65.19</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4924.00</td><td>48.91</td><td>74.00</td><td>-25.09</td><td>69.02</td><td>33.90</td><td>11.54</td><td>65.55</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>4924.00</td><td>38.31</td><td>54.00</td><td>-15.69</td><td>58.42</td><td>33.90</td><td>11.54</td><td>65.55</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>4</td><td>5401.00</td><td>43.99</td><td>74.00</td><td>-30.01</td><td>62.93</td><td>34.60</td><td>12.01</td><td>65.55</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>6565.00</td><td>51.43</td><td>74.43</td><td>-23.00</td><td>68.62</td><td>35.53</td><td>13.31</td><td>66.03</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>7386.00</td><td>43.29</td><td>74.00</td><td>-30.71</td><td>59.45</td><td>35.80</td><td>14.19</td><td>66.15</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3282.00	42.29	74.43	-32.14	65.70	32.47	9.31	65.19	0.00	---	---	Peak	2	4924.00	48.91	74.00	-25.09	69.02	33.90	11.54	65.55	0.00	300	360	PEAK	3	4924.00	38.31	54.00	-15.69	58.42	33.90	11.54	65.55	0.00	300	360	AVERAGE	4	5401.00	43.99	74.00	-30.01	62.93	34.60	12.01	65.55	0.00	---	---	Peak	5	6565.00	51.43	74.43	-23.00	68.62	35.53	13.31	66.03	0.00	---	---	Peak	6	7386.00	43.29	74.00	-30.71	59.45	35.80	14.19	66.15	0.00	---	---
	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	3282.00	42.29	74.43	-32.14	65.70	32.47	9.31	65.19	0.00	---	---	Peak																																																																																																				
2	4924.00	48.91	74.00	-25.09	69.02	33.90	11.54	65.55	0.00	300	360	PEAK																																																																																																				
3	4924.00	38.31	54.00	-15.69	58.42	33.90	11.54	65.55	0.00	300	360	AVERAGE																																																																																																				
4	5401.00	43.99	74.00	-30.01	62.93	34.60	12.01	65.55	0.00	---	---	Peak																																																																																																				
5	6565.00	51.43	74.43	-23.00	68.62	35.53	13.31	66.03	0.00	---	---	Peak																																																																																																				
6	7386.00	43.29	74.00	-30.71	59.45	35.80	14.19	66.15	0.00	---	---	PEAK																																																																																																				

Note: The non-restricted frequency which limit is 100kHz-PSD down 20dB





Mode	7																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_802.11n_HT20_CH01_2412MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.56</td><td>56.57</td><td>74.00</td><td>-17.43</td><td>47.36</td><td>32.24</td><td>7.96</td><td>36.99</td><td>6.00</td><td>240 23 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.56	56.57	74.00	-17.43	47.36	32.24	7.96	36.99	6.00	240 23 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>107.06</td><td>-----</td><td>-----</td><td>97.62</td><td>32.44</td><td>8.00</td><td>37.00</td><td>6.00</td><td>240 23 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	107.06	-----	-----	97.62	32.44	8.00	37.00	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2389.56	56.57	74.00	-17.43	47.36	32.24	7.96	36.99	6.00	240 23 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2412.00	107.06	-----	-----	97.62	32.44	8.00	37.00	6.00	240 23 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>44.77</td><td>54.00</td><td>-9.23</td><td>35.56</td><td>32.24</td><td>7.96</td><td>36.99</td><td>6.00</td><td>240 23 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	44.77	54.00	-9.23	35.56	32.24	7.96	36.99	6.00	240 23 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>97.66</td><td>-----</td><td>-----</td><td>88.22</td><td>32.44</td><td>8.00</td><td>37.00</td><td>6.00</td><td>240 23 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	97.66	-----	-----	88.22	32.44	8.00	37.00	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2389.95	44.77	54.00	-9.23	35.56	32.24	7.96	36.99	6.00	240 23 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2412.00	97.66	-----	-----	88.22	32.44	8.00	37.00	6.00	240 23 AVERAGE																																																																																								





Mode	7																																																																																									
	Band Edge																																																																																									
	2400-2483.5_802.11n_HT20_CH01_2412MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.69</td><td>58.19</td><td>74.00</td><td>-15.81</td><td>48.98</td><td>32.24</td><td>7.96</td><td>36.99</td><td>6.00</td><td>295 108 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.69	58.19	74.00	-15.81	48.98	32.24	7.96	36.99	6.00	295 108 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>105.49</td><td>-----</td><td>-----</td><td>96.08</td><td>32.42</td><td>7.99</td><td>37.00</td><td>6.00</td><td>295 108 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	105.49	-----	-----	96.08	32.42	7.99	37.00	6.00	295 108 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2389.69	58.19	74.00	-15.81	48.98	32.24	7.96	36.99	6.00	295 108 PEAK																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2412.00	105.49	-----	-----	96.08	32.42	7.99	37.00	6.00	295 108 PEAK																																																																																
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>44.27</td><td>54.00</td><td>-9.73</td><td>35.06</td><td>32.24</td><td>7.96</td><td>36.99</td><td>6.00</td><td>295 108 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	44.27	54.00	-9.73	35.06	32.24	7.96	36.99	6.00	295 108 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>96.14</td><td>-----</td><td>-----</td><td>86.73</td><td>32.42</td><td>7.99</td><td>37.00</td><td>6.00</td><td>295 108 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	96.14	-----	-----	86.73	32.42	7.99	37.00	6.00	295 108 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2389.95	44.27	54.00	-9.73	35.06	32.24	7.96	36.99	6.00	295 108 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2412.00	96.14	-----	-----	86.73	32.42	7.99	37.00	6.00	295 108 AVERAGE																																																																																



Mode	7																																																																																																																																																																																																														
	Harmonic																																																																																																																																																																																																														
	2400-2483.5_802.11n HT20_CH01_2412MHz																																																																																																																																																																																																														
ANT	1																																																																																																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																																																																																																								
Peak Avg																																																																																																																																																																																																															
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>3216.00</td><td>41.77</td><td>75.28</td><td>-33.51</td><td>64.99</td><td>32.00</td><td>9.20</td><td>65.22</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4824.00</td><td>53.13</td><td>74.00</td><td>-20.87</td><td>73.17</td><td>33.95</td><td>11.40</td><td>65.39</td><td>0.00</td><td>307</td><td>248</td><td>PEAK</td></tr><tr><td>3</td><td>4824.00</td><td>40.80</td><td>54.00</td><td>-13.20</td><td>60.84</td><td>33.95</td><td>11.40</td><td>65.39</td><td>0.00</td><td>307</td><td>248</td><td>AVERAGE</td></tr><tr><td>4</td><td>5398.00</td><td>44.34</td><td>74.00</td><td>-29.66</td><td>63.28</td><td>34.60</td><td>12.01</td><td>65.55</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>6432.00</td><td>43.61</td><td>75.28</td><td>-31.67</td><td>60.93</td><td>35.54</td><td>13.21</td><td>66.07</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>8101.00</td><td>45.37</td><td>74.00</td><td>-28.63</td><td>61.28</td><td>36.00</td><td>14.91</td><td>66.82</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	3216.00	41.77	75.28	-33.51	64.99	32.00	9.20	65.22	0.00	---	---	Peak	2	4824.00	53.13	74.00	-20.87	73.17	33.95	11.40	65.39	0.00	307	248	PEAK	3	4824.00	40.80	54.00	-13.20	60.84	33.95	11.40	65.39	0.00	307	248	AVERAGE	4	5398.00	44.34	74.00	-29.66	63.28	34.60	12.01	65.55	0.00	---	---	Peak	5	6432.00	43.61	75.28	-31.67	60.93	35.54	13.21	66.07	0.00	---	---	Peak	6	8101.00	45.37	74.00	-28.63	61.28	36.00	14.91	66.82	0.00	---	---	Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>3216.00</td><td>43.79</td><td>78.45</td><td>-34.66</td><td>67.01</td><td>32.00</td><td>9.20</td><td>65.22</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4824.00</td><td>53.72</td><td>74.00</td><td>-20.28</td><td>73.76</td><td>33.95</td><td>11.40</td><td>65.39</td><td>0.00</td><td>100</td><td>33</td><td>PEAK</td></tr><tr><td>3</td><td>4824.00</td><td>42.07</td><td>54.00</td><td>-11.93</td><td>62.11</td><td>33.95</td><td>11.40</td><td>65.39</td><td>0.00</td><td>100</td><td>33</td><td>AVERAGE</td></tr><tr><td>4</td><td>5401.00</td><td>44.37</td><td>74.00</td><td>-29.63</td><td>63.31</td><td>34.60</td><td>12.01</td><td>65.55</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>6432.00</td><td>51.64</td><td>78.45</td><td>-26.81</td><td>68.96</td><td>35.54</td><td>13.21</td><td>66.07</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	3216.00	43.79	78.45	-34.66	67.01	32.00	9.20	65.22	0.00	---	---	Peak	2	4824.00	53.72	74.00	-20.28	73.76	33.95	11.40	65.39	0.00	100	33	PEAK	3	4824.00	42.07	54.00	-11.93	62.11	33.95	11.40	65.39	0.00	100	33	AVERAGE	4	5401.00	44.37	74.00	-29.63	63.31	34.60	12.01	65.55	0.00	---	---	Peak	5	6432.00	51.64	78.45	-26.81	68.96	35.54	13.21	66.07	0.00	---	---	Peak
		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																				
1	3216.00	41.77	75.28	-33.51	64.99	32.00	9.20	65.22	0.00	---	---	Peak																																																																																																																																																																																																			
2	4824.00	53.13	74.00	-20.87	73.17	33.95	11.40	65.39	0.00	307	248	PEAK																																																																																																																																																																																																			
3	4824.00	40.80	54.00	-13.20	60.84	33.95	11.40	65.39	0.00	307	248	AVERAGE																																																																																																																																																																																																			
4	5398.00	44.34	74.00	-29.66	63.28	34.60	12.01	65.55	0.00	---	---	Peak																																																																																																																																																																																																			
5	6432.00	43.61	75.28	-31.67	60.93	35.54	13.21	66.07	0.00	---	---	Peak																																																																																																																																																																																																			
6	8101.00	45.37	74.00	-28.63	61.28	36.00	14.91	66.82	0.00	---	---	Peak																																																																																																																																																																																																			
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																				
1	3216.00	43.79	78.45	-34.66	67.01	32.00	9.20	65.22	0.00	---	---	Peak																																																																																																																																																																																																			
2	4824.00	53.72	74.00	-20.28	73.76	33.95	11.40	65.39	0.00	100	33	PEAK																																																																																																																																																																																																			
3	4824.00	42.07	54.00	-11.93	62.11	33.95	11.40	65.39	0.00	100	33	AVERAGE																																																																																																																																																																																																			
4	5401.00	44.37	74.00	-29.63	63.31	34.60	12.01	65.55	0.00	---	---	Peak																																																																																																																																																																																																			
5	6432.00	51.64	78.45	-26.81	68.96	35.54	13.21	66.07	0.00	---	---	Peak																																																																																																																																																																																																			





Note: The non-restricted frequency which limit is 100kHz-PSD down 20dB







Mode	8																																																																																																																																																																																																																																																				
	Harmonic																																																																																																																																																																																																																																																				
	2400-2483.5_802.11n HT20_CH06_2437MHz																																																																																																																																																																																																																																																				
ANT	1																																																																																																																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																																																																																																																														
Peak Avg																																																																																																																																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3249.00</td><td>45.59</td><td>71.87</td><td>-26.28</td><td>68.93</td><td>32.61</td><td>9.26</td><td>65.21</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4874.00</td><td>56.78</td><td>74.00</td><td>-17.22</td><td>76.96</td><td>33.90</td><td>11.47</td><td>65.55</td><td>0.00</td><td>293</td><td>246 PEAK</td></tr><tr><td>3</td><td>4874.00</td><td>43.84</td><td>54.00</td><td>-10.16</td><td>64.02</td><td>33.90</td><td>11.47</td><td>65.55</td><td>0.00</td><td>293</td><td>246 AVERAGE</td></tr><tr><td>4</td><td>5401.00</td><td>44.73</td><td>74.00</td><td>-29.27</td><td>63.67</td><td>34.60</td><td>12.01</td><td>65.55</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>6499.00</td><td>45.25</td><td>71.87</td><td>-26.62</td><td>62.63</td><td>35.50</td><td>13.26</td><td>66.14</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>7311.00</td><td>43.37</td><td>74.00</td><td>-30.63</td><td>59.42</td><td>35.80</td><td>14.13</td><td>65.98</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>7</td><td>8100.00</td><td>43.96</td><td>74.00</td><td>-30.04</td><td>59.88</td><td>36.00</td><td>14.90</td><td>66.82</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3249.00	45.59	71.87	-26.28	68.93	32.61	9.26	65.21	0.00	---	Peak	2	4874.00	56.78	74.00	-17.22	76.96	33.90	11.47	65.55	0.00	293	246 PEAK	3	4874.00	43.84	54.00	-10.16	64.02	33.90	11.47	65.55	0.00	293	246 AVERAGE	4	5401.00	44.73	74.00	-29.27	63.67	34.60	12.01	65.55	0.00	---	Peak	5	6499.00	45.25	71.87	-26.62	62.63	35.50	13.26	66.14	0.00	---	Peak	6	7311.00	43.37	74.00	-30.63	59.42	35.80	14.13	65.98	0.00	---	PEAK	7	8100.00	43.96	74.00	-30.04	59.88	36.00	14.90	66.82	0.00	---	Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3249.00</td><td>48.28</td><td>73.73</td><td>-25.45</td><td>71.62</td><td>32.61</td><td>9.26</td><td>65.21</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4874.00</td><td>58.39</td><td>74.00</td><td>-15.61</td><td>78.57</td><td>33.90</td><td>11.47</td><td>65.55</td><td>0.00</td><td>298</td><td>154 PEAK</td></tr><tr><td>3</td><td>4874.00</td><td>44.83</td><td>54.00</td><td>-9.17</td><td>65.01</td><td>33.90</td><td>11.47</td><td>65.55</td><td>0.00</td><td>298</td><td>154 AVERAGE</td></tr><tr><td>4</td><td>5400.00</td><td>44.89</td><td>74.00</td><td>-29.11</td><td>63.83</td><td>34.60</td><td>12.01</td><td>65.55</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>6499.00</td><td>52.17</td><td>73.73</td><td>-21.56</td><td>69.55</td><td>35.50</td><td>13.26</td><td>66.14</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>7311.00</td><td>43.92</td><td>74.00</td><td>-30.08</td><td>59.97</td><td>35.80</td><td>14.13</td><td>65.98</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>7</td><td>8101.00</td><td>44.49</td><td>74.00</td><td>-29.51</td><td>60.40</td><td>36.00</td><td>14.91</td><td>66.82</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3249.00	48.28	73.73	-25.45	71.62	32.61	9.26	65.21	0.00	---	Peak	2	4874.00	58.39	74.00	-15.61	78.57	33.90	11.47	65.55	0.00	298	154 PEAK	3	4874.00	44.83	54.00	-9.17	65.01	33.90	11.47	65.55	0.00	298	154 AVERAGE	4	5400.00	44.89	74.00	-29.11	63.83	34.60	12.01	65.55	0.00	---	Peak	5	6499.00	52.17	73.73	-21.56	69.55	35.50	13.26	66.14	0.00	---	Peak	6	7311.00	43.92	74.00	-30.08	59.97	35.80	14.13	65.98	0.00	---	PEAK	7	8101.00	44.49	74.00	-29.51	60.40	36.00	14.91	66.82	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																											
1	3249.00	45.59	71.87	-26.28	68.93	32.61	9.26	65.21	0.00	---	Peak																																																																																																																																																																																																																																										
2	4874.00	56.78	74.00	-17.22	76.96	33.90	11.47	65.55	0.00	293	246 PEAK																																																																																																																																																																																																																																										
3	4874.00	43.84	54.00	-10.16	64.02	33.90	11.47	65.55	0.00	293	246 AVERAGE																																																																																																																																																																																																																																										
4	5401.00	44.73	74.00	-29.27	63.67	34.60	12.01	65.55	0.00	---	Peak																																																																																																																																																																																																																																										
5	6499.00	45.25	71.87	-26.62	62.63	35.50	13.26	66.14	0.00	---	Peak																																																																																																																																																																																																																																										
6	7311.00	43.37	74.00	-30.63	59.42	35.80	14.13	65.98	0.00	---	PEAK																																																																																																																																																																																																																																										
7	8100.00	43.96	74.00	-30.04	59.88	36.00	14.90	66.82	0.00	---	Peak																																																																																																																																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																											
1	3249.00	48.28	73.73	-25.45	71.62	32.61	9.26	65.21	0.00	---	Peak																																																																																																																																																																																																																																										
2	4874.00	58.39	74.00	-15.61	78.57	33.90	11.47	65.55	0.00	298	154 PEAK																																																																																																																																																																																																																																										
3	4874.00	44.83	54.00	-9.17	65.01	33.90	11.47	65.55	0.00	298	154 AVERAGE																																																																																																																																																																																																																																										
4	5400.00	44.89	74.00	-29.11	63.83	34.60	12.01	65.55	0.00	---	Peak																																																																																																																																																																																																																																										
5	6499.00	52.17	73.73	-21.56	69.55	35.50	13.26	66.14	0.00	---	Peak																																																																																																																																																																																																																																										
6	7311.00	43.92	74.00	-30.08	59.97	35.80	14.13	65.98	0.00	---	PEAK																																																																																																																																																																																																																																										
7	8101.00	44.49	74.00	-29.51	60.40	36.00	14.91	66.82	0.00	---	Peak																																																																																																																																																																																																																																										

Note: The non-restricted frequency which limit is 100kHz-PSD down 20dB





Mode	9																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11n HT20_CH11_2462MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2485.42</td><td>63.59</td><td>74.00</td><td>-10.41</td><td>53.99</td><td>32.55</td><td>8.10</td><td>37.05</td><td>6.00</td><td>130</td><td>63 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.42	63.59	74.00	-10.41	53.99	32.55	8.10	37.05	6.00	130	63 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>107.44</td><td>-----</td><td>-----</td><td>97.59</td><td>32.82</td><td>8.06</td><td>37.03</td><td>6.00</td><td>130</td><td>63 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	107.44	-----	-----	97.59	32.82	8.06	37.03	6.00	130
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2485.42	63.59	74.00	-10.41	53.99	32.55	8.10	37.05	6.00	130	63 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2462.00	107.44	-----	-----	97.59	32.82	8.06	37.03	6.00	130	63 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>50.19</td><td>54.00</td><td>-3.81</td><td>40.58</td><td>32.56</td><td>8.10</td><td>37.05</td><td>6.00</td><td>130</td><td>63 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	50.19	54.00	-3.81	40.58	32.56	8.10	37.05	6.00	130	63 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>98.28</td><td>-----</td><td>-----</td><td>88.43</td><td>32.82</td><td>8.06</td><td>37.03</td><td>6.00</td><td>130</td><td>63 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	98.28	-----	-----	88.43	32.82	8.06	37.03	6.00	130
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.50	50.19	54.00	-3.81	40.58	32.56	8.10	37.05	6.00	130	63 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2462.00	98.28	-----	-----	88.43	32.82	8.06	37.03	6.00	130	63 AVERAGE																																																																																									







Mode	9																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11n HT20_CH11_2462MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.76</td><td>59.90</td><td>74.00</td><td>-14.10</td><td>50.30</td><td>32.55</td><td>8.10</td><td>37.05</td><td>6.00</td><td>309 104 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.76	59.90	74.00	-14.10	50.30	32.55	8.10	37.05	6.00	309 104 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>105.12</td><td>-----</td><td>-----</td><td>95.30</td><td>32.78</td><td>8.07</td><td>37.03</td><td>6.00</td><td>309 104 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	105.12	-----	-----	95.30	32.78	8.07	37.03	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2484.76	59.90	74.00	-14.10	50.30	32.55	8.10	37.05	6.00	309 104 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	105.12	-----	-----	95.30	32.78	8.07	37.03	6.00	309 104 PEAK																																																																																									
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>47.11</td><td>54.00</td><td>-6.89</td><td>37.50</td><td>32.56</td><td>8.10</td><td>37.05</td><td>6.00</td><td>309 104 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	47.11	54.00	-6.89	37.50	32.56	8.10	37.05	6.00	309 104 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>95.83</td><td>-----</td><td>-----</td><td>85.98</td><td>32.82</td><td>8.06</td><td>37.03</td><td>6.00</td><td>309 104 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	95.83	-----	-----	85.98	32.82	8.06	37.03	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.50	47.11	54.00	-6.89	37.50	32.56	8.10	37.05	6.00	309 104 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	95.83	-----	-----	85.98	32.82	8.06	37.03	6.00	309 104 AVERAGE																																																																																									





Mode	9																																																																																																								
	Harmonic																																																																																																								
	2400-2483.5_802.11n HT20_CH11_2462MHz																																																																																																								
ANT	1																																																																																																								
Pol.	Horizontal																																																																																																								
Peak Avg																																																																																																									
	<table><tr><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>47.70</td><td>74.00</td><td>-26.30</td><td>67.81</td><td>33.90</td><td>11.54</td><td>65.55</td><td>0.00</td><td>100</td><td>360 PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>36.47</td><td>54.00</td><td>-17.53</td><td>56.58</td><td>33.90</td><td>11.54</td><td>65.55</td><td>0.00</td><td>100</td><td>360 AVERAGE</td></tr><tr><td>3</td><td>5400.00</td><td>44.38</td><td>74.00</td><td>-29.62</td><td>63.32</td><td>34.60</td><td>12.01</td><td>65.55</td><td>0.00</td><td>---</td><td>--- Peak</td></tr><tr><td>4</td><td>6565.00</td><td>44.44</td><td>77.79</td><td>-33.35</td><td>61.63</td><td>35.53</td><td>13.31</td><td>66.03</td><td>0.00</td><td>---</td><td>--- Peak</td></tr><tr><td>5</td><td>7386.00</td><td>43.02</td><td>74.00</td><td>-30.98</td><td>59.18</td><td>35.00</td><td>14.19</td><td>66.15</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>6</td><td>8100.00</td><td>46.00</td><td>74.00</td><td>-28.00</td><td>61.92</td><td>36.00</td><td>14.90</td><td>66.82</td><td>0.00</td><td>---</td><td>--- Peak</td></tr></table>											Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	47.70	74.00	-26.30	67.81	33.90	11.54	65.55	0.00	100	360 PEAK	2	4924.00	36.47	54.00	-17.53	56.58	33.90	11.54	65.55	0.00	100	360 AVERAGE	3	5400.00	44.38	74.00	-29.62	63.32	34.60	12.01	65.55	0.00	---	--- Peak	4	6565.00	44.44	77.79	-33.35	61.63	35.53	13.31	66.03	0.00	---	--- Peak	5	7386.00	43.02	74.00	-30.98	59.18	35.00	14.19	66.15	0.00	---	--- PEAK	6	8100.00	46.00	74.00	-28.00	61.92	36.00	14.90	66.82	0.00	---	--- Peak
	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
	1	4924.00	47.70	74.00	-26.30	67.81	33.90	11.54	65.55	0.00	100	360 PEAK																																																																																													
	2	4924.00	36.47	54.00	-17.53	56.58	33.90	11.54	65.55	0.00	100	360 AVERAGE																																																																																													
	3	5400.00	44.38	74.00	-29.62	63.32	34.60	12.01	65.55	0.00	---	--- Peak																																																																																													
4	6565.00	44.44	77.79	-33.35	61.63	35.53	13.31	66.03	0.00	---	--- Peak																																																																																														
5	7386.00	43.02	74.00	-30.98	59.18	35.00	14.19	66.15	0.00	---	--- PEAK																																																																																														
6	8100.00	46.00	74.00	-28.00	61.92	36.00	14.90	66.82	0.00	---	--- Peak																																																																																														
																																																																																																									
<table><tr><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3283.00</td><td>42.98</td><td>75.09</td><td>-32.11</td><td>66.38</td><td>32.47</td><td>9.32</td><td>65.19</td><td>0.00</td><td>---</td><td>--- Peak</td></tr><tr><td>2</td><td>4924.00</td><td>49.33</td><td>74.00</td><td>-24.67</td><td>69.44</td><td>33.90</td><td>11.54</td><td>65.55</td><td>0.00</td><td>300</td><td>360 PEAK</td></tr><tr><td>3</td><td>4924.00</td><td>37.71</td><td>54.00</td><td>-16.29</td><td>57.82</td><td>33.90</td><td>11.54</td><td>65.55</td><td>0.00</td><td>300</td><td>360 AVERAGE</td></tr><tr><td>4</td><td>5400.00</td><td>43.40</td><td>74.00</td><td>-30.60</td><td>62.34</td><td>34.60</td><td>12.01</td><td>65.55</td><td>0.00</td><td>---</td><td>--- Peak</td></tr><tr><td>5</td><td>6565.00</td><td>51.65</td><td>75.09</td><td>-23.44</td><td>68.84</td><td>35.53</td><td>13.31</td><td>66.03</td><td>0.00</td><td>---</td><td>--- Peak</td></tr><tr><td>6</td><td>7386.00</td><td>43.94</td><td>74.00</td><td>-30.06</td><td>60.10</td><td>35.00</td><td>14.19</td><td>66.15</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></table>											Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3283.00	42.98	75.09	-32.11	66.38	32.47	9.32	65.19	0.00	---	--- Peak	2	4924.00	49.33	74.00	-24.67	69.44	33.90	11.54	65.55	0.00	300	360 PEAK	3	4924.00	37.71	54.00	-16.29	57.82	33.90	11.54	65.55	0.00	300	360 AVERAGE	4	5400.00	43.40	74.00	-30.60	62.34	34.60	12.01	65.55	0.00	---	--- Peak	5	6565.00	51.65	75.09	-23.44	68.84	35.53	13.31	66.03	0.00	---	--- Peak	6	7386.00	43.94	74.00	-30.06	60.10	35.00	14.19	66.15	0.00	---	--- PEAK	
Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	3283.00	42.98	75.09	-32.11	66.38	32.47	9.32	65.19	0.00	---	--- Peak																																																																																														
2	4924.00	49.33	74.00	-24.67	69.44	33.90	11.54	65.55	0.00	300	360 PEAK																																																																																														
3	4924.00	37.71	54.00	-16.29	57.82	33.90	11.54	65.55	0.00	300	360 AVERAGE																																																																																														
4	5400.00	43.40	74.00	-30.60	62.34	34.60	12.01	65.55	0.00	---	--- Peak																																																																																														
5	6565.00	51.65	75.09	-23.44	68.84	35.53	13.31	66.03	0.00	---	--- Peak																																																																																														
6	7386.00	43.94	74.00	-30.06	60.10	35.00	14.19	66.15	0.00	---	--- PEAK																																																																																														

Note: The non-restricted frequency which limit is 100kHz-PSD down 20dB







Mode	10																																																																																																				
	Band Edge - L																																																																																																				
	2400-2483.5_802.11n HT40_CH3_2422MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2385.14</td><td>61.64</td><td>74.00</td><td>-12.36</td><td>52.47</td><td>32.21</td><td>7.95</td><td>36.99</td><td>6.00</td><td>240</td><td>22 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2385.14	61.64	74.00	-12.36	52.47	32.21	7.95	36.99	6.00	240	22 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2422.00</td><td>100.51</td><td>-----</td><td>-----</td><td>91.07</td><td>32.44</td><td>8.00</td><td>37.00</td><td>6.00</td><td>240</td><td>22 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	100.51	-----	-----	91.07	32.44	8.00	37.00	6.00	240	22 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2385.14	61.64	74.00	-12.36	52.47	32.21	7.95	36.99	6.00	240	22 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2422.00	100.51	-----	-----	91.07	32.44	8.00	37.00	6.00	240	22 PEAK																																																																																										
Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.17</td><td>50.57</td><td>54.00</td><td>-3.43</td><td>41.36</td><td>32.24</td><td>7.96</td><td>36.99</td><td>6.00</td><td>240</td><td>22 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.17	50.57	54.00	-3.43	41.36	32.24	7.96	36.99	6.00	240	22 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2422.00</td><td>90.50</td><td>-----</td><td>-----</td><td>81.06</td><td>32.44</td><td>8.00</td><td>37.00</td><td>6.00</td><td>240</td><td>22 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	90.50	-----	-----	81.06	32.44	8.00	37.00	6.00	240	22 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2389.17	50.57	54.00	-3.43	41.36	32.24	7.96	36.99	6.00	240	22 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2422.00	90.50	-----	-----	81.06	32.44	8.00	37.00	6.00	240	22 AVERAGE																																																																																										



Mode	10																																																								
	Band Edge - R																																																								
	2400-2483.5_802.11n HT40_CH3_2422MHz																																																								
ANT	1																																																								
Pol.	Horizontal										Fundamental																																														
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.16</td><td>55.41</td><td>74.00</td><td>-18.59</td><td>45.80</td><td>32.56</td><td>8.10</td><td>37.05</td><td>6.00</td><td>240</td><td>22 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2484.16	55.41	74.00	-18.59	45.80	32.56	8.10	37.05	6.00	240	22 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2484.16	55.41	74.00	-18.59	45.80	32.56	8.10	37.05	6.00	240	22 PEAK																																														
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.44</td><td>44.24</td><td>54.00</td><td>-9.76</td><td>34.64</td><td>32.54</td><td>8.11</td><td>37.05</td><td>6.00</td><td>240</td><td>22 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2486.44	44.24	54.00	-9.76	34.64	32.54	8.11	37.05	6.00	240	22 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2486.44	44.24	54.00	-9.76	34.64	32.54	8.11	37.05	6.00	240	22 AVERAGE																																														



Mode	10																																																																																																
	Band Edge - L																																																																																																
	2400-2483.5_802.11n HT40_CH3_2422MHz																																																																																																
ANT	1																																																																																																
Pol.	Vertical					Fundamental																																																																																											
Peak																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.82</td><td>59.83</td><td>74.00</td><td>-14.17</td><td>50.62</td><td>32.24</td><td>7.96</td><td>36.99</td><td>6.00</td><td>295 106 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	59.83	74.00	-14.17	50.62	32.24	7.96	36.99	6.00	295 106 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>97.74</td><td>-----</td><td>-----</td><td>88.30</td><td>32.44</td><td>8.00</td><td>37.00</td><td>6.00</td><td>295 106 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	97.74	-----	-----	88.30	32.44	8.00	37.00	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2389.82	59.83	74.00	-14.17	50.62	32.24	7.96	36.99	6.00	295 106 PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2422.00	97.74	-----	-----	88.30	32.44	8.00	37.00	6.00	295 106 PEAK																																																																																							
Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>49.45</td><td>54.00</td><td>-4.55</td><td>40.24</td><td>32.24</td><td>7.96</td><td>36.99</td><td>6.00</td><td>295 106 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	49.45	54.00	-4.55	40.24	32.24	7.96	36.99	6.00	295 106 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>88.35</td><td>-----</td><td>-----</td><td>78.94</td><td>32.42</td><td>7.99</td><td>37.00</td><td>6.00</td><td>295 106 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	88.35	-----	-----	78.94	32.42	7.99	37.00	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2389.95	49.45	54.00	-4.55	40.24	32.24	7.96	36.99	6.00	295 106 AVERAGE																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2422.00	88.35	-----	-----	78.94	32.42	7.99	37.00	6.00	295 106 AVERAGE																																																																																							







Mode	10										
	Band Edge - R										
	2400-2483.5_802.11n HT40_CH3_2422MHz										
ANT	1										
Pol.	Vertical										
Peak	Level (dBuV/m)										





Mode	10																																																																																																																																																																																																																																			
	Harmonic																																																																																																																																																																																																																																			
	2400-2483.5_802.11n HT40_CH3_2422MHz																																																																																																																																																																																																																																			
ANT	1																																																																																																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																																																																																																													
Peak Avg																																																																																																																																																																																																																																				
	<table><thead><tr><th></th><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>3229.00</td><td>43.55</td><td>68.49</td><td>-24.94</td><td>66.82</td><td>32.73</td><td>9.22</td><td>65.22</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4844.00</td><td>45.51</td><td>74.00</td><td>-28.49</td><td>65.63</td><td>33.91</td><td>11.43</td><td>65.46</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>5400.00</td><td>44.08</td><td>74.00</td><td>-29.92</td><td>63.02</td><td>34.60</td><td>12.01</td><td>65.55</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>6459.00</td><td>43.94</td><td>68.49</td><td>-24.55</td><td>61.31</td><td>35.50</td><td>13.23</td><td>66.10</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>7266.00</td><td>43.22</td><td>74.00</td><td>-30.78</td><td>59.29</td><td>35.73</td><td>14.09</td><td>65.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>6</td><td>8098.00</td><td>44.97</td><td>74.00</td><td>-29.03</td><td>60.89</td><td>36.00</td><td>14.90</td><td>66.82</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3229.00	43.55	68.49	-24.94	66.82	32.73	9.22	65.22	0.00	---	---	Peak	2	4844.00	45.51	74.00	-28.49	65.63	33.91	11.43	65.46	0.00	---	---	PEAK	3	5400.00	44.08	74.00	-29.92	63.02	34.60	12.01	65.55	0.00	---	---	Peak	4	6459.00	43.94	68.49	-24.55	61.31	35.50	13.23	66.10	0.00	---	---	Peak	5	7266.00	43.22	74.00	-30.78	59.29	35.73	14.09	65.89	0.00	---	---	PEAK	6	8098.00	44.97	74.00	-29.03	60.89	36.00	14.90	66.82	0.00	---	---	Peak	<table><thead><tr><th></th><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>3229.00</td><td>44.17</td><td>69.45</td><td>-25.28</td><td>67.44</td><td>32.73</td><td>9.22</td><td>65.22</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4844.00</td><td>52.90</td><td>74.00</td><td>-21.10</td><td>73.02</td><td>33.91</td><td>11.43</td><td>65.46</td><td>0.00</td><td>101</td><td>34</td><td>PEAK</td></tr><tr><td>3</td><td>4844.00</td><td>43.40</td><td>54.00</td><td>-10.60</td><td>63.52</td><td>33.91</td><td>11.43</td><td>65.46</td><td>0.00</td><td>---</td><td>---</td><td>AVERAGE</td></tr><tr><td>4</td><td>5401.00</td><td>44.91</td><td>74.00</td><td>-29.09</td><td>63.85</td><td>34.60</td><td>12.01</td><td>65.55</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>6459.00</td><td>51.02</td><td>69.45</td><td>-18.43</td><td>68.39</td><td>35.50</td><td>13.23</td><td>66.10</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>7266.00</td><td>43.58</td><td>74.00</td><td>-30.42</td><td>59.65</td><td>35.73</td><td>14.09</td><td>65.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>7</td><td>8098.00</td><td>44.02</td><td>74.00</td><td>-29.98</td><td>59.94</td><td>36.00</td><td>14.90</td><td>66.82</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3229.00	44.17	69.45	-25.28	67.44	32.73	9.22	65.22	0.00	---	---	Peak	2	4844.00	52.90	74.00	-21.10	73.02	33.91	11.43	65.46	0.00	101	34	PEAK	3	4844.00	43.40	54.00	-10.60	63.52	33.91	11.43	65.46	0.00	---	---	AVERAGE	4	5401.00	44.91	74.00	-29.09	63.85	34.60	12.01	65.55	0.00	---	---	Peak	5	6459.00	51.02	69.45	-18.43	68.39	35.50	13.23	66.10	0.00	---	---	Peak	6	7266.00	43.58	74.00	-30.42	59.65	35.73	14.09	65.89	0.00	---	---	PEAK	7	8098.00	44.02	74.00	-29.98	59.94	36.00	14.90	66.82	0.00	---	---
	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																									
1	3229.00	43.55	68.49	-24.94	66.82	32.73	9.22	65.22	0.00	---	---	Peak																																																																																																																																																																																																																								
2	4844.00	45.51	74.00	-28.49	65.63	33.91	11.43	65.46	0.00	---	---	PEAK																																																																																																																																																																																																																								
3	5400.00	44.08	74.00	-29.92	63.02	34.60	12.01	65.55	0.00	---	---	Peak																																																																																																																																																																																																																								
4	6459.00	43.94	68.49	-24.55	61.31	35.50	13.23	66.10	0.00	---	---	Peak																																																																																																																																																																																																																								
5	7266.00	43.22	74.00	-30.78	59.29	35.73	14.09	65.89	0.00	---	---	PEAK																																																																																																																																																																																																																								
6	8098.00	44.97	74.00	-29.03	60.89	36.00	14.90	66.82	0.00	---	---	Peak																																																																																																																																																																																																																								
	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																									
1	3229.00	44.17	69.45	-25.28	67.44	32.73	9.22	65.22	0.00	---	---	Peak																																																																																																																																																																																																																								
2	4844.00	52.90	74.00	-21.10	73.02	33.91	11.43	65.46	0.00	101	34	PEAK																																																																																																																																																																																																																								
3	4844.00	43.40	54.00	-10.60	63.52	33.91	11.43	65.46	0.00	---	---	AVERAGE																																																																																																																																																																																																																								
4	5401.00	44.91	74.00	-29.09	63.85	34.60	12.01	65.55	0.00	---	---	Peak																																																																																																																																																																																																																								
5	6459.00	51.02	69.45	-18.43	68.39	35.50	13.23	66.10	0.00	---	---	Peak																																																																																																																																																																																																																								
6	7266.00	43.58	74.00	-30.42	59.65	35.73	14.09	65.89	0.00	---	---	PEAK																																																																																																																																																																																																																								
7	8098.00	44.02	74.00	-29.98	59.94	36.00	14.90	66.82	0.00	---	---	Peak																																																																																																																																																																																																																								

Note: The non-restricted frequency which limit is 100kHz-PSD down 20dB







		11																																																							
Mode		Band Edge - L																																																							
		2400-2483.5_802.11n HT40_CH6_2437MHz																																																							
ANT		1																																																							
Pol.		Horizontal																																																							
Peak	 Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.30</td><td>61.04</td><td>74.00</td><td>-12.96</td><td>51.83</td><td>32.24</td><td>7.96</td><td>36.99</td><td>6.00</td><td>101</td><td>61 PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.30	61.04	74.00	-12.96	51.83	32.24	7.96	36.99	6.00	101	61 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	2389.30	61.04	74.00	-12.96	51.83	32.24	7.96	36.99	6.00	101	61 PEAK																																														
Fundamental	 Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2437.00</td><td>103.43</td><td>-----</td><td>-----</td><td>93.54</td><td>32.86</td><td>8.06</td><td>37.03</td><td>6.00</td><td>101</td><td>61 PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	103.43	-----	-----	93.54	32.86	8.06	37.03	6.00	101	61 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	2437.00	103.43	-----	-----	93.54	32.86	8.06	37.03	6.00	101	61 PEAK																																														
Avg	 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>48.47</td><td>54.00</td><td>-5.53</td><td>39.26</td><td>32.24</td><td>7.96</td><td>36.99</td><td>6.00</td><td>101</td><td>61 AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	48.47	54.00	-5.53	39.26	32.24	7.96	36.99	6.00	101	61 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	2389.95	48.47	54.00	-5.53	39.26	32.24	7.96	36.99	6.00	101	61 AVERAGE																																														
Avg	 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2437.00</td><td>94.66</td><td>-----</td><td>-----</td><td>84.77</td><td>32.86</td><td>8.06</td><td>37.03</td><td>6.00</td><td>101</td><td>61 AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	94.66	-----	-----	84.77	32.86	8.06	37.03	6.00	101	61 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	2437.00	94.66	-----	-----	84.77	32.86	8.06	37.03	6.00	101	61 AVERAGE																																														



Mode	11																																															
	Band Edge - R																																															
	2400-2483.5_802.11n HT40_CH6_2437MHz																																															
ANT	1																																															
Pol.	Horizontal						Fundamental																																									
Peak							Blank																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.64</td><td>55.83</td><td>74.00</td><td>-18.17</td><td>46.23</td><td>32.55</td><td>8.10</td><td>37.05</td><td>6.00</td><td>101</td><td>61 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.64	55.83	74.00	-18.17	46.23
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																						
1	2484.64	55.83	74.00	-18.17	46.23	32.55	8.10	37.05	6.00	101	61 PEAK																																					
Avg							Blank																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.80</td><td>43.61</td><td>54.00</td><td>-10.39</td><td>34.00</td><td>32.56</td><td>8.10</td><td>37.05</td><td>6.00</td><td>101</td><td>61 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.80	43.61	54.00	-10.39	34.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																						
1	2483.80	43.61	54.00	-10.39	34.00	32.56	8.10	37.05	6.00	101	61 AVERAGE																																					



		11																																										
Mode		Band Edge - L																																										
		2400-2483.5_802.11n HT40_CH6_2437MHz																																										
ANT		1																																										
Pol.		Vertical																																										
Peak																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.04	59.28	74.00	-14.72	50.08	32.23	7.96	36.99	6.00	287
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	2389.04	59.28	74.00	-14.72	50.08	32.23	7.96	36.99	6.00	287	80 PEAK																																	
Fundamental																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	102.62	-----	-----	92.73	32.86	8.06	37.03	6.00	287
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	2437.00	102.62	-----	-----	92.73	32.86	8.06	37.03	6.00	287	80 PEAK																																	
Avg																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	46.52	54.00	-7.48	37.31	32.24	7.96	36.99	6.00	287
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	2389.82	46.52	54.00	-7.48	37.31	32.24	7.96	36.99	6.00	287	80 AVERAGE																																	
AVERAGE																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	93.65	-----	-----	83.76	32.86	8.06	37.03	6.00	287
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	2437.00	93.65	-----	-----	83.76	32.86	8.06	37.03	6.00	287	80 AVERAGE																																	







Mode	11																																																							
	Band Edge - R																																																							
	2400-2483.5_802.11n HT40_CH6_2437MHz																																																							
ANT	1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2488.24</td><td>55.45</td><td>74.00</td><td>-18.55</td><td>45.87</td><td>32.52</td><td>8.11</td><td>37.05</td><td>6.00</td><td>287</td><td>80 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2488.24	55.45	74.00	-18.55	45.87	32.52	8.11	37.05	6.00	287	80 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2488.24	55.45	74.00	-18.55	45.87	32.52	8.11	37.05	6.00	287	80 PEAK																																													
Avg	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2485.66</td><td>42.99</td><td>54.00</td><td>-11.01</td><td>33.40</td><td>32.54</td><td>8.10</td><td>37.05</td><td>6.00</td><td>287</td><td>80 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2485.66	42.99	54.00	-11.01	33.40	32.54	8.10	37.05	6.00	287	80 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2485.66	42.99	54.00	-11.01	33.40	32.54	8.10	37.05	6.00	287	80 AVERAGE																																													



Mode	11																																																																																																																																																																																																																																																																		
	Harmonic																																																																																																																																																																																																																																																																		
	2400-2483.5_802.11n HT40_CH6_2437MHz																																																																																																																																																																																																																																																																		
ANT	1																																																																																																																																																																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																																																																																																																																																																												
Peak Avg																																																																																																																																																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3249.00</td><td>45.33</td><td>73.26</td><td>-27.93</td><td>68.67</td><td>32.61</td><td>9.26</td><td>65.21</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4874.00</td><td>54.65</td><td>74.00</td><td>-19.35</td><td>74.83</td><td>33.90</td><td>11.47</td><td>65.55</td><td>0.00</td><td>187</td><td>330</td><td>PEAK</td></tr><tr><td>3</td><td>4874.00</td><td>45.15</td><td>54.00</td><td>-8.85</td><td>65.33</td><td>33.90</td><td>11.47</td><td>65.55</td><td>0.00</td><td>187</td><td>330</td><td>AVERAGE</td></tr><tr><td>4</td><td>5400.00</td><td>44.30</td><td>74.00</td><td>-29.70</td><td>63.24</td><td>34.60</td><td>12.01</td><td>65.55</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>6498.00</td><td>45.60</td><td>73.26</td><td>-27.66</td><td>62.98</td><td>35.50</td><td>13.26</td><td>66.14</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>7311.00</td><td>42.95</td><td>74.00</td><td>-31.05</td><td>59.00</td><td>35.80</td><td>14.13</td><td>65.98</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>7</td><td>8101.00</td><td>44.03</td><td>74.00</td><td>-29.97</td><td>59.94</td><td>36.00</td><td>14.91</td><td>66.82</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3249.00	45.33	73.26	-27.93	68.67	32.61	9.26	65.21	0.00	---	---	Peak	2	4874.00	54.65	74.00	-19.35	74.83	33.90	11.47	65.55	0.00	187	330	PEAK	3	4874.00	45.15	54.00	-8.85	65.33	33.90	11.47	65.55	0.00	187	330	AVERAGE	4	5400.00	44.30	74.00	-29.70	63.24	34.60	12.01	65.55	0.00	---	---	Peak	5	6498.00	45.60	73.26	-27.66	62.98	35.50	13.26	66.14	0.00	---	---	Peak	6	7311.00	42.95	74.00	-31.05	59.00	35.80	14.13	65.98	0.00	---	---	PEAK	7	8101.00	44.03	74.00	-29.97	59.94	36.00	14.91	66.82	0.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3249.00</td><td>48.49</td><td>74.67</td><td>-26.18</td><td>71.83</td><td>32.61</td><td>9.26</td><td>65.21</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4874.00</td><td>53.36</td><td>74.00</td><td>-20.64</td><td>73.54</td><td>33.90</td><td>11.47</td><td>65.55</td><td>0.00</td><td>300</td><td>157</td><td>PEAK</td></tr><tr><td>3</td><td>4874.00</td><td>44.07</td><td>54.00</td><td>-9.93</td><td>64.25</td><td>33.90</td><td>11.47</td><td>65.55</td><td>0.00</td><td>300</td><td>157</td><td>AVERAGE</td></tr><tr><td>4</td><td>5400.00</td><td>46.22</td><td>74.00</td><td>-27.78</td><td>65.16</td><td>34.60</td><td>12.01</td><td>65.55</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>6498.00</td><td>51.99</td><td>74.67</td><td>-22.68</td><td>69.37</td><td>35.50</td><td>13.26</td><td>66.14</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>7311.00</td><td>43.88</td><td>74.00</td><td>-30.12</td><td>59.93</td><td>35.80</td><td>14.13</td><td>65.98</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>7</td><td>8101.00</td><td>44.79</td><td>74.00</td><td>-29.21</td><td>60.70</td><td>36.00</td><td>14.91</td><td>66.82</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3249.00	48.49	74.67	-26.18	71.83	32.61	9.26	65.21	0.00	---	---	Peak	2	4874.00	53.36	74.00	-20.64	73.54	33.90	11.47	65.55	0.00	300	157	PEAK	3	4874.00	44.07	54.00	-9.93	64.25	33.90	11.47	65.55	0.00	300	157	AVERAGE	4	5400.00	46.22	74.00	-27.78	65.16	34.60	12.01	65.55	0.00	---	---	Peak	5	6498.00	51.99	74.67	-22.68	69.37	35.50	13.26	66.14	0.00	---	---	Peak	6	7311.00	43.88	74.00	-30.12	59.93	35.80	14.13	65.98	0.00	---	---	PEAK	7	8101.00	44.79	74.00	-29.21	60.70	36.00	14.91	66.82	0.00	---	---	Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																									
1	3249.00	45.33	73.26	-27.93	68.67	32.61	9.26	65.21	0.00	---	---	Peak																																																																																																																																																																																																																																																							
2	4874.00	54.65	74.00	-19.35	74.83	33.90	11.47	65.55	0.00	187	330	PEAK																																																																																																																																																																																																																																																							
3	4874.00	45.15	54.00	-8.85	65.33	33.90	11.47	65.55	0.00	187	330	AVERAGE																																																																																																																																																																																																																																																							
4	5400.00	44.30	74.00	-29.70	63.24	34.60	12.01	65.55	0.00	---	---	Peak																																																																																																																																																																																																																																																							
5	6498.00	45.60	73.26	-27.66	62.98	35.50	13.26	66.14	0.00	---	---	Peak																																																																																																																																																																																																																																																							
6	7311.00	42.95	74.00	-31.05	59.00	35.80	14.13	65.98	0.00	---	---	PEAK																																																																																																																																																																																																																																																							
7	8101.00	44.03	74.00	-29.97	59.94	36.00	14.91	66.82	0.00	---	---	Peak																																																																																																																																																																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																									
1	3249.00	48.49	74.67	-26.18	71.83	32.61	9.26	65.21	0.00	---	---	Peak																																																																																																																																																																																																																																																							
2	4874.00	53.36	74.00	-20.64	73.54	33.90	11.47	65.55	0.00	300	157	PEAK																																																																																																																																																																																																																																																							
3	4874.00	44.07	54.00	-9.93	64.25	33.90	11.47	65.55	0.00	300	157	AVERAGE																																																																																																																																																																																																																																																							
4	5400.00	46.22	74.00	-27.78	65.16	34.60	12.01	65.55	0.00	---	---	Peak																																																																																																																																																																																																																																																							
5	6498.00	51.99	74.67	-22.68	69.37	35.50	13.26	66.14	0.00	---	---	Peak																																																																																																																																																																																																																																																							
6	7311.00	43.88	74.00	-30.12	59.93	35.80	14.13	65.98	0.00	---	---	PEAK																																																																																																																																																																																																																																																							
7	8101.00	44.79	74.00	-29.21	60.70	36.00	14.91	66.82	0.00	---	---	Peak																																																																																																																																																																																																																																																							

Note: The non-restricted frequency which limit is 100kHz-PSD down 20dB







Mode	12																																																																																																		
	Band Edge - L																																																																																																		
	2400-2483.5_802.11n HT40_CH9_2452MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2365.51</td><td>52.11</td><td>74.00</td><td>-21.89</td><td>43.10</td><td>32.09</td><td>7.92</td><td>37.00</td><td>6.00</td><td>129 63 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2365.51	52.11	74.00	-21.89	43.10	32.09	7.92	37.00	6.00	129 63 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>105.27</td><td>-----</td><td>-----</td><td>95.42</td><td>32.82</td><td>8.06</td><td>37.03</td><td>6.00</td><td>129 63 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	105.27	-----	-----	95.42	32.82	8.06	37.03	6.00	129 63 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2365.51	52.11	74.00	-21.89	43.10	32.09	7.92	37.00	6.00	129 63 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2452.00	105.27	-----	-----	95.42	32.82	8.06	37.03	6.00	129 63 PEAK																																																																																									
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.82</td><td>40.83</td><td>54.00</td><td>-13.17</td><td>31.62</td><td>32.24</td><td>7.96</td><td>36.99</td><td>6.00</td><td>129 63 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	40.83	54.00	-13.17	31.62	32.24	7.96	36.99	6.00	129 63 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>95.44</td><td>-----</td><td>-----</td><td>85.57</td><td>32.84</td><td>8.06</td><td>37.03</td><td>6.00</td><td>129 63 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	95.44	-----	-----	85.57	32.84	8.06	37.03	6.00	129 63 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.82	40.83	54.00	-13.17	31.62	32.24	7.96	36.99	6.00	129 63 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2452.00	95.44	-----	-----	85.57	32.84	8.06	37.03	6.00	129 63 AVERAGE																																																																																									





Mode	12																																																					
	Band Edge - R																																																					
	2400-2483.5_802.11n HT40_CH9_2452MHz																																																					
ANT	1																																																					
Pol.	Horizontal										Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.72</td><td>58.05</td><td>74.00</td><td>-15.95</td><td>48.46</td><td>32.54</td><td>8.10</td><td>37.05</td><td>6.00</td><td>129</td><td>63 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.72	58.05	74.00	-15.95	48.46	32.54	8.10	37.05	6.00	129	63 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2485.72	58.05	74.00	-15.95	48.46	32.54	8.10	37.05	6.00	129	63 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.46</td><td>47.10</td><td>54.00</td><td>-6.90</td><td>37.49</td><td>32.56</td><td>8.10</td><td>37.05</td><td>6.00</td><td>129</td><td>63 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.46	47.10	54.00	-6.90	37.49	32.56	8.10	37.05	6.00	129	63 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2484.46	47.10	54.00	-6.90	37.49	32.56	8.10	37.05	6.00	129	63 AVERAGE																																											





Mode	12																																																																																																								
	Band Edge - L																																																																																																								
	2400-2483.5_802.11n HT40_CH9_2452MHz																																																																																																								
ANT	1																																																																																																								
Pol.	Vertical						Fundamental																																																																																																		
Peak																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2384.62</td><td>52.04</td><td>74.00</td><td>-21.96</td><td>42.87</td><td>32.21</td><td>7.95</td><td>36.99</td><td>6.00</td><td>310</td><td>105</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2384.62	52.04	74.00	-21.96	42.87	32.21	7.95	36.99	6.00	310	105	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2452.00</td><td>101.99</td><td>-----</td><td>-----</td><td>92.12</td><td>32.84</td><td>8.06</td><td>37.03</td><td>6.00</td><td>310</td><td>105</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2452.00	101.99	-----	-----	92.12	32.84	8.06	37.03	6.00	310	105
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	2384.62	52.04	74.00	-21.96	42.87	32.21	7.95	36.99	6.00	310	105	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	2452.00	101.99	-----	-----	92.12	32.84	8.06	37.03	6.00	310	105	PEAK																																																																																													
Avg																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2382.54</td><td>40.53</td><td>54.00</td><td>-13.47</td><td>31.38</td><td>32.20</td><td>7.95</td><td>37.00</td><td>6.00</td><td>310</td><td>105</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2382.54	40.53	54.00	-13.47	31.38	32.20	7.95	37.00	6.00	310	105	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2452.00</td><td>92.82</td><td>-----</td><td>-----</td><td>82.95</td><td>32.84</td><td>8.06</td><td>37.03</td><td>6.00</td><td>310</td><td>105</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2452.00	92.82	-----	-----	82.95	32.84	8.06	37.03	6.00	310	105
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	2382.54	40.53	54.00	-13.47	31.38	32.20	7.95	37.00	6.00	310	105	AVERAGE																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	2452.00	92.82	-----	-----	82.95	32.84	8.06	37.03	6.00	310	105	AVERAGE																																																																																													







Mode	12																																																									
	Band Edge - R																																																									
	2400-2483.5_802.11n HT40_CH9_2452MHz																																																									
ANT	1																																																									
Pol.	Vertical						Fundamental																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.92</td><td>56.39</td><td>74.00</td><td>-17.61</td><td>46.80</td><td>32.53</td><td>8.11</td><td>37.05</td><td>6.00</td><td>310</td><td>105</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2486.92	56.39	74.00	-17.61	46.80	32.53	8.11	37.05	6.00	310	105	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	2486.92	56.39	74.00	-17.61	46.80	32.53	8.11	37.05	6.00	310	105	PEAK																																														
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.54</td><td>44.62</td><td>54.00</td><td>-9.38</td><td>35.03</td><td>32.54</td><td>8.10</td><td>37.05</td><td>6.00</td><td>310</td><td>105</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2485.54	44.62	54.00	-9.38	35.03	32.54	8.10	37.05	6.00	310	105	AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	2485.54	44.62	54.00	-9.38	35.03	32.54	8.10	37.05	6.00	310	105	AVERAGE																																														



Mode	12																																																																																												
	Harmonic																																																																																												
	2400-2483.5_802.11n HT40_CH9_2452MHz																																																																																												
ANT	1																																																																																												
Pol.	Horizontal																																																																																												
Peak Avg																																																																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4904.00	46.95	74.00	-27.05	67.15	33.90	11.52	65.62	0.00	---	PEAK	2	5398.00	43.14	74.00	-30.86	62.08	34.60	12.01	65.55	0.00	---	Peak	3	6538.00	44.24	76.43	-32.19	61.53	35.50	13.29	66.08	0.00	---	Peak	4	7356.00	43.01	74.00	-30.99	59.13	35.00	14.16	66.08	0.00	---	PEAK	5	8098.00	46.62	74.00	-27.38	62.54	36.00	14.90	66.82	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	4904.00	46.95	74.00	-27.05	67.15	33.90	11.52	65.62	0.00	---	PEAK																																																																																		
2	5398.00	43.14	74.00	-30.86	62.08	34.60	12.01	65.55	0.00	---	Peak																																																																																		
3	6538.00	44.24	76.43	-32.19	61.53	35.50	13.29	66.08	0.00	---	Peak																																																																																		
4	7356.00	43.01	74.00	-30.99	59.13	35.00	14.16	66.08	0.00	---	PEAK																																																																																		
5	8098.00	46.62	74.00	-27.38	62.54	36.00	14.90	66.82	0.00	---	Peak																																																																																		
Peak Avg																																																																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4904.00	46.86	74.00	-27.14	67.06	33.90	11.52	65.62	0.00	---	PEAK	2	5401.00	44.23	74.00	-29.77	63.17	34.60	12.01	65.55	0.00	---	Peak	3	6538.00	51.33	73.97	-22.64	68.62	35.50	13.29	66.08	0.00	---	Peak	4	7356.00	43.29	74.00	-30.71	59.41	35.00	14.16	66.08	0.00	---	PEAK											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	4904.00	46.86	74.00	-27.14	67.06	33.90	11.52	65.62	0.00	---	PEAK																																																																																		
2	5401.00	44.23	74.00	-29.77	63.17	34.60	12.01	65.55	0.00	---	Peak																																																																																		
3	6538.00	51.33	73.97	-22.64	68.62	35.50	13.29	66.08	0.00	---	Peak																																																																																		
4	7356.00	43.29	74.00	-30.71	59.41	35.00	14.16	66.08	0.00	---	PEAK																																																																																		

Note: The non-restricted frequency which limit is 100kHz-PSD down 20dB



		13																																																																																												
Mode		Band Edge - L																																																																																												
		2400-2483.5_802.11n HT40_CH4_2427MHz																																																																																												
ANT		1																																																																																												
Pol.		Horizontal					Fundamental																																																																																							
Peak																																																																																														
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2384.59	61.96	74.00	-12.04	52.79	32.21	7.95	36.99	6.00	125	69 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2427.00</td><td>101.39</td><td>-----</td><td>-----</td><td>91.95</td><td>32.44</td><td>8.00</td><td>37.00</td><td>6.00</td><td>125</td><td>69 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2427.00	101.39	-----	-----	91.95	32.44	8.00	37.00	6.00	125
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	2384.59	61.96	74.00	-12.04	52.79	32.21	7.95	36.99	6.00	125	69 PEAK																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	2427.00	101.39	-----	-----	91.95	32.44	8.00	37.00	6.00	125	69 PEAK																																																																																			
Avg																																																																																														
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.52	50.64	54.00	-3.36	41.43	32.24	7.96	36.99	6.00	125	69 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2427.00</td><td>91.91</td><td>-----</td><td>-----</td><td>82.47</td><td>32.44</td><td>8.00</td><td>37.00</td><td>6.00</td><td>125</td><td>69 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2427.00	91.91	-----	-----	82.47	32.44	8.00	37.00	6.00	125
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	2389.52	50.64	54.00	-3.36	41.43	32.24	7.96	36.99	6.00	125	69 AVERAGE																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	2427.00	91.91	-----	-----	82.47	32.44	8.00	37.00	6.00	125	69 AVERAGE																																																																																			



Mode	13										
	Band Edge - R										
	2400-2483.5_802.11n HT40_CH4_2427MHz										
ANT	1										
Pol.	Horizontal										
Peak	Level (dBuV/m)										





Mode	13																																																																																																	
	Band Edge - L																																																																																																	
	2400-2483.5_802.11n HT40_CH4_2427MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.74</td><td>62.26</td><td>74.00</td><td>-11.74</td><td>53.06</td><td>32.23</td><td>7.96</td><td>36.99</td><td>6.00</td><td>308 256 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.74	62.26	74.00	-11.74	53.06	32.23	7.96	36.99	6.00	308 256 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2427.00</td><td>98.76</td><td>-----</td><td>-----</td><td>89.32</td><td>32.44</td><td>8.00</td><td>37.00</td><td>6.00</td><td>308 256 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2427.00	98.76	-----	-----	89.32	32.44	8.00	37.00	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2388.74	62.26	74.00	-11.74	53.06	32.23	7.96	36.99	6.00	308 256 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2427.00	98.76	-----	-----	89.32	32.44	8.00	37.00	6.00	308 256 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.52</td><td>50.20</td><td>54.00</td><td>-3.80</td><td>40.99</td><td>32.24</td><td>7.96</td><td>36.99</td><td>6.00</td><td>308 256 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.52	50.20	54.00	-3.80	40.99	32.24	7.96	36.99	6.00	308 256 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2427.00</td><td>89.75</td><td>-----</td><td>-----</td><td>80.34</td><td>32.42</td><td>7.99</td><td>37.00</td><td>6.00</td><td>308 256 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2427.00	89.75	-----	-----	80.34	32.42	7.99	37.00	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2389.52	50.20	54.00	-3.80	40.99	32.24	7.96	36.99	6.00	308 256 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2427.00	89.75	-----	-----	80.34	32.42	7.99	37.00	6.00	308 256 AVERAGE																																																																																								



Mode	13										
	Band Edge - R										
	2400-2483.5_802.11n HT40_CH4_2427MHz										
ANT	1										
Pol.	Vertical										
Peak	Level (dBuV/m)										




Mode	13																																																																																						
	Harmonic																																																																																						
	2400-2483.5_802.11n HT40_CH4_2427MHz																																																																																						
ANT	1																																																																																						
Pol.	Horizontal																																																																																						
Peak Avg																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 4854.00</td><td>43.57</td><td>74.00</td><td>-30.43</td><td>63.71</td><td>33.90</td><td>11.45</td><td>65.49</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2 5401.00</td><td>44.65</td><td>74.00</td><td>-29.35</td><td>63.59</td><td>34.60</td><td>12.01</td><td>65.55</td><td>0.00</td><td>---</td><td>--- Peak</td></tr><tr><td>3 6472.00</td><td>43.13</td><td>71.46</td><td>-28.33</td><td>60.50</td><td>35.50</td><td>13.24</td><td>66.11</td><td>0.00</td><td>---</td><td>--- Peak</td></tr><tr><td>4 7281.00</td><td>43.49</td><td>74.00</td><td>-30.51</td><td>59.55</td><td>35.76</td><td>14.10</td><td>65.92</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 4854.00	43.57	74.00	-30.43	63.71	33.90	11.45	65.49	0.00	---	--- PEAK	2 5401.00	44.65	74.00	-29.35	63.59	34.60	12.01	65.55	0.00	---	--- Peak	3 6472.00	43.13	71.46	-28.33	60.50	35.50	13.24	66.11	0.00	---	--- Peak	4 7281.00	43.49	74.00	-30.51	59.55	35.76	14.10	65.92	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 4854.00	43.57	74.00	-30.43	63.71	33.90	11.45	65.49	0.00	---	--- PEAK																																																																													
2 5401.00	44.65	74.00	-29.35	63.59	34.60	12.01	65.55	0.00	---	--- Peak																																																																													
3 6472.00	43.13	71.46	-28.33	60.50	35.50	13.24	66.11	0.00	---	--- Peak																																																																													
4 7281.00	43.49	74.00	-30.51	59.55	35.76	14.10	65.92	0.00	---	--- PEAK																																																																													
Peak Avg																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 4854.00</td><td>42.41</td><td>74.00</td><td>-31.59</td><td>62.55</td><td>33.90</td><td>11.45</td><td>65.49</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2 5400.00</td><td>47.02</td><td>74.00</td><td>-26.98</td><td>65.96</td><td>34.60</td><td>12.01</td><td>65.55</td><td>0.00</td><td>---</td><td>--- Peak</td></tr><tr><td>3 6472.00</td><td>47.88</td><td>69.78</td><td>-21.90</td><td>65.25</td><td>35.50</td><td>13.24</td><td>66.11</td><td>0.00</td><td>---</td><td>--- Peak</td></tr><tr><td>4 7281.00</td><td>43.23</td><td>74.00</td><td>-30.77</td><td>59.29</td><td>35.76</td><td>14.10</td><td>65.92</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 4854.00	42.41	74.00	-31.59	62.55	33.90	11.45	65.49	0.00	---	--- PEAK	2 5400.00	47.02	74.00	-26.98	65.96	34.60	12.01	65.55	0.00	---	--- Peak	3 6472.00	47.88	69.78	-21.90	65.25	35.50	13.24	66.11	0.00	---	--- Peak	4 7281.00	43.23	74.00	-30.77	59.29	35.76	14.10	65.92	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 4854.00	42.41	74.00	-31.59	62.55	33.90	11.45	65.49	0.00	---	--- PEAK																																																																													
2 5400.00	47.02	74.00	-26.98	65.96	34.60	12.01	65.55	0.00	---	--- Peak																																																																													
3 6472.00	47.88	69.78	-21.90	65.25	35.50	13.24	66.11	0.00	---	--- Peak																																																																													
4 7281.00	43.23	74.00	-30.77	59.29	35.76	14.10	65.92	0.00	---	--- PEAK																																																																													

Note: The non-restricted frequency which limit is 100kHz-PSD down 20dB


Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	99.2	-	-	10Hz
802.11g	98.33	-	-	10Hz
802.11n HT20	98.21	-	-	10Hz
802.11n HT40	95	0.95	1.0526	1.1KHz


802.11b



802.11g



802.11n HT20



802.11n HT40

