Mode	9	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5727.00 59.46 68.20 -8.74 48.79 34.65 12.42 36.40 0.00 228 97 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 105.82 ------ ------ 95.17 34.61 12.40 36.36 0.00 228 97 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 97.44 ------ ------ 86.79 34.60 12.40 36.35 0.00 228 97 AVERAGE

Mode	9	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7598.10 43.78 74.00 -30.22 59.91 36.00 14.35 66.48 0.00 --- --- PEAK 2 11400.00 44.66 74.00 -29.34 55.45 38.00 17.80 66.59 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7598.10 46.67 74.00 -27.33 62.80 36.00 14.35 66.48 0.00 --- --- PEAK 2 11400.00 47.27 74.00 -26.73 58.06 38.00 17.80 66.59 0.00 100 0 PEAK 3 11400.00 36.73 54.00 -17.27 47.52 38.00 17.80 66.59 0.00 100 0 AVERAGE

Mode	10	
	Band Edge	
	U-NII-1_5.15-5.25_802.11n HT20_CH36_5180MHz	
ANT	1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5146.30 54.69 74.00 -19.31 45.82 34.09 11.80 37.02 0.00 100 33 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5180.00 105.05 ------ ------ 96.10 34.23 11.83 37.11 0.00 100 33 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5147.60 44.20 54.00 -9.80 35.32 34.10 11.80 37.02 0.00 100 33 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5180.00 96.57 ------ ------ 87.62 34.23 11.83 37.11 0.00 100 33 AVERAGE

Mode	10	
	Band Edge	
	U-NII-1_5.15-5.25_802.11n HT20_CH36_5180MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5122.30 53.71 74.00 -20.29 44.86 34.04 11.77 36.96 0.00 301 266 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5180.00 98.94 ------ ------ 89.99 34.23 11.83 37.11 0.00 301 266 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5113.10 43.51 54.00 -10.49 34.65 34.03 11.76 36.93 0.00 301 266 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5180.00 90.63 ------ ------ 81.68 34.23 11.83 37.11 0.00 301 266 AVERAGE

Mode	10	
	Harmonic	
	U-NII-1_5.15-5.25_802.11n HT20_CH36_5180MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6906.49 56.19 68.20 -12.01 72.26 35.60 13.79 65.46 0.00 193 359 PEAK 2 10360.00 48.49 68.20 -19.71 61.31 37.36 16.85 67.03 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6906.49 57.18 68.20 -11.02 73.25 35.60 13.79 65.46 0.00 100 333 PEAK 2 10360.00 45.41 68.20 -22.79 58.23 37.36 16.85 67.03 0.00 --- --- PEAK

Mode	11	
	Harmonic	
	U-NII-1_5.15-5.25_802.11n HT20_CH44_5220MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6959.83 55.49 68.20 -12.71 71.42 35.60 13.84 65.37 0.00 196 359 PEAK 2 10440.00 50.29 68.20 -17.91 62.93 37.48 16.94 67.06 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6959.83 57.36 68.20 -10.84 73.29 35.60 13.84 65.37 0.00 105 333 PEAK 2 10440.00 45.33 68.20 -22.87 57.97 37.48 16.94 67.06 0.00 --- --- PEAK

Mode	12	
	Harmonic	
	U-NII-1_5.15-5.25_802.11n HT20_CH48_5240MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6986.49 52.10 68.20 -16.10 67.95 35.60 13.87 65.32 0.00 175 345 PEAK 2 10480.00 46.05 68.20 -22.15 58.60 37.55 16.97 67.07 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6986.49 54.49 68.20 -13.71 70.34 35.60 13.87 65.32 0.00 122 331 PEAK 2 10480.00 45.88 68.20 -22.32 58.43 37.55 16.97 67.07 0.00 --- --- PEAK

Mode	13	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11n HT20_CH52_5260MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7013.16 49.62 68.20 -18.58 65.43 35.63 13.89 65.33 0.00 --- --- PEAK 2 10520.00 47.22 68.20 -20.98 59.63 37.62 17.03 67.06 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7013.16 53.27 68.20 -14.93 69.08 35.63 13.89 65.33 0.00 200 334 PEAK 2 10520.00 45.99 68.20 -22.21 58.41 37.62 17.02 67.06 0.00 --- --- PEAK

Mode	14	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11n HT20_CH60_5300MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7064.90 46.77 68.20 -21.43 62.58 35.70 13.93 65.44 0.00 --- --- PEAK 2 10600.00 46.76 74.00 -27.24 58.95 37.70 17.10 66.99 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7064.90 51.27 68.20 -16.93 67.08 35.70 13.93 65.44 0.00 --- --- PEAK 2 10600.00 46.00 74.00 -28.00 58.19 37.70 17.10 66.99 0.00 --- --- PEAK

Mode	15	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz	
ANT	1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5352.20 59.33 74.00 -14.67 49.27 34.60 11.97 36.51 0.00 157 356 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 106.67 ------ ------ 96.70 34.60 11.95 36.58 0.00 157 356 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5352.40 47.51 54.00 -6.49 37.45 34.60 11.97 36.51 0.00 157 356 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 99.25 ------ ------ 89.29 34.60 11.95 36.59 0.00 157 356 AVERAGE

Mode	15	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5356.90 55.21 74.00 -18.79 45.13 34.60 11.98 36.50 0.00 303 103 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 103.36 ------ ------ 93.40 34.60 11.95 36.59 0.00 303 103 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5352.60 44.59 54.00 -9.41 34.53 34.60 11.97 36.51 0.00 303 103 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 94.55 ------ ------ 84.59 34.60 11.95 36.59 0.00 303 103 AVERAGE

Mode	15	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7091.56 45.57 68.20 -22.63 61.42 35.70 13.95 65.50 0.00 --- --- PEAK 2 10640.00 48.06 74.00 -25.94 60.20 37.66 17.15 66.95 0.00 300 0 PEAK 3 10640.00 36.96 54.00 -17.04 49.10 37.66 17.15 66.95 0.00 300 0 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7091.56 49.74 68.20 -18.46 65.59 35.70 13.95 65.50 0.00 --- --- PEAK 2 10640.00 47.48 74.00 -26.52 59.62 37.66 17.15 66.95 0.00 100 0 PEAK 3 10640.00 35.87 54.00 -18.13 48.01 37.66 17.15 66.95 0.00 100 0 AVERAGE

Mode	16	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz	
ANT	1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5450.80 57.07 74.00 -16.93 46.72 34.70 12.09 36.44 0.00 100 10 PEAK 2 5466.96 55.98 68.20 -12.22 45.69 34.63 12.11 36.45 0.00 100 10 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 106.99 ------ ------ 96.80 34.50 12.16 36.47 0.00 100 10 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.44 46.16 54.00 -7.84 35.84 34.66 12.10 36.44 0.00 100 10 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 98.65 ------ ------ 88.46 34.50 12.16 36.47 0.00 100 10 AVERAGE

Mode	16	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5458.80 54.76 74.00 -19.24 44.44 34.66 12.10 36.44 0.00 225 90 PEAK 2 5460.24 56.53 68.20 -11.67 46.21 34.66 12.10 36.44 0.00 225 90 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 105.62 ------ ------ 95.43 34.50 12.16 36.47 0.00 225 90 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.28 45.20 54.00 -8.80 34.88 34.66 12.10 36.44 0.00 225 90 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 96.95 ------ ------ 86.76 34.50 12.16 36.47 0.00 225 90 AVERAGE

Mode	16	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7331.50 45.27 74.00 -28.73 61.35 35.80 14.15 66.03 0.00 --- --- PEAK 2 11000.00 46.25 74.00 -27.75 57.46 37.90 17.52 66.63 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7331.50 49.03 74.00 -24.97 65.11 35.80 14.15 66.03 0.00 100 0 PEAK 2 7331.50 45.19 54.00 -8.81 61.27 35.80 14.15 66.03 0.00 100 0 AVERAGE 3 11000.00 45.58 74.00 -28.42 56.79 37.90 17.52 66.63 0.00 --- --- PEAK

Mode	17	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11n HT20_CH116_5580MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7438.14 43.75 74.00 -30.25 59.98 35.80 14.23 66.26 0.00 --- --- PEAK 2 11160.00 44.54 74.00 -29.46 55.62 37.90 17.63 66.61 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7438.14 48.48 74.00 -25.52 64.71 35.80 14.23 66.26 0.00 100 0 PEAK 2 7438.14 44.20 54.00 -9.80 60.43 35.80 14.23 66.26 0.00 100 0 AVERAGE 3 11160.00 45.37 74.00 -28.63 56.45 37.90 17.63 66.61 0.00 --- --- PEAK

Mode	18	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz	
ANT	1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5725.00 61.47 68.20 -6.73 50.80 34.65 12.42 36.40 0.00 101 36 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 108.46 ------ ------ 97.81 34.61 12.40 36.36 0.00 101 36 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 99.64 ------ ------ 88.99 34.60 12.40 36.35 0.00 101 36 AVERAGE

Mode	18	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5735.56 57.73 68.20 -10.47 47.04 34.67 12.43 36.41 0.00 259 97 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 103.22 ------ ------ 92.57 34.60 12.40 36.35 0.00 259 97 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 95.54 ------ ------ 84.89 34.60 12.40 36.35 0.00 259 97 AVERAGE

Mode	18	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7599.81 44.28 74.00 -29.72 60.42 36.00 14.35 66.49 0.00 --- --- PEAK 2 11400.00 44.48 74.00 -29.52 55.27 38.00 17.80 66.59 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7599.81 45.29 74.00 -28.71 61.43 36.00 14.35 66.49 0.00 --- --- PEAK 2 11400.00 45.21 74.00 -28.79 56.00 38.00 17.80 66.59 0.00 --- --- PEAK

Mode	19	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz	
ANT	1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5149.76 59.84 74.00 -14.16 50.97 34.10 11.80 37.03 0.00 119 31 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5190.00 100.70 ------ ------ 91.72 34.28 11.84 37.14 0.00 119 31 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5149.92 49.78 54.00 -4.22 40.91 34.10 11.80 37.03 0.00 119 31 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5190.00 93.03 ------ ------ 84.05 34.28 11.84 37.14 0.00 119 31 AVERAGE

Mode	19	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz	
ANT	1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5414.91 53.53 74.00 -20.47 43.28 34.63 12.03 36.41 0.00 119 31 PEAK	Blank
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5454.87 43.54 54.00 -10.46 33.21 34.68 12.09 36.44 0.00 119 31 AVERAGE	Blank

Mode	19	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5147.36 56.95 74.00 -17.05 48.08 34.09 11.80 37.02 0.00 302 268 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5190.00 95.80 ------ ------ 86.84 34.25 11.84 37.13 0.00 302 268 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5149.12 46.05 54.00 -7.95 37.18 34.10 11.80 37.03 0.00 302 268 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5190.00 87.10 ------ ------ 78.14 34.25 11.84 37.13 0.00 302 268 AVERAGE

Mode	19	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5441.10 53.14 74.00 -20.86 42.82 34.68 12.07 36.43 0.00 302 268 PEAK	Blank
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5450.28 43.41 54.00 -10.59 33.06 34.70 12.09 36.44 0.00 302 268 AVERAGE	Blank

Mode	19	
	Harmonic	
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6919.83 56.14 68.20 -12.06 72.17 35.60 13.80 65.43 0.00 201 356 PEAK 2 10380.00 45.93 68.20 -22.27 58.74 37.37 16.86 67.04 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6919.83 57.27 68.20 -10.93 73.30 35.60 13.80 65.43 0.00 199 334 PEAK 2 10380.00 44.78 68.20 -23.42 57.56 37.38 16.88 67.04 0.00 --- --- PEAK

Mode	20	
	Harmonic	
	U-NII-1_5.15-5.25_802.11n HT40_CH46_5230MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6973.16 54.75 68.20 -13.45 70.64 35.60 13.85 65.34 0.00 173 0 PEAK 2 10460.00 45.99 68.20 -22.21 58.60 37.51 16.95 67.07 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6973.16 56.86 68.20 -11.34 72.75 35.60 13.85 65.34 0.00 100 331 PEAK 2 10460.00 45.14 68.20 -23.06 57.67 37.56 16.98 67.07 0.00 --- --- PEAK

Mode	21	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7026.49 49.15 68.20 -19.05 64.96 35.65 13.90 65.36 0.00 --- --- PEAK 2 10540.00 45.11 68.20 -23.09 57.50 37.63 17.03 67.05 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7026.49 49.36 68.20 -18.84 65.17 35.65 13.90 65.36 0.00 --- --- PEAK 2 10540.00 45.77 68.20 -22.43 58.16 37.63 17.03 67.05 0.00 --- --- PEAK

Mode	22	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz	
ANT	1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5139.52 54.45 74.00 -19.55 45.58 34.08 11.79 37.00 0.00 100 33 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5310.00 101.35 ------ ------ 91.39 34.60 11.95 36.59 0.00 100 33 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5104.64 43.73 54.00 -10.27 34.88 34.01 11.75 36.91 0.00 100 33 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5310.00 93.30 ------ ------ 83.37 34.60 11.94 36.61 0.00 100 33 AVERAGE

Mode	22	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz	
ANT	1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5354.10 60.17 74.00 -13.83 50.11 34.60 11.97 36.51 0.00 100 33 PEAK	Blank
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.00 50.57 54.00 -3.43 40.52 34.60 11.97 36.52 0.00 100 33 AVERAGE	Blank

Mode	22	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5141.28 54.65 74.00 -19.35 45.79 34.08 11.79 37.01 0.00 224 99 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5310.00 98.07 ------ ------ 88.14 34.60 11.94 36.61 0.00 224 99 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5100.48 43.72 54.00 -10.28 34.87 34.00 11.75 36.90 0.00 224 99 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5310.00 88.43 ------ ------ 78.50 34.60 11.94 36.61 0.00 224 99 AVERAGE

Mode	22	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5353.80 56.06 74.00 -17.94 46.00 34.60 11.97 36.51 0.00 224 99 PEAK	Blank
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.30 46.80 54.00 -7.20 36.75 34.60 11.97 36.52 0.00 224 99 AVERAGE	Blank

Mode	22	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7079.82 48.52 68.20 -19.68 64.36 35.70 13.94 65.48 0.00 --- --- PEAK 2 10620.00 43.43 74.00 -30.57 55.60 37.68 17.12 66.97 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7079.82 50.81 68.20 -17.39 66.65 35.70 13.94 65.48 0.00 --- --- PEAK 2 10620.00 43.74 74.00 -30.26 55.91 37.68 17.12 66.97 0.00 --- --- PEAK

Mode	22	
	18G-25	
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg		

Mode	22	
	30-1G	
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	38.85	22.98	40.00	-17.02	34.61	20.61	0.69	32.93	0.00	---	---	Peak
2	105.42	29.62	43.50	-13.88	44.03	16.77	1.66	32.84	0.00	---	---	Peak
3	154.40	30.34	43.50	-13.16	44.33	17.13	1.99	33.11	0.00	---	---	Peak
4	241.82	26.96	46.00	-19.04	39.54	17.71	2.53	32.82	0.00	---	---	Peak
5	289.60	26.74	46.00	-19.26	37.53	19.35	2.78	32.92	0.00	---	---	Peak
6	569.68	26.32	46.00	-19.68	28.69	26.47	3.88	32.72	0.00	---	---	Peak

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	38.73	35.61	40.00	-4.39	47.17	20.67	0.69	32.92	0.00	---	---	Peak
2	153.92	33.82	43.50	-9.68	47.78	17.16	1.99	33.11	0.00	---	---	Peak
3	236.13	29.96	46.00	-16.04	43.29	16.99	2.50	32.82	0.00	---	---	Peak
4	282.20	27.11	46.00	-18.89	38.16	19.11	2.74	32.90	0.00	---	---	Peak
5	372.53	27.98	46.00	-18.02	36.66	21.10	3.13	32.91	0.00	---	---	Peak
6	560.59	26.82	46.00	-19.18	29.20	26.48	3.85	32.71	0.00	---	---	Peak

Mode	23	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz	
ANT	1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.12 58.14 74.00 -15.86 47.82 34.66 12.10 36.44 0.00 100 34 PEAK 2 5467.12 61.92 68.20 -6.28 51.63 34.63 12.11 36.45 0.00 100 34 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5510.00 105.66 ------ ------ 95.46 34.49 12.17 36.46 0.00 100 34 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.92 48.61 54.00 -5.39 38.29 34.66 12.10 36.44 0.00 100 34 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5510.00 96.00 ------ ------ 85.78 34.48 12.18 36.44 0.00 100 34 AVERAGE

Mode	23	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz	
ANT	1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5750.68 55.23 68.20 -12.97 44.52 34.70 12.45 36.44 0.00 100 34 PEAK	Blank

Mode	23	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.76 54.73 74.00 -19.27 44.41 34.66 12.10 36.44 0.00 300 276 PEAK 2 5469.68 57.23 68.20 -10.97 46.95 34.62 12.11 36.45 0.00 300 276 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5510.00 99.29 ------ ------ 89.07 34.46 12.19 36.43 0.00 300 276 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.76 45.49 54.00 -8.51 35.17 34.66 12.10 36.44 0.00 300 276 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5510.00 90.72 ------ ------ 80.52 34.49 12.17 36.46 0.00 300 276 AVERAGE

Mode	23	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5750.92 55.10 68.20 -13.10 44.38 34.71 12.45 36.44 0.00 300 276 PEAK	Blank

Mode	23	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7346.48 44.57 74.00 -29.43 60.67 35.80 14.16 66.06 0.00 --- --- PEAK 2 11020.00 44.81 74.00 -29.19 56.01 37.90 17.53 66.63 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7346.48 50.79 74.00 -23.21 66.89 35.80 14.16 66.06 0.00 319 20 PEAK 2 7346.48 47.56 54.00 -6.44 63.66 35.80 14.16 66.06 0.00 319 20 AVERAGE 3 11020.00 45.20 74.00 -28.80 56.40 37.90 17.53 66.63 0.00 --- --- PEAK

Mode	24	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11n HT40_CH110_5550MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7399.82 43.87 74.00 -30.13 60.05 35.80 14.20 66.18 0.00 --- --- PEAK 2 11100.00 44.30 74.00 -29.70 55.43 37.90 17.59 66.62 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7399.82 45.65 74.00 -28.35 61.83 35.80 14.20 66.18 0.00 --- --- PEAK 2 11100.00 45.29 74.00 -28.71 56.42 37.90 17.59 66.62 0.00 --- --- PEAK

Mode	25	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz	
ANT	1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5405.68 53.89 74.00 -20.11 43.66 34.61 12.02 36.40 0.00 100 37 PEAK 2 5466.32 52.62 68.20 -15.58 42.33 34.63 12.11 36.45 0.00 100 37 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5670.00 105.56 ------ ------ 94.97 34.54 12.37 36.32 0.00 100 37 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5457.84 43.40 54.00 -10.60 33.07 34.67 12.10 36.44 0.00 100 37 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5670.00 96.78 ------ ------ 86.19 34.54 12.37 36.32 0.00 100 37 AVERAGE

Mode	25	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz	
ANT	1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5727.32 61.00 68.20 -7.20 50.33 34.65 12.42 36.40 0.00 100 37 PEAK	Blank

Mode	25	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5433.20 53.88 74.00 -20.12 43.57 34.67 12.06 36.42 0.00 247 99 PEAK 2 5460.40 53.00 68.20 -15.20 42.68 34.66 12.10 36.44 0.00 247 99 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5670.00 101.93 ------ ------ 91.33 34.55 12.38 36.33 0.00 247 99 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5446.64 43.24 54.00 -10.76 32.90 34.69 12.08 36.43 0.00 247 99 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5670.00 93.29 ------ ------ 82.70 34.54 12.37 36.32 0.00 247 99 AVERAGE

Mode	25	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5725.32 59.22 68.20 -8.98 48.55 34.65 12.42 36.40 0.00 247 99 PEAK	Blank

Mode	25	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7559.81 43.23 74.00 -30.77 59.36 36.00 14.32 66.45 0.00 --- --- PEAK 2 11340.00 43.75 74.00 -30.25 54.65 37.94 17.76 66.60 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7559.81 43.48 74.00 -30.52 59.61 36.00 14.32 66.45 0.00 --- --- PEAK 2 11340.00 45.84 74.00 -28.16 56.74 37.94 17.76 66.60 0.00 --- --- PEAK

Mode	26	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz	
ANT	1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5148.00 59.29 74.00 -14.71 50.41 34.10 11.80 37.02 0.00 100 31 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5210.00 96.91 ------ ------ 87.80 34.35 11.86 37.10 0.00 100 31 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5149.92 49.02 54.00 -4.98 40.15 34.10 11.80 37.03 0.00 100 31 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5210.00 88.63 ------ ------ 79.47 34.37 11.86 37.07 0.00 100 31 AVERAGE

Mode	26	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz	
ANT	1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5364.54 53.60 74.00 -20.40 43.51 34.60 11.98 36.49 0.00 100 31 PEAK	Blank
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5355.54 43.96 54.00 -10.04 33.90 34.60 11.97 36.51 0.00 100 31 AVERAGE	Blank

Mode	26	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5131.04 55.71 74.00 -18.29 46.85 34.06 11.78 36.98 0.00 319 271 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5210.00 91.70 ------ ------ 82.54 34.37 11.86 37.07 0.00 319 271 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5147.36 45.86 54.00 -8.14 36.99 34.09 11.80 37.02 0.00 319 271 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5210.00 82.81 ------ ------ 73.65 34.37 11.86 37.07 0.00 319 271 AVERAGE

Mode	26	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5369.04 53.45 74.00 -20.55 43.33 34.60 11.99 36.47 0.00 319 271 PEAK	Blank
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5387.22 43.45 54.00 -10.55 33.28 34.60 12.00 36.43 0.00 319 271 AVERAGE	Blank

Mode	26	
	Harmonic	
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6946.49 54.55 68.20 -13.65 70.51 35.60 13.83 65.39 0.00 186 360 PEAK 2 10420.00 43.20 68.20 -25.00 55.81 37.50 16.95 67.06 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6946.49 55.98 68.20 -12.22 71.94 35.60 13.83 65.39 0.00 134 330 PEAK 2 10420.00 43.38 68.20 -24.82 55.99 37.50 16.95 67.06 0.00 --- --- PEAK

Mode	27	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz	
ANT	1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5110.88 50.27 74.00 -23.73 41.42 34.02 11.76 36.93 0.00 160 29 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5290.00 96.51 ------ ------ 86.65 34.59 11.93 36.66 0.00 160 29 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5102.08 39.34 54.00 -14.66 30.50 34.00 11.75 36.91 0.00 160 29 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5290.00 87.63 ------ ------ 77.77 34.59 11.93 36.66 0.00 160 29 AVERAGE

Mode	27	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz	
ANT	1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.50 58.75 74.00 -15.25 48.70 34.60 11.97 36.52 0.00 160 29 PEAK	Blank
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.60 50.52 54.00 -3.48 40.47 34.60 11.97 36.52 0.00 160 29 AVERAGE	Blank

Mode	27	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5143.20 48.99 74.00 -25.01 40.12 34.09 11.79 37.01 0.00 262 100 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5290.00 91.69 ------ ------ 81.83 34.59 11.93 36.66 0.00 262 100 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5100.32 39.46 54.00 -14.54 30.61 34.00 11.75 36.90 0.00 262 100 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5290.00 83.67 ------ ------ 73.70 34.60 11.95 36.58 0.00 262 100 AVERAGE

Mode	27	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	 Limit Over Read Ant Cable Preamp Aux APos TPos Freq Level Line Limit Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5354.20 55.81 74.00 -18.19 45.75 34.60 11.97 36.51 0.00 262 100 PEAK	Blank
Avg	 Limit Over Read Ant Cable Preamp Aux APos TPos Freq Level Line Limit Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.20 47.14 54.00 -6.86 37.09 34.60 11.97 36.52 0.00 262 100 AVERAGE	Blank

Mode	27	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10580.00 42.18 68.20 -26.02 54.54 37.64 17.04 67.04 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10580.00 43.29 68.20 -24.91 55.55 37.67 17.08 67.01 0.00 --- --- PEAK

Mode	28	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz	
ANT	1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.92 59.58 74.00 -14.42 49.26 34.66 12.10 36.44 0.00 100 11 PEAK 2 5460.24 58.16 68.20 -10.04 47.84 34.66 12.10 36.44 0.00 100 11 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5530.00 100.32 ------ ------ 90.07 34.43 12.21 36.39 0.00 100 11 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.44 50.04 54.00 -3.96 39.72 34.66 12.10 36.44 0.00 100 11 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5530.00 91.39 ------ ------ 81.14 34.43 12.21 36.39 0.00 100 11 AVERAGE

Mode	28	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz	
ANT	1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5738.12 51.35 68.20 -16.85 40.66 34.68 12.43 36.42 0.00 100 11 PEAK	Blank

Mode	28	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5457.20 56.19 74.00 -17.81 45.86 34.67 12.10 36.44 0.00 242 93 PEAK 2 5468.40 57.92 68.20 -10.28 47.63 34.63 12.11 36.45 0.00 242 93 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5530.00 97.26 ------ ------ 87.03 34.45 12.20 36.42 0.00 242 93 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.60 48.89 54.00 -5.11 38.57 34.66 12.10 36.44 0.00 242 93 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5530.00 88.81 ------ ------ 78.56 34.43 12.21 36.39 0.00 242 93 AVERAGE

Mode	28	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5734.52 49.92 68.20 -18.28 39.23 34.67 12.43 36.41 0.00 242 93 PEAK	Blank

Mode	28	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7371.49 42.84 74.00 -31.16 58.98 35.80 14.18 66.12 0.00 --- --- PEAK 2 11060.00 44.15 74.00 -29.85 55.31 37.90 17.56 66.62 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7371.49 42.85 74.00 -31.15 58.99 35.80 14.18 66.12 0.00 --- --- PEAK 2 11060.00 43.60 74.00 -30.40 54.76 37.90 17.56 66.62 0.00 --- --- PEAK

Mode	29	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz	
ANT	1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5433.36 48.22 74.00 -25.78 37.91 34.67 12.06 36.42 0.00 100 10 PEAK 2 5466.48 49.09 68.20 -19.11 38.80 34.63 12.11 36.45 0.00 100 10 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5610.00 99.63 ------ ------ 89.08 34.50 12.32 36.27 0.00 100 10 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5450.96 39.82 54.00 -14.18 29.47 34.70 12.09 36.44 0.00 100 10 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5610.00 90.09 ------ ------ 79.54 34.50 12.31 36.26 0.00 100 10 AVERAGE

Mode	29	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz	
ANT	1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5750.04 51.39 68.20 -16.81 40.68 34.70 12.45 36.44 0.00 100 10 PEAK	Blank

Mode	29	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5403.60 48.69 74.00 -25.31 38.46 34.61 12.02 36.40 0.00 240 91 PEAK 2 5464.56 48.33 68.20 -19.87 38.03 34.64 12.11 36.45 0.00 240 91 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5610.00 97.63 ------ ------ 87.08 34.50 12.32 36.27 0.00 240 91 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5458.48 39.60 54.00 -14.40 29.27 34.67 12.10 36.44 0.00 240 91 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5610.00 89.04 ------ ------ 78.49 34.50 12.31 36.26 0.00 240 91 AVERAGE

Mode	29	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5727.88 51.64 68.20 -16.56 40.95 34.66 12.43 36.40 0.00 240 91 PEAK	Blank

Mode	29	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7478.13 43.01 74.00 -30.99 59.30 35.80 14.26 66.35 0.00 --- --- PEAK 2 11220.00 43.30 74.00 -30.70 54.34 37.90 17.67 66.61 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7478.13 47.30 74.00 -26.70 63.59 35.80 14.26 66.35 0.00 100 0 PEAK 2 7478.13 43.56 54.00 -10.44 59.85 35.80 14.26 66.35 0.00 100 0 AVERAGE 3 11220.00 43.41 74.00 -30.59 54.45 37.90 17.67 66.61 0.00 --- --- PEAK

Mode	30	
	Band Edge	
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz	
ANT	1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5645.60 54.05 68.20 -14.15 43.50 34.50 12.35 36.30 0.00 115 37 PEAK 2 5650.80 51.39 68.80 -17.41 40.84 34.50 12.36 36.31 0.00 115 37 PEAK 3 5703.60 54.94 106.31 -51.37 44.29 34.61 12.40 36.36 0.00 115 37 PEAK 4 5722.40 63.50 116.37 -52.87 52.83 34.64 12.42 36.39 0.00 115 37 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 108.84 ------ ------ 98.14 34.68 12.44 36.42 0.00 115 37 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 100.57 ------ ------ 89.87 34.69 12.44 36.43 0.00 115 37 AVERAGE

Mode	30	
	Band Edge	
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5649.60 51.61 68.20 -16.59 41.06 34.50 12.35 36.30 0.00 264 98 PEAK 2 5650.40 51.62 68.50 -16.88 41.07 34.50 12.36 36.31 0.00 264 98 PEAK 3 5700.00 51.52 105.30 -53.78 40.87 34.60 12.40 36.35 0.00 264 98 PEAK 4 5720.00 54.89 110.90 -56.01 44.22 34.64 12.42 36.39 0.00 264 98 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 103.73 ------ ------ 93.03 34.69 12.44 36.43 0.00 264 98 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 96.39 ------ ------ 85.69 34.69 12.44 36.43 0.00 264 98 AVERAGE

Mode	30	
	Harmonic	
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7659.81 44.68 74.00 -29.32 60.70 36.10 14.42 66.54 0.00 --- --- PEAK 2 11490.00 44.49 74.00 -29.51 55.12 38.09 17.86 66.58 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7659.81 44.02 74.00 -29.98 60.04 36.10 14.42 66.54 0.00 --- --- PEAK 2 11490.00 45.15 74.00 -28.85 55.78 38.09 17.86 66.58 0.00 --- --- PEAK

Mode	31	
	Harmonic	
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11570.00 44.81 74.00 -29.19 55.25 38.17 17.92 66.53 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11570.00 44.81 74.00 -29.19 55.25 38.17 17.92 66.53 0.00 --- --- PEAK

Mode	32	
	Band Edge	
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz	
ANT	1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.40 54.77 112.27 -57.50 43.72 35.12 12.56 36.63 0.00 100 35 PEAK 2 5870.00 56.17 106.70 -50.53 45.07 35.18 12.58 36.66 0.00 100 35 PEAK 3 5922.80 53.23 69.83 -16.60 42.08 35.30 12.66 36.81 0.00 100 35 PEAK 4 5932.00 53.80 68.20 -14.40 42.68 35.30 12.67 36.85 0.00 100 35 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 107.58 ------ ------ 96.58 35.05 12.52 36.57 0.00 100 35 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 98.69 ------ ------ 87.69 35.05 12.52 36.57 0.00 100 35 AVERAGE

Mode	32	
	Band Edge	
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.00 55.46 113.18 -57.72 44.41 35.12 12.56 36.63 0.00 280 96 PEAK 2 5874.00 54.12 105.58 -51.46 42.99 35.20 12.59 36.66 0.00 280 96 PEAK 3 5924.40 52.60 68.64 -16.04 41.46 35.30 12.66 36.82 0.00 280 96 PEAK 4 5963.20 53.68 68.20 -14.52 42.66 35.30 12.71 36.99 0.00 280 96 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 103.61 ------ ------ 92.61 35.05 12.52 36.57 0.00 280 96 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 95.55 ------ ------ 84.55 35.05 12.52 36.57 0.00 280 96 AVERAGE

Mode	32	
	Harmonic	
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11650.00 45.98 74.00 -28.02 56.17 38.30 17.98 66.47 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11650.00 45.52 74.00 -28.48 55.71 38.30 17.98 66.47 0.00 --- --- PEAK

Mode	33	
	Band Edge	
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz	
ANT	1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5640.80 52.15 68.20 -16.05 41.60 34.50 12.35 36.30 0.00 100 34 PEAK 2 5650.00 51.61 68.20 -16.59 41.07 34.50 12.35 36.31 0.00 100 34 PEAK 3 5703.60 54.10 106.31 -52.21 43.45 34.61 12.40 36.36 0.00 100 34 PEAK 4 5720.40 57.40 111.81 -54.41 46.73 34.64 12.42 36.39 0.00 100 34 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 106.65 ------ ------ 95.95 34.69 12.44 36.43 0.00 100 34 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 98.63 ------ ------ 87.93 34.69 12.44 36.43 0.00 100 34 AVERAGE

Mode	33	
	Band Edge	
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5638.00 52.76 68.20 -15.44 42.21 34.50 12.34 36.29 0.00 263 94 PEAK 2 5650.00 48.40 68.20 -19.80 37.86 34.50 12.35 36.31 0.00 263 94 PEAK 3 5701.20 52.09 105.64 -53.55 41.44 34.60 12.40 36.35 0.00 263 94 PEAK 4 5721.60 57.47 114.55 -57.08 46.80 34.64 12.42 36.39 0.00 263 94 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 102.47 ------ ------ 91.77 34.69 12.44 36.43 0.00 263 94 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 94.68 ------ ------ 83.98 34.69 12.44 36.43 0.00 263 94 AVERAGE

Mode	33	
	Harmonic	
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11490.00 44.32 74.00 -29.68 54.95 38.09 17.86 66.58 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11490.00 44.32 74.00 -29.68 54.95 38.09 17.86 66.58 0.00 --- --- PEAK

Mode	34	
	Harmonic	
	U-NII-3_5.725-5.85_802.11n HT20_CH157_5785MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11570.00 45.21 74.00 -28.79 55.65 38.17 17.92 66.53 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11570.00 45.03 74.00 -28.97 55.47 38.17 17.92 66.53 0.00 --- --- PEAK

Mode	35	
	Band Edge	
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz	
ANT	1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.80 54.26 111.36 -57.10 43.21 35.12 12.56 36.63 0.00 100 35 PEAK 2 5871.20 55.21 106.36 -51.15 44.10 35.18 12.59 36.66 0.00 100 35 PEAK 3 5924.80 51.76 68.35 -16.59 40.62 35.30 12.66 36.82 0.00 100 35 PEAK 4 5957.60 54.62 68.20 -13.58 43.59 35.30 12.70 36.97 0.00 100 35 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 105.75 ------ ------ 94.75 35.05 12.52 36.57 0.00 100 35 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 97.08 ------ ------ 86.08 35.05 12.52 36.57 0.00 100 35 AVERAGE

Mode	35	
	Band Edge	
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.40 52.98 112.27 -59.29 41.93 35.12 12.56 36.63 0.00 280 97 PEAK 2 5870.00 54.34 106.70 -52.36 43.24 35.18 12.58 36.66 0.00 280 97 PEAK 3 5924.00 51.69 68.94 -17.25 40.55 35.30 12.66 36.82 0.00 280 97 PEAK 4 5958.40 53.05 68.20 -15.15 42.02 35.30 12.70 36.97 0.00 280 97 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 103.75 ------ ------ 92.75 35.05 12.52 36.57 0.00 280 97 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 93.82 ------ ------ 82.82 35.05 12.52 36.57 0.00 280 97 AVERAGE

Mode	35	
	Harmonic	
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11650.00 45.20 74.00 -28.80 55.39 38.30 17.98 66.47 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11650.00 45.80 74.00 -28.20 55.99 38.30 17.98 66.47 0.00 --- --- PEAK

Mode	35	
	18G-40	
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg		

Mode	35
	30-1G
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz
ANT	1

Pol.	Horizontal	Vertical
Peak		

Horizontal:

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	39.09	20.55	40.00	-19.45	32.31	20.48	0.70	32.94	0.00	---	---	Peak
2	106.63	28.47	43.50	-15.03	42.77	16.87	1.67	32.84	0.00	---	---	Peak
3	153.31	29.71	43.50	-13.79	43.64	17.20	1.98	33.11	0.00	---	---	Peak
4	240.85	25.68	46.00	-20.32	38.39	17.59	2.52	32.82	0.00	---	---	Peak
5	287.78	26.86	46.00	-19.14	37.71	19.30	2.77	32.92	0.00	---	---	Peak
6	374.71	24.52	46.00	-21.48	33.16	21.14	3.14	32.92	0.00	---	---	Peak

Vertical:

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	39.09	36.82	40.00	-3.18	48.58	20.48	0.70	32.94	0.00	---	---	Peak
2	153.19	34.21	43.50	-9.29	48.13	17.21	1.98	33.11	0.00	---	---	Peak
3	221.33	28.49	46.00	-17.51	43.35	15.56	2.42	32.84	0.00	---	---	Peak
4	288.26	26.85	46.00	-19.15	37.68	19.32	2.77	32.92	0.00	---	---	Peak
5	372.53	26.83	46.00	-19.17	35.51	21.10	3.13	32.91	0.00	---	---	Peak
6	726.46	27.41	46.00	-18.59	27.87	28.01	4.37	32.84	0.00	---	---	Peak

Mode	36	
	Band Edge - L	
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz	
ANT	1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5638.75 52.89 68.20 -15.31 42.34 34.50 12.34 36.29 0.00 100 34 PEAK 2 5650.69 51.65 68.71 -17.06 41.10 34.50 12.36 36.31 0.00 100 34 PEAK 3 5716.87 69.61 110.02 -40.41 58.94 34.63 12.42 36.38 0.00 100 34 PEAK 4 5720.28 70.30 111.54 -41.24 59.63 34.64 12.42 36.39 0.00 100 34 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5755.00 104.23 ------ ------ 93.48 34.75 12.45 36.45 0.00 100 34 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5755.00 95.58 ------ ------ 84.86 34.71 12.45 36.44 0.00 100 34 AVERAGE

Mode	36	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz	
ANT	1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.26 52.32 112.60 -60.28 41.27 35.12 12.56 36.63 0.00 100 34 PEAK 2 5870.83 55.53 106.47 -50.94 44.42 35.18 12.59 36.66 0.00 100 34 PEAK 3 5924.46 52.80 68.60 -15.80 41.66 35.30 12.66 36.82 0.00 100 34 PEAK 4 5945.91 53.21 68.20 -14.99 42.14 35.30 12.69 36.92 0.00 100 34 PEAK	Blank

Mode	36	
	Band Edge - L	
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5640.30 52.08 68.20 -16.12 41.53 34.50 12.35 36.30 0.00 249 98 PEAK 2 5650.07 51.71 68.25 -16.54 41.16 34.50 12.36 36.31 0.00 249 98 PEAK 3 5718.42 66.06 110.46 -44.40 55.38 34.64 12.42 36.38 0.00 249 98 PEAK 4 5720.59 67.30 112.25 -44.95 56.63 34.64 12.42 36.39 0.00 249 98 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5755.00 101.16 ------ ------ 90.44 34.71 12.45 36.44 0.00 249 98 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5755.00 92.34 ------ ------ 81.59 34.75 12.45 36.45 0.00 249 98 AVERAGE

Mode	36	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.65 50.76 111.71 -60.95 39.71 35.12 12.56 36.63 0.00 249 98 PEAK 2 5872.39 52.04 106.03 -53.99 40.92 35.19 12.59 36.66 0.00 249 98 PEAK 3 5923.87 54.02 69.03 -15.01 42.88 35.30 12.66 36.82 0.00 249 98 PEAK 4 5933.62 53.12 68.20 -15.08 42.01 35.30 12.67 36.86 0.00 249 98 PEAK	Blank

Mode	36	
	Harmonic	
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11510.00 44.04 74.00 -29.96 54.62 38.11 17.88 66.57 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11510.00 44.22 74.00 -29.78 54.80 38.11 17.88 66.57 0.00 --- --- PEAK

Mode	37	
	Band Edge - L	
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz	
ANT	1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5601.60 52.40 68.20 -15.80 41.85 34.50 12.31 36.26 0.00 100 34 PEAK 2 5650.00 50.64 68.20 -17.56 40.10 34.50 12.35 36.31 0.00 100 34 PEAK 3 5700.00 51.34 105.30 -53.96 40.69 34.60 12.40 36.35 0.00 100 34 PEAK 4 5720.00 52.75 110.90 -58.15 42.08 34.64 12.42 36.39 0.00 100 34 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5795.00 103.26 ------ ------ 92.34 34.96 12.48 36.52 0.00 100 34 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5795.00 94.32 ------ ------ 83.40 34.96 12.48 36.52 0.00 100 34 AVERAGE

Mode	37	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz	
ANT	1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.40 54.57 112.27 -57.70 43.52 35.12 12.56 36.63 0.00 100 34 PEAK 2 5874.80 53.37 105.36 -51.99 42.24 35.20 12.59 36.66 0.00 100 34 PEAK 3 5924.40 54.22 68.64 -14.42 43.08 35.30 12.66 36.82 0.00 100 34 PEAK 4 5929.60 53.84 68.20 -14.36 42.72 35.30 12.66 36.84 0.00 100 34 PEAK	Blank

Mode	37	
	Band Edge - L	
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5618.80 52.03 68.20 -16.17 41.48 34.50 12.33 36.28 0.00 238 96 PEAK 2 5651.60 51.54 69.39 -17.85 40.99 34.50 12.36 36.31 0.00 238 96 PEAK 3 5700.80 52.04 105.52 -53.48 41.39 34.60 12.40 36.35 0.00 238 96 PEAK 4 5720.40 51.22 111.81 -60.59 40.55 34.64 12.42 36.39 0.00 238 96 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5795.00 100.93 ------ ------ 89.97 35.00 12.49 36.53 0.00 238 96 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5795.00 91.46 ------ ------ 80.56 34.93 12.48 36.51 0.00 238 96 AVERAGE

Mode	37	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.40 53.08 112.27 -59.19 42.03 35.12 12.56 36.63 0.00 238 96 PEAK 2 5867.60 53.99 107.37 -53.38 42.89 35.17 12.58 36.65 0.00 238 96 PEAK 3 5924.80 51.77 68.35 -16.58 40.63 35.30 12.66 36.82 0.00 238 96 PEAK 4 5996.00 53.46 68.20 -14.74 42.55 35.30 12.75 37.14 0.00 238 96 PEAK	Blank

Mode	37	
	Harmonic	
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11590.00 44.56 74.00 -29.44 54.96 38.19 17.93 66.52 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11590.00 44.28 74.00 -29.72 54.68 38.19 17.93 66.52 0.00 --- --- PEAK

Mode	38	
	Band Edge - L	
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz	
ANT	1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5621.20 51.94 68.20 -16.26 41.39 34.50 12.33 36.28 0.00 100 34 PEAK 2 5651.20 50.44 69.09 -18.65 39.89 34.50 12.36 36.31 0.00 100 34 PEAK 3 5706.80 62.66 107.21 -44.55 52.00 34.61 12.41 36.36 0.00 100 34 PEAK 4 5720.00 62.36 110.90 -48.54 51.69 34.64 12.42 36.39 0.00 100 34 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5775.00 98.27 ------ ------ 87.43 34.86 12.47 36.49 0.00 100 34 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5775.00 89.05 ------ ------ 78.25 34.82 12.46 36.48 0.00 100 34 AVERAGE

Mode	38	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz	
ANT	1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.40 56.88 112.27 -55.39 45.83 35.12 12.56 36.63 0.00 100 34 PEAK 2 5867.20 55.44 107.48 -52.04 44.34 35.17 12.58 36.65 0.00 100 34 PEAK 3 5924.40 51.32 68.64 -17.32 40.18 35.30 12.66 36.82 0.00 100 34 PEAK 4 5935.20 52.63 68.20 -15.57 41.53 35.30 12.67 36.87 0.00 100 34 PEAK	Blank

Mode	38	
	Band Edge - L	
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5614.00 51.97 68.20 -16.23 41.42 34.50 12.32 36.27 0.00 238 97 PEAK 2 5650.80 49.64 68.80 -19.16 39.09 34.50 12.36 36.31 0.00 238 97 PEAK 3 5710.00 58.64 108.10 -49.46 47.98 34.62 12.41 36.37 0.00 238 97 PEAK 4 5720.00 59.52 110.90 -51.38 48.85 34.64 12.42 36.39 0.00 238 97 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5775.00 95.62 ------ ------ 84.78 34.86 12.47 36.49 0.00 238 97 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5775.00 86.12 ------ ------ 75.28 34.86 12.47 36.49 0.00 238 97 AVERAGE

Mode	38	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.80 53.29 111.36 -58.07 42.24 35.12 12.56 36.63 0.00 238 97 PEAK 2 5867.60 54.91 107.37 -52.46 43.81 35.17 12.58 36.65 0.00 238 97 PEAK 3 5924.80 53.83 68.35 -14.52 42.69 35.30 12.66 36.82 0.00 238 97 PEAK 4 5926.80 52.61 68.20 -15.59 41.48 35.30 12.66 36.83 0.00 238 97 PEAK	Blank

Mode	38	
	Harmonic	
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11550.00 42.65 74.00 -31.35 53.13 38.15 17.91 66.54 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11550.00 43.36 74.00 -30.64 53.84 38.15 17.91 66.54 0.00 --- --- PEAK

Mode	39	
	Harmonic	
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11440.00 45.58 74.00 -28.42 56.30 38.04 17.83 66.59 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11440.00 46.15 74.00 -27.85 56.87 38.04 17.83 66.59 0.00 --- --- PEAK

Mode	40	
	Harmonic	
	U-NII-2C_5.47-5.85_802.11n HT20_CH144_5720MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11440.00 45.65 74.00 -28.35 56.37 38.04 17.83 66.59 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11440.00 44.95 74.00 -29.05 55.67 38.04 17.83 66.59 0.00 --- --- PEAK

Mode	41	
	Harmonic	
	U-NII-2C_5.47-5.85_802.11n HT40_CH142_5710MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11420.00 43.77 74.00 -30.23 54.53 38.02 17.81 66.59 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11420.00 44.71 74.00 -29.29 55.47 38.02 17.81 66.59 0.00 --- --- PEAK

Mode	42	
	Harmonic	
	U-NII-2C_5.47-5.85_802.11ac VHT80_CH138_5690MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11380.00 41.92 74.00 -32.08 52.74 37.98 17.79 66.59 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11380.00 42.16 74.00 -31.84 52.98 37.98 17.79 66.59 0.00 --- --- PEAK

Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	98.10	-	-	10Hz
802.11n HT20	97.96	1.92	0.521	0.56KHz
802.11n HT40	96.45	0.95	1.053	1.1KHz
802.11bac VHT80	92.8	0.464	2.155	2.2KHz

802.11a



802.11n HT20



802.11n HT40



802.11ac VHT80