









Mode	12																																																																																																																														
	Harmonic																																																																																																																														
	U-NII-1_5.15-5.25_802.11n HT20_CH48_5240MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																								
Peak Avg																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>6986.65</td><td>42.91</td><td>68.20</td><td>-25.29</td><td>58.78</td><td>35.60</td><td>13.86</td><td>65.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10400.00</td><td>44.44</td><td>68.20</td><td>-23.76</td><td>56.96</td><td>37.57</td><td>16.99</td><td>67.08</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6986.65	42.91	68.20	-25.29	58.78	35.60	13.86	65.33	0.00	---	---	PEAK	2	10400.00	44.44	68.20	-23.76	56.96	37.57	16.99	67.08	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>6986.65</td><td>43.74</td><td>68.20</td><td>-24.46</td><td>59.61</td><td>35.60</td><td>13.86</td><td>65.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10400.00</td><td>44.72</td><td>68.20</td><td>-23.48</td><td>57.23</td><td>37.58</td><td>16.99</td><td>67.08</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6986.65	43.74	68.20	-24.46	59.61	35.60	13.86	65.33	0.00	---	---	PEAK	2	10400.00	44.72	68.20	-23.48	57.23	37.58	16.99	67.08	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	6986.65	42.91	68.20	-25.29	58.78	35.60	13.86	65.33	0.00	---	---	PEAK																																																																																																																			
2	10400.00	44.44	68.20	-23.76	56.96	37.57	16.99	67.08	0.00	---	---	PEAK																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	6986.65	43.74	68.20	-24.46	59.61	35.60	13.86	65.33	0.00	---	---	PEAK																																																																																																																			
2	10400.00	44.72	68.20	-23.48	57.23	37.58	16.99	67.08	0.00	---	---	PEAK																																																																																																																			







Mode	13																																																																																																																																						
	Harmonic																																																																																																																																						
	U-NII-2A_5.25-5.35_802.11n HT20_CH52_5260MHz																																																																																																																																						
ANT	1																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																
Peak Avg																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7013.32</td><td>41.85</td><td>68.20</td><td>-26.35</td><td>57.66</td><td>35.61</td><td>13.89</td><td>65.31</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10520.00</td><td>45.95</td><td>68.20</td><td>-22.25</td><td>58.40</td><td>37.61</td><td>17.01</td><td>67.07</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table> <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7013.32</td><td>42.64</td><td>68.20</td><td>-25.56</td><td>58.46</td><td>35.61</td><td>13.89</td><td>65.32</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10520.00</td><td>44.95</td><td>68.20</td><td>-23.25</td><td>57.35</td><td>37.63</td><td>17.03</td><td>67.06</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7013.32	41.85	68.20	-26.35	57.66	35.61	13.89	65.31	0.00	---	---	PEAK	2	10520.00	45.95	68.20	-22.25	58.40	37.61	17.01	67.07	0.00	---	---	PEAK		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7013.32	42.64	68.20	-25.56	58.46	35.61	13.89	65.32	0.00	---	---	PEAK	2	10520.00	44.95	68.20	-23.25	57.35	37.63	17.03	67.06	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	7013.32	41.85	68.20	-26.35	57.66	35.61	13.89	65.31	0.00	---	---	PEAK																																																																																																																											
2	10520.00	45.95	68.20	-22.25	58.40	37.61	17.01	67.07	0.00	---	---	PEAK																																																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	7013.32	42.64	68.20	-25.56	58.46	35.61	13.89	65.32	0.00	---	---	PEAK																																																																																																																											
2	10520.00	44.95	68.20	-23.25	57.35	37.63	17.03	67.06	0.00	---	---	PEAK																																																																																																																											







Mode	14																																																																								
	Harmonic																																																																								
	U-NII-2A_5.25-5.35_802.11n HT20_CH60_5300MHz																																																																								
ANT	1																																																																								
Pol.	Horizontal											Vertical																																																													
Peak Avg																																																																									
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7066.65</td><td>43.49</td><td>68.20</td><td>-24.71</td><td>59.29</td><td>35.70</td><td>13.93</td><td>65.43</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2</td><td>10600.00</td><td>44.69</td><td>74.00</td><td>-29.31</td><td>56.87</td><td>37.70</td><td>17.11</td><td>66.99</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></table>																Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7066.65	43.49	68.20	-24.71	59.29	35.70	13.93	65.43	0.00	---	--- PEAK	2	10600.00	44.69	74.00	-29.31	56.87	37.70	17.11	66.99	0.00	---	--- PEAK
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																															
1	7066.65	43.49	68.20	-24.71	59.29	35.70	13.93	65.43	0.00	---	--- PEAK																																																														
2	10600.00	44.69	74.00	-29.31	56.87	37.70	17.11	66.99	0.00	---	--- PEAK																																																														
																																																																									
<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7066.65</td><td>43.82</td><td>68.20</td><td>-24.38</td><td>59.64</td><td>35.70</td><td>13.93</td><td>65.45</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2</td><td>10600.00</td><td>44.66</td><td>74.00</td><td>-29.34</td><td>56.85</td><td>37.70</td><td>17.10</td><td>66.99</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></table>																Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7066.65	43.82	68.20	-24.38	59.64	35.70	13.93	65.45	0.00	---	--- PEAK	2	10600.00	44.66	74.00	-29.34	56.85	37.70	17.10	66.99	0.00	---	--- PEAK	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																															
1	7066.65	43.82	68.20	-24.38	59.64	35.70	13.93	65.45	0.00	---	--- PEAK																																																														
2	10600.00	44.66	74.00	-29.34	56.85	37.70	17.10	66.99	0.00	---	--- PEAK																																																														





Mode	15																																																																																																						
	Band Edge																																																																																																						
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.10</td><td>56.28</td><td>74.00</td><td>-17.72</td><td>46.22</td><td>34.60</td><td>11.97</td><td>36.51</td><td>0.00</td><td>300</td><td>38</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.10	56.28	74.00	-17.72	46.22	34.60	11.97	36.51	0.00	300	38	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>106.50</td><td>-----</td><td>-----</td><td>96.54</td><td>34.60</td><td>11.95</td><td>36.59</td><td>0.00</td><td>300</td><td>38</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	106.50	-----	-----	96.54	34.60	11.95	36.59	0.00	300	38
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5354.10	56.28	74.00	-17.72	46.22	34.60	11.97	36.51	0.00	300	38	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5320.00	106.50	-----	-----	96.54	34.60	11.95	36.59	0.00	300	38	PEAK																																																																																											
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>46.35</td><td>54.00</td><td>-7.65</td><td>36.30</td><td>34.60</td><td>11.97</td><td>36.52</td><td>0.00</td><td>300</td><td>38</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	46.35	54.00	-7.65	36.30	34.60	11.97	36.52	0.00	300	38	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>99.33</td><td>-----</td><td>-----</td><td>89.37</td><td>34.60</td><td>11.95</td><td>36.59</td><td>0.00</td><td>300</td><td>38</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	99.33	-----	-----	89.37	34.60	11.95	36.59	0.00	300	38
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5350.00	46.35	54.00	-7.65	36.30	34.60	11.97	36.52	0.00	300	38	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5320.00	99.33	-----	-----	89.37	34.60	11.95	36.59	0.00	300	38	AVERAGE																																																																																											







Mode	15																																																																																																			
	Band Edge																																																																																																			
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.40</td><td>56.23</td><td>74.00</td><td>-17.77</td><td>46.18</td><td>34.60</td><td>11.97</td><td>36.52</td><td>0.00</td><td>100</td><td>342 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.40	56.23	74.00	-17.77	46.18	34.60	11.97	36.52	0.00	100	342 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>107.20</td><td>-----</td><td>-----</td><td>97.24</td><td>34.60</td><td>11.95</td><td>36.59</td><td>0.00</td><td>100</td><td>342 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	107.20	-----	-----	97.24	34.60	11.95	36.59	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5350.40	56.23	74.00	-17.77	46.18	34.60	11.97	36.52	0.00	100	342 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5320.00	107.20	-----	-----	97.24	34.60	11.95	36.59	0.00	100	342 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>47.07</td><td>54.00</td><td>-6.93</td><td>37.02</td><td>34.60</td><td>11.97</td><td>36.52</td><td>0.00</td><td>100</td><td>342 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	47.07	54.00	-6.93	37.02	34.60	11.97	36.52	0.00	100	342 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>99.10</td><td>-----</td><td>-----</td><td>89.14</td><td>34.60</td><td>11.95</td><td>36.59</td><td>0.00</td><td>100</td><td>342 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	99.10	-----	-----	89.14	34.60	11.95	36.59	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5350.00	47.07	54.00	-6.93	37.02	34.60	11.97	36.52	0.00	100	342 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5320.00	99.10	-----	-----	89.14	34.60	11.95	36.59	0.00	100	342 AVERAGE																																																																																									







Mode	15																																																																																																																																
	Harmonic																																																																																																																																
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																																																																																
ANT	1																																																																																																																																
Pol.	Horizontal										Vertical																																																																																																																						
Peak Avg																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7093.32</td><td>43.93</td><td>68.20</td><td>-24.27</td><td>59.79</td><td>35.70</td><td>13.95</td><td>65.51</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>43.43</td><td>74.00</td><td>-30.57</td><td>55.57</td><td>37.66</td><td>17.15</td><td>66.95</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7093.32	43.93	68.20	-24.27	59.79	35.70	13.95	65.51	0.00	---	PEAK	2	10640.00	43.43	74.00	-30.57	55.57	37.66	17.15	66.95	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7093.32</td><td>43.51</td><td>68.20</td><td>-24.69</td><td>59.37</td><td>35.70</td><td>13.95</td><td>65.51</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>44.36</td><td>74.00</td><td>-29.64</td><td>56.50</td><td>37.66</td><td>17.15</td><td>66.95</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7093.32	43.51	68.20	-24.69	59.37	35.70	13.95	65.51	0.00	---	PEAK	2	10640.00	44.36	74.00	-29.64	56.50	37.66	17.15	66.95	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	7093.32	43.93	68.20	-24.27	59.79	35.70	13.95	65.51	0.00	---	PEAK																																																																																																																						
2	10640.00	43.43	74.00	-30.57	55.57	37.66	17.15	66.95	0.00	---	PEAK																																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	7093.32	43.51	68.20	-24.69	59.37	35.70	13.95	65.51	0.00	---	PEAK																																																																																																																						
2	10640.00	44.36	74.00	-29.64	56.50	37.66	17.15	66.95	0.00	---	PEAK																																																																																																																						



Mode	16																																																																	
	Band Edge																																																																	
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																	
ANT	1																																																																	
Pol.	Horizontal																																																																	
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5367.76</td><td>55.04</td><td>74.00</td><td>-18.96</td><td>44.94</td><td>34.60</td><td>11.98</td><td>36.48</td><td>0.00</td><td>313 36 PEAK</td></tr><tr><td>2</td><td>5467.12</td><td>57.01</td><td>68.20</td><td>-11.19</td><td>46.72</td><td>34.63</td><td>12.11</td><td>36.45</td><td>0.00</td><td>313 36 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5367.76	55.04	74.00	-18.96	44.94	34.60	11.98	36.48	0.00	313 36 PEAK	2	5467.12	57.01	68.20	-11.19	46.72	34.63	12.11	36.45	0.00	313 36 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5367.76	55.04	74.00	-18.96	44.94	34.60	11.98	36.48	0.00	313 36 PEAK																																																								
2	5467.12	57.01	68.20	-11.19	46.72	34.63	12.11	36.45	0.00	313 36 PEAK																																																								
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>108.44</td><td>-----</td><td>-----</td><td>98.25</td><td>34.50</td><td>12.16</td><td>36.47</td><td>0.00</td><td>313 36 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	108.44	-----	-----	98.25	34.50	12.16	36.47	0.00	313 36 PEAK											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5500.00	108.44	-----	-----	98.25	34.50	12.16	36.47	0.00	313 36 PEAK																																																								
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>44.98</td><td>54.00</td><td>-9.02</td><td>34.66</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>313 36 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	44.98	54.00	-9.02	34.66	34.66	12.10	36.44	0.00	313 36 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5459.92	44.98	54.00	-9.02	34.66	34.66	12.10	36.44	0.00	313 36 AVERAGE																																																								
AVERAGE																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>99.63</td><td>-----</td><td>-----</td><td>89.44</td><td>34.50</td><td>12.16</td><td>36.47</td><td>0.00</td><td>313 36 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	99.63	-----	-----	89.44	34.50	12.16	36.47	0.00	313 36 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5500.00	99.63	-----	-----	89.44	34.50	12.16	36.47	0.00	313 36 AVERAGE																																																								





Mode	16																																																																																																																
	Band Edge																																																																																																																
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5442.64</td><td>54.78</td><td>74.00</td><td>-19.22</td><td>44.45</td><td>34.69</td><td>12.07</td><td>36.43</td><td>0.00</td><td>100</td><td>339 PEAK</td></tr><tr><td>2</td><td>5469.84</td><td>56.87</td><td>68.20</td><td>-11.33</td><td>46.59</td><td>34.62</td><td>12.11</td><td>36.45</td><td>0.00</td><td>100</td><td>339 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5442.64	54.78	74.00	-19.22	44.45	34.69	12.07	36.43	0.00	100	339 PEAK	2	5469.84	56.87	68.20	-11.33	46.59	34.62	12.11	36.45	0.00	100	339 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>104.62</td><td>-----</td><td>-----</td><td>94.43</td><td>34.50</td><td>12.16</td><td>36.47</td><td>0.00</td><td>100</td><td>339 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	104.62	-----	-----	94.43	34.50	12.16	36.47	0.00	100	339 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5442.64	54.78	74.00	-19.22	44.45	34.69	12.07	36.43	0.00	100	339 PEAK																																																																																																						
2	5469.84	56.87	68.20	-11.33	46.59	34.62	12.11	36.45	0.00	100	339 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	104.62	-----	-----	94.43	34.50	12.16	36.47	0.00	100	339 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.60</td><td>44.79</td><td>54.00</td><td>-9.21</td><td>34.47</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>100</td><td>339 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.60	44.79	54.00	-9.21	34.47	34.66	12.10	36.44	0.00	100	339 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>95.99</td><td>-----</td><td>-----</td><td>85.80</td><td>34.50</td><td>12.16</td><td>36.47</td><td>0.00</td><td>100</td><td>339 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	95.99	-----	-----	85.80	34.50	12.16	36.47	0.00	100	339 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.60	44.79	54.00	-9.21	34.47	34.66	12.10	36.44	0.00	100	339 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	95.99	-----	-----	85.80	34.50	12.16	36.47	0.00	100	339 AVERAGE																																																																																																						






		16																																																																																			
Mode		Harmonic																																																																																			
		U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																																			
ANT		1																																																																																			
Pol.		Horizontal						Vertical																																																																													
Peak Avg																																																																																					
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.32</td><td>52.21</td><td>74.00</td><td>-21.79</td><td>68.29</td><td>35.80</td><td>14.15</td><td>66.03</td><td>0.00</td><td>300</td><td>230</td><td>PEAK</td></tr><tr><td>2</td><td>7333.32</td><td>49.94</td><td>54.00</td><td>-4.06</td><td>66.02</td><td>35.80</td><td>14.15</td><td>66.03</td><td>0.00</td><td>300</td><td>230</td><td>AVERAGE</td></tr><tr><td>3</td><td>11000.00</td><td>45.40</td><td>74.00</td><td>-28.60</td><td>56.61</td><td>37.90</td><td>17.52</td><td>66.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7333.32	52.21	74.00	-21.79	68.29	35.80	14.15	66.03	0.00	300	230	PEAK	2	7333.32	49.94	54.00	-4.06	66.02	35.80	14.15	66.03	0.00	300	230	AVERAGE	3	11000.00	45.40	74.00	-28.60	56.61	37.90	17.52	66.63	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1	7333.32	52.21	74.00	-21.79	68.29	35.80	14.15	66.03	0.00	300	230	PEAK																																																																									
2	7333.32	49.94	54.00	-4.06	66.02	35.80	14.15	66.03	0.00	300	230	AVERAGE																																																																									
3	11000.00	45.40	74.00	-28.60	56.61	37.90	17.52	66.63	0.00	---	---	PEAK																																																																									
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.32</td><td>43.35</td><td>74.00</td><td>-30.65</td><td>59.43</td><td>35.80</td><td>14.15</td><td>66.03</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>45.00</td><td>74.00</td><td>-29.00</td><td>56.21</td><td>37.90</td><td>17.52</td><td>66.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7333.32	43.35	74.00	-30.65	59.43	35.80	14.15	66.03	0.00	---	---	PEAK	2	11000.00	45.00	74.00	-29.00	56.21	37.90	17.52	66.63	0.00	---	---	PEAK												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1	7333.32	43.35	74.00	-30.65	59.43	35.80	14.15	66.03	0.00	---	---	PEAK																																																																									
2	11000.00	45.00	74.00	-29.00	56.21	37.90	17.52	66.63	0.00	---	---	PEAK																																																																									






		17																																																																																			
Mode		Harmonic																																																																																			
		U-NII-2C_5.47-5.725_802.11n HT20_CH116_5580MHz																																																																																			
ANT		1																																																																																			
Pol.		Horizontal						Vertical																																																																													
Peak Avg																																																																																					
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7439.98</td><td>52.50</td><td>74.00</td><td>-21.50</td><td>68.74</td><td>35.80</td><td>14.23</td><td>66.27</td><td>0.00</td><td>301</td><td>40</td><td>PEAK</td></tr><tr><td>2</td><td>7439.98</td><td>50.68</td><td>54.00</td><td>-3.32</td><td>66.92</td><td>35.80</td><td>14.23</td><td>66.27</td><td>0.00</td><td>301</td><td>40</td><td>AVERAGE</td></tr><tr><td>3</td><td>11160.00</td><td>45.13</td><td>74.00</td><td>-28.87</td><td>56.21</td><td>37.90</td><td>17.63</td><td>66.61</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7439.98	52.50	74.00	-21.50	68.74	35.80	14.23	66.27	0.00	301	40	PEAK	2	7439.98	50.68	54.00	-3.32	66.92	35.80	14.23	66.27	0.00	301	40	AVERAGE	3	11160.00	45.13	74.00	-28.87	56.21	37.90	17.63	66.61	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1	7439.98	52.50	74.00	-21.50	68.74	35.80	14.23	66.27	0.00	301	40	PEAK																																																																									
2	7439.98	50.68	54.00	-3.32	66.92	35.80	14.23	66.27	0.00	301	40	AVERAGE																																																																									
3	11160.00	45.13	74.00	-28.87	56.21	37.90	17.63	66.61	0.00	---	---	PEAK																																																																									
																																																																																					
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7439.98</td><td>47.76</td><td>74.00</td><td>-26.24</td><td>64.00</td><td>35.80</td><td>14.23</td><td>66.27</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>44.59</td><td>74.00</td><td>-29.41</td><td>55.67</td><td>37.90</td><td>17.63</td><td>66.61</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7439.98	47.76	74.00	-26.24	64.00	35.80	14.23	66.27	0.00	---	---	PEAK	2	11160.00	44.59	74.00	-29.41	55.67	37.90	17.63	66.61	0.00	---	---	PEAK												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1	7439.98	47.76	74.00	-26.24	64.00	35.80	14.23	66.27	0.00	---	---	PEAK																																																																									
2	11160.00	44.59	74.00	-29.41	55.67	37.90	17.63	66.61	0.00	---	---	PEAK																																																																									





Mode	18																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5727.64</td><td>61.23</td><td>68.20</td><td>-6.97</td><td>50.55</td><td>34.66</td><td>12.42</td><td>36.40</td><td>0.00</td><td>106</td><td>23</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.64	61.23	68.20	-6.97	50.55	34.66	12.42	36.40	0.00	106	23	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>110.38</td><td>-----</td><td>-----</td><td>99.73</td><td>34.60</td><td>12.40</td><td>36.35</td><td>0.00</td><td>106</td><td>23</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	110.38	-----	-----	99.73	34.60	12.40	36.35	0.00	106	23
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5727.64	61.23	68.20	-6.97	50.55	34.66	12.42	36.40	0.00	106	23	PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	110.38	-----	-----	99.73	34.60	12.40	36.35	0.00	106	23	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>100.61</td><td>-----</td><td>-----</td><td>89.96</td><td>34.61</td><td>12.40</td><td>36.36</td><td>0.00</td><td>106</td><td>23</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	100.61	-----	-----	89.96	34.61	12.40	36.36	0.00	106	23	AVERAGE																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	100.61	-----	-----	89.96	34.61	12.40	36.36	0.00	106	23	AVERAGE																																																																																							







Mode	18																																																																																																				
	Band Edge																																																																																																				
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5727.32</td><td>60.74</td><td>68.20</td><td>-7.46</td><td>50.07</td><td>34.65</td><td>12.42</td><td>36.40</td><td>0.00</td><td>330</td><td>57 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.32	60.74	68.20	-7.46	50.07	34.65	12.42	36.40	0.00	330	57 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>109.05</td><td>-----</td><td>-----</td><td>98.40</td><td>34.61</td><td>12.40</td><td>36.36</td><td>0.00</td><td>330</td><td>57 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	109.05	-----	-----	98.40	34.61	12.40	36.36	0.00	330
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5727.32	60.74	68.20	-7.46	50.07	34.65	12.42	36.40	0.00	330	57 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5700.00	109.05	-----	-----	98.40	34.61	12.40	36.36	0.00	330	57 PEAK																																																																																										
Avg	Blank																																																																																																				
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>99.70</td><td>-----</td><td>-----</td><td>89.05</td><td>34.61</td><td>12.40</td><td>36.36</td><td>0.00</td><td>330</td><td>57 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	99.70	-----	-----	89.05	34.61	12.40	36.36	0.00	330	57 AVERAGE																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5700.00	99.70	-----	-----	89.05	34.61	12.40	36.36	0.00	330	57 AVERAGE																																																																																										





Mode	18																																																																																																																																																												
	Harmonic																																																																																																																																																												
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																																																																																												
ANT	1																																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																																						
Peak Avg																																																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7599.98</td><td>51.30</td><td>74.00</td><td>-22.70</td><td>67.44</td><td>36.00</td><td>14.35</td><td>66.49</td><td>0.00</td><td>310</td><td>45</td><td>PEAK</td></tr><tr><td>2</td><td>7599.98</td><td>48.15</td><td>54.00</td><td>-5.85</td><td>64.29</td><td>36.00</td><td>14.35</td><td>66.49</td><td>0.00</td><td>310</td><td>45</td><td>AVERAGE</td></tr><tr><td>3</td><td>11400.00</td><td>44.85</td><td>74.00</td><td>-29.15</td><td>55.64</td><td>38.00</td><td>17.80</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7599.98	51.30	74.00	-22.70	67.44	36.00	14.35	66.49	0.00	310	45	PEAK	2	7599.98	48.15	54.00	-5.85	64.29	36.00	14.35	66.49	0.00	310	45	AVERAGE	3	11400.00	44.85	74.00	-29.15	55.64	38.00	17.80	66.59	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7599.98</td><td>48.59</td><td>74.00</td><td>-25.41</td><td>64.73</td><td>36.00</td><td>14.35</td><td>66.49</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>7599.98</td><td>45.14</td><td>54.00</td><td>-8.86</td><td>61.28</td><td>36.00</td><td>14.35</td><td>66.49</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr><tr><td>3</td><td>11400.00</td><td>45.93</td><td>74.00</td><td>-28.07</td><td>56.72</td><td>38.00</td><td>17.80</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7599.98	48.59	74.00	-25.41	64.73	36.00	14.35	66.49	0.00	100	0	PEAK	2	7599.98	45.14	54.00	-8.86	61.28	36.00	14.35	66.49	0.00	100	0	AVERAGE	3	11400.00	45.93	74.00	-28.07	56.72	38.00	17.80	66.59	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	7599.98	51.30	74.00	-22.70	67.44	36.00	14.35	66.49	0.00	310	45	PEAK																																																																																																																																																	
2	7599.98	48.15	54.00	-5.85	64.29	36.00	14.35	66.49	0.00	310	45	AVERAGE																																																																																																																																																	
3	11400.00	44.85	74.00	-29.15	55.64	38.00	17.80	66.59	0.00	---	---	PEAK																																																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	7599.98	48.59	74.00	-25.41	64.73	36.00	14.35	66.49	0.00	100	0	PEAK																																																																																																																																																	
2	7599.98	45.14	54.00	-8.86	61.28	36.00	14.35	66.49	0.00	100	0	AVERAGE																																																																																																																																																	
3	11400.00	45.93	74.00	-28.07	56.72	38.00	17.80	66.59	0.00	---	---	PEAK																																																																																																																																																	







Mode	19																																																																																																
	Band Edge - L																																																																																																
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																																																																
ANT	1																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.12</td><td>61.62</td><td>74.00</td><td>-12.38</td><td>52.75</td><td>34.09</td><td>11.80</td><td>37.02</td><td>0.00</td><td>100</td><td>51 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.12	61.62	74.00	-12.38	52.75	34.09	11.80	37.02	0.00	100	51 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>103.62</td><td>-----</td><td>-----</td><td>94.64</td><td>34.28</td><td>11.84</td><td>37.14</td><td>0.00</td><td>100</td><td>51 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	103.62	-----	-----	94.64	34.28	11.84	37.14	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5145.12	61.62	74.00	-12.38	52.75	34.09	11.80	37.02	0.00	100	51 PEAK																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5190.00	103.62	-----	-----	94.64	34.28	11.84	37.14	0.00	100	51 PEAK																																																																																						
Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.76</td><td>50.73</td><td>54.00</td><td>-3.27</td><td>41.86</td><td>34.10</td><td>11.80</td><td>37.03</td><td>0.00</td><td>100</td><td>51 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.76	50.73	54.00	-3.27	41.86	34.10	11.80	37.03	0.00	100	51 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>95.19</td><td>-----</td><td>-----</td><td>86.21</td><td>34.28</td><td>11.84</td><td>37.14</td><td>0.00</td><td>100</td><td>51 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	95.19	-----	-----	86.21	34.28	11.84	37.14	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5149.76	50.73	54.00	-3.27	41.86	34.10	11.80	37.03	0.00	100	51 AVERAGE																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5190.00	95.19	-----	-----	86.21	34.28	11.84	37.14	0.00	100	51 AVERAGE																																																																																						





Mode	19																																																					
	Band Edge - R																																																					
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																					
ANT	1																																																					
Pol.	Horizontal										Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5428.68</td><td>50.63</td><td>74.00</td><td>-23.37</td><td>40.34</td><td>34.66</td><td>12.05</td><td>36.42</td><td>0.00</td><td>100</td><td>51 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5428.68	50.63	74.00	-23.37	40.34	34.66	12.05	36.42	0.00	100	51 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5428.68	50.63	74.00	-23.37	40.34	34.66	12.05	36.42	0.00	100	51 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.11</td><td>39.32</td><td>54.00</td><td>-14.68</td><td>28.99</td><td>34.67</td><td>12.10</td><td>36.44</td><td>0.00</td><td>100</td><td>51 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.11	39.32	54.00	-14.68	28.99	34.67	12.10	36.44	0.00	100	51 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5458.11	39.32	54.00	-14.68	28.99	34.67	12.10	36.44	0.00	100	51 AVERAGE																																											





Mode	19																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5149.60</td><td>61.37</td><td>74.00</td><td>-12.63</td><td>52.50</td><td>34.10</td><td>11.80</td><td>37.03</td><td>0.00</td><td>100</td><td>247 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5149.60	61.37	74.00	-12.63	52.50	34.10	11.80	37.03	0.00	100	247 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5190.00</td><td>103.47</td><td>-----</td><td>-----</td><td>94.49</td><td>34.28</td><td>11.84</td><td>37.14</td><td>0.00</td><td>100</td><td>247 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5190.00	103.47	-----	-----	94.49	34.28	11.84	37.14	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5149.60	61.37	74.00	-12.63	52.50	34.10	11.80	37.03	0.00	100	247 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5190.00	103.47	-----	-----	94.49	34.28	11.84	37.14	0.00	100	247 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5149.92</td><td>49.25</td><td>54.00</td><td>-4.75</td><td>40.38</td><td>34.10</td><td>11.80</td><td>37.03</td><td>0.00</td><td>100</td><td>247 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5149.92	49.25	54.00	-4.75	40.38	34.10	11.80	37.03	0.00	100	247 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5190.00</td><td>94.90</td><td>-----</td><td>-----</td><td>85.92</td><td>34.28</td><td>11.84</td><td>37.14</td><td>0.00</td><td>100</td><td>247 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5190.00	94.90	-----	-----	85.92	34.28	11.84	37.14	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5149.92	49.25	54.00	-4.75	40.38	34.10	11.80	37.03	0.00	100	247 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5190.00	94.90	-----	-----	85.92	34.28	11.84	37.14	0.00	100	247 AVERAGE																																																																																								





Mode	19																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																							
ANT	1																																																							
Pol.	Vertical										Fundamental																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5400.06</td><td>50.14</td><td>74.00</td><td>-23.86</td><td>39.93</td><td>34.60</td><td>12.01</td><td>36.40</td><td>0.00</td><td>100</td><td>247 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5400.06	50.14	74.00	-23.86	39.93	34.60	12.01	36.40	0.00	100	247 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5400.06	50.14	74.00	-23.86	39.93	34.60	12.01	36.40	0.00	100	247 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5452.44</td><td>39.27</td><td>54.00</td><td>-14.73</td><td>28.93</td><td>34.69</td><td>12.09</td><td>36.44</td><td>0.00</td><td>100</td><td>247 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.44	39.27	54.00	-14.73	28.93	34.69	12.09	36.44	0.00	100	247 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5452.44	39.27	54.00	-14.73	28.93	34.69	12.09	36.44	0.00	100	247 AVERAGE																																													





		19																																																																									
Mode		Harmonic																																																																									
		U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																																									
ANT		1																																																																									
Pol.		Horizontal						Vertical																																																																			
Peak Avg																																																																											
																																																																											
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6919.98</td><td>43.09</td><td>68.20</td><td>-25.11</td><td>59.15</td><td>35.60</td><td>13.79</td><td>65.45</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10300.00</td><td>44.99</td><td>68.20</td><td>-23.21</td><td>57.81</td><td>37.36</td><td>16.85</td><td>67.03</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6919.98	43.09	68.20	-25.11	59.15	35.60	13.79	65.45	0.00	---	---	PEAK	2	10300.00	44.99	68.20	-23.21	57.81	37.36	16.85	67.03	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																
1	6919.98	43.09	68.20	-25.11	59.15	35.60	13.79	65.45	0.00	---	---	PEAK																																																															
2	10300.00	44.99	68.20	-23.21	57.81	37.36	16.85	67.03	0.00	---	---	PEAK																																																															
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6919.98</td><td>42.53</td><td>68.20</td><td>-25.67</td><td>58.56</td><td>35.60</td><td>13.80</td><td>65.43</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10300.00</td><td>43.81</td><td>68.20</td><td>-24.39</td><td>56.61</td><td>37.37</td><td>16.87</td><td>67.04</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6919.98	42.53	68.20	-25.67	58.56	35.60	13.80	65.43	0.00	---	---	PEAK	2	10300.00	43.81	68.20	-24.39	56.61	37.37	16.87	67.04	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																
1	6919.98	42.53	68.20	-25.67	58.56	35.60	13.80	65.43	0.00	---	---	PEAK																																																															
2	10300.00	43.81	68.20	-24.39	56.61	37.37	16.87	67.04	0.00	---	---	PEAK																																																															







Mode	20																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-1_5.15-5.25_802.11n HT40_CH46_5230MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6973.32</td><td>43.89</td><td>68.20</td><td>-24.31</td><td>59.78</td><td>35.60</td><td>13.85</td><td>65.34</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10460.00</td><td>45.11</td><td>68.20</td><td>-23.09</td><td>57.74</td><td>37.49</td><td>16.94</td><td>67.06</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6973.32	43.89	68.20	-24.31	59.78	35.60	13.85	65.34	0.00	---	---	PEAK	2	10460.00	45.11	68.20	-23.09	57.74	37.49	16.94	67.06	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6973.32</td><td>43.88</td><td>68.20</td><td>-24.32</td><td>59.73</td><td>35.60</td><td>13.87</td><td>65.32</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10460.00</td><td>44.36</td><td>68.20</td><td>-23.84</td><td>56.94</td><td>37.53</td><td>16.96</td><td>67.07</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6973.32	43.88	68.20	-24.32	59.73	35.60	13.87	65.32	0.00	---	---	PEAK	2	10460.00	44.36	68.20	-23.84	56.94	37.53	16.96	67.07	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	6973.32	43.89	68.20	-24.31	59.78	35.60	13.85	65.34	0.00	---	---	PEAK																																																																																																																		
2	10460.00	45.11	68.20	-23.09	57.74	37.49	16.94	67.06	0.00	---	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	6973.32	43.88	68.20	-24.32	59.73	35.60	13.87	65.32	0.00	---	---	PEAK																																																																																																																		
2	10460.00	44.36	68.20	-23.84	56.94	37.53	16.96	67.07	0.00	---	---	PEAK																																																																																																																		





Mode	21																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz																																																																																																																												
ANT	1																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7026.65</td><td>44.59</td><td>68.20</td><td>-23.61</td><td>60.40</td><td>35.65</td><td>13.90</td><td>65.36</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10540.00</td><td>44.79</td><td>68.20</td><td>-23.41</td><td>57.10</td><td>37.66</td><td>17.06</td><td>67.03</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7026.65	44.59	68.20	-23.61	60.40	35.65	13.90	65.36	0.00	---	PEAK	2	10540.00	44.79	68.20	-23.41	57.10	37.66	17.06	67.03	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7026.65</td><td>43.24</td><td>68.20</td><td>-24.96</td><td>59.05</td><td>35.65</td><td>13.90</td><td>65.36</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10540.00</td><td>44.68</td><td>68.20</td><td>-23.52</td><td>57.10</td><td>37.62</td><td>17.02</td><td>67.06</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7026.65	43.24	68.20	-24.96	59.05	35.65	13.90	65.36	0.00	---	PEAK	2	10540.00	44.68	68.20	-23.52	57.10	37.62	17.02	67.06	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	7026.65	44.59	68.20	-23.61	60.40	35.65	13.90	65.36	0.00	---	PEAK																																																																																																																		
2	10540.00	44.79	68.20	-23.41	57.10	37.66	17.06	67.03	0.00	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	7026.65	43.24	68.20	-24.96	59.05	35.65	13.90	65.36	0.00	---	PEAK																																																																																																																		
2	10540.00	44.68	68.20	-23.52	57.10	37.62	17.02	67.06	0.00	---	PEAK																																																																																																																		







Mode	22																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5113.44</td><td>50.87</td><td>74.00</td><td>-23.13</td><td>42.01</td><td>34.03</td><td>11.76</td><td>36.93</td><td>0.00</td><td>100</td><td>51 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5113.44	50.87	74.00	-23.13	42.01	34.03	11.76	36.93	0.00	100	51 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>106.00</td><td>-----</td><td>-----</td><td>96.08</td><td>34.60</td><td>11.94</td><td>36.62</td><td>0.00</td><td>100</td><td>51 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	106.00	-----	-----	96.08	34.60	11.94	36.62	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5113.44	50.87	74.00	-23.13	42.01	34.03	11.76	36.93	0.00	100	51 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5310.00	106.00	-----	-----	96.08	34.60	11.94	36.62	0.00	100	51 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5100.32</td><td>39.73</td><td>54.00</td><td>-14.27</td><td>30.88</td><td>34.00</td><td>11.75</td><td>36.90</td><td>0.00</td><td>100</td><td>51 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5100.32	39.73	54.00	-14.27	30.88	34.00	11.75	36.90	0.00	100	51 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>96.92</td><td>-----</td><td>-----</td><td>87.00</td><td>34.60</td><td>11.94</td><td>36.62</td><td>0.00</td><td>100</td><td>51 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	96.92	-----	-----	87.00	34.60	11.94	36.62	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5100.32	39.73	54.00	-14.27	30.88	34.00	11.75	36.90	0.00	100	51 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5310.00	96.92	-----	-----	87.00	34.60	11.94	36.62	0.00	100	51 AVERAGE																																																																																									





Mode	22																																																					
	Band Edge - R																																																					
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																					
ANT	1																																																					
Pol.	Horizontal						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.20</td><td>61.21</td><td>74.00</td><td>-12.79</td><td>51.16</td><td>34.60</td><td>11.97</td><td>36.52</td><td>0.00</td><td>100</td><td>51 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.20	61.21	74.00	-12.79	51.16	34.60	11.97	36.52	0.00	100	51 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5350.20	61.21	74.00	-12.79	51.16	34.60	11.97	36.52	0.00	100	51 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>50.04</td><td>54.00</td><td>-3.96</td><td>39.99</td><td>34.60</td><td>11.97</td><td>36.52</td><td>0.00</td><td>100</td><td>51 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	50.04	54.00	-3.96	39.99	34.60	11.97	36.52	0.00	100	51 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5350.00	50.04	54.00	-3.96	39.99	34.60	11.97	36.52	0.00	100	51 AVERAGE																																											





Mode	22																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5127.04	51.09	74.00	-22.91	42.23	34.05	11.78	36.97	0.00	100	357 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>106.05</td><td>-----</td><td>-----</td><td>96.12</td><td>34.60</td><td>11.94</td><td>36.61</td><td>0.00</td><td>100</td><td>357 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	106.05	-----	-----	96.12	34.60	11.94	36.61	0.00	100	357 PEAK					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5127.04	51.09	74.00	-22.91	42.23	34.05	11.78	36.97	0.00	100	357 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5310.00	106.05	-----	-----	96.12	34.60	11.94	36.61	0.00	100	357 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5101.76</td><td>39.64</td><td>54.00</td><td>-14.36</td><td>30.79</td><td>34.00</td><td>11.75</td><td>36.90</td><td>0.00</td><td>100</td><td>357 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5101.76	39.64	54.00	-14.36	30.79	34.00	11.75	36.90	0.00	100	357 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>96.37</td><td>-----</td><td>-----</td><td>86.44</td><td>34.60</td><td>11.94</td><td>36.61</td><td>0.00</td><td>100</td><td>357 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	96.37	-----	-----	86.44	34.60	11.94	36.61	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5101.76	39.64	54.00	-14.36	30.79	34.00	11.75	36.90	0.00	100	357 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5310.00	96.37	-----	-----	86.44	34.60	11.94	36.61	0.00	100	357 AVERAGE																																																																																									







Mode	22																																																					
	Band Edge - R																																																					
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																					
ANT	1																																																					
Pol.	Vertical						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.20</td><td>61.13</td><td>74.00</td><td>-12.87</td><td>51.08</td><td>34.60</td><td>11.97</td><td>36.52</td><td>0.00</td><td>100</td><td>357 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.20	61.13	74.00	-12.87	51.08	34.60	11.97	36.52	0.00	100	357 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5350.20	61.13	74.00	-12.87	51.08	34.60	11.97	36.52	0.00	100	357 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>49.47</td><td>54.00</td><td>-4.53</td><td>39.42</td><td>34.60</td><td>11.97</td><td>36.52</td><td>0.00</td><td>100</td><td>357 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	49.47	54.00	-4.53	39.42	34.60	11.97	36.52	0.00	100	357 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5350.00	49.47	54.00	-4.53	39.42	34.60	11.97	36.52	0.00	100	357 AVERAGE																																											




Mode	22																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																																																																									
ANT	1																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7079.98</td><td>45.94</td><td>68.20</td><td>-22.26</td><td>61.78</td><td>35.70</td><td>13.94</td><td>65.48</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2 10620.00</td><td>44.29</td><td>74.00</td><td>-29.71</td><td>56.46</td><td>37.68</td><td>17.12</td><td>66.97</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7079.98	45.94	68.20	-22.26	61.78	35.70	13.94	65.48	0.00	---	--- PEAK	2 10620.00	44.29	74.00	-29.71	56.46	37.68	17.12	66.97	0.00	---	--- PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7079.98</td><td>45.54</td><td>68.20</td><td>-22.66</td><td>61.38</td><td>35.70</td><td>13.94</td><td>65.48</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2 10620.00</td><td>44.78</td><td>74.00</td><td>-29.22</td><td>56.95</td><td>37.68</td><td>17.12</td><td>66.97</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7079.98	45.54	68.20	-22.66	61.38	35.70	13.94	65.48	0.00	---	--- PEAK	2 10620.00	44.78	74.00	-29.22	56.95	37.68	17.12	66.97	0.00	---	--- PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1 7079.98	45.94	68.20	-22.26	61.78	35.70	13.94	65.48	0.00	---	--- PEAK																																																																																																																
2 10620.00	44.29	74.00	-29.71	56.46	37.68	17.12	66.97	0.00	---	--- PEAK																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1 7079.98	45.54	68.20	-22.66	61.38	35.70	13.94	65.48	0.00	---	--- PEAK																																																																																																																
2 10620.00	44.78	74.00	-29.22	56.95	37.68	17.12	66.97	0.00	---	--- PEAK																																																																																																																







Mode	23																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.60</td><td>58.91</td><td>74.00</td><td>-15.09</td><td>48.59</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>104</td><td>57 PEAK</td></tr><tr><td>2</td><td>5467.92</td><td>61.97</td><td>68.20</td><td>-6.23</td><td>51.68</td><td>34.63</td><td>12.11</td><td>36.45</td><td>0.00</td><td>104</td><td>57 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.60	58.91	74.00	-15.09	48.59	34.66	12.10	36.44	0.00	104	57 PEAK	2	5467.92	61.97	68.20	-6.23	51.68	34.63	12.11	36.45	0.00	104	57 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>104.38</td><td>-----</td><td>-----</td><td>94.16</td><td>34.46</td><td>12.19</td><td>36.43</td><td>0.00</td><td>104</td><td>57 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	104.38	-----	-----	94.16	34.46	12.19	36.43	0.00	104
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.60	58.91	74.00	-15.09	48.59	34.66	12.10	36.44	0.00	104	57 PEAK																																																																																																					
2	5467.92	61.97	68.20	-6.23	51.68	34.63	12.11	36.45	0.00	104	57 PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5510.00	104.38	-----	-----	94.16	34.46	12.19	36.43	0.00	104	57 PEAK																																																																																																					
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.92</td><td>48.14</td><td>54.00</td><td>-5.86</td><td>37.82</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>104</td><td>57 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	48.14	54.00	-5.86	37.82	34.66	12.10	36.44	0.00	104	57 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>95.96</td><td>-----</td><td>-----</td><td>85.74</td><td>34.48</td><td>12.18</td><td>36.44</td><td>0.00</td><td>104</td><td>57 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	95.96	-----	-----	85.74	34.48	12.18	36.44	0.00	104	57 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.92	48.14	54.00	-5.86	37.82	34.66	12.10	36.44	0.00	104	57 AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5510.00	95.96	-----	-----	85.74	34.48	12.18	36.44	0.00	104	57 AVERAGE																																																																																																					




Mode	23																																																					
	Band Edge - R																																																					
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																					
ANT	1																																																					
Pol.	Horizontal						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5758.52</td><td>52.62</td><td>68.20</td><td>-15.58</td><td>41.88</td><td>34.75</td><td>12.45</td><td>36.46</td><td>0.00</td><td>104</td><td>57 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5758.52	52.62	68.20	-15.58	41.88	34.75	12.45	36.46	0.00	104	57 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5758.52	52.62	68.20	-15.58	41.88	34.75	12.45	36.46	0.00	104	57 PEAK																																											





Mode	23																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.96</td><td>58.30</td><td>74.00</td><td>-15.70</td><td>47.98</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>114</td><td>342 PEAK</td></tr><tr><td>2</td><td>5470.00</td><td>61.03</td><td>68.20</td><td>-7.17</td><td>50.75</td><td>34.62</td><td>12.11</td><td>36.45</td><td>0.00</td><td>114</td><td>342 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.96	58.30	74.00	-15.70	47.98	34.66	12.10	36.44	0.00	114	342 PEAK	2	5470.00	61.03	68.20	-7.17	50.75	34.62	12.11	36.45	0.00	114	342 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>103.41</td><td>-----</td><td>-----</td><td>93.18</td><td>34.45</td><td>12.20</td><td>36.42</td><td>0.00</td><td>114</td><td>342 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	103.41	-----	-----	93.18	34.45	12.20	36.42	0.00	114	342 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5458.96	58.30	74.00	-15.70	47.98	34.66	12.10	36.44	0.00	114	342 PEAK																																																																																																						
2	5470.00	61.03	68.20	-7.17	50.75	34.62	12.11	36.45	0.00	114	342 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5510.00	103.41	-----	-----	93.18	34.45	12.20	36.42	0.00	114	342 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.92</td><td>46.63</td><td>54.00</td><td>-7.37</td><td>36.31</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>114</td><td>342 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	46.63	54.00	-7.37	36.31	34.66	12.10	36.44	0.00	114	342 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>94.22</td><td>-----</td><td>-----</td><td>84.00</td><td>34.48</td><td>12.18</td><td>36.44</td><td>0.00</td><td>114</td><td>342 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	94.22	-----	-----	84.00	34.48	12.18	36.44	0.00	114	342 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.92	46.63	54.00	-7.37	36.31	34.66	12.10	36.44	0.00	114	342 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5510.00	94.22	-----	-----	84.00	34.48	12.18	36.44	0.00	114	342 AVERAGE																																																																																																						





Mode	23																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																							
ANT	1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.88</td><td>51.05</td><td>68.20</td><td>-17.15</td><td>40.31</td><td>34.74</td><td>12.45</td><td>36.45</td><td>0.00</td><td>114</td><td>342</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.88	51.05	68.20	-17.15	40.31	34.74	12.45	36.45	0.00	114	342	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5755.88	51.05	68.20	-17.15	40.31	34.74	12.45	36.45	0.00	114	342	PEAK																																												







		23																																																																																		
Mode	Harmonic																																																																																			
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																																																			
ANT	1																																																																																			
Pol.	Horizontal											Vertical																																																																								
Peak Avg																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7346.48</td><td>52.88</td><td>74.00</td><td>-21.12</td><td>68.98</td><td>35.80</td><td>14.16</td><td>66.06</td><td>0.00</td><td>369</td><td>49</td><td>PEAK</td></tr><tr><td>2</td><td>7346.48</td><td>50.84</td><td>54.00</td><td>-3.16</td><td>66.94</td><td>35.80</td><td>14.16</td><td>66.06</td><td>0.00</td><td>369</td><td>49</td><td>AVERAGE</td></tr><tr><td>3</td><td>11020.13</td><td>42.23</td><td>74.00</td><td>-31.77</td><td>53.43</td><td>37.90</td><td>17.53</td><td>66.63</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7346.48	52.88	74.00	-21.12	68.98	35.80	14.16	66.06	0.00	369	49	PEAK	2	7346.48	50.84	54.00	-3.16	66.94	35.80	14.16	66.06	0.00	369	49	AVERAGE	3	11020.13	42.23	74.00	-31.77	53.43	37.90	17.53	66.63	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1	7346.48	52.88	74.00	-21.12	68.98	35.80	14.16	66.06	0.00	369	49	PEAK																																																																								
2	7346.48	50.84	54.00	-3.16	66.94	35.80	14.16	66.06	0.00	369	49	AVERAGE																																																																								
3	11020.13	42.23	74.00	-31.77	53.43	37.90	17.53	66.63	0.00	---	---	Peak																																																																								
Peak Avg																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7346.48</td><td>48.67</td><td>74.00</td><td>-25.33</td><td>64.77</td><td>35.80</td><td>14.16</td><td>66.06</td><td>0.00</td><td>300</td><td>292</td><td>PEAK</td></tr><tr><td>2</td><td>7346.48</td><td>45.70</td><td>54.00</td><td>-8.30</td><td>61.80</td><td>35.80</td><td>14.16</td><td>66.06</td><td>0.00</td><td>300</td><td>292</td><td>AVERAGE</td></tr><tr><td>3</td><td>11100.80</td><td>42.41</td><td>74.00</td><td>-31.59</td><td>53.54</td><td>37.90</td><td>17.59</td><td>66.62</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7346.48	48.67	74.00	-25.33	64.77	35.80	14.16	66.06	0.00	300	292	PEAK	2	7346.48	45.70	54.00	-8.30	61.80	35.80	14.16	66.06	0.00	300	292	AVERAGE	3	11100.80	42.41	74.00	-31.59	53.54	37.90	17.59	66.62	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1	7346.48	48.67	74.00	-25.33	64.77	35.80	14.16	66.06	0.00	300	292	PEAK																																																																								
2	7346.48	45.70	54.00	-8.30	61.80	35.80	14.16	66.06	0.00	300	292	AVERAGE																																																																								
3	11100.80	42.41	74.00	-31.59	53.54	37.90	17.59	66.62	0.00	---	---	Peak																																																																								




		24																																																																																				
Mode	Harmonic																																																																																					
	U-NII-2C_5.47-5.725_802.11n HT40_CH110_5550MHz																																																																																					
ANT	1																																																																																					
Pol.	Horizontal											Vertical																																																																										
Peak Avg																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7399.82</td><td>52.27</td><td>74.00</td><td>-21.73</td><td>68.45</td><td>35.80</td><td>14.20</td><td>66.18</td><td>0.00</td><td>381</td><td>51</td><td>PEAK</td></tr><tr><td>2</td><td>7399.82</td><td>50.83</td><td>54.00</td><td>-3.17</td><td>67.01</td><td>35.80</td><td>14.20</td><td>66.18</td><td>0.00</td><td>381</td><td>51</td><td>AVERAGE</td></tr><tr><td>3</td><td>11100.00</td><td>44.53</td><td>74.00</td><td>-29.47</td><td>55.66</td><td>37.90</td><td>17.59</td><td>66.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7399.82	52.27	74.00	-21.73	68.45	35.80	14.20	66.18	0.00	381	51	PEAK	2	7399.82	50.83	54.00	-3.17	67.01	35.80	14.20	66.18	0.00	381	51	AVERAGE	3	11100.00	44.53	74.00	-29.47	55.66	37.90	17.59	66.62	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	7399.82	52.27	74.00	-21.73	68.45	35.80	14.20	66.18	0.00	381	51	PEAK																																																																										
2	7399.82	50.83	54.00	-3.17	67.01	35.80	14.20	66.18	0.00	381	51	AVERAGE																																																																										
3	11100.00	44.53	74.00	-29.47	55.66	37.90	17.59	66.62	0.00	---	---	PEAK																																																																										
																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7399.82</td><td>48.83</td><td>74.00</td><td>-25.17</td><td>65.01</td><td>35.80</td><td>14.20</td><td>66.18</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>7399.82</td><td>45.66</td><td>54.00</td><td>-8.34</td><td>61.84</td><td>35.80</td><td>14.20</td><td>66.18</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr><tr><td>3</td><td>11100.00</td><td>45.29</td><td>74.00</td><td>-28.71</td><td>56.42</td><td>37.90</td><td>17.59</td><td>66.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7399.82	48.83	74.00	-25.17	65.01	35.80	14.20	66.18	0.00	100	0	PEAK	2	7399.82	45.66	54.00	-8.34	61.84	35.80	14.20	66.18	0.00	100	0	AVERAGE	3	11100.00	45.29	74.00	-28.71	56.42	37.90	17.59	66.62	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	7399.82	48.83	74.00	-25.17	65.01	35.80	14.20	66.18	0.00	100	0	PEAK																																																																										
2	7399.82	45.66	54.00	-8.34	61.84	35.80	14.20	66.18	0.00	100	0	AVERAGE																																																																										
3	11100.00	45.29	74.00	-28.71	56.42	37.90	17.59	66.62	0.00	---	---	PEAK																																																																										







Mode	25																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5416.24</td><td>50.74</td><td>74.00</td><td>-23.26</td><td>40.49</td><td>34.63</td><td>12.03</td><td>36.41</td><td>0.00</td><td>100</td><td>57 PEAK</td></tr><tr><td>2</td><td>5464.88</td><td>50.66</td><td>68.20</td><td>-17.54</td><td>40.36</td><td>34.64</td><td>12.11</td><td>36.45</td><td>0.00</td><td>100</td><td>57 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5416.24	50.74	74.00	-23.26	40.49	34.63	12.03	36.41	0.00	100	57 PEAK	2	5464.88	50.66	68.20	-17.54	40.36	34.64	12.11	36.45	0.00	100	57 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>105.70</td><td>-----</td><td>-----</td><td>95.11</td><td>34.54</td><td>12.37</td><td>36.32</td><td>0.00</td><td>100</td><td>57 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	105.70	-----	-----	95.11	34.54	12.37	36.32	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5416.24	50.74	74.00	-23.26	40.49	34.63	12.03	36.41	0.00	100	57 PEAK																																																																																																					
2	5464.88	50.66	68.20	-17.54	40.36	34.64	12.11	36.45	0.00	100	57 PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	105.70	-----	-----	95.11	34.54	12.37	36.32	0.00	100	57 PEAK																																																																																																					
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.60</td><td>39.56</td><td>54.00</td><td>-14.44</td><td>29.24</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>100</td><td>57 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.60	39.56	54.00	-14.44	29.24	34.66	12.10	36.44	0.00	100	57 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>96.96</td><td>-----</td><td>-----</td><td>86.37</td><td>34.54</td><td>12.37</td><td>36.32</td><td>0.00</td><td>100</td><td>57 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	96.96	-----	-----	86.37	34.54	12.37	36.32	0.00	100	57 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.60	39.56	54.00	-14.44	29.24	34.66	12.10	36.44	0.00	100	57 AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	96.96	-----	-----	86.37	34.54	12.37	36.32	0.00	100	57 AVERAGE																																																																																																					




Mode	25																																																					
	Band Edge - R																																																					
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																					
ANT	1																																																					
Pol.	Horizontal						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.64</td><td>57.17</td><td>68.20</td><td>-11.03</td><td>46.50</td><td>34.65</td><td>12.42</td><td>36.40</td><td>0.00</td><td>100</td><td>57 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.64	57.17	68.20	-11.03	46.50	34.65	12.42	36.40	0.00	100	57 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5725.64	57.17	68.20	-11.03	46.50	34.65	12.42	36.40	0.00	100	57 PEAK																																											





Mode	25																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																																																																													
ANT	1																																																																																																													
Pol.	Vertical						Fundamental																																																																																																							
Peak																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5391.44</td><td>50.45</td><td>74.00</td><td>-23.55</td><td>40.27</td><td>34.60</td><td>12.00</td><td>36.42</td><td>0.00</td><td>319 59 PEAK</td></tr><tr><td>2</td><td>5461.04</td><td>50.11</td><td>68.20</td><td>-18.09</td><td>39.79</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>319 59 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5391.44	50.45	74.00	-23.55	40.27	34.60	12.00	36.42	0.00	319 59 PEAK	2	5461.04	50.11	68.20	-18.09	39.79	34.66	12.10	36.44	0.00	319 59 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>107.25</td><td>-----</td><td>-----</td><td>96.66</td><td>34.54</td><td>12.37</td><td>36.32</td><td>0.00</td><td>319 59 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	107.25	-----	-----	96.66	34.54	12.37	36.32	0.00	319 59 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5391.44	50.45	74.00	-23.55	40.27	34.60	12.00	36.42	0.00	319 59 PEAK																																																																																																				
2	5461.04	50.11	68.20	-18.09	39.79	34.66	12.10	36.44	0.00	319 59 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5670.00	107.25	-----	-----	96.66	34.54	12.37	36.32	0.00	319 59 PEAK																																																																																																				
Avg																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.48</td><td>39.40</td><td>54.00</td><td>-14.60</td><td>29.07</td><td>34.67</td><td>12.10</td><td>36.44</td><td>0.00</td><td>319 59 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.48	39.40	54.00	-14.60	29.07	34.67	12.10	36.44	0.00	319 59 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>98.26</td><td>-----</td><td>-----</td><td>87.67</td><td>34.54</td><td>12.37</td><td>36.32</td><td>0.00</td><td>319 59 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	98.26	-----	-----	87.67	34.54	12.37	36.32	0.00	319 59 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5458.48	39.40	54.00	-14.60	29.07	34.67	12.10	36.44	0.00	319 59 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5670.00	98.26	-----	-----	87.67	34.54	12.37	36.32	0.00	319 59 AVERAGE																																																																																																				







Mode	25																																																					
	Band Edge - R																																																					
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																					
ANT	1																																																					
Pol.	Vertical						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.00</td><td>58.74</td><td>68.20</td><td>-9.46</td><td>48.07</td><td>34.65</td><td>12.42</td><td>36.40</td><td>0.00</td><td>319</td><td>59 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.00	58.74	68.20	-9.46	48.07	34.65	12.42	36.40	0.00	319	59 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5725.00	58.74	68.20	-9.46	48.07	34.65	12.42	36.40	0.00	319	59 PEAK																																											





Mode	25																																																																																																																																																																	
	Harmonic																																																																																																																																																																	
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																																																																																																																																	
ANT	1																																																																																																																																																																	
Pol.	Horizontal										Vertical																																																																																																																																																							
Peak Avg																																																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7559.98</td><td>51.65</td><td>74.00</td><td>-22.35</td><td>67.78</td><td>36.00</td><td>14.32</td><td>66.45</td><td>0.00</td><td>293</td><td>41</td><td>PEAK</td></tr><tr><td>2</td><td>7559.98</td><td>49.62</td><td>54.00</td><td>-4.38</td><td>65.75</td><td>36.00</td><td>14.32</td><td>66.45</td><td>0.00</td><td>293</td><td>41</td><td>AVERAGE</td></tr><tr><td>3</td><td>11340.00</td><td>43.55</td><td>74.00</td><td>-30.45</td><td>54.45</td><td>37.94</td><td>17.76</td><td>66.60</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7559.98	51.65	74.00	-22.35	67.78	36.00	14.32	66.45	0.00	293	41	PEAK	2	7559.98	49.62	54.00	-4.38	65.75	36.00	14.32	66.45	0.00	293	41	AVERAGE	3	11340.00	43.55	74.00	-30.45	54.45	37.94	17.76	66.60	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7559.98</td><td>48.94</td><td>74.00</td><td>-25.06</td><td>65.07</td><td>36.00</td><td>14.32</td><td>66.45</td><td>0.00</td><td>300</td><td>312</td><td>PEAK</td></tr><tr><td>2</td><td>7559.98</td><td>45.94</td><td>54.00</td><td>-8.06</td><td>62.07</td><td>36.00</td><td>14.32</td><td>66.45</td><td>0.00</td><td>300</td><td>312</td><td>AVERAGE</td></tr><tr><td>3</td><td>11340.00</td><td>44.05</td><td>74.00</td><td>-29.95</td><td>54.95</td><td>37.94</td><td>17.76</td><td>66.60</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7559.98	48.94	74.00	-25.06	65.07	36.00	14.32	66.45	0.00	300	312	PEAK	2	7559.98	45.94	54.00	-8.06	62.07	36.00	14.32	66.45	0.00	300	312	AVERAGE	3	11340.00	44.05	74.00	-29.95	54.95	37.94	17.76	66.60	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																								
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																							
1	7559.98	51.65	74.00	-22.35	67.78	36.00	14.32	66.45	0.00	293	41	PEAK																																																																																																																																																						
2	7559.98	49.62	54.00	-4.38	65.75	36.00	14.32	66.45	0.00	293	41	AVERAGE																																																																																																																																																						
3	11340.00	43.55	74.00	-30.45	54.45	37.94	17.76	66.60	0.00	---	---	PEAK																																																																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																							
1	7559.98	48.94	74.00	-25.06	65.07	36.00	14.32	66.45	0.00	300	312	PEAK																																																																																																																																																						
2	7559.98	45.94	54.00	-8.06	62.07	36.00	14.32	66.45	0.00	300	312	AVERAGE																																																																																																																																																						
3	11340.00	44.05	74.00	-29.95	54.95	37.94	17.76	66.60	0.00	---	---	PEAK																																																																																																																																																						







Mode	26																																																																																																				
	Band Edge - L																																																																																																				
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5136.64</td><td>60.32</td><td>74.00</td><td>-13.68</td><td>51.46</td><td>34.07</td><td>11.79</td><td>37.00</td><td>0.00</td><td>100</td><td>25 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5136.64	60.32	74.00	-13.68	51.46	34.07	11.79	37.00	0.00	100	25 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>97.55</td><td>-----</td><td>-----</td><td>88.39</td><td>34.37</td><td>11.86</td><td>37.07</td><td>0.00</td><td>100</td><td>25 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	97.55	-----	-----	88.39	34.37	11.86	37.07	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5136.64	60.32	74.00	-13.68	51.46	34.07	11.79	37.00	0.00	100	25 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5210.00	97.55	-----	-----	88.39	34.37	11.86	37.07	0.00	100	25 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.92</td><td>48.57</td><td>54.00</td><td>-5.43</td><td>39.70</td><td>34.09</td><td>11.80</td><td>37.02</td><td>0.00</td><td>100</td><td>25 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.92	48.57	54.00	-5.43	39.70	34.09	11.80	37.02	0.00	100	25 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>88.64</td><td>-----</td><td>-----</td><td>79.48</td><td>34.37</td><td>11.86</td><td>37.07</td><td>0.00</td><td>100</td><td>25 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	88.64	-----	-----	79.48	34.37	11.86	37.07	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5145.92	48.57	54.00	-5.43	39.70	34.09	11.80	37.02	0.00	100	25 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5210.00	88.64	-----	-----	79.48	34.37	11.86	37.07	0.00	100	25 AVERAGE																																																																																										





Mode	26																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																							
ANT	1																																																							
Pol.	Horizontal										Fundamental																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5371.74</td><td>49.73</td><td>74.00</td><td>-24.27</td><td>39.61</td><td>34.60</td><td>11.99</td><td>36.47</td><td>0.00</td><td>100</td><td>25 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5371.74	49.73	74.00	-24.27	39.61	34.60	11.99	36.47	0.00	100	25 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5371.74	49.73	74.00	-24.27	39.61	34.60	11.99	36.47	0.00	100	25 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5355.00</td><td>40.56</td><td>54.00</td><td>-13.44</td><td>30.50</td><td>34.60</td><td>11.97</td><td>36.51</td><td>0.00</td><td>100</td><td>25 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5355.00	40.56	54.00	-13.44	30.50	34.60	11.97	36.51	0.00	100	25 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5355.00	40.56	54.00	-13.44	30.50	34.60	11.97	36.51	0.00	100	25 AVERAGE																																													



Mode	26																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5144.96</td><td>59.58</td><td>74.00</td><td>-14.42</td><td>50.72</td><td>34.09</td><td>11.79</td><td>37.02</td><td>0.00</td><td>100</td><td>284 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5144.96	59.58	74.00	-14.42	50.72	34.09	11.79	37.02	0.00	100	284 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>99.14</td><td>-----</td><td>-----</td><td>89.98</td><td>34.37</td><td>11.86</td><td>37.07</td><td>0.00</td><td>100</td><td>284 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	99.14	-----	-----	89.98	34.37	11.86	37.07	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5144.96	59.58	74.00	-14.42	50.72	34.09	11.79	37.02	0.00	100	284 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5210.00	99.14	-----	-----	89.98	34.37	11.86	37.07	0.00	100	284 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5146.56</td><td>50.47</td><td>54.00</td><td>-3.53</td><td>41.60</td><td>34.09</td><td>11.80</td><td>37.02</td><td>0.00</td><td>100</td><td>284 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.56	50.47	54.00	-3.53	41.60	34.09	11.80	37.02	0.00	100	284 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>90.22</td><td>-----</td><td>-----</td><td>81.06</td><td>34.37</td><td>11.86</td><td>37.07</td><td>0.00</td><td>100</td><td>284 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	90.22	-----	-----	81.06	34.37	11.86	37.07	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5146.56	50.47	54.00	-3.53	41.60	34.09	11.80	37.02	0.00	100	284 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5210.00	90.22	-----	-----	81.06	34.37	11.86	37.07	0.00	100	284 AVERAGE																																																																																									







Mode	26																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																							
ANT	1																																																							
Pol.	Vertical										Fundamental																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5377.68</td><td>50.73</td><td>74.00</td><td>-23.27</td><td>40.59</td><td>34.60</td><td>11.99</td><td>36.45</td><td>0.00</td><td>100</td><td>284 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5377.68	50.73	74.00	-23.27	40.59	34.60	11.99	36.45	0.00	100	284 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5377.68	50.73	74.00	-23.27	40.59	34.60	11.99	36.45	0.00	100	284 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5375.88</td><td>40.54</td><td>54.00</td><td>-13.46</td><td>30.41</td><td>34.60</td><td>11.99</td><td>36.46</td><td>0.00</td><td>100</td><td>284 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5375.88	40.54	54.00	-13.46	30.41	34.60	11.99	36.46	0.00	100	284 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5375.88	40.54	54.00	-13.46	30.41	34.60	11.99	36.46	0.00	100	284 AVERAGE																																													





Mode	26																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																																																								
ANT	1																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6946.65</td><td>43.97</td><td>68.20</td><td>-24.23</td><td>59.93</td><td>35.60</td><td>13.83</td><td>65.39</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10420.00</td><td>43.28</td><td>68.20</td><td>-24.92</td><td>56.06</td><td>37.38</td><td>16.88</td><td>67.04</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6946.65	43.97	68.20	-24.23	59.93	35.60	13.83	65.39	0.00	---	PEAK	2	10420.00	43.28	68.20	-24.92	56.06	37.38	16.88	67.04	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6946.65</td><td>42.20</td><td>68.20</td><td>-26.00</td><td>58.10</td><td>35.60</td><td>13.85</td><td>65.35</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10420.00</td><td>42.84</td><td>68.20</td><td>-25.36</td><td>55.48</td><td>37.48</td><td>16.94</td><td>67.06</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6946.65	42.20	68.20	-26.00	58.10	35.60	13.85	65.35	0.00	---	PEAK	2	10420.00	42.84	68.20	-25.36	55.48	37.48	16.94	67.06	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	6946.65	43.97	68.20	-24.23	59.93	35.60	13.83	65.39	0.00	---	PEAK																																																																																																														
2	10420.00	43.28	68.20	-24.92	56.06	37.38	16.88	67.04	0.00	---	PEAK																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	6946.65	42.20	68.20	-26.00	58.10	35.60	13.85	65.35	0.00	---	PEAK																																																																																																														
2	10420.00	42.84	68.20	-25.36	55.48	37.48	16.94	67.06	0.00	---	PEAK																																																																																																														







Mode	27																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5132.80</td><td>80.65</td><td>74.00</td><td>-23.35</td><td>41.79</td><td>34.07</td><td>11.78</td><td>36.99</td><td>0.00</td><td>334</td><td>48 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5132.80	80.65	74.00	-23.35	41.79	34.07	11.78	36.99	0.00	334	48 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>97.54</td><td>-----</td><td>-----</td><td>87.62</td><td>34.60</td><td>11.94</td><td>36.62</td><td>0.00</td><td>334</td><td>48 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	97.54	-----	-----	87.62	34.60	11.94	36.62	0.00	334
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5132.80	80.65	74.00	-23.35	41.79	34.07	11.78	36.99	0.00	334	48 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5290.00	97.54	-----	-----	87.62	34.60	11.94	36.62	0.00	334	48 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5114.56</td><td>40.94</td><td>54.00</td><td>-13.06</td><td>32.09</td><td>34.03</td><td>11.76</td><td>36.94</td><td>0.00</td><td>334</td><td>48 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5114.56	40.94	54.00	-13.06	32.09	34.03	11.76	36.94	0.00	334	48 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>90.03</td><td>-----</td><td>-----</td><td>88.14</td><td>34.60</td><td>11.93</td><td>36.64</td><td>0.00</td><td>334</td><td>48 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	90.03	-----	-----	88.14	34.60	11.93	36.64	0.00	334
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5114.56	40.94	54.00	-13.06	32.09	34.03	11.76	36.94	0.00	334	48 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5290.00	90.03	-----	-----	88.14	34.60	11.93	36.64	0.00	334	48 AVERAGE																																																																																									



Mode	27																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.10</td><td>59.87</td><td>74.00</td><td>-14.13</td><td>49.82</td><td>34.60</td><td>11.97</td><td>36.52</td><td>0.00</td><td>334</td><td>48</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.10	59.87	74.00	-14.13	49.82	34.60	11.97	36.52	0.00	334	48	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5351.10	59.87	74.00	-14.13	49.82	34.60	11.97	36.52	0.00	334	48	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.40</td><td>50.61</td><td>54.00</td><td>-3.39</td><td>40.56</td><td>34.60</td><td>11.97</td><td>36.52</td><td>0.00</td><td>334</td><td>48</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.40	50.61	54.00	-3.39	40.56	34.60	11.97	36.52	0.00	334	48	AVERAGE	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5350.40	50.61	54.00	-3.39	40.56	34.60	11.97	36.52	0.00	334	48	AVERAGE																																												





Mode	27																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5101.60</td><td>49.78</td><td>74.00</td><td>-24.22</td><td>40.93</td><td>34.00</td><td>11.75</td><td>36.90</td><td>0.00</td><td>101 287 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5101.60	49.78	74.00	-24.22	40.93	34.00	11.75	36.90	0.00	101 287 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>97.53</td><td>-----</td><td>-----</td><td>87.67</td><td>34.59</td><td>11.93</td><td>36.66</td><td>0.00</td><td>101 287 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	97.53	-----	-----	87.67	34.59	11.93	36.66	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5101.60	49.78	74.00	-24.22	40.93	34.00	11.75	36.90	0.00	101 287 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5290.00	97.53	-----	-----	87.67	34.59	11.93	36.66	0.00	101 287 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5125.12</td><td>40.82</td><td>54.00</td><td>-13.18</td><td>31.96</td><td>34.05</td><td>11.78</td><td>36.97</td><td>0.00</td><td>101 287 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5125.12	40.82	54.00	-13.18	31.96	34.05	11.78	36.97	0.00	101 287 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>89.79</td><td>-----</td><td>-----</td><td>79.93</td><td>34.59</td><td>11.93</td><td>36.66</td><td>0.00</td><td>101 287 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	89.79	-----	-----	79.93	34.59	11.93	36.66	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5125.12	40.82	54.00	-13.18	31.96	34.05	11.78	36.97	0.00	101 287 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5290.00	89.79	-----	-----	79.93	34.59	11.93	36.66	0.00	101 287 AVERAGE																																																																																								







Mode	27																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																						
ANT	1																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5355.80</td><td>59.45</td><td>74.00</td><td>-14.55</td><td>49.39</td><td>34.60</td><td>11.97</td><td>36.51</td><td>0.00</td><td>101</td><td>287</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5355.80	59.45	74.00	-14.55	49.39	34.60	11.97	36.51	0.00	101	287	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5355.80	59.45	74.00	-14.55	49.39	34.60	11.97	36.51	0.00	101	287	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.50</td><td>49.66</td><td>54.00</td><td>-4.34</td><td>39.60</td><td>34.60</td><td>11.97</td><td>36.51</td><td>0.00</td><td>101</td><td>287</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.50	49.66	54.00	-4.34	39.60	34.60	11.97	36.51	0.00	101	287	AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5352.50	49.66	54.00	-4.34	39.60	34.60	11.97	36.51	0.00	101	287	AVERAGE																																											



Mode	27																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																																												
ANT	1																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7053.32</td><td>43.84</td><td>68.20</td><td>-24.36</td><td>59.64</td><td>35.70</td><td>13.92</td><td>65.42</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10580.00</td><td>42.97</td><td>68.20</td><td>-25.23</td><td>55.33</td><td>37.64</td><td>17.04</td><td>67.04</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7053.32	43.84	68.20	-24.36	59.64	35.70	13.92	65.42	0.00	---	---	PEAK	2	10580.00	42.97	68.20	-25.23	55.33	37.64	17.04	67.04	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7053.32</td><td>42.88</td><td>68.20</td><td>-25.32</td><td>58.69</td><td>35.70</td><td>13.93</td><td>65.44</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10580.00</td><td>42.10</td><td>68.20</td><td>-26.10</td><td>54.46</td><td>37.64</td><td>17.04</td><td>67.04</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7053.32	42.88	68.20	-25.32	58.69	35.70	13.93	65.44	0.00	---	---	PEAK	2	10580.00	42.10	68.20	-26.10	54.46	37.64	17.04	67.04	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	7053.32	43.84	68.20	-24.36	59.64	35.70	13.92	65.42	0.00	---	---	PEAK																																																																																																																	
2	10580.00	42.97	68.20	-25.23	55.33	37.64	17.04	67.04	0.00	---	---	PEAK																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	7053.32	42.88	68.20	-25.32	58.69	35.70	13.93	65.44	0.00	---	---	PEAK																																																																																																																	
2	10580.00	42.10	68.20	-26.10	54.46	37.64	17.04	67.04	0.00	---	---	PEAK																																																																																																																	







Mode	28																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5451.60</td><td>58.51</td><td>74.00</td><td>-15.49</td><td>48.17</td><td>34.69</td><td>12.09</td><td>36.44</td><td>0.00</td><td>111</td><td>61 PEAK</td></tr><tr><td>2</td><td>5468.88</td><td>60.51</td><td>68.20</td><td>-7.69</td><td>50.23</td><td>34.62</td><td>12.11</td><td>36.45</td><td>0.00</td><td>111</td><td>61 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.60	58.51	74.00	-15.49	48.17	34.69	12.09	36.44	0.00	111	61 PEAK	2	5468.88	60.51	68.20	-7.69	50.23	34.62	12.11	36.45	0.00	111	61 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>99.19</td><td>-----</td><td>-----</td><td>88.94</td><td>34.43</td><td>12.21</td><td>36.39</td><td>0.00</td><td>111</td><td>61 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	99.19	-----	-----	88.94	34.43	12.21	36.39	0.00	111	61 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5451.60	58.51	74.00	-15.49	48.17	34.69	12.09	36.44	0.00	111	61 PEAK																																																																																																						
2	5468.88	60.51	68.20	-7.69	50.23	34.62	12.11	36.45	0.00	111	61 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5530.00	99.19	-----	-----	88.94	34.43	12.21	36.39	0.00	111	61 PEAK																																																																																																						
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.60</td><td>50.89</td><td>54.00</td><td>-3.11</td><td>40.57</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>111</td><td>61 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.60	50.89	54.00	-3.11	40.57	34.66	12.10	36.44	0.00	111	61 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>90.48</td><td>-----</td><td>-----</td><td>80.25</td><td>34.45</td><td>12.20</td><td>36.42</td><td>0.00</td><td>111</td><td>61 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	90.48	-----	-----	80.25	34.45	12.20	36.42	0.00	111	61 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.60	50.89	54.00	-3.11	40.57	34.66	12.10	36.44	0.00	111	61 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5530.00	90.48	-----	-----	80.25	34.45	12.20	36.42	0.00	111	61 AVERAGE																																																																																																						




Mode	28										
	Band Edge - R										
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz										
ANT	1										
Pol.	Horizontal						Fundamental				
Peak	Level (dBuV/m) <										





Mode	28																																																																																																											
	Band Edge - L																																																																																																											
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																											
ANT	1																																																																																																											
Pol.	Vertical					Fundamental																																																																																																						
Peak																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5447.92</td><td>56.26</td><td>74.00</td><td>-17.74</td><td>45.91</td><td>34.70</td><td>12.08</td><td>36.43</td><td>0.00</td><td>115 343 PEAK</td></tr><tr><td>2</td><td>5466.32</td><td>56.48</td><td>68.20</td><td>-11.72</td><td>46.19</td><td>34.63</td><td>12.11</td><td>36.45</td><td>0.00</td><td>115 343 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5447.92	56.26	74.00	-17.74	45.91	34.70	12.08	36.43	0.00	115 343 PEAK	2	5466.32	56.48	68.20	-11.72	46.19	34.63	12.11	36.45	0.00	115 343 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>96.95</td><td>-----</td><td>-----</td><td>86.72</td><td>34.45</td><td>12.20</td><td>36.42</td><td>0.00</td><td>115 343 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	96.95	-----	-----	86.72	34.45	12.20	36.42	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5447.92	56.26	74.00	-17.74	45.91	34.70	12.08	36.43	0.00	115 343 PEAK																																																																																																		
2	5466.32	56.48	68.20	-11.72	46.19	34.63	12.11	36.45	0.00	115 343 PEAK																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5530.00	96.95	-----	-----	86.72	34.45	12.20	36.42	0.00	115 343 PEAK																																																																																																		
Avg																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.60</td><td>47.54</td><td>54.00</td><td>-6.46</td><td>37.22</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>115 343 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.60	47.54	54.00	-6.46	37.22	34.66	12.10	36.44	0.00	115 343 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>88.06</td><td>-----</td><td>-----</td><td>77.83</td><td>34.45</td><td>12.20</td><td>36.42</td><td>0.00</td><td>115 343 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	88.06	-----	-----	77.83	34.45	12.20	36.42	0.00	115 343 AVERAGE										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5459.60	47.54	54.00	-6.46	37.22	34.66	12.10	36.44	0.00	115 343 AVERAGE																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5530.00	88.06	-----	-----	77.83	34.45	12.20	36.42	0.00	115 343 AVERAGE																																																																																																		



Mode	28																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																													
ANT	1																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5751.48</td><td>52.30</td><td>68.20</td><td>-15.90</td><td>41.58</td><td>34.71</td><td>12.45</td><td>36.44</td><td>0.00</td><td>115 343 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5751.48	52.30	68.20	-15.90	41.58	34.71	12.45	36.44	0.00	115 343 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5751.48	52.30	68.20	-15.90	41.58	34.71	12.45	36.44	0.00	115 343 PEAK																																				





Mode	28																																																																																																																																																								
	Harmonic																																																																																																																																																								
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																																																																								
ANT	1																																																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																																																		
Peak Avg																																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7373.15</td><td>51.95</td><td>74.00</td><td>-22.05</td><td>68.09</td><td>35.80</td><td>14.18</td><td>66.12</td><td>0.00</td><td>330</td><td>50 PEAK</td></tr><tr><td>2</td><td>7373.15</td><td>50.94</td><td>54.00</td><td>-3.06</td><td>67.08</td><td>35.80</td><td>14.18</td><td>66.12</td><td>0.00</td><td>330</td><td>50 AVERAGE</td></tr><tr><td>3</td><td>11060.00</td><td>43.05</td><td>74.00</td><td>-30.95</td><td>54.21</td><td>37.90</td><td>17.56</td><td>66.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7373.15	51.95	74.00	-22.05	68.09	35.80	14.18	66.12	0.00	330	50 PEAK	2	7373.15	50.94	54.00	-3.06	67.08	35.80	14.18	66.12	0.00	330	50 AVERAGE	3	11060.00	43.05	74.00	-30.95	54.21	37.90	17.56	66.62	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7373.15</td><td>48.45</td><td>74.00</td><td>-25.55</td><td>64.59</td><td>35.80</td><td>14.18</td><td>66.12</td><td>0.00</td><td>100</td><td>240 PEAK</td></tr><tr><td>2</td><td>7373.15</td><td>46.86</td><td>54.00</td><td>-7.14</td><td>63.00</td><td>35.80</td><td>14.18</td><td>66.12</td><td>0.00</td><td>100</td><td>240 AVERAGE</td></tr><tr><td>3</td><td>11060.00</td><td>42.17</td><td>74.00</td><td>-31.83</td><td>53.33</td><td>37.90</td><td>17.56</td><td>66.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7373.15	48.45	74.00	-25.55	64.59	35.80	14.18	66.12	0.00	100	240 PEAK	2	7373.15	46.86	54.00	-7.14	63.00	35.80	14.18	66.12	0.00	100	240 AVERAGE	3	11060.00	42.17	74.00	-31.83	53.33	37.90	17.56	66.62	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	7373.15	51.95	74.00	-22.05	68.09	35.80	14.18	66.12	0.00	330	50 PEAK																																																																																																																																														
2	7373.15	50.94	54.00	-3.06	67.08	35.80	14.18	66.12	0.00	330	50 AVERAGE																																																																																																																																														
3	11060.00	43.05	74.00	-30.95	54.21	37.90	17.56	66.62	0.00	---	---	PEAK																																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	7373.15	48.45	74.00	-25.55	64.59	35.80	14.18	66.12	0.00	100	240 PEAK																																																																																																																																														
2	7373.15	46.86	54.00	-7.14	63.00	35.80	14.18	66.12	0.00	100	240 AVERAGE																																																																																																																																														
3	11060.00	42.17	74.00	-31.83	53.33	37.90	17.56	66.62	0.00	---	---	PEAK																																																																																																																																													







Mode	28	
	18G-40G	
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg		




Mode	28																																																																																																													
	30-1G																																																																																																													
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																													
ANT	1																																																																																																													
Pol.	Horizontal																																																																																																													
Peak																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.00</td><td>19.90</td><td>40.00</td><td>-20.10</td><td>27.15</td><td>25.17</td><td>0.54</td><td>32.96</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>130.52</td><td>25.87</td><td>43.50</td><td>-17.63</td><td>39.25</td><td>17.79</td><td>1.83</td><td>33.00</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>234.67</td><td>28.02</td><td>46.00</td><td>-17.98</td><td>41.52</td><td>16.84</td><td>2.49</td><td>32.83</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>282.93</td><td>25.62</td><td>46.00</td><td>-20.38</td><td>36.64</td><td>19.14</td><td>2.74</td><td>32.90</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>578.17</td><td>25.05</td><td>46.00</td><td>-20.95</td><td>27.70</td><td>26.18</td><td>3.91</td><td>32.74</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>736.52</td><td>27.66</td><td>46.00</td><td>-18.34</td><td>27.67</td><td>28.37</td><td>4.40</td><td>32.78</td><td>0.00</td><td>--- Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	30.00	19.90	40.00	-20.10	27.15	25.17	0.54	32.96	0.00	--- Peak	2	130.52	25.87	43.50	-17.63	39.25	17.79	1.83	33.00	0.00	--- Peak	3	234.67	28.02	46.00	-17.98	41.52	16.84	2.49	32.83	0.00	--- Peak	4	282.93	25.62	46.00	-20.38	36.64	19.14	2.74	32.90	0.00	--- Peak	5	578.17	25.05	46.00	-20.95	27.70	26.18	3.91	32.74	0.00	--- Peak	6	736.52	27.66	46.00	-18.34	27.67	28.37	4.40	32.78	0.00	--- Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
	1	30.00	19.90	40.00	-20.10	27.15	25.17	0.54	32.96	0.00	--- Peak																																																																																																			
	2	130.52	25.87	43.50	-17.63	39.25	17.79	1.83	33.00	0.00	--- Peak																																																																																																			
	3	234.67	28.02	46.00	-17.98	41.52	16.84	2.49	32.83	0.00	--- Peak																																																																																																			
	4	282.93	25.62	46.00	-20.38	36.64	19.14	2.74	32.90	0.00	--- Peak																																																																																																			
	5	578.17	25.05	46.00	-20.95	27.70	26.18	3.91	32.74	0.00	--- Peak																																																																																																			
6	736.52	27.66	46.00	-18.34	27.67	28.37	4.40	32.78	0.00	--- Peak																																																																																																				
Vertical																																																																																																														
																																																																																																														
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.12</td><td>24.15</td><td>40.00</td><td>-15.85</td><td>31.46</td><td>25.11</td><td>0.54</td><td>32.96</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>52.55</td><td>25.16</td><td>40.00</td><td>-14.84</td><td>43.61</td><td>13.56</td><td>0.89</td><td>32.90</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>132.58</td><td>21.52</td><td>43.50</td><td>-21.98</td><td>34.92</td><td>17.78</td><td>1.84</td><td>33.02</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>234.31</td><td>24.80</td><td>46.00</td><td>-21.20</td><td>38.34</td><td>16.80</td><td>2.49</td><td>32.83</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>604.73</td><td>26.94</td><td>46.00</td><td>-19.06</td><td>29.73</td><td>25.99</td><td>4.00</td><td>32.78</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>781.63</td><td>28.00</td><td>46.00</td><td>-18.00</td><td>27.27</td><td>28.72</td><td>4.53</td><td>32.52</td><td>0.00</td><td>--- Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	30.12	24.15	40.00	-15.85	31.46	25.11	0.54	32.96	0.00	--- Peak	2	52.55	25.16	40.00	-14.84	43.61	13.56	0.89	32.90	0.00	--- Peak	3	132.58	21.52	43.50	-21.98	34.92	17.78	1.84	33.02	0.00	--- Peak	4	234.31	24.80	46.00	-21.20	38.34	16.80	2.49	32.83	0.00	--- Peak	5	604.73	26.94	46.00	-19.06	29.73	25.99	4.00	32.78	0.00	--- Peak	6	781.63	28.00	46.00	-18.00	27.27	28.72	4.53	32.52	0.00	--- Peak	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	30.12	24.15	40.00	-15.85	31.46	25.11	0.54	32.96	0.00	--- Peak																																																																																																				
2	52.55	25.16	40.00	-14.84	43.61	13.56	0.89	32.90	0.00	--- Peak																																																																																																				
3	132.58	21.52	43.50	-21.98	34.92	17.78	1.84	33.02	0.00	--- Peak																																																																																																				
4	234.31	24.80	46.00	-21.20	38.34	16.80	2.49	32.83	0.00	--- Peak																																																																																																				
5	604.73	26.94	46.00	-19.06	29.73	25.99	4.00	32.78	0.00	--- Peak																																																																																																				
6	781.63	28.00	46.00	-18.00	27.27	28.72	4.53	32.52	0.00	--- Peak																																																																																																				







Mode	29																																																																																																									
	Band Edge - L																																																																																																									
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																			
Peak																																																																																																										
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5380.40	50.89	74.00	-23.11	40.75	34.60	11.99	36.45	0.00	110	59 PEAK	2	5466.48	50.98	68.20	-17.22	40.69	34.63	12.11	36.45	0.00	110	59 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>103.53</td><td>-----</td><td>-----</td><td>92.98</td><td>34.50</td><td>12.32</td><td>36.27</td><td>0.00</td><td>110</td><td>59 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	103.53	-----	-----	92.98	34.50	12.32	36.27	0.00	110
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5380.40	50.89	74.00	-23.11	40.75	34.60	11.99	36.45	0.00	110	59 PEAK																																																																																															
2	5466.48	50.98	68.20	-17.22	40.69	34.63	12.11	36.45	0.00	110	59 PEAK																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5610.00	103.53	-----	-----	92.98	34.50	12.32	36.27	0.00	110	59 PEAK																																																																																															
Avg																																																																																																										
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.60	41.63	54.00	-12.37	31.30	34.68	12.09	36.44	0.00	110	59 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>94.24</td><td>-----</td><td>-----</td><td>83.69</td><td>34.50</td><td>12.31</td><td>36.26</td><td>0.00</td><td>110</td><td>59 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	94.24	-----	-----	83.69	34.50	12.31	36.26	0.00	110	59 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5455.60	41.63	54.00	-12.37	31.30	34.68	12.09	36.44	0.00	110	59 AVERAGE																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5610.00	94.24	-----	-----	83.69	34.50	12.31	36.26	0.00	110	59 AVERAGE																																																																																															




Mode	29																																																					
	Band Edge - R																																																					
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																					
ANT	1																																																					
Pol.	Horizontal						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5728.12</td><td>52.65</td><td>68.20</td><td>-15.55</td><td>41.96</td><td>34.66</td><td>12.43</td><td>36.40</td><td>0.00</td><td>110</td><td>59 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5728.12	52.65	68.20	-15.55	41.96	34.66	12.43	36.40	0.00	110	59 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5728.12	52.65	68.20	-15.55	41.96	34.66	12.43	36.40	0.00	110	59 PEAK																																											





Mode	29																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5414.16</td><td>50.55</td><td>74.00</td><td>-23.45</td><td>40.30</td><td>34.63</td><td>12.03</td><td>36.41</td><td>0.00</td><td>100</td><td>342 PEAK</td></tr><tr><td>2</td><td>5460.24</td><td>49.17</td><td>68.20</td><td>-19.03</td><td>38.85</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>100</td><td>342 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5414.16	50.55	74.00	-23.45	40.30	34.63	12.03	36.41	0.00	100	342 PEAK	2	5460.24	49.17	68.20	-19.03	38.85	34.66	12.10	36.44	0.00	100	342 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>99.82</td><td>-----</td><td>-----</td><td>89.27</td><td>34.50</td><td>12.31</td><td>36.26</td><td>0.00</td><td>100</td><td>342 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	99.82	-----	-----	89.27	34.50	12.31	36.26	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5414.16	50.55	74.00	-23.45	40.30	34.63	12.03	36.41	0.00	100	342 PEAK																																																																																																					
2	5460.24	49.17	68.20	-19.03	38.85	34.66	12.10	36.44	0.00	100	342 PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	99.82	-----	-----	89.27	34.50	12.31	36.26	0.00	100	342 PEAK																																																																																																					
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.80</td><td>41.02</td><td>54.00</td><td>-12.98</td><td>30.70</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>100</td><td>342 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.80	41.02	54.00	-12.98	30.70	34.66	12.10	36.44	0.00	100	342 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>90.90</td><td>-----</td><td>-----</td><td>80.35</td><td>34.50</td><td>12.31</td><td>36.26</td><td>0.00</td><td>100</td><td>342 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	90.90	-----	-----	80.35	34.50	12.31	36.26	0.00	100	342 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5458.80	41.02	54.00	-12.98	30.70	34.66	12.10	36.44	0.00	100	342 AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	90.90	-----	-----	80.35	34.50	12.31	36.26	0.00	100	342 AVERAGE																																																																																																					







Mode	29																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																							
ANT	1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5763.88</td><td>52.04</td><td>68.20</td><td>-16.16</td><td>41.26</td><td>34.78</td><td>12.46</td><td>36.46</td><td>0.00</td><td>100</td><td>342</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5763.88	52.04	68.20	-16.16	41.26	34.78	12.46	36.46	0.00	100	342	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5763.88	52.04	68.20	-16.16	41.26	34.78	12.46	36.46	0.00	100	342	PEAK																																												






Mode	29																																																																																																																																																														
	Harmonic																																																																																																																																																														
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																																																																														
ANT	1																																																																																																																																																														
Pol.	Horizontal										Vertical																																																																																																																																																				
Peak Avg																																																																																																																																																															
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7479.98</td><td>50.87</td><td>74.00</td><td>-23.13</td><td>67.17</td><td>35.80</td><td>14.26</td><td>66.36</td><td>0.00</td><td>300</td><td>46</td><td>PEAK</td></tr><tr><td>2 7479.98</td><td>50.31</td><td>54.00</td><td>-3.69</td><td>66.61</td><td>35.80</td><td>14.26</td><td>66.36</td><td>0.00</td><td>300</td><td>46</td><td>AVERAGE</td></tr><tr><td>3 11220.00</td><td>42.95</td><td>74.00</td><td>-31.05</td><td>53.99</td><td>37.90</td><td>17.67</td><td>66.61</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7479.98	50.87	74.00	-23.13	67.17	35.80	14.26	66.36	0.00	300	46	PEAK	2 7479.98	50.31	54.00	-3.69	66.61	35.80	14.26	66.36	0.00	300	46	AVERAGE	3 11220.00	42.95	74.00	-31.05	53.99	37.90	17.67	66.61	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7479.98</td><td>47.97</td><td>74.00</td><td>-26.03</td><td>64.27</td><td>35.80</td><td>14.26</td><td>66.36</td><td>0.00</td><td>214</td><td>307</td><td>PEAK</td></tr><tr><td>2 7479.98</td><td>46.48</td><td>54.00</td><td>-7.52</td><td>62.78</td><td>35.80</td><td>14.26</td><td>66.36</td><td>0.00</td><td>214</td><td>307</td><td>AVERAGE</td></tr><tr><td>3 11220.00</td><td>42.61</td><td>74.00</td><td>-31.39</td><td>53.65</td><td>37.90</td><td>17.67</td><td>66.61</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>										Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7479.98	47.97	74.00	-26.03	64.27	35.80	14.26	66.36	0.00	214	307	PEAK	2 7479.98	46.48	54.00	-7.52	62.78	35.80	14.26	66.36	0.00	214	307	AVERAGE	3 11220.00	42.61	74.00	-31.39	53.65	37.90	17.67	66.61	0.00	---	---
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																					
1 7479.98	50.87	74.00	-23.13	67.17	35.80	14.26	66.36	0.00	300	46	PEAK																																																																																																																																																				
2 7479.98	50.31	54.00	-3.69	66.61	35.80	14.26	66.36	0.00	300	46	AVERAGE																																																																																																																																																				
3 11220.00	42.95	74.00	-31.05	53.99	37.90	17.67	66.61	0.00	---	---	PEAK																																																																																																																																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																					
1 7479.98	47.97	74.00	-26.03	64.27	35.80	14.26	66.36	0.00	214	307	PEAK																																																																																																																																																				
2 7479.98	46.48	54.00	-7.52	62.78	35.80	14.26	66.36	0.00	214	307	AVERAGE																																																																																																																																																				
3 11220.00	42.61	74.00	-31.39	53.65	37.90	17.67	66.61	0.00	---	---	PEAK																																																																																																																																																				



Mode	30																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																								
ANT	1																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5689.60</td><td>50.28</td><td>68.20</td><td>-17.92</td><td>39.73</td><td>34.50</td><td>12.32</td><td>36.27</td><td>0.00</td><td>149</td><td>37 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>48.58</td><td>68.20</td><td>-19.62</td><td>38.04</td><td>34.50</td><td>12.35</td><td>36.31</td><td>0.00</td><td>149</td><td>37 PEAK</td></tr><tr><td>3</td><td>5718.80</td><td>59.27</td><td>110.56</td><td>-51.29</td><td>48.59</td><td>34.64</td><td>12.42</td><td>36.38</td><td>0.00</td><td>149</td><td>37 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>58.91</td><td>111.81</td><td>-52.90</td><td>48.24</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>149</td><td>37 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5689.60	50.28	68.20	-17.92	39.73	34.50	12.32	36.27	0.00	149	37 PEAK	2	5650.00	48.58	68.20	-19.62	38.04	34.50	12.35	36.31	0.00	149	37 PEAK	3	5718.80	59.27	110.56	-51.29	48.59	34.64	12.42	36.38	0.00	149	37 PEAK	4	5720.40	58.91	111.81	-52.90	48.24	34.64	12.42	36.39	0.00	149	37 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>107.30</td><td>-----</td><td>-----</td><td>96.60</td><td>34.68</td><td>12.44</td><td>36.42</td><td>0.00</td><td>149</td><td>37 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	107.30	-----	-----	96.60	34.68	12.44	36.42	0.00	149	37 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5689.60	50.28	68.20	-17.92	39.73	34.50	12.32	36.27	0.00	149	37 PEAK																																																																																																																														
2	5650.00	48.58	68.20	-19.62	38.04	34.50	12.35	36.31	0.00	149	37 PEAK																																																																																																																														
3	5718.80	59.27	110.56	-51.29	48.59	34.64	12.42	36.38	0.00	149	37 PEAK																																																																																																																														
4	5720.40	58.91	111.81	-52.90	48.24	34.64	12.42	36.39	0.00	149	37 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5745.00	107.30	-----	-----	96.60	34.68	12.44	36.42	0.00	149	37 PEAK																																																																																																																														
Avg																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>98.54</td><td>-----</td><td>-----</td><td>87.84</td><td>34.69</td><td>12.44</td><td>36.43</td><td>0.00</td><td>149</td><td>37 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	98.54	-----	-----	87.84	34.69	12.44	36.43	0.00	149	37 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>98.54</td><td>-----</td><td>-----</td><td>87.84</td><td>34.69</td><td>12.44</td><td>36.43</td><td>0.00</td><td>149</td><td>37 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	98.54	-----	-----	87.84	34.69	12.44	36.43	0.00	149	37 AVERAGE																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5745.00	98.54	-----	-----	87.84	34.69	12.44	36.43	0.00	149	37 AVERAGE																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5745.00	98.54	-----	-----	87.84	34.69	12.44	36.43	0.00	149	37 AVERAGE																																																																																																																														





Mode	30																																																																																																																													
	Band Edge																																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5630.40</td><td>50.16</td><td>68.20</td><td>-18.04</td><td>39.61</td><td>34.50</td><td>12.34</td><td>36.29</td><td>0.00</td><td>300</td><td>77</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>49.73</td><td>68.20</td><td>-18.47</td><td>39.19</td><td>34.50</td><td>12.35</td><td>36.31</td><td>0.00</td><td>300</td><td>77</td><td>PEAK</td></tr><tr><td>3</td><td>5704.80</td><td>58.85</td><td>106.65</td><td>-47.80</td><td>48.20</td><td>34.61</td><td>12.40</td><td>36.36</td><td>0.00</td><td>300</td><td>77</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>55.99</td><td>110.90</td><td>-54.91</td><td>45.32</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>300</td><td>77</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark	1	5630.40	50.16	68.20	-18.04	39.61	34.50	12.34	36.29	0.00	300	77	PEAK	2	5650.00	49.73	68.20	-18.47	39.19	34.50	12.35	36.31	0.00	300	77	PEAK	3	5704.80	58.85	106.65	-47.80	48.20	34.61	12.40	36.36	0.00	300	77	PEAK	4	5720.00	55.99	110.90	-54.91	45.32	34.64	12.42	36.39	0.00	300	77	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5745.00</td><td>105.61</td><td>-----</td><td>-----</td><td>94.91</td><td>34.69</td><td>12.44</td><td>36.43</td><td>0.00</td><td>300</td><td>77</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark	1	5745.00	105.61	-----	-----	94.91	34.69	12.44	36.43	0.00	300	77
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark																																																																																																																		
1	5630.40	50.16	68.20	-18.04	39.61	34.50	12.34	36.29	0.00	300	77	PEAK																																																																																																																		
2	5650.00	49.73	68.20	-18.47	39.19	34.50	12.35	36.31	0.00	300	77	PEAK																																																																																																																		
3	5704.80	58.85	106.65	-47.80	48.20	34.61	12.40	36.36	0.00	300	77	PEAK																																																																																																																		
4	5720.00	55.99	110.90	-54.91	45.32	34.64	12.42	36.39	0.00	300	77	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark																																																																																																																		
1	5745.00	105.61	-----	-----	94.91	34.69	12.44	36.43	0.00	300	77	PEAK																																																																																																																		
Avg	Blank																																																																																																																													
							<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5745.00</td><td>96.53</td><td>-----</td><td>-----</td><td>85.83</td><td>34.69</td><td>12.44</td><td>36.43</td><td>0.00</td><td>300</td><td>77</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark	1	5745.00	96.53	-----	-----	85.83	34.69	12.44	36.43	0.00	300	77	AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark																																																																																																																		
1	5745.00	96.53	-----	-----	85.83	34.69	12.44	36.43	0.00	300	77	AVERAGE																																																																																																																		






Mode	30																																																																																																																																																												
	Harmonic																																																																																																																																																												
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																																												
ANT	1																																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																																						
Peak Avg																																																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7659.98</td><td>51.32</td><td>74.00</td><td>-22.68</td><td>67.34</td><td>36.10</td><td>14.42</td><td>66.54</td><td>0.00</td><td>327</td><td>322</td><td>PEAK</td></tr><tr><td>2</td><td>7659.98</td><td>48.44</td><td>54.00</td><td>-5.56</td><td>64.46</td><td>36.10</td><td>14.42</td><td>66.54</td><td>0.00</td><td>327</td><td>322</td><td>AVERAGE</td></tr><tr><td>3</td><td>11490.00</td><td>44.10</td><td>74.00</td><td>-29.90</td><td>54.73</td><td>38.09</td><td>17.86</td><td>66.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7659.98	51.32	74.00	-22.68	67.34	36.10	14.42	66.54	0.00	327	322	PEAK	2	7659.98	48.44	54.00	-5.56	64.46	36.10	14.42	66.54	0.00	327	322	AVERAGE	3	11490.00	44.10	74.00	-29.90	54.73	38.09	17.86	66.58	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7659.98</td><td>50.01</td><td>74.00</td><td>-23.99</td><td>66.03</td><td>36.10</td><td>14.42</td><td>66.54</td><td>0.00</td><td>210</td><td>313</td><td>PEAK</td></tr><tr><td>2</td><td>7659.98</td><td>46.68</td><td>54.00</td><td>-7.32</td><td>62.70</td><td>36.10</td><td>14.42</td><td>66.54</td><td>0.00</td><td>210</td><td>313</td><td>AVERAGE</td></tr><tr><td>3</td><td>11490.00</td><td>43.84</td><td>74.00</td><td>-30.16</td><td>54.47</td><td>38.09</td><td>17.86</td><td>66.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7659.98	50.01	74.00	-23.99	66.03	36.10	14.42	66.54	0.00	210	313	PEAK	2	7659.98	46.68	54.00	-7.32	62.70	36.10	14.42	66.54	0.00	210	313	AVERAGE	3	11490.00	43.84	74.00	-30.16	54.47	38.09	17.86	66.58	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	7659.98	51.32	74.00	-22.68	67.34	36.10	14.42	66.54	0.00	327	322	PEAK																																																																																																																																																	
2	7659.98	48.44	54.00	-5.56	64.46	36.10	14.42	66.54	0.00	327	322	AVERAGE																																																																																																																																																	
3	11490.00	44.10	74.00	-29.90	54.73	38.09	17.86	66.58	0.00	---	---	PEAK																																																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	7659.98	50.01	74.00	-23.99	66.03	36.10	14.42	66.54	0.00	210	313	PEAK																																																																																																																																																	
2	7659.98	46.68	54.00	-7.32	62.70	36.10	14.42	66.54	0.00	210	313	AVERAGE																																																																																																																																																	
3	11490.00	43.84	74.00	-30.16	54.47	38.09	17.86	66.58	0.00	---	---	PEAK																																																																																																																																																	







Mode	31																																																																																																																																																								
	Harmonic																																																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																																								
ANT	1																																																																																																																																																								
Pol.	Horizontal											Vertical																																																																																																																																													
Peak Avg																																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7713.31</td><td>51.31</td><td>74.00</td><td>-22.69</td><td>67.26</td><td>36.15</td><td>14.48</td><td>66.58</td><td>0.00</td><td>323</td><td>321 PEAK</td></tr><tr><td>2</td><td>7713.31</td><td>48.45</td><td>54.00</td><td>-5.55</td><td>64.40</td><td>36.15</td><td>14.48</td><td>66.58</td><td>0.00</td><td>323</td><td>321 AVERAGE</td></tr><tr><td>3</td><td>11570.00</td><td>44.69</td><td>74.00</td><td>-29.31</td><td>55.13</td><td>38.17</td><td>17.92</td><td>66.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7713.31	51.31	74.00	-22.69	67.26	36.15	14.48	66.58	0.00	323	321 PEAK	2	7713.31	48.45	54.00	-5.55	64.40	36.15	14.48	66.58	0.00	323	321 AVERAGE	3	11570.00	44.69	74.00	-29.31	55.13	38.17	17.92	66.53	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7713.31</td><td>50.14</td><td>74.00</td><td>-23.86</td><td>66.09</td><td>36.15</td><td>14.48</td><td>66.58</td><td>0.00</td><td>234</td><td>303 PEAK</td></tr><tr><td>2</td><td>7713.31</td><td>46.90</td><td>54.00</td><td>-7.10</td><td>62.85</td><td>36.15</td><td>14.48</td><td>66.58</td><td>0.00</td><td>234</td><td>303 AVERAGE</td></tr><tr><td>3</td><td>11570.00</td><td>44.71</td><td>74.00</td><td>-29.29</td><td>55.15</td><td>38.17</td><td>17.92</td><td>66.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7713.31	50.14	74.00	-23.86	66.09	36.15	14.48	66.58	0.00	234	303 PEAK	2	7713.31	46.90	54.00	-7.10	62.85	36.15	14.48	66.58	0.00	234	303 AVERAGE	3	11570.00	44.71	74.00	-29.29	55.15	38.17	17.92	66.53	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																															
1	7713.31	51.31	74.00	-22.69	67.26	36.15	14.48	66.58	0.00	323	321 PEAK																																																																																																																																														
2	7713.31	48.45	54.00	-5.55	64.40	36.15	14.48	66.58	0.00	323	321 AVERAGE																																																																																																																																														
3	11570.00	44.69	74.00	-29.31	55.13	38.17	17.92	66.53	0.00	---	---	PEAK																																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																															
1	7713.31	50.14	74.00	-23.86	66.09	36.15	14.48	66.58	0.00	234	303 PEAK																																																																																																																																														
2	7713.31	46.90	54.00	-7.10	62.85	36.15	14.48	66.58	0.00	234	303 AVERAGE																																																																																																																																														
3	11570.00	44.71	74.00	-29.29	55.15	38.17	17.92	66.53	0.00	---	---	PEAK																																																																																																																																													





Mode	32																																																																																																																																															
	Band Edge																																																																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																															
ANT	1																																																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																																																									
Peak																																																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>57.95</td><td>111.36</td><td>-53.41</td><td>46.90</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>28</td><td>PEAK</td></tr><tr><td>2</td><td>5855.60</td><td>59.13</td><td>110.73</td><td>-51.60</td><td>48.07</td><td>35.12</td><td>12.57</td><td>36.63</td><td>0.00</td><td>100</td><td>28</td><td>PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>52.04</td><td>69.53</td><td>-17.49</td><td>40.89</td><td>35.30</td><td>12.66</td><td>36.81</td><td>0.00</td><td>100</td><td>28</td><td>PEAK</td></tr><tr><td>4</td><td>5932.00</td><td>51.62</td><td>68.20</td><td>-16.58</td><td>40.51</td><td>35.30</td><td>12.67</td><td>36.86</td><td>0.00</td><td>100</td><td>28</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	57.95	111.36	-53.41	46.90	35.12	12.56	36.63	0.00	100	28	PEAK	2	5855.60	59.13	110.73	-51.60	48.07	35.12	12.57	36.63	0.00	100	28	PEAK	3	5923.20	52.04	69.53	-17.49	40.89	35.30	12.66	36.81	0.00	100	28	PEAK	4	5932.00	51.62	68.20	-16.58	40.51	35.30	12.67	36.86	0.00	100	28	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>107.51</td><td>-----</td><td>-----</td><td>96.51</td><td>35.05</td><td>12.52</td><td>36.57</td><td>0.00</td><td>100</td><td>28</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	107.51	-----	-----	96.51	35.05	12.52	36.57	0.00	100	28	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																						
1	5854.00	57.95	111.36	-53.41	46.90	35.12	12.56	36.63	0.00	100	28	PEAK																																																																																																																																				
2	5855.60	59.13	110.73	-51.60	48.07	35.12	12.57	36.63	0.00	100	28	PEAK																																																																																																																																				
3	5923.20	52.04	69.53	-17.49	40.89	35.30	12.66	36.81	0.00	100	28	PEAK																																																																																																																																				
4	5932.00	51.62	68.20	-16.58	40.51	35.30	12.67	36.86	0.00	100	28	PEAK																																																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5825.00	107.51	-----	-----	96.51	35.05	12.52	36.57	0.00	100	28	PEAK																																																																																																																																				
Avg	Blank																																																																																																																																															
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>96.81</td><td>-----</td><td>-----</td><td>85.81</td><td>35.05</td><td>12.52</td><td>36.57</td><td>0.00</td><td>100</td><td>28</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	96.81	-----	-----	85.81	35.05	12.52	36.57	0.00	100	28	AVERAGE																																																																																					
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5825.00	96.81	-----	-----	85.81	35.05	12.52	36.57	0.00	100	28	AVERAGE																																																																																																																																				






Mode	32																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																								
ANT	1																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.40</td><td>58.58</td><td>112.27</td><td>-53.69</td><td>47.53</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>296</td><td>136 PEAK</td></tr><tr><td>2</td><td>5863.60</td><td>59.86</td><td>108.49</td><td>-48.63</td><td>48.77</td><td>35.15</td><td>12.58</td><td>36.64</td><td>0.00</td><td>296</td><td>136 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>52.09</td><td>68.94</td><td>-16.85</td><td>40.95</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>296</td><td>136 PEAK</td></tr><tr><td>4</td><td>5998.40</td><td>51.84</td><td>68.20</td><td>-16.36</td><td>40.93</td><td>35.30</td><td>12.76</td><td>37.15</td><td>0.00</td><td>296</td><td>136 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	58.58	112.27	-53.69	47.53	35.12	12.56	36.63	0.00	296	136 PEAK	2	5863.60	59.86	108.49	-48.63	48.77	35.15	12.58	36.64	0.00	296	136 PEAK	3	5924.00	52.09	68.94	-16.85	40.95	35.30	12.66	36.82	0.00	296	136 PEAK	4	5998.40	51.84	68.20	-16.36	40.93	35.30	12.76	37.15	0.00	296	136 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>105.56</td><td>-----</td><td>-----</td><td>94.56</td><td>35.05</td><td>12.52</td><td>36.57</td><td>0.00</td><td>296</td><td>136 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	105.56	-----	-----	94.56	35.05	12.52	36.57	0.00	296
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5854.40	58.58	112.27	-53.69	47.53	35.12	12.56	36.63	0.00	296	136 PEAK																																																																																																																														
2	5863.60	59.86	108.49	-48.63	48.77	35.15	12.58	36.64	0.00	296	136 PEAK																																																																																																																														
3	5924.00	52.09	68.94	-16.85	40.95	35.30	12.66	36.82	0.00	296	136 PEAK																																																																																																																														
4	5998.40	51.84	68.20	-16.36	40.93	35.30	12.76	37.15	0.00	296	136 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5825.00	105.56	-----	-----	94.56	35.05	12.52	36.57	0.00	296	136 PEAK																																																																																																																														
Avg																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>97.34</td><td>-----</td><td>-----</td><td>86.34</td><td>35.05</td><td>12.52</td><td>36.57</td><td>0.00</td><td>296</td><td>136 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	97.34	-----	-----	86.34	35.05	12.52	36.57	0.00	296	136 AVERAGE																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5825.00	97.34	-----	-----	86.34	35.05	12.52	36.57	0.00	296	136 AVERAGE																																																																																																																														






Mode	32																																																																																																																																			
	Harmonic																																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Horizontal												Vertical																																																																																																																							
Peak Avg																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7766.65</td><td>44.86</td><td>68.20</td><td>-23.34</td><td>68.65</td><td>36.30</td><td>14.54</td><td>66.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>46.08</td><td>74.00</td><td>-27.92</td><td>56.27</td><td>38.30</td><td>17.98</td><td>66.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7766.65	44.86	68.20	-23.34	68.65	36.30	14.54	66.63	0.00	---	---	PEAK	2	11650.00	46.08	74.00	-27.92	56.27	38.30	17.98	66.47	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7766.65</td><td>46.49</td><td>68.20</td><td>-21.71</td><td>62.28</td><td>36.30</td><td>14.54</td><td>66.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>45.22</td><td>74.00</td><td>-28.78</td><td>55.41</td><td>38.30</td><td>17.98</td><td>66.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7766.65	46.49	68.20	-21.71	62.28	36.30	14.54	66.63	0.00	---	---	PEAK	2	11650.00	45.22	74.00	-28.78	55.41	38.30	17.98	66.47	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	7766.65	44.86	68.20	-23.34	68.65	36.30	14.54	66.63	0.00	---	---	PEAK																																																																																																																								
2	11650.00	46.08	74.00	-27.92	56.27	38.30	17.98	66.47	0.00	---	---	PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	7766.65	46.49	68.20	-21.71	62.28	36.30	14.54	66.63	0.00	---	---	PEAK																																																																																																																								
2	11650.00	45.22	74.00	-28.78	55.41	38.30	17.98	66.47	0.00	---	---	PEAK																																																																																																																								





Mode	33																																																																																																																																							
	Band Edge																																																																																																																																							
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																																																							
ANT	1																																																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5648.40</td><td>51.02</td><td>68.20</td><td>-17.18</td><td>40.47</td><td>34.50</td><td>12.35</td><td>36.30</td><td>0.00</td><td>100</td><td>35 PEAK</td></tr><tr><td>2</td><td>5652.00</td><td>49.32</td><td>69.69</td><td>-20.37</td><td>38.77</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>100</td><td>35 PEAK</td></tr><tr><td>3</td><td>5713.20</td><td>56.48</td><td>109.00</td><td>-52.52</td><td>45.81</td><td>34.63</td><td>12.41</td><td>36.37</td><td>0.00</td><td>100</td><td>35 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>60.12</td><td>111.81</td><td>-51.69</td><td>49.45</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>100</td><td>35 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5648.40	51.02	68.20	-17.18	40.47	34.50	12.35	36.30	0.00	100	35 PEAK	2	5652.00	49.32	69.69	-20.37	38.77	34.50	12.36	36.31	0.00	100	35 PEAK	3	5713.20	56.48	109.00	-52.52	45.81	34.63	12.41	36.37	0.00	100	35 PEAK	4	5720.40	60.12	111.81	-51.69	49.45	34.64	12.42	36.39	0.00	100	35 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>105.24</td><td>-----</td><td>-----</td><td>94.54</td><td>34.69</td><td>12.44</td><td>36.43</td><td>0.00</td><td>100</td><td>35 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	105.24	-----	-----	94.54	34.69	12.44	36.43	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5648.40	51.02	68.20	-17.18	40.47	34.50	12.35	36.30	0.00	100	35 PEAK																																																																																																																													
2	5652.00	49.32	69.69	-20.37	38.77	34.50	12.36	36.31	0.00	100	35 PEAK																																																																																																																													
3	5713.20	56.48	109.00	-52.52	45.81	34.63	12.41	36.37	0.00	100	35 PEAK																																																																																																																													
4	5720.40	60.12	111.81	-51.69	49.45	34.64	12.42	36.39	0.00	100	35 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5745.00	105.24	-----	-----	94.54	34.69	12.44	36.43	0.00	100	35 PEAK																																																																																																																													
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>96.67</td><td>-----</td><td>-----</td><td>85.97</td><td>34.69</td><td>12.44</td><td>36.43</td><td>0.00</td><td>100</td><td>35 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	96.67	-----	-----	85.97	34.69	12.44	36.43	0.00	100	35 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5745.00	96.67	-----	-----	85.97	34.69	12.44	36.43	0.00	100	35 AVERAGE																																																																																																																													





Mode	33																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																																																									
ANT	1																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5644.40</td><td>49.93</td><td>68.20</td><td>-18.27</td><td>39.38</td><td>34.50</td><td>12.35</td><td>36.30</td><td>0.00</td><td>300</td><td>75 PEAK</td></tr><tr><td>2</td><td>5652.00</td><td>50.07</td><td>69.69</td><td>-19.62</td><td>39.52</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>300</td><td>75 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>51.45</td><td>105.30</td><td>-53.85</td><td>40.80</td><td>34.60</td><td>12.40</td><td>36.35</td><td>0.00</td><td>300</td><td>75 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>54.90</td><td>110.90</td><td>-56.00</td><td>44.23</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>300</td><td>75 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5644.40	49.93	68.20	-18.27	39.38	34.50	12.35	36.30	0.00	300	75 PEAK	2	5652.00	50.07	69.69	-19.62	39.52	34.50	12.36	36.31	0.00	300	75 PEAK	3	5700.00	51.45	105.30	-53.85	40.80	34.60	12.40	36.35	0.00	300	75 PEAK	4	5720.00	54.90	110.90	-56.00	44.23	34.64	12.42	36.39	0.00	300	75 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>103.80</td><td>-----</td><td>-----</td><td>93.10</td><td>34.69</td><td>12.44</td><td>36.43</td><td>0.00</td><td>300</td><td>75 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	103.80	-----	-----	93.10	34.69	12.44	36.43	0.00	300	75 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5644.40	49.93	68.20	-18.27	39.38	34.50	12.35	36.30	0.00	300	75 PEAK																																																																																																																															
2	5652.00	50.07	69.69	-19.62	39.52	34.50	12.36	36.31	0.00	300	75 PEAK																																																																																																																															
3	5700.00	51.45	105.30	-53.85	40.80	34.60	12.40	36.35	0.00	300	75 PEAK																																																																																																																															
4	5720.00	54.90	110.90	-56.00	44.23	34.64	12.42	36.39	0.00	300	75 PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	103.80	-----	-----	93.10	34.69	12.44	36.43	0.00	300	75 PEAK																																																																																																																															
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>94.96</td><td>-----</td><td>-----</td><td>84.26</td><td>34.69</td><td>12.44</td><td>36.43</td><td>0.00</td><td>300</td><td>75 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	94.96	-----	-----	84.26	34.69	12.44	36.43	0.00	300	75 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	94.96	-----	-----	84.26	34.69	12.44	36.43	0.00	300	75 AVERAGE																																																																																																																															






Mode	33																																																																																																																																																													
	Harmonic																																																																																																																																																													
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																																																																													
ANT	1																																																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																																																							
Peak Avg																																																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7659.98</td><td>50.74</td><td>74.00</td><td>-23.26</td><td>66.76</td><td>36.10</td><td>14.42</td><td>66.54</td><td>0.00</td><td>327</td><td>327</td><td>PEAK</td></tr><tr><td>2</td><td>7659.98</td><td>48.25</td><td>54.00</td><td>-5.75</td><td>64.27</td><td>36.10</td><td>14.42</td><td>66.54</td><td>0.00</td><td>327</td><td>327</td><td>AVERAGE</td></tr><tr><td>3</td><td>11490.00</td><td>44.49</td><td>74.00</td><td>-29.51</td><td>55.12</td><td>38.09</td><td>17.86</td><td>66.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7659.98	50.74	74.00	-23.26	66.76	36.10	14.42	66.54	0.00	327	327	PEAK	2	7659.98	48.25	54.00	-5.75	64.27	36.10	14.42	66.54	0.00	327	327	AVERAGE	3	11490.00	44.49	74.00	-29.51	55.12	38.09	17.86	66.58	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7659.98</td><td>50.38</td><td>74.00</td><td>-23.62</td><td>66.40</td><td>36.10</td><td>14.42</td><td>66.54</td><td>0.00</td><td>191</td><td>310</td><td>PEAK</td></tr><tr><td>2</td><td>7659.98</td><td>47.35</td><td>54.00</td><td>-6.65</td><td>63.37</td><td>36.10</td><td>14.42</td><td>66.54</td><td>0.00</td><td>191</td><td>310</td><td>AVERAGE</td></tr><tr><td>3</td><td>11490.00</td><td>45.60</td><td>74.00</td><td>-28.40</td><td>56.23</td><td>38.09</td><td>17.86</td><td>66.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7659.98	50.38	74.00	-23.62	66.40	36.10	14.42	66.54	0.00	191	310	PEAK	2	7659.98	47.35	54.00	-6.65	63.37	36.10	14.42	66.54	0.00	191	310	AVERAGE	3	11490.00	45.60	74.00	-28.40	56.23	38.09	17.86	66.58	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																			
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																			
1	7659.98	50.74	74.00	-23.26	66.76	36.10	14.42	66.54	0.00	327	327	PEAK																																																																																																																																																		
2	7659.98	48.25	54.00	-5.75	64.27	36.10	14.42	66.54	0.00	327	327	AVERAGE																																																																																																																																																		
3	11490.00	44.49	74.00	-29.51	55.12	38.09	17.86	66.58	0.00	---	---	PEAK																																																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																			
1	7659.98	50.38	74.00	-23.62	66.40	36.10	14.42	66.54	0.00	191	310	PEAK																																																																																																																																																		
2	7659.98	47.35	54.00	-6.65	63.37	36.10	14.42	66.54	0.00	191	310	AVERAGE																																																																																																																																																		
3	11490.00	45.60	74.00	-28.40	56.23	38.09	17.86	66.58	0.00	---	---	PEAK																																																																																																																																																		






Mode	34																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-3_5.725-5.85_802.11n HT20_CH157_5785MHz																																																																																																																																																							
ANT	1																																																																																																																																																							
Pol.	Horizontal											Vertical																																																																																																																																												
Peak Avg																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7713.31</td><td>52.07</td><td>74.00</td><td>-21.93</td><td>68.02</td><td>36.15</td><td>14.48</td><td>66.58</td><td>0.00</td><td>335</td><td>317 PEAK</td></tr><tr><td>2</td><td>7713.31</td><td>48.71</td><td>54.00</td><td>-5.29</td><td>64.66</td><td>36.15</td><td>14.48</td><td>66.58</td><td>0.00</td><td>335</td><td>317 AVERAGE</td></tr><tr><td>3</td><td>11570.00</td><td>45.71</td><td>74.00</td><td>-28.29</td><td>56.15</td><td>38.17</td><td>17.92</td><td>66.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7713.31	52.07	74.00	-21.93	68.02	36.15	14.48	66.58	0.00	335	317 PEAK	2	7713.31	48.71	54.00	-5.29	64.66	36.15	14.48	66.58	0.00	335	317 AVERAGE	3	11570.00	45.71	74.00	-28.29	56.15	38.17	17.92	66.53	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7713.31</td><td>50.59</td><td>74.00</td><td>-23.41</td><td>66.54</td><td>36.15</td><td>14.48</td><td>66.58</td><td>0.00</td><td>211</td><td>351 PEAK</td></tr><tr><td>2</td><td>7713.31</td><td>47.40</td><td>54.00</td><td>-6.60</td><td>63.35</td><td>36.15</td><td>14.48</td><td>66.58</td><td>0.00</td><td>211</td><td>351 AVERAGE</td></tr><tr><td>3</td><td>11570.00</td><td>44.84</td><td>74.00</td><td>-29.16</td><td>55.28</td><td>38.17</td><td>17.92</td><td>66.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7713.31	50.59	74.00	-23.41	66.54	36.15	14.48	66.58	0.00	211	351 PEAK	2	7713.31	47.40	54.00	-6.60	63.35	36.15	14.48	66.58	0.00	211	351 AVERAGE	3	11570.00	44.84	74.00	-29.16	55.28	38.17	17.92	66.53	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	7713.31	52.07	74.00	-21.93	68.02	36.15	14.48	66.58	0.00	335	317 PEAK																																																																																																																																													
2	7713.31	48.71	54.00	-5.29	64.66	36.15	14.48	66.58	0.00	335	317 AVERAGE																																																																																																																																													
3	11570.00	45.71	74.00	-28.29	56.15	38.17	17.92	66.53	0.00	---	---	PEAK																																																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	7713.31	50.59	74.00	-23.41	66.54	36.15	14.48	66.58	0.00	211	351 PEAK																																																																																																																																													
2	7713.31	47.40	54.00	-6.60	63.35	36.15	14.48	66.58	0.00	211	351 AVERAGE																																																																																																																																													
3	11570.00	44.84	74.00	-29.16	55.28	38.17	17.92	66.53	0.00	---	---	PEAK																																																																																																																																												





Mode	35																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																																																									
ANT	1																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>58.87</td><td>111.36</td><td>-52.49</td><td>47.82</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>29 PEAK</td></tr><tr><td>2</td><td>5871.60</td><td>54.68</td><td>106.25</td><td>-51.57</td><td>43.56</td><td>35.19</td><td>12.59</td><td>36.66</td><td>0.00</td><td>100</td><td>29 PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>51.37</td><td>69.53</td><td>-18.16</td><td>40.22</td><td>35.30</td><td>12.66</td><td>36.81</td><td>0.00</td><td>100</td><td>29 PEAK</td></tr><tr><td>4</td><td>5938.40</td><td>52.68</td><td>68.20</td><td>-15.52</td><td>41.58</td><td>35.30</td><td>12.68</td><td>36.88</td><td>0.00</td><td>100</td><td>29 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	58.87	111.36	-52.49	47.82	35.12	12.56	36.63	0.00	100	29 PEAK	2	5871.60	54.68	106.25	-51.57	43.56	35.19	12.59	36.66	0.00	100	29 PEAK	3	5923.20	51.37	69.53	-18.16	40.22	35.30	12.66	36.81	0.00	100	29 PEAK	4	5938.40	52.68	68.20	-15.52	41.58	35.30	12.68	36.88	0.00	100	29 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>107.54</td><td>-----</td><td>-----</td><td>96.54</td><td>35.05</td><td>12.52</td><td>36.57</td><td>0.00</td><td>100</td><td>29 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	107.54	-----	-----	96.54	35.05	12.52	36.57	0.00	100	29 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5854.00	58.87	111.36	-52.49	47.82	35.12	12.56	36.63	0.00	100	29 PEAK																																																																																																																															
2	5871.60	54.68	106.25	-51.57	43.56	35.19	12.59	36.66	0.00	100	29 PEAK																																																																																																																															
3	5923.20	51.37	69.53	-18.16	40.22	35.30	12.66	36.81	0.00	100	29 PEAK																																																																																																																															
4	5938.40	52.68	68.20	-15.52	41.58	35.30	12.68	36.88	0.00	100	29 PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	107.54	-----	-----	96.54	35.05	12.52	36.57	0.00	100	29 PEAK																																																																																																																															
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>98.57</td><td>-----</td><td>-----</td><td>87.57</td><td>35.05</td><td>12.52</td><td>36.57</td><td>0.00</td><td>100</td><td>29 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	98.57	-----	-----	87.57	35.05	12.52	36.57	0.00	100	29 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	98.57	-----	-----	87.57	35.05	12.52	36.57	0.00	100	29 AVERAGE																																																																																																																															






Mode	35																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																																																									
ANT	1																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.40</td><td>56.20</td><td>112.27</td><td>-56.07</td><td>45.15</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>300</td><td>135 PEAK</td></tr><tr><td>2</td><td>5874.80</td><td>51.11</td><td>105.36</td><td>-54.25</td><td>39.98</td><td>35.20</td><td>12.59</td><td>36.66</td><td>0.00</td><td>300</td><td>135 PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>52.43</td><td>69.53</td><td>-17.10</td><td>41.28</td><td>35.30</td><td>12.66</td><td>36.81</td><td>0.00</td><td>300</td><td>135 PEAK</td></tr><tr><td>4</td><td>5941.60</td><td>50.80</td><td>68.20</td><td>-17.40</td><td>39.72</td><td>35.30</td><td>12.68</td><td>36.90</td><td>0.00</td><td>300</td><td>135 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	56.20	112.27	-56.07	45.15	35.12	12.56	36.63	0.00	300	135 PEAK	2	5874.80	51.11	105.36	-54.25	39.98	35.20	12.59	36.66	0.00	300	135 PEAK	3	5923.20	52.43	69.53	-17.10	41.28	35.30	12.66	36.81	0.00	300	135 PEAK	4	5941.60	50.80	68.20	-17.40	39.72	35.30	12.68	36.90	0.00	300	135 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>104.91</td><td>-----</td><td>-----</td><td>93.91</td><td>35.05</td><td>12.52</td><td>36.57</td><td>0.00</td><td>300</td><td>135 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	104.91	-----	-----	93.91	35.05	12.52	36.57	0.00	300	135 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5854.40	56.20	112.27	-56.07	45.15	35.12	12.56	36.63	0.00	300	135 PEAK																																																																																																																															
2	5874.80	51.11	105.36	-54.25	39.98	35.20	12.59	36.66	0.00	300	135 PEAK																																																																																																																															
3	5923.20	52.43	69.53	-17.10	41.28	35.30	12.66	36.81	0.00	300	135 PEAK																																																																																																																															
4	5941.60	50.80	68.20	-17.40	39.72	35.30	12.68	36.90	0.00	300	135 PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	104.91	-----	-----	93.91	35.05	12.52	36.57	0.00	300	135 PEAK																																																																																																																															
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>96.07</td><td>-----</td><td>-----</td><td>85.07</td><td>35.05</td><td>12.52</td><td>36.57</td><td>0.00</td><td>300</td><td>135 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	96.07	-----	-----	85.07	35.05	12.52	36.57	0.00	300	135 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	96.07	-----	-----	85.07	35.05	12.52	36.57	0.00	300	135 AVERAGE																																																																																																																															




Mode	35																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																																									
ANT	1																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7766.65</td><td>46.04</td><td>68.20</td><td>-22.16</td><td>61.83</td><td>36.30</td><td>14.54</td><td>66.63</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>45.44</td><td>74.00</td><td>-28.56</td><td>55.63</td><td>38.30</td><td>17.98</td><td>66.47</td><td>0.00</td><td>--- PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7766.65	46.04	68.20	-22.16	61.83	36.30	14.54	66.63	0.00	--- PEAK	2	11650.00	45.44	74.00	-28.56	55.63	38.30	17.98	66.47	0.00	--- PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7766.65</td><td>47.50</td><td>68.20</td><td>-20.70</td><td>63.29</td><td>36.30</td><td>14.54</td><td>66.63</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>45.25</td><td>74.00</td><td>-28.75</td><td>55.44</td><td>38.30</td><td>17.98</td><td>66.47</td><td>0.00</td><td>--- PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7766.65	47.50	68.20	-20.70	63.29	36.30	14.54	66.63	0.00	--- PEAK	2	11650.00	45.25	74.00	-28.75	55.44	38.30	17.98	66.47	0.00	--- PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	7766.65	46.04	68.20	-22.16	61.83	36.30	14.54	66.63	0.00	--- PEAK																																																																																																																
2	11650.00	45.44	74.00	-28.56	55.63	38.30	17.98	66.47	0.00	--- PEAK																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	7766.65	47.50	68.20	-20.70	63.29	36.30	14.54	66.63	0.00	--- PEAK																																																																																																																
2	11650.00	45.25	74.00	-28.75	55.44	38.30	17.98	66.47	0.00	--- PEAK																																																																																																																






Mode	36																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5602.48</td><td>51.62</td><td>68.20</td><td>-16.58</td><td>41.07</td><td>34.50</td><td>12.31</td><td>36.26</td><td>0.00</td><td>100</td><td>35 PEAK</td></tr><tr><td>2 5651.62</td><td>50.44</td><td>69.40</td><td>-18.96</td><td>39.89</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>100</td><td>35 PEAK</td></tr><tr><td>3 5707.42</td><td>64.58</td><td>107.38</td><td>-42.80</td><td>53.92</td><td>34.61</td><td>12.41</td><td>36.36</td><td>0.00</td><td>100</td><td>35 PEAK</td></tr><tr><td>4 5720.13</td><td>67.73</td><td>111.19</td><td>-43.46</td><td>57.06</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>100</td><td>35 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5602.48	51.62	68.20	-16.58	41.07	34.50	12.31	36.26	0.00	100	35 PEAK	2 5651.62	50.44	69.40	-18.96	39.89	34.50	12.36	36.31	0.00	100	35 PEAK	3 5707.42	64.58	107.38	-42.80	53.92	34.61	12.41	36.36	0.00	100	35 PEAK	4 5720.13	67.73	111.19	-43.46	57.06	34.64	12.42	36.39	0.00	100	35 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>103.83</td><td>-----</td><td>-----</td><td>93.11</td><td>34.71</td><td>12.45</td><td>36.44</td><td>0.00</td><td>100</td><td>35 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	103.83	-----	-----	93.11	34.71	12.45	36.44	0.00	100	35 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5602.48	51.62	68.20	-16.58	41.07	34.50	12.31	36.26	0.00	100	35 PEAK																																																																																																																										
2 5651.62	50.44	69.40	-18.96	39.89	34.50	12.36	36.31	0.00	100	35 PEAK																																																																																																																										
3 5707.42	64.58	107.38	-42.80	53.92	34.61	12.41	36.36	0.00	100	35 PEAK																																																																																																																										
4 5720.13	67.73	111.19	-43.46	57.06	34.64	12.42	36.39	0.00	100	35 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5755.00	103.83	-----	-----	93.11	34.71	12.45	36.44	0.00	100	35 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>93.64</td><td>-----</td><td>-----</td><td>82.89</td><td>34.75</td><td>12.45</td><td>36.45</td><td>0.00</td><td>100</td><td>35 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	93.64	-----	-----	82.89	34.75	12.45	36.45	0.00	100	35 AVERAGE																																																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5755.00	93.64	-----	-----	82.89	34.75	12.45	36.45	0.00	100	35 AVERAGE																																																																																																																										




Mode	36																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																											
ANT	1																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>5854.45</td><td>50.28</td><td>112.15</td><td>-61.87</td><td>39.23</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>35 PEAK</td></tr><tr><td>2</td><td>5870.85</td><td>50.80</td><td>106.68</td><td>-55.88</td><td>39.70</td><td>35.18</td><td>12.58</td><td>36.66</td><td>0.00</td><td>100</td><td>35 PEAK</td></tr><tr><td>3</td><td>5924.46</td><td>51.20</td><td>68.60</td><td>-17.40</td><td>40.06</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>100</td><td>35 PEAK</td></tr><tr><td>4</td><td>5933.23</td><td>50.84</td><td>68.20</td><td>-17.36</td><td>39.73</td><td>35.30</td><td>12.67</td><td>36.86</td><td>0.00</td><td>100</td><td>35 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	5854.45	50.28	112.15	-61.87	39.23	35.12	12.56	36.63	0.00	100	35 PEAK	2	5870.85	50.80	106.68	-55.88	39.70	35.18	12.58	36.66	0.00	100	35 PEAK	3	5924.46	51.20	68.60	-17.40	40.06	35.30	12.66	36.82	0.00	100	35 PEAK	4	5933.23	50.84	68.20	-17.36	39.73	35.30	12.67	36.86	0.00	100	35 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																			
1	5854.45	50.28	112.15	-61.87	39.23	35.12	12.56	36.63	0.00	100	35 PEAK																																																																																	
2	5870.85	50.80	106.68	-55.88	39.70	35.18	12.58	36.66	0.00	100	35 PEAK																																																																																	
3	5924.46	51.20	68.60	-17.40	40.06	35.30	12.66	36.82	0.00	100	35 PEAK																																																																																	
4	5933.23	50.84	68.20	-17.36	39.73	35.30	12.67	36.86	0.00	100	35 PEAK																																																																																	



Mode	36																																																																																																																																							
	Band Edge - L																																																																																																																																							
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																																																																							
ANT	1																																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5636.58</td><td>51.06</td><td>68.20</td><td>-17.14</td><td>40.51</td><td>34.50</td><td>12.34</td><td>36.29</td><td>0.00</td><td>390</td><td>115 PEAK</td></tr><tr><td>2</td><td>5658.07</td><td>48.79</td><td>68.25</td><td>-19.46</td><td>38.24</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>390</td><td>115 PEAK</td></tr><tr><td>3</td><td>5718.11</td><td>64.73</td><td>110.37</td><td>-45.64</td><td>54.05</td><td>34.64</td><td>12.42</td><td>36.38</td><td>0.00</td><td>390</td><td>115 PEAK</td></tr><tr><td>4</td><td>5720.44</td><td>63.98</td><td>111.89</td><td>-47.91</td><td>53.31</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>390</td><td>115 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5636.58	51.06	68.20	-17.14	40.51	34.50	12.34	36.29	0.00	390	115 PEAK	2	5658.07	48.79	68.25	-19.46	38.24	34.50	12.36	36.31	0.00	390	115 PEAK	3	5718.11	64.73	110.37	-45.64	54.05	34.64	12.42	36.38	0.00	390	115 PEAK	4	5720.44	63.98	111.89	-47.91	53.31	34.64	12.42	36.39	0.00	390	115 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>103.56</td><td>-----</td><td>-----</td><td>92.84</td><td>34.71</td><td>12.45</td><td>36.44</td><td>0.00</td><td>390</td><td>115 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	103.56	-----	-----	92.84	34.71	12.45	36.44	0.00	390
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5636.58	51.06	68.20	-17.14	40.51	34.50	12.34	36.29	0.00	390	115 PEAK																																																																																																																													
2	5658.07	48.79	68.25	-19.46	38.24	34.50	12.36	36.31	0.00	390	115 PEAK																																																																																																																													
3	5718.11	64.73	110.37	-45.64	54.05	34.64	12.42	36.38	0.00	390	115 PEAK																																																																																																																													
4	5720.44	63.98	111.89	-47.91	53.31	34.64	12.42	36.39	0.00	390	115 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5755.00	103.56	-----	-----	92.84	34.71	12.45	36.44	0.00	390	115 PEAK																																																																																																																													
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>94.00</td><td>-----</td><td>-----</td><td>83.28</td><td>34.71</td><td>12.45</td><td>36.44</td><td>0.00</td><td>390</td><td>115 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	94.00	-----	-----	83.28	34.71	12.45	36.44	0.00	390	115 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5755.00	94.00	-----	-----	83.28	34.71	12.45	36.44	0.00	390	115 AVERAGE																																																																																																																													






Mode	36																																																																																						
	Band Edge - R																																																																																						
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																						
ANT	1																																																																																						
Pol.	Vertical	Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>51.13</td><td>111.26</td><td>-60.13</td><td>40.00</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>390</td><td>115</td><td>PEAK</td></tr><tr><td>2</td><td>5874.93</td><td>52.08</td><td>105.32</td><td>-53.24</td><td>40.95</td><td>35.20</td><td>12.59</td><td>36.66</td><td>0.00</td><td>390</td><td>115</td><td>PEAK</td></tr><tr><td>3</td><td>5924.26</td><td>51.80</td><td>68.75</td><td>-16.95</td><td>40.66</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>390</td><td>115</td><td>PEAK</td></tr><tr><td>4</td><td>5933.62</td><td>51.21</td><td>68.20</td><td>-16.99</td><td>40.10</td><td>35.30</td><td>12.67</td><td>36.86</td><td>0.00</td><td>390</td><td>115</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.84	51.13	111.26	-60.13	40.00	35.12	12.56	36.63	0.00	390	115	PEAK	2	5874.93	52.08	105.32	-53.24	40.95	35.20	12.59	36.66	0.00	390	115	PEAK	3	5924.26	51.80	68.75	-16.95	40.66	35.30	12.66	36.82	0.00	390	115	PEAK	4	5933.62	51.21	68.20	-16.99	40.10	35.30	12.67	36.86	0.00	390	115	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5854.84	51.13	111.26	-60.13	40.00	35.12	12.56	36.63	0.00	390	115	PEAK																																																																											
2	5874.93	52.08	105.32	-53.24	40.95	35.20	12.59	36.66	0.00	390	115	PEAK																																																																											
3	5924.26	51.80	68.75	-16.95	40.66	35.30	12.66	36.82	0.00	390	115	PEAK																																																																											
4	5933.62	51.21	68.20	-16.99	40.10	35.30	12.67	36.86	0.00	390	115	PEAK																																																																											




Mode	36																																																																												
	Harmonic																																																																												
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																												
ANT	1																																																																												
Pol.	Horizontal						Vertical																																																																						
Peak Avg																																																																													
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7673.31</td><td>51.21</td><td>74.00</td><td>-22.79</td><td>67.23</td><td>36.10</td><td>14.43</td><td>66.55</td><td>0.00</td><td>328</td><td>327 PEAK</td></tr><tr><td>2</td><td>7673.31</td><td>49.00</td><td>54.00</td><td>-5.00</td><td>65.02</td><td>36.10</td><td>14.43</td><td>66.55</td><td>0.00</td><td>328</td><td>327 AVERAGE</td></tr><tr><td>3</td><td>11510.00</td><td>43.43</td><td>74.00</td><td>-30.57</td><td>54.01</td><td>38.11</td><td>17.88</td><td>66.57</td><td>0.00</td><td>---</td><td>---</td> PEAK</tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7673.31	51.21	74.00	-22.79	67.23	36.10	14.43	66.55	0.00	328	327 PEAK	2	7673.31	49.00	54.00	-5.00	65.02	36.10	14.43	66.55	0.00	328	327 AVERAGE	3	11510.00	43.43	74.00	-30.57	54.01	38.11	17.88	66.57	0.00	---	---
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1	7673.31	51.21	74.00	-22.79	67.23	36.10	14.43	66.55	0.00	328	327 PEAK																																																																		
2	7673.31	49.00	54.00	-5.00	65.02	36.10	14.43	66.55	0.00	328	327 AVERAGE																																																																		
3	11510.00	43.43	74.00	-30.57	54.01	38.11	17.88	66.57	0.00	---	---																																																																		

 | | | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | |------|----------|--------|-------|--------|--------|-------|--------|--------|------|------|-------------| | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor | | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | | | 1 | 7673.31 | 50.21 | 74.00 | -23.79 | 66.23 | 36.10 | 14.43 | 66.55 | 0.00 | 201 | 311 PEAK | | 2 | 7673.31 | 47.00 | 54.00 | -7.00 | 63.02 | 36.10 | 14.43 | 66.55 | 0.00 | 201 | 311 AVERAGE | | 3 | 11510.00 | 43.44 | 74.00 | -30.56 | 54.02 | 38.11 | 17.88 | 66.57 | 0.00 | --- | --- | | | | | | |



Mode	37																																																																																																																																							
	Band Edge - L																																																																																																																																							
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																																																							
ANT	1																																																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5604.40</td><td>49.75</td><td>68.20</td><td>-18.45</td><td>39.20</td><td>34.50</td><td>12.31</td><td>36.26</td><td>0.00</td><td>100</td><td>36 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>49.53</td><td>68.50</td><td>-18.97</td><td>38.98</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>100</td><td>36 PEAK</td></tr><tr><td>3</td><td>5705.60</td><td>53.49</td><td>106.87</td><td>-53.38</td><td>42.83</td><td>34.61</td><td>12.41</td><td>36.36</td><td>0.00</td><td>100</td><td>36 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>53.46</td><td>111.81</td><td>-58.35</td><td>42.79</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>100</td><td>36 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5604.40	49.75	68.20	-18.45	39.20	34.50	12.31	36.26	0.00	100	36 PEAK	2	5650.40	49.53	68.50	-18.97	38.98	34.50	12.36	36.31	0.00	100	36 PEAK	3	5705.60	53.49	106.87	-53.38	42.83	34.61	12.41	36.36	0.00	100	36 PEAK	4	5720.40	53.46	111.81	-58.35	42.79	34.64	12.42	36.39	0.00	100	36 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>104.45</td><td>-----</td><td>-----</td><td>93.55</td><td>34.93</td><td>12.48</td><td>36.51</td><td>0.00</td><td>100</td><td>36 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	104.45	-----	-----	93.55	34.93	12.48	36.51	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5604.40	49.75	68.20	-18.45	39.20	34.50	12.31	36.26	0.00	100	36 PEAK																																																																																																																													
2	5650.40	49.53	68.50	-18.97	38.98	34.50	12.36	36.31	0.00	100	36 PEAK																																																																																																																													
3	5705.60	53.49	106.87	-53.38	42.83	34.61	12.41	36.36	0.00	100	36 PEAK																																																																																																																													
4	5720.40	53.46	111.81	-58.35	42.79	34.64	12.42	36.39	0.00	100	36 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5795.00	104.45	-----	-----	93.55	34.93	12.48	36.51	0.00	100	36 PEAK																																																																																																																													
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>96.10</td><td>-----</td><td>-----</td><td>85.18</td><td>34.96</td><td>12.48</td><td>36.52</td><td>0.00</td><td>100</td><td>36 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	96.10	-----	-----	85.18	34.96	12.48	36.52	0.00	100	36 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5795.00	96.10	-----	-----	85.18	34.96	12.48	36.52	0.00	100	36 AVERAGE																																																																																																																													




Mode	37																																																																																															
	Band Edge - R																																																																																															
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>55.38</td><td>112.27</td><td>-56.89</td><td>44.33</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>36</td><td>PEAK</td></tr><tr><td>2</td><td>5856.00</td><td>57.40</td><td>110.62</td><td>-53.22</td><td>46.34</td><td>35.12</td><td>12.57</td><td>36.63</td><td>0.00</td><td>100</td><td>36</td><td>PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>51.01</td><td>69.53</td><td>-18.52</td><td>39.86</td><td>35.30</td><td>12.66</td><td>36.81</td><td>0.00</td><td>100</td><td>36</td><td>PEAK</td></tr><tr><td>4</td><td>5926.80</td><td>52.07</td><td>68.20</td><td>-16.13</td><td>40.94</td><td>35.30</td><td>12.66</td><td>36.83</td><td>0.00</td><td>100</td><td>36</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	55.38	112.27	-56.89	44.33	35.12	12.56	36.63	0.00	100	36	PEAK	2	5856.00	57.40	110.62	-53.22	46.34	35.12	12.57	36.63	0.00	100	36	PEAK	3	5923.20	51.01	69.53	-18.52	39.86	35.30	12.66	36.81	0.00	100	36	PEAK	4	5926.80	52.07	68.20	-16.13	40.94	35.30	12.66	36.83	0.00	100	36	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5854.40	55.38	112.27	-56.89	44.33	35.12	12.56	36.63	0.00	100	36	PEAK																																																																																				
2	5856.00	57.40	110.62	-53.22	46.34	35.12	12.57	36.63	0.00	100	36	PEAK																																																																																				
3	5923.20	51.01	69.53	-18.52	39.86	35.30	12.66	36.81	0.00	100	36	PEAK																																																																																				
4	5926.80	52.07	68.20	-16.13	40.94	35.30	12.66	36.83	0.00	100	36	PEAK																																																																																				





Mode	37																																																																																																																																														
	Band Edge - L																																																																																																																																														
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																																																														
ANT	1																																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5615.20</td><td>50.80</td><td>68.20</td><td>-17.40</td><td>40.25</td><td>34.50</td><td>12.32</td><td>36.27</td><td>0.00</td><td>120</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5658.80</td><td>49.15</td><td>68.80</td><td>-19.65</td><td>38.60</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>120</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5782.00</td><td>51.40</td><td>105.86</td><td>-54.46</td><td>40.75</td><td>34.60</td><td>12.40</td><td>36.35</td><td>0.00</td><td>120</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>49.62</td><td>110.90</td><td>-61.28</td><td>38.95</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>120</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5615.20	50.80	68.20	-17.40	40.25	34.50	12.32	36.27	0.00	120	360	PEAK	2	5658.80	49.15	68.80	-19.65	38.60	34.50	12.36	36.31	0.00	120	360	PEAK	3	5782.00	51.40	105.86	-54.46	40.75	34.60	12.40	36.35	0.00	120	360	PEAK	4	5720.00	49.62	110.90	-61.28	38.95	34.64	12.42	36.39	0.00	120	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>103.31</td><td>-----</td><td>-----</td><td>92.35</td><td>35.00</td><td>12.49</td><td>36.53</td><td>0.00</td><td>120</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	103.31	-----	-----	92.35	35.00	12.49	36.53	0.00	120	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5615.20	50.80	68.20	-17.40	40.25	34.50	12.32	36.27	0.00	120	360	PEAK																																																																																																																																			
2	5658.80	49.15	68.80	-19.65	38.60	34.50	12.36	36.31	0.00	120	360	PEAK																																																																																																																																			
3	5782.00	51.40	105.86	-54.46	40.75	34.60	12.40	36.35	0.00	120	360	PEAK																																																																																																																																			
4	5720.00	49.62	110.90	-61.28	38.95	34.64	12.42	36.39	0.00	120	360	PEAK																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5795.00	103.31	-----	-----	92.35	35.00	12.49	36.53	0.00	120	360	PEAK																																																																																																																																			
Avg	Blank																																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>94.37</td><td>-----</td><td>-----</td><td>83.41</td><td>35.00</td><td>12.49</td><td>36.53</td><td>0.00</td><td>120</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	94.37	-----	-----	83.41	35.00	12.49	36.53	0.00	120	360	AVERAGE																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5795.00	94.37	-----	-----	83.41	35.00	12.49	36.53	0.00	120	360	AVERAGE																																																																																																																																			






Mode	37																																																																																						
	Band Edge - R																																																																																						
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																						
ANT	1																																																																																						
Pol.	Vertical	Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>56.47</td><td>113.18</td><td>-56.71</td><td>45.42</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>120</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5869.20</td><td>53.98</td><td>106.92</td><td>-52.94</td><td>42.87</td><td>35.18</td><td>12.58</td><td>36.65</td><td>0.00</td><td>120</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>49.43</td><td>69.23</td><td>-19.80</td><td>38.29</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>120</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5952.00</td><td>52.24</td><td>68.20</td><td>-15.96</td><td>41.18</td><td>35.30</td><td>12.70</td><td>36.94</td><td>0.00</td><td>120</td><td>360</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	56.47	113.18	-56.71	45.42	35.12	12.56	36.63	0.00	120	360	PEAK	2	5869.20	53.98	106.92	-52.94	42.87	35.18	12.58	36.65	0.00	120	360	PEAK	3	5923.60	49.43	69.23	-19.80	38.29	35.30	12.66	36.82	0.00	120	360	PEAK	4	5952.00	52.24	68.20	-15.96	41.18	35.30	12.70	36.94	0.00	120	360	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5854.00	56.47	113.18	-56.71	45.42	35.12	12.56	36.63	0.00	120	360	PEAK																																																																											
2	5869.20	53.98	106.92	-52.94	42.87	35.18	12.58	36.65	0.00	120	360	PEAK																																																																											
3	5923.60	49.43	69.23	-19.80	38.29	35.30	12.66	36.82	0.00	120	360	PEAK																																																																											
4	5952.00	52.24	68.20	-15.96	41.18	35.30	12.70	36.94	0.00	120	360	PEAK																																																																											




Mode	37																																																																																																																																																												
	Harmonic																																																																																																																																																												
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																																																																												
ANT	1																																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																																						
Peak Avg																																																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7726.65</td><td>51.12</td><td>74.00</td><td>-22.88</td><td>67.00</td><td>36.21</td><td>14.50</td><td>66.59</td><td>0.00</td><td>333</td><td>318</td><td>PEAK</td></tr><tr><td>2</td><td>7726.65</td><td>48.91</td><td>54.00</td><td>-5.09</td><td>64.79</td><td>36.21</td><td>14.50</td><td>66.59</td><td>0.00</td><td>333</td><td>318</td><td>AVERAGE</td></tr><tr><td>3</td><td>11590.00</td><td>45.14</td><td>74.00</td><td>-28.86</td><td>55.54</td><td>38.19</td><td>17.93</td><td>66.52</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7726.65	51.12	74.00	-22.88	67.00	36.21	14.50	66.59	0.00	333	318	PEAK	2	7726.65	48.91	54.00	-5.09	64.79	36.21	14.50	66.59	0.00	333	318	AVERAGE	3	11590.00	45.14	74.00	-28.86	55.54	38.19	17.93	66.52	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7726.65</td><td>50.75</td><td>74.00</td><td>-23.25</td><td>66.63</td><td>36.21</td><td>14.50</td><td>66.59</td><td>0.00</td><td>210</td><td>351</td><td>PEAK</td></tr><tr><td>2</td><td>7726.65</td><td>47.30</td><td>54.00</td><td>-6.70</td><td>63.18</td><td>36.21</td><td>14.50</td><td>66.59</td><td>0.00</td><td>210</td><td>351</td><td>AVERAGE</td></tr><tr><td>3</td><td>11590.00</td><td>44.16</td><td>74.00</td><td>-29.84</td><td>54.56</td><td>38.19</td><td>17.93</td><td>66.52</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7726.65	50.75	74.00	-23.25	66.63	36.21	14.50	66.59	0.00	210	351	PEAK	2	7726.65	47.30	54.00	-6.70	63.18	36.21	14.50	66.59	0.00	210	351	AVERAGE	3	11590.00	44.16	74.00	-29.84	54.56	38.19	17.93	66.52	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	7726.65	51.12	74.00	-22.88	67.00	36.21	14.50	66.59	0.00	333	318	PEAK																																																																																																																																																	
2	7726.65	48.91	54.00	-5.09	64.79	36.21	14.50	66.59	0.00	333	318	AVERAGE																																																																																																																																																	
3	11590.00	45.14	74.00	-28.86	55.54	38.19	17.93	66.52	0.00	---	---	PEAK																																																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	7726.65	50.75	74.00	-23.25	66.63	36.21	14.50	66.59	0.00	210	351	PEAK																																																																																																																																																	
2	7726.65	47.30	54.00	-6.70	63.18	36.21	14.50	66.59	0.00	210	351	AVERAGE																																																																																																																																																	
3	11590.00	44.16	74.00	-29.84	54.56	38.19	17.93	66.52	0.00	---	---	PEAK																																																																																																																																																	






Mode	38																																																																																																																																		
	Band Edge - L																																																																																																																																		
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																		
ANT	1																																																																																																																																		
Pol.	Horizontal					Fundamental																																																																																																																													
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red line for the limit and a blue line for the measured signal. The signal is below the limit across the entire frequency range. <table border="1"> <thead> <tr> <th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr> <tr> <th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr> <tr> <th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr> </thead> <tbody> <tr> <td>1 5639.60</td><td>50.39</td><td>68.20</td><td>-17.81</td><td>39.04</td><td>34.50</td><td>12.35</td><td>36.30</td><td>0.00</td><td>152</td><td>36 PEAK</td></tr> <tr> <td>2 5651.20</td><td>49.75</td><td>69.09</td><td>-19.34</td><td>39.20</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>152</td><td>36 PEAK</td></tr> <tr> <td>3 5711.20</td><td>69.94</td><td>108.44</td><td>-38.50</td><td>59.28</td><td>34.62</td><td>12.41</td><td>36.37</td><td>0.00</td><td>152</td><td>36 PEAK</td></tr> <tr> <td>4 5720.00</td><td>69.05</td><td>110.90</td><td>-41.85</td><td>58.38</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>152</td><td>36 PEAK</td></tr> </tbody> </table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5639.60	50.39	68.20	-17.81	39.04	34.50	12.35	36.30	0.00	152	36 PEAK	2 5651.20	49.75	69.09	-19.34	39.20	34.50	12.36	36.31	0.00	152	36 PEAK	3 5711.20	69.94	108.44	-38.50	59.28	34.62	12.41	36.37	0.00	152	36 PEAK	4 5720.00	69.05	110.90	-41.85	58.38	34.64	12.42	36.39	0.00	152	36 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red line for the limit and a blue line for the measured signal. The signal is below the limit across the entire frequency range. <table border="1"> <thead> <tr> <th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr> <tr> <th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr> <tr> <th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr> </thead> <tbody> <tr> <td>1 5775.00</td><td>102.03</td><td>-----</td><td>-----</td><td>91.17</td><td>34.89</td><td>12.47</td><td>36.50</td><td>0.00</td><td>152</td><td>36 PEAK</td></tr> </tbody> </table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	102.03	-----	-----	91.17	34.89	12.47	36.50	0.00	152	36 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5639.60	50.39	68.20	-17.81	39.04	34.50	12.35	36.30	0.00	152	36 PEAK																																																																																																																									
2 5651.20	49.75	69.09	-19.34	39.20	34.50	12.36	36.31	0.00	152	36 PEAK																																																																																																																									
3 5711.20	69.94	108.44	-38.50	59.28	34.62	12.41	36.37	0.00	152	36 PEAK																																																																																																																									
4 5720.00	69.05	110.90	-41.85	58.38	34.64	12.42	36.39	0.00	152	36 PEAK																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5775.00	102.03	-----	-----	91.17	34.89	12.47	36.50	0.00	152	36 PEAK																																																																																																																									
Avg	Blank					 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red line for the limit and a blue line for the measured signal. The signal is below the limit across the entire frequency range. <table border="1"> <thead> <tr> <th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr> <tr> <th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr> <tr> <th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr> </thead> <tbody> <tr> <td>1 5775.00</td><td>91.54</td><td>-----</td><td>-----</td><td>80.68</td><td>34.89</td><td>12.47</td><td>36.50</td><td>0.00</td><td>152</td><td>36 AVERAGE</td></tr> </tbody> </table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	91.54	-----	-----	80.68	34.89	12.47	36.50	0.00	152	36 AVERAGE																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5775.00	91.54	-----	-----	80.68	34.89	12.47	36.50	0.00	152	36 AVERAGE																																																																																																																									




Mode	38																																																																																							
	Band Edge - R																																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																							
ANT	1																																																																																							
Pol.	Horizontal						Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5854.40</td><td>60.93</td><td>112.27</td><td>-51.34</td><td>49.88</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>152</td><td>36 PEAK</td></tr><tr><td>2 5870.00</td><td>62.39</td><td>106.70</td><td>-44.31</td><td>51.29</td><td>35.18</td><td>12.58</td><td>36.66</td><td>0.00</td><td>152</td><td>36 PEAK</td></tr><tr><td>3 5923.20</td><td>49.20</td><td>69.53</td><td>-20.33</td><td>38.05</td><td>35.30</td><td>12.66</td><td>36.81</td><td>0.00</td><td>152</td><td>36 PEAK</td></tr><tr><td>4 5931.20</td><td>51.59</td><td>68.20</td><td>-16.61</td><td>40.47</td><td>35.30</td><td>12.67</td><td>36.85</td><td>0.00</td><td>152</td><td>36 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.40	60.93	112.27	-51.34	49.88	35.12	12.56	36.63	0.00	152	36 PEAK	2 5870.00	62.39	106.70	-44.31	51.29	35.18	12.58	36.66	0.00	152	36 PEAK	3 5923.20	49.20	69.53	-20.33	38.05	35.30	12.66	36.81	0.00	152	36 PEAK	4 5931.20	51.59	68.20	-16.61	40.47	35.30	12.67	36.85	0.00	152	36 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5854.40	60.93	112.27	-51.34	49.88	35.12	12.56	36.63	0.00	152	36 PEAK																																																																														
2 5870.00	62.39	106.70	-44.31	51.29	35.18	12.58	36.66	0.00	152	36 PEAK																																																																														
3 5923.20	49.20	69.53	-20.33	38.05	35.30	12.66	36.81	0.00	152	36 PEAK																																																																														
4 5931.20	51.59	68.20	-16.61	40.47	35.30	12.67	36.85	0.00	152	36 PEAK																																																																														





Mode	38																																																																																																																																		
	Band Edge - L																																																																																																																																		
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																		
ANT	1																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5630.40</td><td>50.55</td><td>68.20</td><td>-17.65</td><td>40.00</td><td>34.50</td><td>12.34</td><td>36.29</td><td>0.00</td><td>300</td><td>115 PEAK</td></tr><tr><td>2 5650.40</td><td>47.98</td><td>68.50</td><td>-20.52</td><td>37.43</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>300</td><td>115 PEAK</td></tr><tr><td>3 5719.20</td><td>63.61</td><td>110.68</td><td>-47.07</td><td>52.93</td><td>34.64</td><td>12.42</td><td>36.38</td><td>0.00</td><td>300</td><td>115 PEAK</td></tr><tr><td>4 5720.00</td><td>60.16</td><td>110.90</td><td>-50.74</td><td>49.49</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>300</td><td>115 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5630.40	50.55	68.20	-17.65	40.00	34.50	12.34	36.29	0.00	300	115 PEAK	2 5650.40	47.98	68.50	-20.52	37.43	34.50	12.36	36.31	0.00	300	115 PEAK	3 5719.20	63.61	110.68	-47.07	52.93	34.64	12.42	36.38	0.00	300	115 PEAK	4 5720.00	60.16	110.90	-50.74	49.49	34.64	12.42	36.39	0.00	300	115 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>98.89</td><td>-----</td><td>-----</td><td>88.12</td><td>34.78</td><td>12.46</td><td>36.47</td><td>0.00</td><td>300</td><td>115 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	98.89	-----	-----	88.12	34.78	12.46	36.47	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5630.40	50.55	68.20	-17.65	40.00	34.50	12.34	36.29	0.00	300	115 PEAK																																																																																																																									
2 5650.40	47.98	68.50	-20.52	37.43	34.50	12.36	36.31	0.00	300	115 PEAK																																																																																																																									
3 5719.20	63.61	110.68	-47.07	52.93	34.64	12.42	36.38	0.00	300	115 PEAK																																																																																																																									
4 5720.00	60.16	110.90	-50.74	49.49	34.64	12.42	36.39	0.00	300	115 PEAK																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5775.00	98.89	-----	-----	88.12	34.78	12.46	36.47	0.00	300	115 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>88.94</td><td>-----</td><td>-----</td><td>78.14</td><td>34.82</td><td>12.46</td><td>36.48</td><td>0.00</td><td>300</td><td>115 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	88.94	-----	-----	78.14	34.82	12.46	36.48	0.00	300	115 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5775.00	88.94	-----	-----	78.14	34.82	12.46	36.48	0.00	300	115 AVERAGE																																																																																																																									





Mode	38																																																																																						
	Band Edge - R																																																																																						
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																						
ANT	1																																																																																						
Pol.	Vertical	Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>59.83</td><td>111.36</td><td>-51.53</td><td>48.78</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>300</td><td>115</td><td>PEAK</td></tr><tr><td>2</td><td>5872.40</td><td>58.87</td><td>106.03</td><td>-47.16</td><td>47.75</td><td>35.19</td><td>12.59</td><td>36.66</td><td>0.00</td><td>300</td><td>115</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>49.53</td><td>68.35</td><td>-18.82</td><td>38.39</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>300</td><td>115</td><td>PEAK</td></tr><tr><td>4</td><td>5948.40</td><td>51.32</td><td>68.20</td><td>-16.88</td><td>40.26</td><td>35.30</td><td>12.69</td><td>36.93</td><td>0.00</td><td>300</td><td>115</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	59.83	111.36	-51.53	48.78	35.12	12.56	36.63	0.00	300	115	PEAK	2	5872.40	58.87	106.03	-47.16	47.75	35.19	12.59	36.66	0.00	300	115	PEAK	3	5924.80	49.53	68.35	-18.82	38.39	35.30	12.66	36.82	0.00	300	115	PEAK	4	5948.40	51.32	68.20	-16.88	40.26	35.30	12.69	36.93	0.00	300	115	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5854.80	59.83	111.36	-51.53	48.78	35.12	12.56	36.63	0.00	300	115	PEAK																																																																											
2	5872.40	58.87	106.03	-47.16	47.75	35.19	12.59	36.66	0.00	300	115	PEAK																																																																											
3	5924.80	49.53	68.35	-18.82	38.39	35.30	12.66	36.82	0.00	300	115	PEAK																																																																											
4	5948.40	51.32	68.20	-16.88	40.26	35.30	12.69	36.93	0.00	300	115	PEAK																																																																											





Mode	38																																																																							
	Harmonic																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																							
ANT	1																																																																							
Pol.	Horizontal						Vertical																																																																	
Peak Avg																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7699.98</td><td>50.39</td><td>74.00</td><td>-23.61</td><td>66.40</td><td>36.10</td><td>14.46</td><td>66.57</td><td>0.00</td><td>302</td><td>320 PEAK</td></tr><tr><td>2 7699.98</td><td>49.00</td><td>54.00</td><td>-5.00</td><td>65.01</td><td>36.10</td><td>14.46</td><td>66.57</td><td>0.00</td><td>302</td><td>320 AVERAGE</td></tr><tr><td>3 11550.00</td><td>41.78</td><td>74.00</td><td>-32.22</td><td>52.26</td><td>38.15</td><td>17.91</td><td>66.54</td><td>0.00</td><td>---</td><td>---</td> PEAK</tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7699.98	50.39	74.00	-23.61	66.40	36.10	14.46	66.57	0.00	302	320 PEAK	2 7699.98	49.00	54.00	-5.00	65.01	36.10	14.46	66.57	0.00	302	320 AVERAGE	3 11550.00	41.78	74.00	-32.22	52.26	38.15	17.91	66.54	0.00	---	---
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																														
1 7699.98	50.39	74.00	-23.61	66.40	36.10	14.46	66.57	0.00	302	320 PEAK																																																														
2 7699.98	49.00	54.00	-5.00	65.01	36.10	14.46	66.57	0.00	302	320 AVERAGE																																																														
3 11550.00	41.78	74.00	-32.22	52.26	38.15	17.91	66.54	0.00	---	---																																																														

 | | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | |------------|--------|--------|--------|-------|--------|--------|--------|--------|------|-------------| | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | | 1 7699.98 | 48.99 | 74.00 | -25.01 | 65.00 | 36.10 | 14.46 | 66.57 | 0.00 | 229 | 311 PEAK | | 2 7699.98 | 46.35 | 54.00 | -7.65 | 62.36 | 36.10 | 14.46 | 66.57 | 0.00 | 229 | 311 AVERAGE | | 3 11550.00 | 42.21 | 74.00 | -31.79 | 52.69 | 38.15 | 17.91 | 66.54 | 0.00 | --- | --- | | | | | |



Mode	38	
	18G-40G	
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg		





Mode	38																																																																																																																																																																																																																												
	30-1G																																																																																																																																																																																																																												
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																																																																																																												
ANT	1																																																																																																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																																																																																																						
Peak																																																																																																																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.12</td><td>19.84</td><td>40.00</td><td>-20.16</td><td>27.15</td><td>25.11</td><td>0.54</td><td>32.96</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>132.82</td><td>26.50</td><td>43.50</td><td>-17.00</td><td>39.91</td><td>17.77</td><td>1.84</td><td>33.02</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>233.94</td><td>27.76</td><td>46.00</td><td>-18.24</td><td>41.37</td><td>16.74</td><td>2.48</td><td>32.83</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>402.60</td><td>25.23</td><td>46.00</td><td>-20.77</td><td>32.00</td><td>22.16</td><td>3.26</td><td>32.99</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>740.16</td><td>27.70</td><td>46.00</td><td>-18.30</td><td>27.63</td><td>28.42</td><td>4.41</td><td>32.76</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>927.61</td><td>29.86</td><td>46.00</td><td>-16.14</td><td>26.05</td><td>30.33</td><td>4.95</td><td>31.47</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	30.12	19.84	40.00	-20.16	27.15	25.11	0.54	32.96	0.00	---	Peak	2	132.82	26.50	43.50	-17.00	39.91	17.77	1.84	33.02	0.00	---	Peak	3	233.94	27.76	46.00	-18.24	41.37	16.74	2.48	32.83	0.00	---	Peak	4	402.60	25.23	46.00	-20.77	32.00	22.16	3.26	32.99	0.00	---	Peak	5	740.16	27.70	46.00	-18.30	27.63	28.42	4.41	32.76	0.00	---	Peak	6	927.61	29.86	46.00	-16.14	26.05	30.33	4.95	31.47	0.00	---	Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>54.25</td><td>25.29</td><td>40.00</td><td>-14.71</td><td>44.38</td><td>13.01</td><td>0.92</td><td>33.02</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>131.24</td><td>22.10</td><td>43.50</td><td>-21.40</td><td>35.48</td><td>17.80</td><td>1.83</td><td>33.01</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>235.40</td><td>24.65</td><td>46.00</td><td>-21.35</td><td>30.06</td><td>16.92</td><td>2.49</td><td>32.82</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>393.02</td><td>22.74</td><td>46.00</td><td>-23.26</td><td>30.74</td><td>21.76</td><td>3.22</td><td>32.98</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>603.51</td><td>27.81</td><td>46.00</td><td>-18.19</td><td>30.63</td><td>25.97</td><td>3.99</td><td>32.78</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>870.63</td><td>30.46</td><td>46.00</td><td>-15.54</td><td>27.86</td><td>29.80</td><td>4.79</td><td>31.99</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	54.25	25.29	40.00	-14.71	44.38	13.01	0.92	33.02	0.00	---	Peak	2	131.24	22.10	43.50	-21.40	35.48	17.80	1.83	33.01	0.00	---	Peak	3	235.40	24.65	46.00	-21.35	30.06	16.92	2.49	32.82	0.00	---	Peak	4	393.02	22.74	46.00	-23.26	30.74	21.76	3.22	32.98	0.00	---	Peak	5	603.51	27.81	46.00	-18.19	30.63	25.97	3.99	32.78	0.00	---	Peak	6	870.63	30.46	46.00	-15.54	27.86	29.80	4.79	31.99	0.00	---	Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																			
1	30.12	19.84	40.00	-20.16	27.15	25.11	0.54	32.96	0.00	---	Peak																																																																																																																																																																																																																		
2	132.82	26.50	43.50	-17.00	39.91	17.77	1.84	33.02	0.00	---	Peak																																																																																																																																																																																																																		
3	233.94	27.76	46.00	-18.24	41.37	16.74	2.48	32.83	0.00	---	Peak																																																																																																																																																																																																																		
4	402.60	25.23	46.00	-20.77	32.00	22.16	3.26	32.99	0.00	---	Peak																																																																																																																																																																																																																		
5	740.16	27.70	46.00	-18.30	27.63	28.42	4.41	32.76	0.00	---	Peak																																																																																																																																																																																																																		
6	927.61	29.86	46.00	-16.14	26.05	30.33	4.95	31.47	0.00	---	Peak																																																																																																																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																			
1	54.25	25.29	40.00	-14.71	44.38	13.01	0.92	33.02	0.00	---	Peak																																																																																																																																																																																																																		
2	131.24	22.10	43.50	-21.40	35.48	17.80	1.83	33.01	0.00	---	Peak																																																																																																																																																																																																																		
3	235.40	24.65	46.00	-21.35	30.06	16.92	2.49	32.82	0.00	---	Peak																																																																																																																																																																																																																		
4	393.02	22.74	46.00	-23.26	30.74	21.76	3.22	32.98	0.00	---	Peak																																																																																																																																																																																																																		
5	603.51	27.81	46.00	-18.19	30.63	25.97	3.99	32.78	0.00	---	Peak																																																																																																																																																																																																																		
6	870.63	30.46	46.00	-15.54	27.86	29.80	4.79	31.99	0.00	---	Peak																																																																																																																																																																																																																		





Mode	39																																																																																																																																																			
	Harmonic																																																																																																																																																			
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																																																																																																			
ANT	1																																																																																																																																																			
Pol.	Horizontal								Vertical																																																																																																																																											
Peak Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>7626.65</td><td>49.88</td><td>74.00</td><td>-24.12</td><td>65.96</td><td>36.05</td><td>14.38</td><td>66.51</td><td>0.00</td><td>300 49 PEAK</td></tr><tr><td>2</td><td>7626.65</td><td>46.86</td><td>54.00</td><td>-7.14</td><td>62.94</td><td>36.05</td><td>14.38</td><td>66.51</td><td>0.00</td><td>300 49 AVERAGE</td></tr><tr><td>3</td><td>11440.00</td><td>44.63</td><td>74.00</td><td>-29.37</td><td>55.35</td><td>38.04</td><td>17.83</td><td>66.59</td><td>0.00</td><td>--- --- PEAK</td></tr></table>									Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	7626.65	49.88	74.00	-24.12	65.96	36.05	14.38	66.51	0.00	300 49 PEAK	2	7626.65	46.86	54.00	-7.14	62.94	36.05	14.38	66.51	0.00	300 49 AVERAGE	3	11440.00	44.63	74.00	-29.37	55.35	38.04	17.83	66.59	0.00	--- --- PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>7626.65</td><td>47.96</td><td>74.00</td><td>-26.04</td><td>64.04</td><td>36.05</td><td>14.38</td><td>66.51</td><td>0.00</td><td>100 0 PEAK</td></tr><tr><td>2</td><td>7626.65</td><td>43.29</td><td>54.00</td><td>-10.71</td><td>59.37</td><td>36.05</td><td>14.38</td><td>66.51</td><td>0.00</td><td>100 0 AVERAGE</td></tr><tr><td>3</td><td>11440.00</td><td>44.10</td><td>74.00</td><td>-29.90</td><td>54.82</td><td>38.04</td><td>17.83</td><td>66.59</td><td>0.00</td><td>--- --- PEAK</td></tr></table>									Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	7626.65	47.96	74.00	-26.04	64.04	36.05	14.38	66.51	0.00	100 0 PEAK	2	7626.65	43.29	54.00	-10.71	59.37	36.05	14.38	66.51	0.00	100 0 AVERAGE	3	11440.00	44.10	74.00	-29.90	54.82	38.04	17.83	66.59	0.00	--- --- PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																											
1	7626.65	49.88	74.00	-24.12	65.96	36.05	14.38	66.51	0.00	300 49 PEAK																																																																																																																																										
2	7626.65	46.86	54.00	-7.14	62.94	36.05	14.38	66.51	0.00	300 49 AVERAGE																																																																																																																																										
3	11440.00	44.63	74.00	-29.37	55.35	38.04	17.83	66.59	0.00	--- --- PEAK																																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																											
1	7626.65	47.96	74.00	-26.04	64.04	36.05	14.38	66.51	0.00	100 0 PEAK																																																																																																																																										
2	7626.65	43.29	54.00	-10.71	59.37	36.05	14.38	66.51	0.00	100 0 AVERAGE																																																																																																																																										
3	11440.00	44.10	74.00	-29.90	54.82	38.04	17.83	66.59	0.00	--- --- PEAK																																																																																																																																										





Mode	40																																																																																																																																																													
	Harmonic																																																																																																																																																													
	U-NII-2C_5.47-5.85_802.11n HT20_CH144_5720MHz																																																																																																																																																													
ANT	1																																																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																																																							
Peak Avg																																																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.65</td><td>49.62</td><td>74.00</td><td>-24.38</td><td>65.70</td><td>36.05</td><td>14.38</td><td>66.51</td><td>0.00</td><td>330</td><td>324</td><td>PEAK</td></tr><tr><td>2</td><td>7626.65</td><td>46.77</td><td>54.00</td><td>-7.23</td><td>62.85</td><td>36.05</td><td>14.38</td><td>66.51</td><td>0.00</td><td>330</td><td>324</td><td>AVERAGE</td></tr><tr><td>3</td><td>11440.00</td><td>45.26</td><td>74.00</td><td>-28.74</td><td>55.98</td><td>38.04</td><td>17.83</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.65	49.62	74.00	-24.38	65.70	36.05	14.38	66.51	0.00	330	324	PEAK	2	7626.65	46.77	54.00	-7.23	62.85	36.05	14.38	66.51	0.00	330	324	AVERAGE	3	11440.00	45.26	74.00	-28.74	55.98	38.04	17.83	66.59	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.65</td><td>47.86</td><td>74.00</td><td>-26.14</td><td>63.94</td><td>36.05</td><td>14.38</td><td>66.51</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>7626.65</td><td>43.18</td><td>54.00</td><td>-10.82</td><td>59.26</td><td>36.05</td><td>14.38</td><td>66.51</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr><tr><td>3</td><td>11440.00</td><td>45.11</td><td>74.00</td><td>-28.89</td><td>55.83</td><td>38.04</td><td>17.83</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.65	47.86	74.00	-26.14	63.94	36.05	14.38	66.51	0.00	100	360	PEAK	2	7626.65	43.18	54.00	-10.82	59.26	36.05	14.38	66.51	0.00	100	360	AVERAGE	3	11440.00	45.11	74.00	-28.89	55.83	38.04	17.83	66.59	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																			
1	7626.65	49.62	74.00	-24.38	65.70	36.05	14.38	66.51	0.00	330	324	PEAK																																																																																																																																																		
2	7626.65	46.77	54.00	-7.23	62.85	36.05	14.38	66.51	0.00	330	324	AVERAGE																																																																																																																																																		
3	11440.00	45.26	74.00	-28.74	55.98	38.04	17.83	66.59	0.00	---	---	PEAK																																																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																			
1	7626.65	47.86	74.00	-26.14	63.94	36.05	14.38	66.51	0.00	100	360	PEAK																																																																																																																																																		
2	7626.65	43.18	54.00	-10.82	59.26	36.05	14.38	66.51	0.00	100	360	AVERAGE																																																																																																																																																		
3	11440.00	45.11	74.00	-28.89	55.83	38.04	17.83	66.59	0.00	---	---	PEAK																																																																																																																																																		



Mode	41																																																																																			
	Harmonic																																																																																			
	U-NII-2C_5.47-5.85_802.11n HT40_CH142_5710MHz																																																																																			
ANT	1																																																																																			
Pol.	Horizontal																																																																																			
Peak Avg																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7613.31</td><td>50.73</td><td>74.00</td><td>-23.27</td><td>66.83</td><td>36.03</td><td>14.37</td><td>66.50</td><td>0.00</td><td>288</td><td>41</td><td>PEAK</td></tr><tr><td>2</td><td>7613.31</td><td>48.09</td><td>54.00</td><td>-5.91</td><td>64.19</td><td>36.03</td><td>14.37</td><td>66.50</td><td>0.00</td><td>288</td><td>41</td><td>AVERAGE</td></tr><tr><td>3</td><td>11420.00</td><td>43.82</td><td>74.00</td><td>-30.18</td><td>54.58</td><td>38.02</td><td>17.81</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7613.31	50.73	74.00	-23.27	66.83	36.03	14.37	66.50	0.00	288	41	PEAK	2	7613.31	48.09	54.00	-5.91	64.19	36.03	14.37	66.50	0.00	288	41	AVERAGE	3	11420.00	43.82	74.00	-30.18	54.58	38.02	17.81	66.59	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1	7613.31	50.73	74.00	-23.27	66.83	36.03	14.37	66.50	0.00	288	41	PEAK																																																																								
2	7613.31	48.09	54.00	-5.91	64.19	36.03	14.37	66.50	0.00	288	41	AVERAGE																																																																								
3	11420.00	43.82	74.00	-30.18	54.58	38.02	17.81	66.59	0.00	---	---	PEAK																																																																								
Peak Avg																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7613.31</td><td>47.38</td><td>74.00</td><td>-26.62</td><td>63.48</td><td>36.03</td><td>14.37</td><td>66.50</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>7613.31</td><td>43.52</td><td>54.00</td><td>-10.48</td><td>59.62</td><td>36.03</td><td>14.37</td><td>66.50</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr><tr><td>3</td><td>11420.00</td><td>44.12</td><td>74.00</td><td>-29.88</td><td>54.88</td><td>38.02</td><td>17.81</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7613.31	47.38	74.00	-26.62	63.48	36.03	14.37	66.50	0.00	100	0	PEAK	2	7613.31	43.52	54.00	-10.48	59.62	36.03	14.37	66.50	0.00	100	0	AVERAGE	3	11420.00	44.12	74.00	-29.88	54.88	38.02	17.81	66.59	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1	7613.31	47.38	74.00	-26.62	63.48	36.03	14.37	66.50	0.00	100	0	PEAK																																																																								
2	7613.31	43.52	54.00	-10.48	59.62	36.03	14.37	66.50	0.00	100	0	AVERAGE																																																																								
3	11420.00	44.12	74.00	-29.88	54.88	38.02	17.81	66.59	0.00	---	---	PEAK																																																																								




Mode	42																																																																																																																																																									
	Harmonic																																																																																																																																																									
	U-NII-2C_5.47-5.85_802.11ac VHT80_CH138_5690MHz																																																																																																																																																									
ANT	1																																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																																			
Peak Avg																																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7586.65</td><td>50.01</td><td>74.00</td><td>-23.99</td><td>66.14</td><td>14.34</td><td>66.47</td><td>0.00</td><td>301</td><td>46</td><td>PEAK</td></tr><tr><td>2</td><td>7586.65</td><td>49.18</td><td>54.00</td><td>-4.82</td><td>65.31</td><td>36.00</td><td>14.34</td><td>66.47</td><td>0.00</td><td>301</td><td>46</td><td>AVERAGE</td></tr><tr><td>3</td><td>11300.00</td><td>42.86</td><td>74.00</td><td>-31.14</td><td>53.68</td><td>37.98</td><td>17.79</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7586.65	50.01	74.00	-23.99	66.14	14.34	66.47	0.00	301	46	PEAK	2	7586.65	49.18	54.00	-4.82	65.31	36.00	14.34	66.47	0.00	301	46	AVERAGE	3	11300.00	42.86	74.00	-31.14	53.68	37.98	17.79	66.59	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7586.65</td><td>48.10</td><td>74.00</td><td>-25.90</td><td>64.23</td><td>36.00</td><td>14.34</td><td>66.47</td><td>0.00</td><td>294</td><td>310</td><td>PEAK</td></tr><tr><td>2</td><td>7586.65</td><td>46.32</td><td>54.00</td><td>-7.68</td><td>62.45</td><td>36.00</td><td>14.34</td><td>66.47</td><td>0.00</td><td>294</td><td>310</td><td>AVERAGE</td></tr><tr><td>3</td><td>11300.00</td><td>42.48</td><td>74.00</td><td>-31.52</td><td>53.30</td><td>37.98</td><td>17.79</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7586.65	48.10	74.00	-25.90	64.23	36.00	14.34	66.47	0.00	294	310	PEAK	2	7586.65	46.32	54.00	-7.68	62.45	36.00	14.34	66.47	0.00	294	310	AVERAGE	3	11300.00	42.48	74.00	-31.52	53.30	37.98	17.79	66.59	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																
1	7586.65	50.01	74.00	-23.99	66.14	14.34	66.47	0.00	301	46	PEAK																																																																																																																																															
2	7586.65	49.18	54.00	-4.82	65.31	36.00	14.34	66.47	0.00	301	46	AVERAGE																																																																																																																																														
3	11300.00	42.86	74.00	-31.14	53.68	37.98	17.79	66.59	0.00	---	---	PEAK																																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																
1	7586.65	48.10	74.00	-25.90	64.23	36.00	14.34	66.47	0.00	294	310	PEAK																																																																																																																																														
2	7586.65	46.32	54.00	-7.68	62.45	36.00	14.34	66.47	0.00	294	310	AVERAGE																																																																																																																																														
3	11300.00	42.48	74.00	-31.52	53.30	37.98	17.79	66.59	0.00	---	---	PEAK																																																																																																																																														


Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	98.08	-	-	10Hz
802.11n HT20	98.20	-	-	10Hz
802.11n HT40	96.31	0.94	1.064	1.1KHz
802.11ac VHT80	92.74	0.46	2.174	2.2KHz

802.11a




802.11n HT20





802.11n HT40



802.11ac VHT80

