









Mode	37																																																																																						
	Band Edge - R																																																																																						
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																						
ANT	1																																																																																						
Pol.	Vertical	Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>56.38</td><td>111.36</td><td>-54.98</td><td>44.99</td><td>35.12</td><td>12.56</td><td>36.29</td><td>0.00</td><td>102</td><td>276</td><td>PEAK</td></tr><tr><td>2</td><td>5856.00</td><td>63.06</td><td>110.40</td><td>-47.34</td><td>51.65</td><td>35.13</td><td>12.57</td><td>36.29</td><td>0.00</td><td>102</td><td>276</td><td>PEAK</td></tr><tr><td>3</td><td>5922.40</td><td>51.86</td><td>70.12</td><td>-18.26</td><td>40.37</td><td>35.30</td><td>12.66</td><td>36.47</td><td>0.00</td><td>102</td><td>276</td><td>PEAK</td></tr><tr><td>4</td><td>5928.00</td><td>52.33</td><td>68.20</td><td>-15.87</td><td>40.87</td><td>35.30</td><td>12.66</td><td>36.50</td><td>0.00</td><td>102</td><td>276</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	56.38	111.36	-54.98	44.99	35.12	12.56	36.29	0.00	102	276	PEAK	2	5856.00	63.06	110.40	-47.34	51.65	35.13	12.57	36.29	0.00	102	276	PEAK	3	5922.40	51.86	70.12	-18.26	40.37	35.30	12.66	36.47	0.00	102	276	PEAK	4	5928.00	52.33	68.20	-15.87	40.87	35.30	12.66	36.50	0.00	102	276	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5854.00	56.38	111.36	-54.98	44.99	35.12	12.56	36.29	0.00	102	276	PEAK																																																																											
2	5856.00	63.06	110.40	-47.34	51.65	35.13	12.57	36.29	0.00	102	276	PEAK																																																																											
3	5922.40	51.86	70.12	-18.26	40.37	35.30	12.66	36.47	0.00	102	276	PEAK																																																																											
4	5928.00	52.33	68.20	-15.87	40.87	35.30	12.66	36.50	0.00	102	276	PEAK																																																																											




Mode	37																																																																																																									
	Harmonic																																																																																																									
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>43.99</td><td>74.00</td><td>-30.01</td><td>54.22</td><td>38.19</td><td>17.93</td><td>66.35</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11590.00	43.99	74.00	-30.01	54.22	38.19	17.93	66.35	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>43.59</td><td>74.00</td><td>-30.41</td><td>53.82</td><td>38.19</td><td>17.93</td><td>66.35</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11590.00	43.59	74.00	-30.41	53.82	38.19	17.93	66.35	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11590.00	43.99	74.00	-30.01	54.22	38.19	17.93	66.35	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11590.00	43.59	74.00	-30.41	53.82	38.19	17.93	66.35	0.00	---	---	PEAK																																																																																														






Mode	38																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																								
ANT	1																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5606.00</td><td>50.32</td><td>68.20</td><td>-17.88</td><td>39.54</td><td>34.50</td><td>12.32</td><td>36.04</td><td>0.00</td><td>300</td><td>74 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>48.79</td><td>68.50</td><td>-19.71</td><td>37.93</td><td>34.50</td><td>12.36</td><td>36.00</td><td>0.00</td><td>300</td><td>74 PEAK</td></tr><tr><td>3</td><td>5703.60</td><td>57.72</td><td>106.31</td><td>-48.59</td><td>46.68</td><td>34.61</td><td>12.40</td><td>35.97</td><td>0.00</td><td>300</td><td>74 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>58.79</td><td>110.90</td><td>-52.11</td><td>47.74</td><td>34.64</td><td>12.42</td><td>36.01</td><td>0.00</td><td>300</td><td>74 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5606.00	50.32	68.20	-17.88	39.54	34.50	12.32	36.04	0.00	300	74 PEAK	2	5650.40	48.79	68.50	-19.71	37.93	34.50	12.36	36.00	0.00	300	74 PEAK	3	5703.60	57.72	106.31	-48.59	46.68	34.61	12.40	35.97	0.00	300	74 PEAK	4	5720.00	58.79	110.90	-52.11	47.74	34.64	12.42	36.01	0.00	300	74 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>98.83</td><td>-----</td><td>-----</td><td>87.62</td><td>34.89</td><td>12.47</td><td>36.15</td><td>0.00</td><td>300</td><td>74 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	98.83	-----	-----	87.62	34.89	12.47	36.15	0.00	300	74 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5606.00	50.32	68.20	-17.88	39.54	34.50	12.32	36.04	0.00	300	74 PEAK																																																																																																																														
2	5650.40	48.79	68.50	-19.71	37.93	34.50	12.36	36.00	0.00	300	74 PEAK																																																																																																																														
3	5703.60	57.72	106.31	-48.59	46.68	34.61	12.40	35.97	0.00	300	74 PEAK																																																																																																																														
4	5720.00	58.79	110.90	-52.11	47.74	34.64	12.42	36.01	0.00	300	74 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5775.00	98.83	-----	-----	87.62	34.89	12.47	36.15	0.00	300	74 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>89.19</td><td>-----</td><td>-----</td><td>77.98</td><td>34.89</td><td>12.47</td><td>36.15</td><td>0.00</td><td>300</td><td>74 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	89.19	-----	-----	77.98	34.89	12.47	36.15	0.00	300	74 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5775.00	89.19	-----	-----	77.98	34.89	12.47	36.15	0.00	300	74 AVERAGE																																																																																																																														




Mode	38																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																											
ANT	1																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>55.88</td><td>111.36</td><td>-55.48</td><td>44.49</td><td>35.12</td><td>12.56</td><td>36.29</td><td>0.00</td><td>300</td><td>74 PEAK</td></tr><tr><td>2</td><td>5869.20</td><td>54.62</td><td>106.92</td><td>-52.30</td><td>43.17</td><td>35.18</td><td>12.58</td><td>36.31</td><td>0.00</td><td>300</td><td>74 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>49.81</td><td>68.64</td><td>-18.83</td><td>38.33</td><td>35.30</td><td>12.66</td><td>36.48</td><td>0.00</td><td>300</td><td>74 PEAK</td></tr><tr><td>4</td><td>5940.80</td><td>50.87</td><td>68.20</td><td>-17.33</td><td>39.44</td><td>35.30</td><td>12.68</td><td>36.55</td><td>0.00</td><td>300</td><td>74 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	55.88	111.36	-55.48	44.49	35.12	12.56	36.29	0.00	300	74 PEAK	2	5869.20	54.62	106.92	-52.30	43.17	35.18	12.58	36.31	0.00	300	74 PEAK	3	5924.40	49.81	68.64	-18.83	38.33	35.30	12.66	36.48	0.00	300	74 PEAK	4	5940.80	50.87	68.20	-17.33	39.44	35.30	12.68	36.55	0.00	300	74 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.80	55.88	111.36	-55.48	44.49	35.12	12.56	36.29	0.00	300	74 PEAK																																																																																	
2	5869.20	54.62	106.92	-52.30	43.17	35.18	12.58	36.31	0.00	300	74 PEAK																																																																																	
3	5924.40	49.81	68.64	-18.83	38.33	35.30	12.66	36.48	0.00	300	74 PEAK																																																																																	
4	5940.80	50.87	68.20	-17.33	39.44	35.30	12.68	36.55	0.00	300	74 PEAK																																																																																	





		38																																																																																																																																	
Mode	Band Edge - L																																																																																																																																		
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																		
ANT	1																																																																																																																																		
Pol.	Vertical					Fundamental																																																																																																																													
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5632.00</td><td>52.08</td><td>68.20</td><td>-16.12</td><td>41.26</td><td>34.50</td><td>12.34</td><td>36.02</td><td>0.00</td><td>101</td><td>276 PEAK</td></tr><tr><td>2 5650.00</td><td>49.60</td><td>68.20</td><td>-18.60</td><td>38.76</td><td>34.50</td><td>12.35</td><td>36.01</td><td>0.00</td><td>101</td><td>276 PEAK</td></tr><tr><td>3 5701.60</td><td>64.17</td><td>105.75</td><td>-41.58</td><td>53.13</td><td>34.60</td><td>12.40</td><td>35.96</td><td>0.00</td><td>101</td><td>276 PEAK</td></tr><tr><td>4 5720.00</td><td>65.48</td><td>110.90</td><td>-45.42</td><td>54.43</td><td>34.64</td><td>12.42</td><td>36.01</td><td>0.00</td><td>101</td><td>276 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5632.00	52.08	68.20	-16.12	41.26	34.50	12.34	36.02	0.00	101	276 PEAK	2 5650.00	49.60	68.20	-18.60	38.76	34.50	12.35	36.01	0.00	101	276 PEAK	3 5701.60	64.17	105.75	-41.58	53.13	34.60	12.40	35.96	0.00	101	276 PEAK	4 5720.00	65.48	110.90	-45.42	54.43	34.64	12.42	36.01	0.00	101	276 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>103.44</td><td>-----</td><td>-----</td><td>92.23</td><td>34.89</td><td>12.47</td><td>36.15</td><td>0.00</td><td>101</td><td>276 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	103.44	-----	-----	92.23	34.89	12.47	36.15	0.00	101
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5632.00	52.08	68.20	-16.12	41.26	34.50	12.34	36.02	0.00	101	276 PEAK																																																																																																																									
2 5650.00	49.60	68.20	-18.60	38.76	34.50	12.35	36.01	0.00	101	276 PEAK																																																																																																																									
3 5701.60	64.17	105.75	-41.58	53.13	34.60	12.40	35.96	0.00	101	276 PEAK																																																																																																																									
4 5720.00	65.48	110.90	-45.42	54.43	34.64	12.42	36.01	0.00	101	276 PEAK																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5775.00	103.44	-----	-----	92.23	34.89	12.47	36.15	0.00	101	276 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>93.38</td><td>-----</td><td>-----</td><td>82.22</td><td>34.82</td><td>12.46</td><td>36.12</td><td>0.00</td><td>101</td><td>276 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	93.38	-----	-----	82.22	34.82	12.46	36.12	0.00	101	276 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5775.00	93.38	-----	-----	82.22	34.82	12.46	36.12	0.00	101	276 AVERAGE																																																																																																																									





Mode	38																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																											
ANT	1																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>59.71</td><td>111.36</td><td>-51.65</td><td>48.32</td><td>35.12</td><td>12.56</td><td>36.29</td><td>0.00</td><td>101</td><td>276 PEAK</td></tr><tr><td>2</td><td>5867.60</td><td>61.40</td><td>107.37</td><td>-45.97</td><td>49.96</td><td>35.17</td><td>12.58</td><td>36.31</td><td>0.00</td><td>101</td><td>276 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>53.48</td><td>68.64</td><td>-15.16</td><td>42.00</td><td>35.30</td><td>12.66</td><td>36.48</td><td>0.00</td><td>101</td><td>276 PEAK</td></tr><tr><td>4</td><td>5943.60</td><td>52.13</td><td>68.20</td><td>-16.07</td><td>40.72</td><td>35.30</td><td>12.68</td><td>36.57</td><td>0.00</td><td>101</td><td>276 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	59.71	111.36	-51.65	48.32	35.12	12.56	36.29	0.00	101	276 PEAK	2	5867.60	61.40	107.37	-45.97	49.96	35.17	12.58	36.31	0.00	101	276 PEAK	3	5924.40	53.48	68.64	-15.16	42.00	35.30	12.66	36.48	0.00	101	276 PEAK	4	5943.60	52.13	68.20	-16.07	40.72	35.30	12.68	36.57	0.00	101	276 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.80	59.71	111.36	-51.65	48.32	35.12	12.56	36.29	0.00	101	276 PEAK																																																																																	
2	5867.60	61.40	107.37	-45.97	49.96	35.17	12.58	36.31	0.00	101	276 PEAK																																																																																	
3	5924.40	53.48	68.64	-15.16	42.00	35.30	12.66	36.48	0.00	101	276 PEAK																																																																																	
4	5943.60	52.13	68.20	-16.07	40.72	35.30	12.68	36.57	0.00	101	276 PEAK																																																																																	





Mode	38																																																																																																									
	Harmonic																																																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>42.51</td><td>74.00</td><td>-31.49</td><td>52.81</td><td>38.15</td><td>17.91</td><td>66.36</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11550.00	42.51	74.00	-31.49	52.81	38.15	17.91	66.36	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>42.26</td><td>74.00</td><td>-31.74</td><td>52.56</td><td>38.15</td><td>17.91</td><td>66.36</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11550.00	42.26	74.00	-31.74	52.56	38.15	17.91	66.36	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11550.00	42.51	74.00	-31.49	52.81	38.15	17.91	66.36	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11550.00	42.26	74.00	-31.74	52.56	38.15	17.91	66.36	0.00	---	---	PEAK																																																																																														





Mode	38	
	Harmonic	
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg		





Mode	38																																																																																																																			
	30-1G																																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																			
ANT	1																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak																																																																																																																				
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>69.04</td><td>13.38</td><td>40.00</td><td>-26.62</td><td>32.73</td><td>12.44</td><td>0.90</td><td>32.69</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>130.64</td><td>24.94</td><td>43.50</td><td>-18.56</td><td>38.47</td><td>17.79</td><td>1.42</td><td>32.74</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>222.79</td><td>25.03</td><td>46.00</td><td>-20.97</td><td>40.25</td><td>15.69</td><td>1.87</td><td>32.78</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>319.06</td><td>25.99</td><td>46.00</td><td>-20.01</td><td>36.90</td><td>19.71</td><td>2.24</td><td>32.86</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>411.45</td><td>24.33</td><td>46.00</td><td>-21.67</td><td>32.17</td><td>22.53</td><td>2.56</td><td>32.93</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>746.35</td><td>28.31</td><td>46.00</td><td>-17.69</td><td>29.47</td><td>28.53</td><td>3.44</td><td>33.13</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	69.04	13.38	40.00	-26.62	32.73	12.44	0.90	32.69	0.00	---	---	Peak	2	130.64	24.94	43.50	-18.56	38.47	17.79	1.42	32.74	0.00	---	---	Peak	3	222.79	25.03	46.00	-20.97	40.25	15.69	1.87	32.78	0.00	---	---	Peak	4	319.06	25.99	46.00	-20.01	36.90	19.71	2.24	32.86	0.00	---	---	Peak	5	411.45	24.33	46.00	-21.67	32.17	22.53	2.56	32.93	0.00	---	---	Peak	6	746.35	28.31	46.00	-17.69	29.47	28.53	3.44	33.13	0.00	---	---	Peak
		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	69.04	13.38	40.00	-26.62	32.73	12.44	0.90	32.69	0.00	---	---	Peak																																																																																																								
2	130.64	24.94	43.50	-18.56	38.47	17.79	1.42	32.74	0.00	---	---	Peak																																																																																																								
3	222.79	25.03	46.00	-20.97	40.25	15.69	1.87	32.78	0.00	---	---	Peak																																																																																																								
4	319.06	25.99	46.00	-20.01	36.90	19.71	2.24	32.86	0.00	---	---	Peak																																																																																																								
5	411.45	24.33	46.00	-21.67	32.17	22.53	2.56	32.93	0.00	---	---	Peak																																																																																																								
6	746.35	28.31	46.00	-17.69	29.47	28.53	3.44	33.13	0.00	---	---	Peak																																																																																																								
Peak																																																																																																																				
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>39.94</td><td>25.70</td><td>40.00</td><td>-14.30</td><td>38.00</td><td>19.99</td><td>0.55</td><td>32.84</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>64.68</td><td>19.61</td><td>40.00</td><td>-20.39</td><td>39.32</td><td>12.15</td><td>0.85</td><td>32.71</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>129.18</td><td>25.25</td><td>43.50</td><td>-18.25</td><td>38.80</td><td>17.77</td><td>1.42</td><td>32.74</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>249.95</td><td>21.26</td><td>46.00</td><td>-24.74</td><td>33.27</td><td>18.80</td><td>1.98</td><td>32.79</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>324.40</td><td>21.05</td><td>46.00</td><td>-24.95</td><td>31.84</td><td>19.81</td><td>2.26</td><td>32.86</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>599.15</td><td>25.37</td><td>46.00</td><td>-20.63</td><td>29.55</td><td>25.97</td><td>3.10</td><td>33.25</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	39.94	25.70	40.00	-14.30	38.00	19.99	0.55	32.84	0.00	---	---	Peak	2	64.68	19.61	40.00	-20.39	39.32	12.15	0.85	32.71	0.00	---	---	Peak	3	129.18	25.25	43.50	-18.25	38.80	17.77	1.42	32.74	0.00	---	---	Peak	4	249.95	21.26	46.00	-24.74	33.27	18.80	1.98	32.79	0.00	---	---	Peak	5	324.40	21.05	46.00	-24.95	31.84	19.81	2.26	32.86	0.00	---	---	Peak	6	599.15	25.37	46.00	-20.63	29.55	25.97	3.10	33.25	0.00	---	---	Peak
		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	39.94	25.70	40.00	-14.30	38.00	19.99	0.55	32.84	0.00	---	---	Peak																																																																																																								
2	64.68	19.61	40.00	-20.39	39.32	12.15	0.85	32.71	0.00	---	---	Peak																																																																																																								
3	129.18	25.25	43.50	-18.25	38.80	17.77	1.42	32.74	0.00	---	---	Peak																																																																																																								
4	249.95	21.26	46.00	-24.74	33.27	18.80	1.98	32.79	0.00	---	---	Peak																																																																																																								
5	324.40	21.05	46.00	-24.95	31.84	19.81	2.26	32.86	0.00	---	---	Peak																																																																																																								
6	599.15	25.37	46.00	-20.63	29.55	25.97	3.10	33.25	0.00	---	---	Peak																																																																																																								









Mode	39																																																																																																									
	Harmonic																																																																																																									
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>45.73</td><td>74.00</td><td>-28.27</td><td>56.29</td><td>38.04</td><td>17.83</td><td>66.43</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	45.73	74.00	-28.27	56.29	38.04	17.83	66.43	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>45.60</td><td>74.00</td><td>-28.40</td><td>56.16</td><td>38.04</td><td>17.83</td><td>66.43</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	45.60	74.00	-28.40	56.16	38.04	17.83	66.43	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11440.00	45.73	74.00	-28.27	56.29	38.04	17.83	66.43	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11440.00	45.60	74.00	-28.40	56.16	38.04	17.83	66.43	0.00	---	---	PEAK																																																																																														



Mode	40																																																																																																									
	Harmonic																																																																																																									
	U-NII-2C_5.47-5.85_802.11n HT20_CH144_5720MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>45.39</td><td>74.00</td><td>-28.61</td><td>55.95</td><td>38.04</td><td>17.83</td><td>66.43</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	45.39	74.00	-28.61	55.95	38.04	17.83	66.43	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>45.05</td><td>74.00</td><td>-28.95</td><td>55.61</td><td>38.04</td><td>17.83</td><td>66.43</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	45.05	74.00	-28.95	55.61	38.04	17.83	66.43	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11440.00	45.39	74.00	-28.61	55.95	38.04	17.83	66.43	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11440.00	45.05	74.00	-28.95	55.61	38.04	17.83	66.43	0.00	---	---	PEAK																																																																																														




Mode	41	
	Harmonic	
	U-NII-2C_5.47-5.85_802.11n HT40_CH142_5710MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak		
Avg		

Mode	42																																																																																		
	Harmonic																																																																																		
	U-NII-2C_5.47-5.85_802.11ac VHT80_CH138_5690MHz																																																																																		
ANT	1																																																																																		
Pol.	Horizontal						Vertical																																																																												
Peak Avg																																																																																			
	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1 11380.00</td><td>42.71</td><td>74.00</td><td>-31.29</td><td>53.32</td><td>38.08</td><td>17.79</td><td>66.48</td><td>0.00</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11380.00	42.71	74.00	-31.29	53.32	38.08	17.79	66.48	0.00	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1 11380.00</td><td>43.07</td><td>74.00</td><td>-30.93</td><td>53.68</td><td>38.08</td><td>17.79</td><td>66.48</td><td>0.00</td></tr></table>					Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11380.00	43.07	74.00	-30.93	53.68	38.08	17.79	66.48	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																											
1 11380.00	42.71	74.00	-31.29	53.32	38.08	17.79	66.48	0.00																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																											
1 11380.00	43.07	74.00	-30.93	53.68	38.08	17.79	66.48	0.00																																																																											
PEAK PEAK						PEAK PEAK																																																																													

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	98.32	-	-	10Hz
802.11n HT20	98.20	-	-	10Hz
802.11n HT40	96.31	0.940	1.064	1.1KHz
802.11ac VHT80	92.74	0.460	2.174	2.2KHz

802.11a






802.11n HT20



802.11n HT40





802.11ac VHT80

