


12:04:54 APR 29, 2003
 R-9895-3 X-10 FWIR DUTY CYCLE JK
 REF 90.0 dBμV #AT 0 dB



PEAK
 LOG
 10
 dB/

WA SB
 SC VC
 CORR

CENTER 418.000 MHz
 #RES BW 1.0 MHz
 #VBW 3 MHz
 #SWP 100 msec
 SPAN 0 Hz


Customer:	X-10 Wireless Technologies, Inc.		
Test Sample:	Handheld 418 MHz Pulsed RF Transmitter		
Model No.:	FWIR		
Test Method:	FCC Part 15 Subpart C Section 15.35 Duty Cycle Determination		
Notes:	Shows width of pulse train is greater than 100msec, including blanking intervals		
Date:	April 29th, 2003	Tech:	J. Kabacinski
Sheet	1	of	3



Retlif Testing Laboratories

Report No. R-9895-3

12:18:46 APR 29, 2003
 R-9895-3 X-10 FWIR DUTY CYCLE JK
 REF 90.0 dBμV #AT 0 dB
 MKR 9.0000 msec
 -49.82 dB



CENTER 418.000 MHz
 #RES BW 1.0 MHz
 #VBW 3 MHz
 #SWP 20.0 MHz
 SPAN 0 Hz

Customer:	X-10 Wireless Technologies, Inc.		
Test Sample:	Handheld 418 MHz Pulsed RF Transmitter		
Model No.:	FWIR	FCC ID:	B4SFWIR
Test Method:	FCC Part 15 Subpart C Section 15.35 Duty Cycle Determination		
Notes:	Marker shows width of large pulse = 9.0msec		
Date:	April 29th, 2003	Tech:	J. Kabacinski
Sheet	2	of	3



Retlif Testing Laboratories

Report No. R-9895-3

12:23:04 APR 29, 2003


R-9895-3 X-10 FWIR DUTY CYCLE JK

MKR 550.00 μ sec

REF 90.0 dB μ V #AT 0 dB

-50.15 dB

PEAK
LOG
10
dB/



CENTER 418.000 MHz

#RES BW 1.0 MHz

#VBW 3 MHz

#SWP 20.0

SPAN 0 Hz

msec

Customer: X-10 Wireless Technologies, Inc.
Test Sample: Handheld 418 MHz Pulsed RF Transmitter
Model No.: FWIR FCC ID: B4SFWIR
Test Method: FCC Part 15 Subpart C Section 15.35 Duty Cycle Determination
Notes: Marker shows width of small pulse = 550usec

Date: April 29th, 2003 Tech: J. Kabacinski Sheet 3 of 3



Retlif Testing Laboratories

Report No. R-9895-3