

8



10

350

LISTED 3PAW S4006

The design could also omit POC rules. Part 15, Question 1, subject line: "No Industry rules, please?" (1) The answer may not be a harmful practice (see, e.g., 12). The design could accept any "no" answer, like the 404, be natural, and not require that they even

FCG12342 505E UNFUSE
K211257-50ML-40K

ATC Fire & Security
1975 Red Fox Rd
Arlon Hills, MD
over the cardboard boxes

094 ipm: 0.714667
199: 0.714667
299: 0.714667
399: 0.714667
499: 0.714667
599: 0.714667
699: 0.714667
799: 0.714667
899: 0.714667
999: 0.714667

Time = 12.31804 s

4864 696 24 others

Model: CD-400-319.5
60-460-319.5-LB

422-1712 Rev. 3

SIGNALING



LISTED

**Residential Fire Alarm
Heat Detector**

Type F

3PAW

S4006

15-04-14

This device complies with FCC rules Part 15. Operation is subject to the following two conditions: (1) This device may not cause harmful interference and (2) This device must accept any interference that may be received including interference that may cause

FCC ID:B4Z-569E-LMRISE

IC: 1175C-569EROR

UTC Fire & Security
1275 Red Fox Rd
Arden Hills, MN

www.utcfireandsecurity.com

Install Manual: 46-547

Battery: Eveready No.
522,

Duracell MN1604, or

US Patents: 4,855,713 -
4,864,636 and others

Model: 60-460-01-95

422-1718-02 Rev. D

SIGNALING



LISTED

**Residential Fire Alarm
Heat Detector**

Type F

3PAW

S4006

15-04-14

This device complies with FCC rules Part 15. Operation is subject to the following two conditions: (1) This device may not cause harmful interference and (2) This device must accept any interference that may be received including interference that may cause

FCC ID:B4Z-569E-LMRISE

IC: 1175C-569EROR

UTC Fire & Security
1275 Red Fox Rd
Arden Hills, MN

www.utcfireandsecurity.com

Install Manual: 46-547

Battery: Eveready No.
522,

Duracell MN1604, or

US Patents: 4,855,713 -
4,864,636 and others

422-1718 Rev. G

Model: 60-460-319.5
60-460-319.5-LB