

DATE	SYM	REVISION RECORD	DR	CK



CONFIDENTIAL

DRAWN	INTERACTIVE TECHNOLOGIES INC. 2266 NORTH 2ND ST. NORTH ST. PAUL, MN. 55109			
CHECKED				
APPROVED	DECIMAL TOL.	FINAL ASSEMBLY NUMBER 60–	SCALE	DRAWN BY JGG
	FRACT. TOL.	TITLE 319.5 SAW MICRO PANIC		
	ANGULAR TOL.	DATE 5/17/04	SIZE	PART NUMBER 52–841–95R / REV. B1

REV.	ECO#	DATE	CHANGED BY




NOTES:

1. 56-841-95R REV B1 CONTAINS EVERYTHING SHOWN ON THIS DRAWING EXCEPT FOR BATTERY
2. MAXIMUM LEAD LENGTH IS "0.062
3. ALL COMPONENTS MUST BE FLUSH TO PCB SURFACE
4. THE NEUMONIC "R55" IS ON PART Q2 TO SHOW POLARITY

CONFIDENTIAL

			DRAWN BY		INTERACTIVE TECHNOLOGIES INC.		
			CHECKED BY				
			APPROVED BY	DEC. TOL. N/A	TOP LEVEL ASSY. #	SCALE 2:1	DRAWN BY JGG
				FRAC. TOL. N/A	TITLE 319.5 SAW MICRO PANIC TOP SIDE PPD		
				ANG. TOL. N/A	DATE 5/17/04	SIZE A	PART NUMBER (PG 1 OF 2) 57-841-95R / REV. B1

REV.	ECO#	DATE	CHANGED BY



NOTES:

1. 56-841-95 REV B1 CONTAINS EVERYTHING SHOWN ON THIS DRAWING EXCEPT FOR BATTERY
2. MAXIMUM LEAD LENGTH IS "0.062
3. ALL COMPONENTS MUST BE FLUSH TO PCB SURFACE

CONFIDENTIAL

			DRAWN BY		INTERACTIVE TECHNOLOGIES INC.		
			CHECKED BY				
			APPROVED BY		DEC. TOL. N/A	TOP LEVEL ASSY. #	SCALE 2:1 / DRAWN BY JGG
					FRAC. TOL. N/A	TITLE 319.5 SAW MICRO PANIC BOTTOM SIDE PPD	
					ANG. TOL. N/A	DATE 5/17/04 / SIZE A / PART NUMBER (PG 2 OF 2) 57-841-95R	REV. B1