

802.11be_EHT160_RU_2TX

CH	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (mW)	EIRP (dBm)	REQUIRED LIMIT (dBm)	RESULT
50	5250	996*2	12.98	2.86	38.371	15.84	23.01	PASS
		996/67	12.95	2.86	38.019	15.80	23.01	PASS
		996/S67	12.97	2.86	38.282	15.83	23.01	PASS
		996+484 MRU1	12.94	2.86	38.019	15.80	23.01	PASS
		996+484 MRU2	12.96	2.86	38.194	15.82	23.01	PASS
		996+484+242 MRU1	12.93	2.86	37.844	15.78	23.01	PASS
		996+484+242 MRU2	12.92	2.86	37.757	15.77	23.01	PASS
114	5570	996*2	12.98	2.56	35.727	15.53	30	PASS
		996/67	12.96	2.56	35.645	15.52	30	PASS
		996/S67	12.94	2.56	35.481	15.50	30	PASS
		996+484 MRU3	12.97	2.56	35.645	15.52	30	PASS
		996+484 MRU4	12.95	2.56	35.563	15.51	30	PASS
		996+484+242 MRU7	12.97	2.56	35.645	15.52	30	PASS
		996+484+242 MRU8	12.97	2.56	35.727	15.53	30	PASS
CH	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (mW)	EIRP (dBm)	REQUIRED LIMIT (dBm)	RESULT
163	5815	996*2	12.95	2.76	37.218	15.71	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

7.3 Maximum Power Spectral Density

POWER DENSITY 802.11a MODE							
Frequency (MHz)	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5180	1.622	0.693	0.00	4.19		11.00 dBm/MHz	-6.81
5220	1.161	0.558	0.00	3.88		11.00 dBm/MHz	-7.12
5240	1.379	0.421	0.00	3.94		11.00 dBm/MHz	-7.06
5260	6.729	6.125	0.00	9.45		11.00 dBm/MHz	-1.55
5300	1.850	1.122	0.00	4.51		11.00 dBm/MHz	-6.49
5320	1.662	0.522	0.00	4.14		11.00 dBm/MHz	-6.86
5500	6.675	5.491	0.00	9.13		11.00 dBm/MHz	-1.87
5600	6.946	5.850	0.00	9.44		11.00 dBm/MHz	-1.56
5700	7.203	6.259	0.00	9.77		11.00 dBm/MHz	-1.23
5720 (U-NII 2C)	7.908	6.948	0.00	10.46		11.00 dBm/MHz	-0.54
Frequency (MHz)	Ch0 meas PSD (dBm/300kHz)	Ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5720 (U-NII 3)	3.338	1.924	0.00	2.22	7.92	30.00 dBm/500kHz	-22.08
5745	2.920	1.936	0.00	2.22	7.69	30.00 dBm/500kHz	-22.31
5785	3.226	1.723	0.00	2.22	7.77	30.00 dBm/500kHz	-22.23
5825	3.255	2.261	0.00	2.22	8.02	30.00 dBm/500kHz	-21.98
5845 (U-NII 3)	-0.461	-0.516	0.00	2.22	4.74	30.00 dBm/500kHz	-25.26
Frequency (MHz)	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	EIRP PSD Limit	Margin (dB)
5845 (U-NII4)	3.294	3.456	0.00	6.39	12.16	14.00 dBm/MHz	-1.84
5865	4.206	4.502	0.00	7.37	13.14	14.00 dBm/MHz	-0.86
5885	5.068	5.042	0.00	8.07	13.84	14.00 dBm/MHz	-0.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

POWER DENSITY 802.11n HT20 MODE							
Frequency (MHz)	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5180	1.174	0.639	0.00	3.93		11.00 dBm/MHz	-7.07
5220	0.831	0.235	0.00	3.55		11.00 dBm/MHz	-7.45
5240	0.951	0.220	0.00	3.61		11.00 dBm/MHz	-7.39
5260	1.708	1.522	0.00	4.63		11.00 dBm/MHz	-6.37
5300	1.610	0.442	0.00	4.08		11.00 dBm/MHz	-6.92
5320	1.506	0.593	0.00	4.08		11.00 dBm/MHz	-6.92
5500	1.274	0.098	0.00	3.74		11.00 dBm/MHz	-7.26
5600	2.472	1.259	0.00	4.92		11.00 dBm/MHz	-6.08
5700	0.788	-0.109	0.00	3.37		11.00 dBm/MHz	-7.63
5720 (U-NII 2C)	2.969	1.783	0.00	5.43		11.00 dBm/MHz	-5.57
Frequency (MHz)	Ch0 meas PSD (dBm/300kHz)	Ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5720 (U-NII 3)	-1.689	-4.566	0.00	2.22	2.34	30.00 dBm/500kHz	-27.66
5745	-3.238	-4.860	0.00	2.22	1.26	30.00 dBm/500kHz	-28.74
5785	-2.470	-3.554	0.00	2.22	2.25	30.00 dBm/500kHz	-27.75
5825	-3.866	-4.771	0.00	2.22	0.94	30.00 dBm/500kHz	-29.06
5845 (U-NII 3)	-6.680	-6.801	0.00	2.22	-1.51	30.00 dBm/500kHz	-31.51
Frequency (MHz)	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	EIRP PSD Limit	Margin (dB)
5845 (U-NII4)	-3.328	-3.540	0.00	-0.42	5.35	14.00 dBm/MHz	-8.65
5865	-0.910	-0.936	0.00	2.09	7.86	14.00 dBm/MHz	-6.14
5885	-0.822	-0.678	0.00	2.26	8.03	14.00 dBm/MHz	-5.97

POWER DENSITY 802.11n HT40 MODE							
Frequency (MHz)	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5190	-0.064	-0.827	0.00	2.58		11.00 dBm/MHz	-8.42
5230	-0.037	-0.226	0.00	2.88		11.00 dBm/MHz	-8.12
5270	-0.546	-1.288	0.00	2.11		11.00 dBm/MHz	-8.89
5310	-1.977	-2.915	0.00	0.59		11.00 dBm/MHz	-10.41
5510	-0.176	-1.683	0.00	2.15		11.00 dBm/MHz	-8.85
5590	0.420	-0.898	0.00	2.82		11.00 dBm/MHz	-8.18
5670	0.504	-0.048	0.00	3.25		11.00 dBm/MHz	-7.75
5710 (U-NII 2C)	0.558	-0.411	0.00	3.11		11.00 dBm/MHz	-7.89
Frequency (MHz)	Ch0 meas PSD (dBm/300kHz)	Ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5710 (U-NII 3)	-5.681	-6.586	0.00	2.22	-0.88	30.00 dBm/500kHz	-30.88
5755	-4.407	-5.696	0.00	2.22	0.23	30.00 dBm/500kHz	-29.77
5795	-4.465	-5.775	0.00	2.22	0.16	30.00 dBm/500kHz	-29.84
5835 (U-NII 3)	-6.928	-7.060	0.00	2.22	-1.76	30.00 dBm/500kHz	-31.76
Frequency (MHz)	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	EIRP PSD Limit	Margin (dB)
5835 (U-NII4)	-2.467	-2.836	0.00	0.36	6.13	14.00 dBm/MHz	-7.87
5875	-0.757	-0.795	0.00	2.23	8.00	14.00 dBm/MHz	-6.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

POWER DENSITY 802.11ac VHT80 MODE							
Frequency (MHz)	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5210	-4.628	-4.774	0.00	-1.69		11.00 dBm/MHz	-12.69
5290	-4.717	-5.454	0.00	-2.06		11.00 dBm/MHz	-13.06
5530	-2.220	-3.244	0.00	0.31		11.00 dBm/MHz	-10.69
5610	-1.759	-2.385	0.00	0.95		11.00 dBm/MHz	-10.05
5690 (U-NII 2C)	-1.343	-1.840	0.00	1.43		11.00 dBm/MHz	-9.57
Frequency (MHz)	Ch0 meas PSD (dBm/300kHz)	Ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5690 (U-NII 3)	-8.082	-9.500	0.00	2.22	-3.50	30.00 dBm/500kHz	-33.50
5775	-6.407	-7.287	0.00	2.22	-1.59	30.00 dBm/500kHz	-31.59
5855 (U-NII 3)	-9.200	-9.142	0.00	2.22	-3.94	30.00 dBm/500kHz	-33.94
Frequency (MHz)	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	EIRP PSD Limit	Margin (dB)
5855 (U-NII4)	-2.686	-2.974	0.00	0.18	5.95	14.00 dBm/MHz	-8.05

POWER DENSITY 802.11ac VHT160 MODE							
Frequency (MHz)	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5250	-11.883	-12.104	0.00	-8.98		11.00 dBm/MHz	-19.98
5570	-11.358	-11.870	0.00	-8.60		11.00 dBm/MHz	-19.60
Frequency (MHz)	Ch0 meas PSD (dBm/300kHz)	Ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5815 (U-NII 3)	-19.184	-19.033	0.00	2.22	-13.88	30.00 dBm/500kHz	-43.88
Frequency (MHz)	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	EIRP PSD Limit	Margin (dB)
5815 (U-NII4)	-12.050	-12.103	0.00	-9.07	-3.30	14.00 dBm/MHz	-17.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

POWER DENSITY 802.11be EHT20 SU MODE							
Frequency (MHz)	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5180	0.592	-0.213	0.00	3.22		11.00 dBm/MHz	-7.78
5220	0.049	-0.352	0.00	2.86		11.00 dBm/MHz	-8.14
5240	0.136	-0.552	0.00	2.82		11.00 dBm/MHz	-8.18
5260	-0.022	-0.349	0.00	2.83		11.00 dBm/MHz	-8.17
5300	-0.674	-1.628	0.00	1.89		11.00 dBm/MHz	-9.11
5320	-1.072	-2.227	0.00	1.40		11.00 dBm/MHz	-9.60
5500	0.046	-1.359	0.00	2.41		11.00 dBm/MHz	-8.59
5600	0.139	-0.971	0.00	2.63		11.00 dBm/MHz	-8.37
5700	0.432	-0.321	0.00	3.08		11.00 dBm/MHz	-7.92
5720 (U-NII 2C)	0.521	-0.799	0.00	2.92		11.00 dBm/MHz	-8.08
Frequency (MHz)	Ch0 meas PSD (dBm/300kHz)	Ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5720 (U-NII 3)	-3.912	-6.620	0.00	2.22	0.17	30.00 dBm/500kHz	-29.83
5745	-4.679	-5.621	0.00	2.22	0.11	30.00 dBm/500kHz	-29.89
5785	-4.414	-5.695	0.00	2.22	0.22	30.00 dBm/500kHz	-29.78
5825	-4.014	-5.085	0.00	2.22	0.71	30.00 dBm/500kHz	-29.29
5845 (U-NII 3)	-7.565	-7.693	0.00	2.22	-2.40	30.00 dBm/500kHz	-32.40
Frequency (MHz)	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	EIRP PSD Limit	Margin (dB)
5845 (U-NII4)	-4.098	-3.941	0.00	-1.01	4.76	14.00 dBm/MHz	-9.24
5865	-2.087	-1.926	0.00	1.00	6.77	14.00 dBm/MHz	-7.23
5885	-1.289	-1.357	0.00	1.69	7.46	14.00 dBm/MHz	-6.54

POWER DENSITY 802.11be EHT40 SU MODE							
Frequency (MHz)	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5190	-0.154	-0.754	0.00	2.57		11.00 dBm/MHz	-8.43
5230	-0.456	-0.679	0.00	2.44		11.00 dBm/MHz	-8.56
5270	-1.152	-1.563	0.00	1.66		11.00 dBm/MHz	-9.34
5310	-1.004	-2.304	0.00	1.40		11.00 dBm/MHz	-9.60
5510	-0.469	-1.686	0.00	1.98		11.00 dBm/MHz	-9.02
5590	0.147	-1.031	0.00	2.61		11.00 dBm/MHz	-8.39
5670	0.504	-0.149	0.00	3.20		11.00 dBm/MHz	-7.80
5710 (U-NII 2C)	0.675	-0.580	0.00	3.10		11.00 dBm/MHz	-7.90
Frequency (MHz)	Ch0 meas PSD (dBm/300kHz)	Ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5710 (U-NII 3)	-5.395	-6.582	0.00	2.22	-0.72	30.00 dBm/500kHz	-30.72
5755	-4.525	-5.963	0.00	2.22	0.05	30.00 dBm/500kHz	-29.95
5795	-4.676	-5.614	0.00	2.22	0.11	30.00 dBm/500kHz	-29.89
5835 (U-NII 3)	-8.431	-8.336	0.00	2.22	-3.15	30.00 dBm/500kHz	-33.15
Frequency (MHz)	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	EIRP PSD Limit	Margin (dB)
5835 (U-NII4)	-2.919	-2.867	0.00	0.12	5.89	14.00 dBm/MHz	-8.11
5875	-0.915	-1.048	0.00	2.03	7.80	14.00 dBm/MHz	-6.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

POWER DENSITY 802.11be EHT80 SU MODE							
Frequency (MHz)	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5210	-2.532	-3.008	0.00	0.25		11.00 dBm/MHz	-10.75
5290	-3.238	-3.860	0.00	-0.53		11.00 dBm/MHz	-11.53
5530	-2.106	-2.968	0.00	0.49		11.00 dBm/MHz	-10.51
5610	-1.599	-2.471	0.00	1.00		11.00 dBm/MHz	-10.00
5690 (U-NII 2C)	-1.463	-2.226	0.00	1.18		11.00 dBm/MHz	-9.82
Frequency (MHz)	Ch0 meas PSD (dBm/300kHz)	Ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5690 (U-NII 3)	-8.394	-9.856	0.00	2.22	-3.83	30.00 dBm/500kHz	-33.83
5775	-6.700	-7.681	0.00	2.22	-1.93	30.00 dBm/500kHz	-31.93
5855 (U-NII 3)	-10.074	-9.880	0.00	2.22	-4.75	30.00 dBm/500kHz	-34.75
Frequency (MHz)	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	EIRP PSD Limit	Margin (dB)
5855 (U-NII4)	-2.331	-2.771	0.00	0.46	6.23	14.00 dBm/MHz	-7.77

POWER DENSITY 802.11be EHT160 SU MODE							
Frequency (MHz)	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5250	-11.576	-12.190	0.00	-8.86		11.00 dBm/MHz	-19.86
5570	-10.704	-11.513	0.00	-8.08		11.00 dBm/MHz	-19.08
Frequency (MHz)	Ch0 meas PSD (dBm/300kHz)	Ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5815 (U-NII 3)	-20.149	-20.184	0.00	2.22	-14.94	30.00 dBm/500kHz	-44.94
Frequency (MHz)	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	EIRP PSD Limit	Margin (dB)
5815 (U-NII4)	-11.881	-11.953	0.00	-8.91	-3.14	14.00 dBm/MHz	-17.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

POWER DENSITY 802.11be EHT20 RU MODE								
Frequency (MHz)	RU config.	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	Limit	Margin (dB)	
5180	242	1.114	0.311	0.00	3.74	11.00 dBm/MHz	-7.26	
	26/0	1.637	0.705	0.00	4.21	11.00 dBm/MHz	-6.79	
	52/37	1.102	0.681	0.00	3.91	11.00 dBm/MHz	-7.09	
	106/53	1.575	0.652	0.00	4.15	11.00 dBm/MHz	-6.85	
	52+26 MRU1	1.649	0.591	0.00	4.16	11.00 dBm/MHz	-6.84	
	106+26 MRU1	1.759	0.655	0.00	4.25	11.00 dBm/MHz	-6.75	
5220	242	0.735	-0.022	0.00	3.38	11.00 dBm/MHz	-7.62	
5240	242	0.500	-0.163	0.00	3.19	11.00 dBm/MHz	-7.81	
5260	242	0.867	-0.297	0.00	3.33	11.00 dBm/MHz	-7.67	
5300	242	-0.043	-1.367	0.00	2.36	11.00 dBm/MHz	-8.64	
5320	242	-0.635	-2.210	0.00	1.66	11.00 dBm/MHz	-9.34	
	26/8	3.100	0.918	0.00	5.15	11.00 dBm/MHz	-5.85	
	52/40	3.192	1.029	0.00	5.25	11.00 dBm/MHz	-5.75	
	106/54	2.905	1.135	0.00	5.12	11.00 dBm/MHz	-5.88	
	52+26 MRU3	4.253	2.752	0.00	6.58	11.00 dBm/MHz	-4.42	
	106+26 MRU2	1.295	-0.617	0.00	3.45	11.00 dBm/MHz	-7.55	
5500	242	0.411	-1.261	0.00	2.67	11.00 dBm/MHz	-8.33	
	26/0	8.396	6.371	0.00	10.51	11.00 dBm/MHz	-0.49	
	52/37	6.890	5.466	0.00	9.25	11.00 dBm/MHz	-1.75	
	106/53	4.051	2.666	0.00	6.42	11.00 dBm/MHz	-4.58	
	52+26 MRU1	5.014	3.713	0.00	7.42	11.00 dBm/MHz	-3.58	
	106+26 MRU1	3.023	1.537	0.00	5.35	11.00 dBm/MHz	-5.65	
5600	242	1.042	-0.664	0.00	3.28	11.00 dBm/MHz	-7.72	
5700	242	1.247	0.150	0.00	3.74	11.00 dBm/MHz	-7.26	
	26/8	8.249	6.507	0.00	10.48	11.00 dBm/MHz	-0.52	
	52/40	7.990	5.963	0.00	10.10	11.00 dBm/MHz	-0.90	
	106/54	4.774	3.131	0.00	7.04	11.00 dBm/MHz	-3.96	
	52+26 MRU3	6.224	3.640	0.00	8.13	11.00 dBm/MHz	-2.87	
	106+26 MRU2	4.075	2.093	0.00	6.21	11.00 dBm/MHz	-4.79	
5720 (U-NII 2C)	242	1.149	-0.381	0.00	3.46	11.00 dBm/MHz	-7.54	
Frequency (MHz)	RU config.	Ch0 meas PSD (dBm/300kHz)	Ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5720 (U-NII 3)	242	-3.102	-5.375	0.00	2.22	1.14	30.00 dBm/500kHz	-28.86
5745	242	-3.836	-5.150	0.00	2.22	0.79	30.00 dBm/500kHz	-29.21
	26/0	6.170	4.659	0.00	2.22	10.71	30.00 dBm/500kHz	-19.29
	52/37	2.876	1.623	0.00	2.22	7.52	30.00 dBm/500kHz	-22.48
	106/53	-0.259	-1.153	0.00	2.22	4.55	30.00 dBm/500kHz	-25.45
	52+26 MRU1	0.943	-0.137	0.00	2.22	5.67	30.00 dBm/500kHz	-24.33
	106+26 MRU1	-1.168	-2.431	0.00	2.22	3.48	30.00 dBm/500kHz	-26.52
5785	242	-3.721	-5.267	0.00	2.22	0.80	30.00 dBm/500kHz	-29.20
5825	242	-3.627	-4.993	0.00	2.22	0.97	30.00 dBm/500kHz	-29.03
	26/8	5.599	4.178	0.00	2.22	10.18	30.00 dBm/500kHz	-19.82
	52/40	2.916	0.934	0.00	2.22	7.27	30.00 dBm/500kHz	-22.73
	106/54	-0.392	-1.895	0.00	2.22	4.15	30.00 dBm/500kHz	-25.85
	52+26 MRU3	0.912	-1.750	0.00	2.22	5.01	30.00 dBm/500kHz	-24.99
	106+26 MRU2	-1.239	-2.779	0.00	2.22	3.29	30.00 dBm/500kHz	-26.71
5845 (U-NII 3)	242	-7.227	-7.201	0.00	2.22	-1.98	30.00 dBm/500kHz	-31.98
Frequency (MHz)	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	EIRP PSD Limit	Margin (dB)	
5845 (U-NII4)	242	-2.021	-1.964	0.00	1.02	6.79	14.00 dBm/MHz	-7.21
5865	242	-1.281	-1.229	0.00	1.76	7.53	14.00 dBm/MHz	-6.47
	26/0	4.922	4.957	0.00	7.95	13.72	14.00 dBm/MHz	-0.28
	52/37	4.998	4.992	0.00	8.01	13.78	14.00 dBm/MHz	-0.22
	106/53	2.586	2.165	0.00	5.39	11.16	14.00 dBm/MHz	-2.84
	52+26 MRU1	3.351	3.423	0.00	6.40	12.17	14.00 dBm/MHz	-1.83
	106+26 MRU1	1.345	1.342	0.00	4.35	10.12	14.00 dBm/MHz	-3.88
5885	242	-0.797	-0.589	0.00	2.32	8.09	14.00 dBm/MHz	-5.91
	26/8	0.026	-0.004	0.00	3.02	8.79	14.00 dBm/MHz	-5.21
	52/40	-2.589	-2.684	0.00	0.37	6.14	14.00 dBm/MHz	-7.86
	106/54	-1.515	-1.444	0.00	1.53	7.30	14.00 dBm/MHz	-6.70
	52+26 MRU3	2.483	2.352	0.00	5.43	11.20	14.00 dBm/MHz	-2.80
	106+26 MRU2	1.671	1.854	0.00	4.77	10.54	14.00 dBm/MHz	-3.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

POWER DENSITY 802.11b EHT40 RU MODE								
Frequency (MHz)	RU config.	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5190	484	-0.002	-0.014	0.00	3.00		11.00 dBm/MHz	-8.00
	242/61	1.550	0.872	0.00	4.23		11.00 dBm/MHz	-6.77
5230	484	-0.194	-0.591	0.00	2.62		11.00 dBm/MHz	-8.38
5270	484	-0.099	-1.246	0.00	2.38		11.00 dBm/MHz	-8.62
5310	484	-0.691	-1.832	0.00	1.79		11.00 dBm/MHz	-9.21
	242/62	2.093	0.852	0.00	4.53		11.00 dBm/MHz	-6.47
5510	484	-0.397	-1.548	0.00	2.08		11.00 dBm/MHz	-8.92
	242/61	2.863	0.828	0.00	4.97		11.00 dBm/MHz	-6.03
5590	484	-0.266	-1.206	0.00	2.30		11.00 dBm/MHz	-8.70
5670	484	0.374	-1.142	0.00	2.69		11.00 dBm/MHz	-8.31
	242/62	2.736	1.903	0.00	5.35		11.00 dBm/MHz	-5.65
5710 (U-NII 2C)	484	0.124	-1.640	0.00	2.34		11.00 dBm/MHz	-8.66
Frequency (MHz)	RU config.	Ch0 meas PSD (dBm/300kHz)	Ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5710 (U-NII 3)	484	-4.329	-5.530	0.00	2.22	0.34	30.00 dBm/500kHz	-29.66
5755	484	-5.090	-6.432	0.00	2.22	-0.48	30.00 dBm/500kHz	-30.48
	242/61	-2.027	-3.589	0.00	2.22	2.49	30.00 dBm/500kHz	-27.51
5795	484	-5.219	-6.609	0.00	2.22	-0.63	30.00 dBm/500kHz	-30.63
	242/62	-2.221	-3.302	0.00	2.22	2.50	30.00 dBm/500kHz	-27.50
5835 (U-NII 3)	484	-9.010	-9.270	0.00	2.22	-3.91	30.00 dBm/502kHz	-33.91
Frequency (MHz)		ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	EIRP PSD Limit	Margin (dB)
5835 (U-NII4)	484	-3.905	-3.827	0.00	-0.86	4.91	14.00 dBm/MHz	-9.09
5875	484	-2.470	-3.003	0.00	0.28	6.05	14.00 dBm/MHz	-7.95
	242/61	-0.035	-0.251	0.00	2.87	8.64	14.00 dBm/MHz	-5.36
	242/62	0.128	-0.276	0.00	2.94	8.71	14.00 dBm/MHz	-5.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

POWER DENSITY 802.11b EHT80 RU MODE								
Frequency (MHz)	RU config.	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5210	996	-2.791	-2.888	0.00	0.17		11.00 dBm/MHz	-10.83
	484/65	-0.986	-1.451	0.00	1.80		11.00 dBm/MHz	-9.20
	484+242 MRU1	-1.479	-2.129	0.00	1.22		11.00 dBm/MHz	-9.78
5290	996	-2.307	-3.749	0.00	0.04		11.00 dBm/MHz	-10.96
	484/66	0.106	-0.829	0.00	2.67		11.00 dBm/MHz	-8.33
	484+242 MRU4	-1.417	-2.817	0.00	0.95		11.00 dBm/MHz	-10.05
5530	996	-2.299	-3.633	0.00	0.10		11.00 dBm/MHz	-10.90
	484/65	0.662	-0.506	0.00	3.13		11.00 dBm/MHz	-7.87
	484+242 MRU1	-0.654	-1.685	0.00	1.87		11.00 dBm/MHz	-9.13
5610	996	-2.135	-3.053	0.00	0.44		11.00 dBm/MHz	-10.56
	484/66	0.964	0.524	0.00	3.76		11.00 dBm/MHz	-7.24
	484+242 MRU4	-1.290	-2.482	0.00	1.17		11.00 dBm/MHz	-9.83
5690 (U-NII 2C)	996	-1.854	-3.367	0.00	0.47		11.00 dBm/MHz	-10.53
Frequency (MHz)	RU config.	Ch0 meas PSD (dBm/300kHz)	Ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5690 (U-NII 3)	996	-7.834	-8.045	0.00	2.22	-2.71	30.00 dBm/500kHz	-32.71
5775	996	-7.246	-8.278	0.00	2.22	-2.50	30.00 dBm/500kHz	-32.50
	484/65	-4.145	-5.684	0.00	2.22	0.38	30.00 dBm/500kHz	-29.62
	484/66	-4.100	-5.313	0.00	2.22	0.57	30.00 dBm/500kHz	-29.43
	484+242 MRU1	-5.450	-6.962	0.00	2.22	-0.91	30.00 dBm/500kHz	-30.91
	484+242 MRU4	-5.943	-7.379	0.00	2.22	-1.37	30.00 dBm/500kHz	-31.37
5855 (U-NII 3)	996	-11.405	-11.588	0.00	2.22	-6.27	30.00 dBm/500kHz	-36.27
Frequency (MHz)		ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	EIRP PSD Limit	Margin (dB)
5855 (U-NII4)	996	-5.175	-5.106	0.00	-2.13	3.64	14.00 dBm/MHz	-10.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

POWER DENSITY 802.11b EHT160 RU MODE								
Frequency (MHz)	RU config.	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5250	996*2	-12.347	-12.893	0.10	-9.50		11.00 dBm/MHz	-20.50
	996/67	-9.072	-9.741	0.00	-6.38		11.00 dBm/MHz	-17.38
	996/S67	-8.127	-10.352	0.00	-6.09		11.00 dBm/MHz	-17.09
	996+484 MRU1	-9.834	-11.921	0.00	-7.74		11.00 dBm/MHz	-18.74
	996+484 MRU2	-9.897	-11.664	0.00	-7.68		11.00 dBm/MHz	-18.68
	996+484+242 MRU1	-10.082	-11.618	0.00	-7.77		11.00 dBm/MHz	-18.77
	996+484+242 MRU2	-10.130	-11.760	0.00	-7.86		11.00 dBm/MHz	-18.86
5570	996*2	-10.994	-12.547	0.10	-8.59		11.00 dBm/MHz	-19.59
	996/67	-8.581	-10.152	0.00	-6.29		11.00 dBm/MHz	-17.29
	996/S67	-8.739	-9.676	0.00	-6.17		11.00 dBm/MHz	-17.17
	996+484 MRU3	-10.198	-11.426	0.00	-7.76		11.00 dBm/MHz	-18.76
	996+484 MRU4	-9.654	-11.426	0.00	-7.44		11.00 dBm/MHz	-18.44
	996+484+242 MRU7	-9.662	-11.364	0.00	-7.42		11.00 dBm/MHz	-18.42
	996+484+242 MRU8	-9.759	-11.535	0.00	-7.55		11.00 dBm/MHz	-18.55
Frequency (MHz)		ch0 meas PSD (dBm/300kHz)	ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5815 (U-NII 3)	996*2	-20.990	-20.652	0.10	2.22	-15.49	30.00 dBm/500kHz	-45.49
Frequency (MHz)		ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	Limit	Margin (dB)
5815 (U-NII4)	996*2	-15.509	-14.798	0.10	-12.03	-6.26	14.00 dBm/MHz	-20.26

EIRP spectral density 802.11a MODE						
Freq. (MHz)	PSD (dBm)	Ant. Gain (dBi)	EIRP PSD (dBm)	Limit (dBm)	Margin (dB)	
5180	4.193	5.70	9.89	10	-0.11	
5220	3.880	5.70	9.58	10	-0.42	
5240	3.937	5.70	9.64	10	-0.36	

EIRP spectral density 802.11n HT20 MODE						
Freq. (MHz)	PSD (dBm)	Ant. Gain (dBi)	EIRP PSD (dBm)	Limit (dBm)	Margin (dB)	
5180	3.925	5.70	9.63	10	-0.37	
5220	3.554	5.70	9.25	10	-0.75	
5240	3.611	5.70	9.31	10	-0.69	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

EIRP spectral density 802.11n HT40 MODE					
Freq. (MHz)	PSD (dBm)	Ant. Gain (dBi)	EIRP PSD (dBm)	Limit (dBm)	Margin (dB)
5190	2.582	5.70	8.28	10	-1.72
5230	2.880	5.70	8.58	10	-1.42

EIRP spectral density 802.11ac VHT80 MODE					
Freq. (MHz)	PSD (dBm)	Ant. Gain (dBi)	EIRP PSD (dBm)	Limit (dBm)	Margin (dB)
5210	-1.690	5.70	4.01	10	-5.99

EIRP spectral density 802.11ac VHT160 MODE					
Freq. (MHz)	PSD (dBm)	Ant. Gain (dBi)	EIRP PSD (dBm)	Limit (dBm)	Margin (dB)
5250	-8.982	5.70	-3.28	10	-13.28

EIRP spectral density 802.11be EHT20 SU MODE					
Freq. (MHz)	PSD (dBm)	Ant. Gain (dBi)	EIRP PSD (dBm)	Limit (dBm)	Margin (dB)
5180	3.218	5.70	8.92	10	-1.08
5220	2.863	5.70	8.56	10	-1.44
5240	2.816	5.70	8.52	10	-1.48

EIRP spectral density 802.11be EHT40 SU MODE					
Freq. (MHz)	PSD (dBm)	Ant. Gain (dBi)	EIRP PSD (dBm)	Limit (dBm)	Margin (dB)
5190	2.567	5.70	8.27	10	-1.73
5230	2.444	5.70	8.14	10	-1.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

EIRP spectral density 802.11be EHT80 SU MODE					
Freq. (MHz)	PSD (dBm)	Ant. Gain (dBi)	EIRP PSD (dBm)	Limit (dBm)	Margin (dB)
5210	0.247	5.70	5.95	10	-4.05

EIRP spectral density 802.11be EHT160 SU MODE					
Freq. (MHz)	PSD (dBm)	Ant. Gain (dBi)	EIRP PSD (dBm)	Limit (dBm)	Margin (dB)
5250	-8.862	5.70	-3.16	10	-13.16

EIRP spectral density 802.11be EHT20 RU MODE						
Freq. (MHz)	RU config.	PSD (dBm)	Ant. Gain (dBi)	EIRP PSD (dBm)	Limit (dBm)	Margin (dB)
5180	242	3.741	5.70	9.44	10	-0.56
	26/0	4.206	5.70	9.91	10	-0.09
	52/37	3.907	5.70	9.61	10	-0.39
	106/53	4.148	5.70	9.85	10	-0.15
	52+26 MRU1	4.162	5.70	9.86	10	-0.14
	106+26 MRU1	4.252	5.70	9.95	10	-0.05
5220	242	3.383	5.70	9.08	10	-0.92
5240	242	3.191	5.70	8.89	10	-1.11

EIRP spectral density 802.11be EHT40 RU MODE						
Freq. (MHz)	RU config.	PSD (dBm)	Ant. Gain (dBi)	EIRP PSD (dBm)	Limit (dBm)	Margin (dB)
5190	484	3.002	5.70	8.70	10	-1.30
	242/61	4.235	5.70	9.93	10	-0.07
5230	484	2.622	5.70	8.32	10	-1.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

EIRP spectral density 802.11be EHT80 RU MODE						
Freq. (MHz)	RU config.	PSD (dBm)	Ant. Gain (dBi)	EIRP PSD (dBm)	Limit (dBm)	Margin (dB)
5210	996	0.171	5.70	5.87	10	-4.13
	484/65	1.798	5.70	7.50	10	-2.50
	484+242 MRU1	1.218	5.70	6.92	10	-3.08


EIRP spectral density 802.11be EHT160 RU MODE						
Freq. (MHz)	RU config.	PSD (dBm)	Ant. Gain (dBi)	EIRP PSD (dBm)	Limit (dBm)	Margin (dB)
5250	996*2	-9.501	5.70	-3.80	10	-13.80
	996/67	-6.383	5.70	-0.68	10	-10.68
	996/S67	-6.088	5.70	-0.39	10	-10.39
	996+484 MRU1	-7.743	5.70	-2.04	10	-12.04
	996+484 MRU2	-7.681	5.70	-1.98	10	-11.98
	996+484+242 MRU1	-7.772	5.70	-2.07	10	-12.07
	996+484+242 MRU2	-7.859	5.70	-2.16	10	-12.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11a_20MHz_Chain0_5180MHz




802.11a_20MHz_Chain1_5180MHz




802.11a_20MHz_Chain0_5220MHz



802.11a_20MHz_Chain1_5220MHz



802.11a_20MHz_Chain0_5240MHz




802.11a_20MHz_Chain1_5240MHz


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



802.11a_20MHz_Chain0_5260MHz




802.11a_20MHz_Chain1_5260MHz




802.11a_20MHz_Chain0_5300MHz



802.11a_20MHz_Chain1_5300MHz



802.11a_20MHz_Chain0_5320MHz



802.11a_20MHz_Chain1_5320MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11a_20MHz_Chain0_5500MHz



802.11a_20MHz_Chain1_5500MHz



802.11a_20MHz_Chain0_5600MHz



802.11a_20MHz_Chain1_5600MHz



802.11a_20MHz_Chain0_5700MHz



802.11a_20MHz_Chain1_5700MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



802.11a_20MHz_Chain0_5720MHz_UNII 2C




802.11a_20MHz_Chain0_5720MHz_UNII 3



802.11a_20MHz_Chain1_5720MHz_UNII 2C



802.11a_20MHz_Chain1_5720MHz_UNII 3



802.11a_20MHz_Chain0_5745MHz




802.11a_20MHz_Chain1_5745MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



802.11a_20MHz_Chain0_5785MHz



802.11a_20MHz_Chain1_5785MHz




802.11a_20MHz_Chain0_5825MHz



802.11a_20MHz_Chain1_5825MHz



802.11a_20MHz_Chain0_5845MHz UNII 4




802.11a_20MHz_Chain1_5845MHz UNII 4


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11a 20MHz Chain0 5865MHz




802.11a 20MHz Chain1 5865MHz



802.11a 20MHz Chain0 5885MHz



802.11a 20MHz Chain1 5885MHz



802.11n 20MHz Chain0 5180MHz




802.11n 20MHz Chain1 5180MHz


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11n_20MHz_Chain0_5220MHz




802.11n_20MHz_Chain1_5220MHz




802.11n_20MHz_Chain0_5240MHz



802.11n_20MHz_Chain1_5240MHz



802.11n_20MHz_Chain0_5260MHz




802.11n_20MHz_Chain1_5260MHz


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11n_20MHz_Chain0_5300MHz




802.11n_20MHz_Chain1_5300MHz




802.11n_20MHz_Chain0_5320MHz



802.11n_20MHz_Chain1_5320MHz



802.11n_20MHz_Chain0_5500MHz




802.11n_20MHz_Chain1_5500MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



802.11n_20MHz_Chain0_5600MHz




802.11n_20MHz_Chain1_5600MHz




802.11n_20MHz_Chain0_5700MHz



802.11n_20MHz_Chain1_5700MHz



802.11n_20MHz_Chain0_5720MHz_UNII 2C




802.11n_20MHz_Chain0_5720MHz_UNII 3


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



802.11n_20MHz_Chain1_5720MHz_UNII 2C




802.11n_20MHz_Chain1_5720MHz_UNII 3




802.11n_20MHz_Chain0_5745MHz



802.11n_20MHz_Chain1_5745MHz



802.11n_20MHz_Chain0_5785MHz




802.11n_20MHz_Chain1_5785MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11n_20MHz_Chain0_5825MHz




802.11n_20MHz_Chain1_5825MHz




802.11n_20MHz_Chain0_5845MHz_UNII 4



802.11n_20MHz_Chain1_5845MHz_UNII 4



802.11n_20MHz_Chain0_5865MHz



802.11n_20MHz_Chain1_5865MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.