


Report Number :TERF2604001458E2
Operation Mode :802.11be320 RU 4X996
Test Frequency :6905 MHz
Test Mode :Tx
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-07-01
Temp./Humi. :23.5°C/56%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
13810.00	Average	26.39	10.25	36.64	68.20	-31.56
13810.00	Peak	37.55	10.25	47.80	88.20	-40.40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
 Operation Mode :802.11be320 RU 4x996
 Test Frequency :6905 MHz
 Test Mode :Tx
 EUT Pol :E1 Plane

Test Site :SAC C
 Test Date :2026-07-07
 Temp./Humi. :21.5°C/74%
 Antenna Pol. :Horizontal
 Engineer :Alex Li



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dB μ V	dB	dB μ V/m	dB μ V/m	dB
39428.00	Average	29.10	15.45	44.55	54.00	-9.45
39428.00	Peak	39.81	15.45	55.26	74.00	-18.74


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

7.5.2 Band Edge

Report Number :TERF2604001458E2
Operation Mode :802.11a
Test Frequency :5955 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-18
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5866.30	Average	41.71	3.03	44.74	68.20	-23.46
5891.05	Peak	50.64	3.13	53.77	88.20	-34.43
5961.31	Average	79.46	3.21	82.67	-	-
5961.31	Peak	86.85	3.21	90.06	-	-
7189.71	Average	41.40	7.41	48.81	68.20	-19.39
7224.47	Peak	50.07	7.55	57.62	88.20	-30.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2604001458E2
Operation Mode :802.11a
Test Frequency :5955 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-18
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5797.79	Peak	51.48	2.72	54.20	88.20	-34.00
5914.30	Average	41.31	3.19	44.50	68.20	-23.70
5950.81	Average	74.39	3.20	77.59	-	-
5950.81	Peak	81.44	3.20	84.64	-	-
7221.22	Average	41.32	7.54	48.86	68.20	-19.34
7246.22	Peak	50.66	7.63	58.29	88.20	-29.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11a
Test Frequency :7115 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-18
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5895.30	Average	41.48	3.16	44.64	68.20	-23.56
5917.80	Peak	50.79	3.19	53.98	88.20	-34.22
7114.95	Average	87.72	7.20	94.92	-	-
7114.95	Peak	90.40	7.20	97.60	-	-
7125.00	Average	52.62	7.20	59.82	68.20	-8.38
7125.00	Peak	65.05	7.20	72.25	88.20	-15.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11a
Test Frequency :7115 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-18
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5682.52	Peak	51.59	2.52	54.11	88.20	-34.09
5898.80	Average	41.72	3.18	44.90	68.20	-23.30
7114.95	Average	85.33	7.20	92.53	-	-
7114.95	Peak	88.46	7.20	95.66	-	-
7125.00	Average	50.46	7.20	57.66	68.20	-10.54
7125.00	Peak	61.50	7.20	68.70	88.20	-19.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11ax20 RU Full
Test Frequency :5955 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-18
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5881.80	Peak	50.58	3.10	53.68	88.20	-34.52
5903.30	Average	41.96	3.18	45.14	68.20	-23.06
5960.81	Average	81.36	3.21	84.57	-	-
5960.81	Peak	89.94	3.21	93.15	-	-
7210.21	Average	41.17	7.50	48.67	68.20	-19.53
7237.97	Peak	50.35	7.60	57.95	88.20	-30.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11ax20 RU Full
Test Frequency :5955 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-18
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5816.29	Peak	52.25	2.80	55.05	88.20	-33.15
5833.29	Average	41.22	2.87	44.09	68.20	-24.11
5961.31	Average	75.38	3.21	78.59	-	-
5961.31	Peak	84.32	3.21	87.53	-	-
7183.71	Peak	50.50	7.38	57.88	88.20	-30.32
7249.72	Average	40.53	7.63	48.16	68.20	-20.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11ax20 RU 26/0
Test Frequency :5955 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-22
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5899.55	Average	41.21	3.18	44.39	68.20	-23.81
5912.30	Peak	51.45	3.18	54.63	88.20	-33.57
5946.31	Average	75.78	3.20	78.98	-	-
5946.31	Peak	82.10	3.20	85.30	-	-
7238.47	Peak	50.03	7.60	57.63	88.20	-30.57
7240.72	Average	40.69	7.61	48.30	68.20	-19.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11ax20 RU 26/0
Test Frequency :5955 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-22
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5854.54	Average	41.46	2.97	44.43	68.20	-23.77
5868.55	Peak	51.00	3.03	54.03	88.20	-34.17
5946.56	Average	77.73	3.20	80.93	-	-
5946.56	Peak	84.46	3.20	87.66	-	-
7183.71	Average	41.24	7.38	48.62	68.20	-19.58
7206.71	Peak	50.70	7.49	58.19	88.20	-30.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11ax20 RU 52/37
Test Frequency :5955 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-22
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5723.78	Peak	51.60	2.61	54.21	88.20	-33.99
5910.05	Average	41.20	3.19	44.39	68.20	-23.81
5946.56	Average	75.87	3.20	79.07	-	-
5946.56	Peak	84.48	3.20	87.68	-	-
7168.96	Peak	51.16	7.29	58.45	88.20	-29.75
7205.96	Average	41.03	7.49	48.52	68.20	-19.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2604001458E2
Operation Mode :802.11ax20 RU 52/37
Test Frequency :5955 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-22
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5806.54	Peak	51.23	2.75	53.98	88.20	-34.22
5901.80	Average	41.33	3.18	44.51	68.20	-23.69
5949.31	Average	72.62	3.20	75.82	-	-
5949.31	Peak	80.00	3.20	83.20	-	-
7205.71	Peak	52.35	7.49	59.84	88.20	-28.36
7227.97	Average	41.12	7.56	48.68	68.20	-19.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11ax20 RU 106/53
Test Frequency :5955 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-22
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5657.52	Peak	52.51	2.34	54.85	88.20	-33.35
5900.80	Average	41.27	3.18	44.45	68.20	-23.75
5946.56	Average	78.39	3.20	81.59	-	-
5946.56	Peak	85.89	3.20	89.09	-	-
7189.96	Peak	51.48	7.41	58.89	88.20	-29.31
7235.22	Average	40.85	7.58	48.43	68.20	-19.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11ax20 RU 106/53
Test Frequency :5955 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-22
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5858.55	Peak	51.82	2.98	54.80	88.20	-33.40
5874.30	Average	41.44	3.06	44.50	68.20	-23.70
5948.81	Average	74.28	3.20	77.48	-	-
5948.81	Peak	83.96	3.20	87.16	-	-
7210.46	Peak	49.95	7.50	57.45	88.20	-30.75
7229.22	Average	40.97	7.57	48.54	68.20	-19.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11ax20 RU 242
Test Frequency :5955 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-22
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5841.79	Peak	51.88	2.92	54.80	88.20	-33.40
5877.80	Average	42.13	3.07	45.20	68.20	-23.00
5961.56	Average	78.16	3.20	81.36	-	-
5961.56	Peak	86.49	3.20	89.69	-	-
7208.46	Average	41.58	7.50	49.08	68.20	-19.12
7236.22	Peak	50.30	7.59	57.89	88.20	-30.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11ax20 RU 242
Test Frequency :5955 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-22
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5534.25	Peak	52.29	2.11	54.40	88.20	-33.80
5906.55	Average	41.22	3.18	44.40	68.20	-23.80
5951.81	Average	71.79	3.20	74.99	-	-
5951.81	Peak	80.08	3.20	83.28	-	-
7232.72	Peak	51.67	7.58	59.25	88.20	-28.95
7238.72	Average	40.79	7.60	48.39	68.20	-19.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11ax20 RU Full
Test Frequency :7115 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-22
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5889.30	Peak	51.45	3.13	54.58	88.20	-33.62
5897.30	Average	41.72	3.17	44.89	68.20	-23.31
7121.45	Average	68.50	7.20	75.70	-	-
7121.45	Peak	77.15	7.20	84.35	-	-
7125.00	Average	57.37	7.20	64.57	68.20	-3.63
7125.00	Peak	66.25	7.20	73.45	88.20	-14.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11ax20 RU Full
Test Frequency :7115 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-22
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5879.55	Average	41.33	3.09	44.42	68.20	-23.78
5922.55	Peak	51.08	3.19	54.27	88.20	-33.93
7121.20	Average	69.52	7.20	76.72	-	-
7121.20	Peak	79.34	7.20	86.54	-	-
7125.00	Average	59.76	7.20	66.96	68.20	-1.24
7125.00	Peak	69.54	7.20	76.74	88.20	-11.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11ax20 RU 26/8
Test Frequency :7115 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-23
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5722.28	Peak	51.31	2.62	53.93	88.20	-34.27
5817.79	Average	42.94	2.80	45.74	68.20	-22.46
7123.45	Average	63.98	7.21	71.19	-	-
7123.45	Peak	71.07	7.21	78.28	-	-
7125.00	Average	55.19	7.20	62.39	68.20	-5.81
7125.00	Peak	65.67	7.20	72.87	88.20	-15.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11ax20 RU 26/8
Test Frequency :7115 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-23
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5769.78	Peak	51.72	2.64	54.36	88.20	-33.84
5824.29	Average	42.68	2.84	45.52	68.20	-22.68
7123.20	Average	66.84	7.20	74.04	-	-
7123.20	Peak	72.35	7.20	79.55	-	-
7125.00	Average	58.39	7.20	65.59	68.20	-2.61
7125.00	Peak	67.11	7.20	74.31	88.20	-13.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11ax20 RU 52/40
Test Frequency :7115 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-23
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5886.55	Peak	51.51	3.12	54.63	88.20	-33.57
5893.80	Average	41.24	3.16	44.40	68.20	-23.80
7122.95	Average	57.35	7.20	64.55	-	-
7122.95	Peak	65.65	7.20	72.85	-	-
7125.00	Average	49.64	7.20	56.84	68.20	-11.36
7125.00	Peak	58.24	7.20	65.44	88.20	-22.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11ax20 RU 52/40
Test Frequency :7115 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-23
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5722.28	Peak	51.68	2.62	54.30	88.20	-33.90
5881.30	Average	42.34	3.10	45.44	68.20	-22.76
7121.70	Average	69.49	7.20	76.69	-	-
7121.70	Peak	76.83	7.20	84.03	-	-
7125.00	Average	60.45	7.20	67.65	68.20	-0.55
7125.00	Peak	68.60	7.20	75.80	88.20	-12.40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11ax20 RU 106/54
Test Frequency :7115 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-23
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5891.05	Average	41.71	3.13	44.84	68.20	-23.36
5910.80	Peak	50.96	3.19	54.15	88.20	-34.05
7117.45	Average	68.77	7.20	75.97	-	-
7117.45	Peak	76.96	7.20	84.16	-	-
7125.00	Average	58.79	7.20	65.99	68.20	-2.21
7125.00	Peak	66.96	7.20	74.16	88.20	-14.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11ax20 RU 106/54
Test Frequency :7115 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-23
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5533.75	Peak	53.13	2.11	55.24	88.20	-32.96
5877.80	Average	41.26	3.07	44.33	68.20	-23.87
7118.45	Average	71.60	7.21	78.81	-	-
7118.45	Peak	79.80	7.21	87.01	-	-
7125.00	Average	60.15	7.20	67.35	68.20	-0.85
7125.00	Peak	70.78	7.20	77.98	88.20	-10.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11ax20 RU 242
Test Frequency :7115 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-22
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5782.04	Peak	51.38	2.67	54.05	88.20	-34.15
5918.05	Average	42.07	3.19	45.26	68.20	-22.94
7109.20	Average	66.78	7.20	73.98	-	-
7109.20	Peak	75.11	7.20	82.31	-	-
7125.00	Average	57.10	7.20	64.30	68.20	-3.90
7125.00	Peak	66.53	7.20	73.73	88.20	-14.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11ax20 RU 242
Test Frequency :7115 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-22
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5509.50	Peak	52.80	2.08	54.88	88.20	-33.32
5888.55	Average	41.09	3.12	44.21	68.20	-23.99
7119.95	Average	67.94	7.20	75.14	-	-
7119.95	Peak	77.11	7.20	84.31	-	-
7125.00	Average	59.71	7.20	66.91	68.20	-1.29
7125.00	Peak	69.58	7.20	76.78	88.20	-11.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11ax80 RU Full
Test Frequency :5985 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-18
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5817.29	Peak	50.99	2.80	53.79	88.20	-34.41
5914.05	Average	41.06	3.19	44.25	68.20	-23.95
5973.06	Average	80.96	3.21	84.17	-	-
5973.06	Peak	89.38	3.21	92.59	-	-
7171.21	Peak	51.16	7.31	58.47	88.20	-29.73
7208.21	Average	40.46	7.50	47.96	68.20	-20.24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11ax80 RU Full
Test Frequency :5985 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-19
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5756.78	Peak	51.29	2.60	53.89	88.20	-34.31
5873.05	Average	41.53	3.05	44.58	68.20	-23.62
5972.81	Average	77.47	3.21	80.68	-	-
5972.81	Peak	86.34	3.21	89.55	-	-
7195.21	Peak	51.15	7.44	58.59	88.20	-29.61
7197.96	Average	41.08	7.46	48.54	68.20	-19.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11ax80 RU 484/65
Test Frequency :5985 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-23
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5867.05	Peak	51.42	3.03	54.45	88.20	-33.75
5896.80	Average	41.81	3.17	44.98	68.20	-23.22
5955.31	Average	82.36	3.20	85.56	-	-
5955.31	Peak	90.43	3.20	93.63	-	-
7164.71	Average	41.93	7.28	49.21	68.20	-18.99
7234.97	Peak	50.92	7.58	58.50	88.20	-29.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11ax80 RU 484/65
Test Frequency :5985 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-23
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5753.53	Peak	52.10	2.59	54.69	88.20	-33.51
5919.55	Average	41.06	3.19	44.25	68.20	-23.95
5971.31	Average	72.72	3.20	75.92	-	-
5971.31	Peak	81.31	3.20	84.51	-	-
7127.70	Peak	51.33	7.20	58.53	88.20	-29.67
7206.46	Average	40.73	7.49	48.22	68.20	-19.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11ax80 RU 996
Test Frequency :5985 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-23
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5863.55	Peak	51.11	3.00	54.11	88.20	-34.09
5902.55	Average	41.45	3.18	44.63	68.20	-23.57
5992.31	Average	82.32	3.22	85.54	-	-
5992.31	Peak	91.63	3.22	94.85	-	-
7197.46	Peak	50.91	7.46	58.37	88.20	-29.83
7230.97	Average	41.06	7.58	48.64	68.20	-19.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11ax80 RU 996
Test Frequency :5985 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-23
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5905.30	Average	41.65	3.18	44.83	68.20	-23.37
5911.80	Peak	50.72	3.18	53.90	88.20	-34.30
5954.06	Average	73.91	3.20	77.11	-	-
5954.06	Peak	82.29	3.20	85.49	-	-
7201.71	Peak	50.31	7.47	57.78	88.20	-30.42
7203.71	Average	41.12	7.48	48.60	68.20	-19.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11ax80 RU Full
Test Frequency :7025 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-19
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5921.30	Peak	51.58	3.18	54.76	88.20	-33.44
5923.55	Average	41.97	3.19	45.16	68.20	-23.04
7055.44	Average	80.54	7.02	87.56	-	-
7055.44	Peak	88.20	7.02	95.22	-	-
7154.71	Peak	51.86	7.22	59.08	88.20	-29.12
7225.22	Average	41.62	7.55	49.17	68.20	-19.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11ax80 RU Full
Test Frequency :7025 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-19
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5823.54	Peak	51.06	2.83	53.89	88.20	-34.31
5893.55	Average	40.99	3.15	44.14	68.20	-24.06
7019.44	Average	78.29	6.81	85.10	-	-
7019.44	Peak	86.61	6.81	93.42	-	-
7246.47	Peak	49.95	7.63	57.58	88.20	-30.62
7248.97	Average	40.15	7.63	47.78	68.20	-20.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2604001458E2
Operation Mode :802.11ax80 RU 484/66
Test Frequency :7025 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-23
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5899.05	Peak	51.01	3.18	54.19	88.20	-34.01
5915.30	Average	41.00	3.19	44.19	68.20	-24.01
7042.19	Average	72.35	6.95	79.30	-	-
7042.19	Peak	80.49	6.95	87.44	-	-
7174.96	Average	40.90	7.33	48.23	68.20	-19.97
7208.96	Peak	51.16	7.50	58.66	88.20	-29.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11ax80 RU 484/66
Test Frequency :7025 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-23
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5771.28	Peak	51.83	2.64	54.47	88.20	-33.73
5908.55	Average	41.86	3.19	45.05	68.20	-23.15
7048.94	Average	76.07	6.99	83.06	-	-
7048.94	Peak	83.80	6.99	90.79	-	-
7248.97	Average	41.35	7.63	48.98	68.20	-19.22
7248.97	Peak	50.35	7.63	57.98	88.20	-30.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11ax80 RU 996
Test Frequency :7025 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-23
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dB μ V	dB	dB μ V/m	dB μ V/m	dB
5791.29	Peak	51.24	2.69	53.93	88.20	-34.27
5914.30	Average	41.22	3.19	44.41	68.20	-23.79
6999.44	Average	76.86	6.69	83.55	-	-
6999.44	Peak	84.97	6.69	91.66	-	-
7181.46	Peak	50.44	7.36	57.80	88.20	-30.40
7183.21	Average	41.31	7.38	48.69	68.20	-19.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11ax80 RU 996
Test Frequency :7025 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-23
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5824.29	Peak	50.95	2.84	53.79	88.20	-34.41
5902.80	Average	41.80	3.18	44.98	68.20	-23.22
6991.19	Average	78.63	6.66	85.29	-	-
6991.19	Peak	87.22	6.66	93.88	-	-
7204.46	Average	41.35	7.49	48.84	68.20	-19.36
7242.97	Peak	51.95	7.61	59.56	88.20	-28.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be20 RU 52+26MRU1
Test Frequency :5955 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-23
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5827.29	Peak	51.75	2.85	54.60	88.20	-33.60
5899.55	Average	41.18	3.18	44.36	68.20	-23.84
5951.06	Average	78.49	3.20	81.69	-	-
5951.06	Peak	87.67	3.20	90.87	-	-
7178.46	Peak	50.82	7.35	58.17	88.20	-30.03
7203.71	Average	41.21	7.48	48.69	68.20	-19.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be20 RU 52+26MRU1
Test Frequency :5955 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-23
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5897.30	Average	41.22	3.17	44.39	68.20	-23.81
5918.80	Peak	50.98	3.19	54.17	88.20	-34.03
5952.06	Average	76.56	3.20	79.76	-	-
5952.06	Peak	84.58	3.20	87.78	-	-
7190.71	Peak	51.78	7.43	59.21	88.20	-28.99
7229.47	Average	40.68	7.57	48.25	68.20	-19.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be20 RU 106+26MRU1
Test Frequency :5955 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-23
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5765.03	Peak	51.47	2.62	54.09	88.20	-34.11
5919.55	Average	41.14	3.19	44.33	68.20	-23.87
5950.56	Average	80.29	3.20	83.49	-	-
5950.56	Peak	88.74	3.20	91.94	-	-
7185.21	Average	40.95	7.39	48.34	68.20	-19.86
7227.97	Peak	50.99	7.56	58.55	88.20	-29.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be20 RU 106+26MRU1
Test Frequency :5955 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-23
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5868.30	Peak	51.24	3.03	54.27	88.20	-33.93
5921.30	Average	41.53	3.18	44.71	68.20	-23.49
5954.06	Average	74.16	3.20	77.36	-	-
5954.06	Peak	82.92	3.20	86.12	-	-
7196.96	Peak	50.83	7.46	58.29	88.20	-29.91
7209.46	Average	40.90	7.50	48.40	68.20	-19.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be20 RU 52+26MRU3
Test Frequency :7115 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5870.05	Average	41.82	3.04	44.86	68.20	-23.34
5894.55	Peak	50.63	3.16	53.79	88.20	-34.41
7120.20	Average	78.08	7.20	85.28	-	-
7120.20	Peak	84.95	7.20	92.15	-	-
7125.00	Average	46.07	7.20	53.27	68.20	-14.93
7125.00	Peak	59.97	7.20	67.17	88.20	-21.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be20 RU 52+26MRU3
Test Frequency :7115 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5743.53	Peak	51.85	2.58	54.43	88.20	-33.77
5921.05	Average	41.70	3.18	44.88	68.20	-23.32
7118.70	Average	75.43	7.21	82.64	-	-
7118.70	Peak	85.71	7.21	92.92	-	-
7125.00	Peak	59.24	7.20	66.44	88.20	-21.76
7246.97	Average	41.47	7.63	49.10	68.20	-19.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be20 RU 106+26MRU2
Test Frequency :7115 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5859.80	Peak	50.85	2.99	53.84	88.20	-34.36
5919.80	Average	41.77	3.19	44.96	68.20	-23.24
7123.70	Average	64.36	7.21	71.57	-	-
7123.70	Peak	72.15	7.21	79.36	-	-
7125.00	Average	56.85	7.20	64.05	68.20	-4.15
7125.00	Peak	66.95	7.20	74.15	88.20	-14.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be20 RU 106+26MRU2
Test Frequency :7115 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5896.80	Peak	50.59	3.17	53.76	88.20	-34.44
5898.30	Average	41.31	3.17	44.48	68.20	-23.72
7120.45	Average	70.06	7.20	77.26	-	-
7120.45	Peak	78.86	7.20	86.06	-	-
7125.00	Average	59.80	7.20	67.00	68.20	-1.20
7125.00	Peak	69.86	7.20	77.06	88.20	-11.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be40 RU Full
Test Frequency :5965 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5898.80	Average	41.02	3.18	44.20	68.20	-24.00
5916.30	Peak	51.10	3.18	54.28	88.20	-33.92
5971.81	Average	77.04	3.20	80.24	-	-
5971.81	Peak	85.93	3.20	89.13	-	-
7239.22	Peak	49.87	7.60	57.47	88.20	-30.73
7242.22	Average	40.64	7.61	48.25	68.20	-19.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be40 RU Full
Test Frequency :5965 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5922.05	Peak	50.63	3.18	53.81	88.20	-34.39
5922.55	Average	41.18	3.19	44.37	68.20	-23.83
5982.06	Average	72.84	3.21	76.05	-	-
5982.06	Peak	80.46	3.21	83.67	-	-
7233.22	Average	41.10	7.58	48.68	68.20	-19.52
7238.97	Peak	50.75	7.60	58.35	88.20	-29.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
 Operation Mode :802.11be40 RU 242/61
 Test Frequency :5965 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC C
 Test Date :2026-06-24
 Temp./Humi. :23.5°C/64%
 Antenna Pol. :Vertical
 Engineer :Alex Li



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5811.54	Peak	51.67	2.78	54.45	88.20	-33.75
5922.05	Average	40.95	3.18	44.13	68.20	-24.07
5952.81	Average	78.43	3.20	81.63	-	-
5952.81	Peak	88.60	3.20	91.80	-	-
7219.97	Peak	50.80	7.53	58.33	88.20	-29.87
7242.22	Average	40.64	7.61	48.25	68.20	-19.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2604001458E2
Operation Mode :802.11be40 RU 242/61
Test Frequency :5965 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5805.29	Peak	51.27	2.74	54.01	88.20	-34.19
5894.05	Average	41.15	3.16	44.31	68.20	-23.89
5960.06	Average	77.40	3.21	80.61	-	-
5960.06	Peak	84.58	3.21	87.79	-	-
7171.46	Peak	51.48	7.31	58.79	88.20	-29.41
7225.22	Average	41.06	7.55	48.61	68.20	-19.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be40 RU Full
Test Frequency :7085 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-22
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5845.29	Peak	51.22	2.93	54.15	88.20	-34.05
5881.55	Average	41.52	3.10	44.62	68.20	-23.58
7090.95	Average	76.63	7.17	83.80	-	-
7090.95	Peak	86.65	7.17	93.82	-	-
7145.96	Average	41.62	7.19	48.81	68.20	-19.39
7225.97	Peak	50.77	7.55	58.32	88.20	-29.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be40 RU Full
Test Frequency :7085 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-22
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5818.29	Peak	51.33	2.80	54.13	88.20	-34.07
5906.30	Average	41.73	3.18	44.91	68.20	-23.29
7091.20	Average	75.78	7.17	82.95	-	-
7091.20	Peak	83.34	7.17	90.51	-	-
7200.71	Peak	51.12	7.47	58.59	88.20	-29.61
7226.22	Average	41.48	7.56	49.04	68.20	-19.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be40 RU 242/62
Test Frequency :7085 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5845.04	Average	41.63	2.93	44.56	68.20	-23.64
5903.30	Peak	51.22	3.18	54.40	88.20	-33.80
7090.20	Average	76.78	7.17	83.95	-	-
7090.20	Peak	84.65	7.17	91.82	-	-
7180.21	Average	41.21	7.36	48.57	68.20	-19.63
7213.46	Peak	50.18	7.52	57.70	88.20	-30.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be40 RU 242/62
Test Frequency :7085 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5831.29	Peak	51.27	2.87	54.14	88.20	-34.06
5896.80	Average	41.24	3.17	44.41	68.20	-23.79
7086.70	Average	76.71	7.16	83.87	-	-
7086.70	Peak	84.99	7.16	92.15	-	-
7223.72	Peak	49.97	7.55	57.52	88.20	-30.68
7241.97	Average	40.58	7.61	48.19	68.20	-20.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be40 RU 484
Test Frequency :5965 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-23
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5866.05	Peak	51.32	3.02	54.34	88.20	-33.86
5913.55	Average	41.12	3.19	44.31	68.20	-23.89
5956.06	Average	79.08	3.20	82.28	-	-
5956.06	Peak	86.94	3.20	90.14	-	-
7213.71	Peak	50.67	7.52	58.19	88.20	-30.01
7244.47	Average	40.74	7.61	48.35	68.20	-19.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be40 RU 484
Test Frequency :5965 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-23
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5867.05	Peak	51.14	3.03	54.17	88.20	-34.03
5880.30	Average	41.62	3.09	44.71	68.20	-23.49
5972.81	Average	70.98	3.21	74.19	-	-
5972.81	Peak	79.40	3.21	82.61	-	-
7211.21	Peak	50.97	7.50	58.47	88.20	-29.73
7249.72	Average	40.84	7.63	48.47	68.20	-19.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be40 RU 484
Test Frequency :7085 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-23
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5771.78	Peak	51.15	2.64	53.79	88.20	-34.41
5916.05	Average	41.80	3.18	44.98	68.20	-23.22
7092.45	Average	76.36	7.18	83.54	-	-
7092.45	Peak	85.25	7.18	92.43	-	-
7156.21	Peak	51.81	7.22	59.03	88.20	-29.17
7199.71	Average	41.62	7.47	49.09	68.20	-19.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2604001458E2
Operation Mode :802.11be40 RU 484
Test Frequency :7085 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-23
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5899.05	Peak	50.77	3.18	53.95	88.20	-34.25
5908.30	Average	41.36	3.18	44.54	68.20	-23.66
7078.20	Average	74.38	7.12	81.50	-	-
7078.20	Peak	83.07	7.12	90.19	-	-
7217.22	Average	41.16	7.53	48.69	68.20	-19.51
7234.72	Peak	51.06	7.58	58.64	88.20	-29.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be80 RU 484+242MRU2
Test Frequency :5985 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5860.55	Peak	50.97	2.99	53.96	88.20	-34.24
5898.30	Average	41.42	3.17	44.59	68.20	-23.61
5991.81	Average	79.26	3.22	82.48	-	-
5991.81	Peak	88.54	3.22	91.76	-	-
7176.71	Peak	50.66	7.34	58.00	88.20	-30.20
7207.21	Average	41.19	7.50	48.69	68.20	-19.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be80 RU 484+242MRU2
Test Frequency :5985 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5862.05	Peak	51.08	3.00	54.08	88.20	-34.12
5905.55	Average	41.96	3.18	45.14	68.20	-23.06
6014.81	Average	76.65	3.30	79.95	-	-
6014.81	Peak	85.28	3.30	88.58	-	-
7203.46	Peak	50.37	7.48	57.85	88.20	-30.35
7232.22	Average	41.39	7.58	48.97	68.20	-19.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be80 RU 484+242MRU4
Test Frequency :5985 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5789.04	Peak	51.08	2.69	53.77	88.20	-34.43
5916.05	Average	40.93	3.18	44.11	68.20	-24.09
5988.81	Average	77.91	3.21	81.12	-	-
5988.81	Peak	86.36	3.21	89.57	-	-
7238.97	Peak	50.88	7.60	58.48	88.20	-29.72
7246.72	Average	40.48	7.63	48.11	68.20	-20.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be80 RU 484+242MRU4
Test Frequency :5985 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5865.30	Peak	51.73	3.02	54.75	88.20	-33.45
5924.30	Average	40.92	3.19	44.11	68.20	-24.09
5991.56	Average	73.62	3.21	76.83	-	-
5991.56	Peak	82.50	3.21	85.71	-	-
7165.46	Peak	50.99	7.27	58.26	88.20	-29.94
7207.21	Average	40.83	7.50	48.33	68.20	-19.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be80 RU 484+242MRU1
Test Frequency :7025 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5849.54	Peak	50.82	2.95	53.77	88.20	-34.43
5917.55	Average	41.15	3.19	44.34	68.20	-23.86
7031.69	Average	79.10	6.89	85.99	-	-
7031.69	Peak	86.96	6.89	93.85	-	-
7195.21	Average	41.17	7.44	48.61	68.20	-19.59
7204.71	Peak	50.83	7.49	58.32	88.20	-29.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be80 RU 484+242MRU1
Test Frequency :7025 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5644.77	Peak	51.58	2.28	53.86	88.20	-34.34
5913.55	Average	41.49	3.19	44.68	68.20	-23.52
7048.19	Average	80.48	6.99	87.47	-	-
7048.19	Peak	88.91	6.99	95.90	-	-
7193.21	Average	41.37	7.44	48.81	68.20	-19.39
7223.47	Peak	50.42	7.55	57.97	88.20	-30.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be80 RU 484+242MRU3
Test Frequency :7025 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dB μ V	dB	dB μ V/m	dB μ V/m	dB
5892.55	Peak	51.13	3.14	54.27	88.20	-33.93
5925.00	Average	40.91	3.18	44.09	68.20	-24.11
7051.44	Average	78.85	7.01	85.86	-	-
7051.44	Peak	88.97	7.01	95.98	-	-
7187.46	Peak	50.68	7.40	58.08	88.20	-30.12
7202.21	Average	40.88	7.47	48.35	68.20	-19.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2604001458E2
Operation Mode :802.11be80 RU 484+242MRU3
Test Frequency :7025 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5868.80	Peak	51.48	3.04	54.52	88.20	-33.68
5913.55	Average	41.16	3.19	44.35	68.20	-23.85
7011.44	Average	78.43	6.76	85.19	-	-
7011.44	Peak	87.59	6.76	94.35	-	-
7193.96	Average	40.74	7.43	48.17	68.20	-20.03
7223.22	Peak	50.81	7.55	58.36	88.20	-29.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be160 RU Full
Test Frequency :6025 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-22
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5891.55	Average	42.43	3.14	45.57	68.20	-22.63
5922.80	Peak	51.42	3.19	54.61	88.20	-33.59
6087.32	Average	84.14	3.60	87.74	-	-
6087.32	Peak	93.09	3.60	96.69	-	-
7127.20	Peak	50.46	7.19	57.65	88.20	-30.55
7211.21	Average	41.56	7.50	49.06	68.20	-19.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be160 RU Full
Test Frequency :6025 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-22
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5903.55	Average	42.26	3.18	45.44	68.20	-22.76
5914.05	Peak	51.58	3.19	54.77	88.20	-33.43
6013.31	Average	81.84	3.29	85.13	-	-
6013.31	Peak	90.26	3.29	93.55	-	-
7218.97	Average	41.48	7.53	49.01	68.20	-19.19
7238.47	Peak	50.96	7.60	58.56	88.20	-29.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be160 RU 996/67
Test Frequency :6025 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5810.79	Peak	51.17	2.77	53.94	88.20	-34.26
5844.29	Average	41.87	2.93	44.80	68.20	-23.40
5971.31	Average	80.91	3.20	84.11	-	-
5971.31	Peak	89.31	3.20	92.51	-	-
7174.71	Average	41.73	7.33	49.06	68.20	-19.14
7239.47	Peak	50.90	7.60	58.50	88.20	-29.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
 Operation Mode :802.11be160 RU 996/67
 Test Frequency :6025 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC C
 Test Date :2026-06-24
 Temp./Humi. :23.5°C/64%
 Antenna Pol. :Horizontal
 Engineer :Alex Li



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5919.30	Average	40.90	3.19	44.09	68.20	-24.11
5924.55	Peak	50.85	3.19	54.04	88.20	-34.16
6017.06	Average	78.06	3.30	81.36	-	-
6017.06	Peak	89.15	3.30	92.45	-	-
7207.71	Peak	50.09	7.50	57.59	88.20	-30.61
7227.72	Average	40.72	7.56	48.28	68.20	-19.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2604001458E2
 Operation Mode :802.11be160 RU 996+484MRU2
 Test Frequency :6025 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC C
 Test Date :2026-06-24
 Temp./Humi. :23.5°C/64%
 Antenna Pol. :Vertical
 Engineer :Alex Li



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5902.80	Peak	50.59	3.18	53.77	88.20	-34.43
5903.05	Average	41.81	3.18	44.99	68.20	-23.21
6086.57	Average	80.05	3.60	83.65	-	-
6086.57	Peak	88.40	3.60	92.00	-	-
7165.46	Average	41.59	7.27	48.86	68.20	-19.34
7215.71	Peak	50.17	7.52	57.69	88.20	-30.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2604001458E2
Operation Mode :802.11be160 RU 996+484MRU2
Test Frequency :6025 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5693.77	Peak	51.99	2.60	54.59	88.20	-33.61
5903.80	Average	41.46	3.18	44.64	68.20	-23.56
6092.57	Average	79.09	3.62	82.71	-	-
6092.57	Peak	87.35	3.62	90.97	-	-
7205.46	Average	41.03	7.49	48.52	68.20	-19.68
7238.97	Peak	50.43	7.60	58.03	88.20	-30.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
 Operation Mode :802.11be160 RU 996+484MRU4
 Test Frequency :6025 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC C
 Test Date :2026-06-24
 Temp./Humi. :23.5°C/64%
 Antenna Pol. :Vertical
 Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5735.03	Peak	51.55	2.60	54.15	88.20	-34.05
5848.29	Average	41.29	2.94	44.23	68.20	-23.97
6051.07	Average	83.09	3.48	86.57	-	-
6051.07	Peak	91.41	3.48	94.89	-	-
7182.46	Average	40.90	7.37	48.27	68.20	-19.93
7210.46	Peak	51.08	7.50	58.58	88.20	-29.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be160 RU 996+484MRU4
Test Frequency :6025 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5797.54	Peak	51.36	2.72	54.08	88.20	-34.12
5866.55	Average	40.91	3.03	43.94	68.20	-24.26
6061.82	Average	77.20	3.52	80.72	-	-
6061.82	Peak	85.37	3.52	88.89	-	-
7150.71	Peak	51.07	7.20	58.27	88.20	-29.93
7197.46	Average	40.93	7.46	48.39	68.20	-19.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be160 RU 996+484+242MRU2
Test Frequency :6025 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5823.54	Average	41.63	2.83	44.46	68.20	-23.74
5906.05	Peak	51.96	3.18	55.14	88.20	-33.06
5991.31	Average	79.00	3.21	82.21	-	-
5991.31	Peak	87.77	3.21	90.98	-	-
7189.21	Peak	50.02	7.40	57.42	88.20	-30.78
7228.97	Average	41.09	7.56	48.65	68.20	-19.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be160 RU 996+484+242MRU2
Test Frequency :6025 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5901.55	Average	41.67	3.18	44.85	68.20	-23.35
5924.30	Peak	51.58	3.19	54.77	88.20	-33.43
6102.33	Average	78.82	3.64	82.46	-	-
6102.33	Peak	89.19	3.64	92.83	-	-
7230.22	Average	41.25	7.57	48.82	68.20	-19.38
7230.22	Peak	50.62	7.57	58.19	88.20	-30.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be160 RU 996+484+242MRU4
Test Frequency :6025 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5815.54	Peak	51.44	2.79	54.23	88.20	-33.97
5896.80	Average	41.70	3.17	44.87	68.20	-23.33
6066.07	Average	80.15	3.53	83.68	-	-
6066.07	Peak	89.84	3.53	93.37	-	-
7167.96	Peak	50.52	7.28	57.80	88.20	-30.40
7198.71	Average	41.33	7.47	48.80	68.20	-19.40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be160 RU 996+484+242MRU4
Test Frequency :6025 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5895.05	Average	42.49	3.16	45.65	68.20	-22.55
5910.80	Peak	50.74	3.19	53.93	88.20	-34.27
6069.57	Average	79.01	3.55	82.56	-	-
6069.57	Peak	88.61	3.55	92.16	-	-
7228.22	Peak	50.80	7.56	58.36	88.20	-29.84
7239.97	Average	41.01	7.60	48.61	68.20	-19.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be160 RU 996+484+242MRU8
Test Frequency :6025 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5675.02	Peak	51.61	2.47	54.08	88.20	-34.12
5919.80	Average	41.71	3.19	44.90	68.20	-23.30
5949.31	Average	76.99	3.20	80.19	-	-
5949.31	Peak	85.67	3.20	88.87	-	-
7243.47	Peak	50.38	7.61	57.99	88.20	-30.21
7249.47	Average	40.92	7.63	48.55	68.20	-19.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be160 RU 996+484+242MRU8
Test Frequency :6025 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5664.77	Peak	51.87	2.40	54.27	88.20	-33.93
5911.80	Average	41.08	3.18	44.26	68.20	-23.94
6060.57	Average	77.35	3.51	80.86	-	-
6060.57	Peak	85.93	3.51	89.44	-	-
7166.96	Peak	51.41	7.29	58.70	88.20	-29.50
7225.22	Average	40.76	7.55	48.31	68.20	-19.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be160 RU 2x996
Test Frequency :6025 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5818.79	Peak	52.31	2.81	55.12	88.20	-33.08
5913.80	Average	41.56	3.19	44.75	68.20	-23.45
6067.32	Average	83.51	3.53	87.04	-	-
6067.32	Peak	92.11	3.53	95.64	-	-
7225.22	Average	40.55	7.55	48.10	68.20	-20.10
7233.47	Peak	50.16	7.58	57.74	88.20	-30.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be160 RU 2x996
Test Frequency :6025 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5825.79	Peak	51.49	2.84	54.33	88.20	-33.87
5914.05	Average	41.40	3.19	44.59	68.20	-23.61
6071.32	Average	79.91	3.55	83.46	-	-
6071.32	Peak	88.50	3.55	92.05	-	-
7150.96	Average	40.76	7.20	47.96	68.20	-20.24
7233.47	Peak	50.63	7.58	58.21	88.20	-29.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2604001458E2
Operation Mode :802.11be160 RU Full
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-22
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5637.02	Peak	51.99	2.26	54.25	88.20	-33.95
5806.29	Average	41.77	2.75	44.52	68.20	-23.68
6968.18	Average	80.07	6.60	86.67	-	-
6968.18	Peak	89.09	6.60	95.69	-	-
7206.21	Average	41.32	7.49	48.81	68.20	-19.39
7245.22	Peak	50.82	7.61	58.43	88.20	-29.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be160 RU Full
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-22
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5754.53	Peak	51.43	2.59	54.02	88.20	-34.18
5908.55	Average	41.26	3.19	44.45	68.20	-23.75
7063.45	Average	78.47	7.05	85.52	-	-
7063.45	Peak	87.90	7.05	94.95	-	-
7240.97	Peak	52.19	7.61	59.80	88.20	-28.40
7243.72	Average	41.31	7.61	48.92	68.20	-19.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be160 RU 996/67
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5875.55	Peak	50.87	3.06	53.93	88.20	-34.27
5883.80	Average	41.00	3.11	44.11	68.20	-24.09
6936.43	Average	78.90	6.45	85.35	-	-
6936.43	Peak	88.90	6.45	95.35	-	-
7166.71	Peak	50.97	7.28	58.25	88.20	-29.95
7215.21	Average	40.70	7.52	48.22	68.20	-19.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be160 RU 996/67
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5600.01	Peak	51.55	2.15	53.70	88.20	-34.50
5856.04	Average	41.67	2.97	44.64	68.20	-23.56
6973.43	Average	80.88	6.61	87.49	-	-
6973.43	Peak	88.87	6.61	95.48	-	-
7162.21	Average	41.52	7.26	48.78	68.20	-19.42
7233.97	Peak	50.91	7.58	58.49	88.20	-29.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be160 RU 996/S67
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5915.30	Peak	51.29	3.19	54.48	88.20	-33.72
5921.80	Average	41.13	3.18	44.31	68.20	-23.89
6995.69	Average	76.47	6.68	83.15	-	-
6995.69	Peak	85.47	6.68	92.15	-	-
7178.71	Peak	50.95	7.35	58.30	88.20	-29.90
7206.96	Average	40.77	7.49	48.26	68.20	-19.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2604001458E2
Operation Mode :802.11be160 RU 996/S67
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5772.03	Average	42.34	2.64	44.98	68.20	-23.22
5877.55	Peak	51.10	3.07	54.17	88.20	-34.03
6992.44	Average	78.92	6.67	85.59	-	-
6992.44	Peak	87.07	6.67	93.74	-	-
7159.21	Peak	50.83	7.24	58.07	88.20	-30.13
7235.47	Average	41.47	7.58	49.05	68.20	-19.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be160 RU 996+484MRU1
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5859.80	Peak	51.64	2.99	54.63	88.20	-33.57
5893.30	Average	41.38	3.15	44.53	68.20	-23.67
6970.93	Average	79.98	6.60	86.58	-	-
6970.93	Peak	89.18	6.60	95.78	-	-
7225.97	Average	40.99	7.55	48.54	68.20	-19.66
7230.47	Peak	50.63	7.57	58.20	88.20	-30.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be160 RU 996+484MRU1
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5855.29	Peak	51.21	2.97	54.18	88.20	-34.02
5912.05	Average	41.16	3.18	44.34	68.20	-23.86
6971.18	Average	80.16	6.60	86.76	-	-
6971.18	Peak	90.10	6.60	96.70	-	-
7156.71	Peak	50.70	7.23	57.93	88.20	-30.27
7218.72	Average	40.88	7.53	48.41	68.20	-19.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be160 RU 996+484MRU2
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5867.30	Peak	50.95	3.03	53.98	88.20	-34.22
5919.80	Average	41.06	3.19	44.25	68.20	-23.95
6996.19	Average	76.65	6.68	83.33	-	-
6996.19	Peak	85.80	6.68	92.48	-	-
7144.71	Peak	51.28	7.20	58.48	88.20	-29.72
7194.21	Average	41.15	7.43	48.58	68.20	-19.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be160 RU 996+484MRU2
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dB μ V	dB	dB μ V/m	dB μ V/m	dB
5868.80	Peak	51.42	3.04	54.46	88.20	-33.74
5923.05	Average	40.82	3.19	44.01	68.20	-24.19
6931.18	Average	81.18	6.42	87.60	-	-
6931.18	Peak	90.57	6.42	96.99	-	-
7232.47	Peak	50.26	7.58	57.84	88.20	-30.36
7242.22	Average	40.68	7.61	48.29	68.20	-19.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be160 RU 996+484MRU3
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5880.05	Peak	51.81	3.09	54.90	88.20	-33.30
5898.30	Average	40.90	3.17	44.07	68.20	-24.13
6934.93	Average	76.72	6.44	83.16	-	-
6934.93	Peak	86.43	6.44	92.87	-	-
7185.71	Average	40.92	7.40	48.32	68.20	-19.88
7190.46	Peak	50.84	7.42	58.26	88.20	-29.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be160 RU 996+484MRU3
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5895.05	Average	41.30	3.16	44.46	68.20	-23.74
5911.80	Peak	50.67	3.18	53.85	88.20	-34.35
6933.43	Average	79.06	6.43	85.49	-	-
6933.43	Peak	87.89	6.43	94.32	-	-
7199.46	Average	41.18	7.47	48.65	68.20	-19.55
7215.96	Peak	50.18	7.52	57.70	88.20	-30.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be160 RU 996+484MRU4
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5868.30	Peak	51.11	3.03	54.14	88.20	-34.06
5901.05	Average	41.20	3.18	44.38	68.20	-23.82
7011.69	Average	80.13	6.76	86.89	-	-
7011.69	Peak	90.48	6.76	97.24	-	-
7197.71	Average	41.10	7.46	48.56	68.20	-19.64
7200.96	Peak	50.56	7.47	58.03	88.20	-30.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be160 RU 996+484MRU4
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5901.05	Peak	50.90	3.18	54.08	88.20	-34.12
5905.80	Average	41.02	3.18	44.20	68.20	-24.00
7011.44	Average	79.35	6.76	86.11	-	-
7011.44	Peak	89.30	6.76	96.06	-	-
7204.71	Average	40.76	7.49	48.25	68.20	-19.95
7247.22	Peak	50.72	7.63	58.35	88.20	-29.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be160 RU 996+484+242MRU1
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5833.79	Peak	51.76	2.88	54.64	88.20	-33.56
5910.05	Average	41.31	3.19	44.50	68.20	-23.70
6934.93	Average	80.28	6.44	86.72	-	-
6934.93	Peak	89.92	6.44	96.36	-	-
7186.71	Average	41.60	7.39	48.99	68.20	-19.21
7191.21	Peak	50.93	7.42	58.35	88.20	-29.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be160 RU 996+484+242MRU1
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5888.05	Peak	51.25	3.12	54.37	88.20	-33.83
5917.05	Average	41.37	3.18	44.55	68.20	-23.65
6931.68	Average	79.87	6.42	86.29	-	-
6931.68	Peak	89.15	6.42	95.57	-	-
7142.71	Peak	51.07	7.19	58.26	88.20	-29.94
7229.22	Average	40.89	7.57	48.46	68.20	-19.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be160 RU 996+484+242MRU2
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5781.79	Peak	51.14	2.67	53.81	88.20	-34.39
5885.30	Average	41.22	3.11	44.33	68.20	-23.87
6975.19	Average	80.08	6.62	86.70	-	-
6975.19	Peak	88.51	6.62	95.13	-	-
7176.71	Peak	50.89	7.34	58.23	88.20	-29.97
7227.97	Average	41.26	7.56	48.82	68.20	-19.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be160 RU 996+484+242MRU2
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5889.55	Peak	51.33	3.13	54.46	88.20	-33.74
5914.05	Average	40.99	3.19	44.18	68.20	-24.02
6953.68	Average	79.91	6.56	86.47	-	-
6953.68	Peak	88.94	6.56	95.50	-	-
7214.46	Peak	50.31	7.52	57.83	88.20	-30.37
7240.97	Average	40.75	7.61	48.36	68.20	-19.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be160 RU 996+484+242MRU4
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5572.26	Peak	51.90	2.13	54.03	88.20	-34.17
5905.80	Average	40.99	3.18	44.17	68.20	-24.03
6991.69	Average	79.74	6.67	86.41	-	-
6991.69	Peak	88.41	6.67	95.08	-	-
7138.96	Peak	50.44	7.20	57.64	88.20	-30.56
7248.22	Average	40.61	7.63	48.24	68.20	-19.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be160 RU 996+484+242MRU4
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5826.04	Average	41.19	2.84	44.03	68.20	-24.17
5829.54	Peak	51.46	2.86	54.32	88.20	-33.88
6947.68	Average	80.48	6.53	87.01	-	-
6947.68	Peak	89.80	6.53	96.33	-	-
7125.45	Peak	50.72	7.20	57.92	88.20	-30.28
7217.22	Average	40.77	7.53	48.30	68.20	-19.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
 Operation Mode :802.11be160 RU 996+484+242MRU5
 Test Frequency :6985 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC C
 Test Date :2026-06-24
 Temp./Humi. :23.5°C/64%
 Antenna Pol. :Vertical
 Engineer :Alex Li



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5837.54	Peak	52.17	2.90	55.07	88.20	-33.13
5925.00	Average	41.25	3.18	44.43	68.20	-23.77
7013.94	Average	76.56	6.77	83.33	-	-
7013.94	Peak	86.55	6.77	93.32	-	-
7186.96	Peak	51.04	7.40	58.44	88.20	-29.76
7214.46	Average	41.25	7.52	48.77	68.20	-19.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2604001458E2
Operation Mode :802.11be160 RU 996+484+242MRU5
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5594.76	Peak	51.65	2.15	53.80	88.20	-34.40
5799.04	Average	41.32	2.72	44.04	68.20	-24.16
6953.43	Average	79.45	6.56	86.01	-	-
6953.43	Peak	88.20	6.56	94.76	-	-
7206.96	Peak	50.90	7.49	58.39	88.20	-29.81
7218.47	Average	40.79	7.53	48.32	68.20	-19.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be160 RU 996+484+242MRU7
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5635.27	Peak	51.88	2.25	54.13	88.20	-34.07
5863.80	Average	41.00	3.01	44.01	68.20	-24.19
6992.19	Average	79.42	6.67	86.09	-	-
6992.19	Peak	88.35	6.67	95.02	-	-
7143.71	Peak	50.89	7.20	58.09	88.20	-30.11
7203.96	Average	40.63	7.48	48.11	68.20	-20.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2604001458E2
Operation Mode :802.11be160 RU 996+484+242MRU7
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5666.02	Peak	51.48	2.40	53.88	88.20	-34.32
5904.80	Average	41.28	3.18	44.46	68.20	-23.74
6954.68	Average	80.23	6.56	86.79	-	-
6954.68	Peak	88.73	6.56	95.29	-	-
7167.71	Peak	50.68	7.29	57.97	88.20	-30.23
7227.22	Average	41.29	7.56	48.85	68.20	-19.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be160 RU 996+484+242MRU8
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5711.03	Peak	51.30	2.63	53.93	88.20	-34.27
5852.79	Average	41.98	2.96	44.94	68.20	-23.26
6977.69	Average	76.38	6.63	83.01	-	-
6977.69	Peak	84.87	6.63	91.50	-	-
7198.71	Peak	50.68	7.47	58.15	88.20	-30.05
7224.97	Average	40.99	7.55	48.54	68.20	-19.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be160 RU 996+484+242MRU8
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-25
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5877.30	Average	41.01	3.07	44.08	68.20	-24.12
5922.55	Peak	51.03	3.19	54.22	88.20	-33.98
6948.93	Average	80.09	6.53	86.62	-	-
6948.93	Peak	88.66	6.53	95.19	-	-
7131.45	Peak	51.05	7.20	58.25	88.20	-29.95
7246.72	Average	40.65	7.63	48.28	68.20	-19.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be160 RU 2x996
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5664.27	Peak	51.47	2.40	53.87	88.20	-34.33
5876.30	Average	40.85	3.07	43.92	68.20	-24.28
7029.19	Average	74.73	6.88	81.61	-	-
7029.19	Peak	82.52	6.88	89.40	-	-
7156.96	Peak	50.67	7.24	57.91	88.20	-30.29
7241.22	Average	40.68	7.61	48.29	68.20	-19.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be160 RU 2x996
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-24
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5868.05	Average	40.92	3.03	43.95	68.20	-24.25
5902.80	Peak	51.31	3.18	54.49	88.20	-33.71
6949.68	Average	80.44	6.54	86.98	-	-
6949.68	Peak	89.80	6.54	96.34	-	-
7141.21	Peak	51.62	7.19	58.81	88.20	-29.39
7237.97	Average	40.35	7.60	47.95	68.20	-20.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be320 RU Full
Test Frequency :6105 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-22
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5911.55	Average	43.43	3.18	46.61	68.20	-21.59
5921.55	Peak	52.81	3.18	55.99	88.20	-32.21
6125.33	Average	83.57	3.69	87.26	-	-
6125.33	Peak	92.92	3.69	96.61	-	-
7148.71	Peak	51.51	7.19	58.70	88.20	-29.50
7231.97	Average	41.26	7.58	48.84	68.20	-19.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be320 RU Full
Test Frequency :6105 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-22
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5693.77	Peak	51.88	2.60	54.48	88.20	-33.72
5922.30	Average	41.20	3.18	44.38	68.20	-23.82
6235.84	Average	77.61	4.06	81.67	-	-
6235.84	Peak	86.13	4.06	90.19	-	-
7198.96	Peak	50.61	7.46	58.07	88.20	-30.13
7217.97	Average	40.90	7.53	48.43	68.20	-19.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be320 RU 2x996+484MRU2
Test Frequency :6105 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-25
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dB μ V	dB	dB μ V/m	dB μ V/m	dB
5827.79	Peak	51.29	2.85	54.14	88.20	-34.06
5914.80	Average	41.03	3.19	44.22	68.20	-23.98
6129.08	Average	83.12	3.70	86.82	-	-
6129.08	Peak	92.90	3.70	96.60	-	-
7174.21	Peak	50.51	7.32	57.83	88.20	-30.37
7210.46	Average	40.67	7.50	48.17	68.20	-20.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
 Operation Mode :802.11be320 RU 2x996+484MRU2
 Test Frequency :6105 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC C
 Test Date :2026-06-25
 Temp./Humi. :23.5°C/64%
 Antenna Pol. :Horizontal
 Engineer :Alex Li



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dB μ V	dB	dB μ V/m	dB μ V/m	dB
5681.52	Peak	51.85	2.52	54.37	88.20	-33.83
5898.05	Average	41.00	3.17	44.17	68.20	-24.03
6182.59	Average	76.60	3.82	80.42	-	-
6182.59	Peak	86.69	3.82	90.51	-	-
7218.72	Peak	50.47	7.53	58.00	88.20	-30.20
7245.72	Average	40.43	7.62	48.05	68.20	-20.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2604001458E2
 Operation Mode :802.11be320 RU 2x996+484MRU6
 Test Frequency :6105 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC C
 Test Date :2026-06-25
 Temp./Humi. :23.5°C/64%
 Antenna Pol. :Vertical
 Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dB μ V	dB	dB μ V/m	dB μ V/m	dB
5894.05	Peak	49.62	3.16	52.78	88.20	-35.42
5902.30	Average	40.33	3.17	43.50	68.20	-24.70
6123.33	Average	77.14	3.69	80.83	-	-
6123.33	Peak	86.41	3.69	90.10	-	-
7245.72	Peak	49.20	7.62	56.82	88.20	-31.38
7249.47	Average	39.60	7.63	47.23	68.20	-20.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
 Operation Mode :802.11be320 RU 2x996+484MRU6
 Test Frequency :6105 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC C
 Test Date :2026-06-25
 Temp./Humi. :23.5°C/64%
 Antenna Pol. :Horizontal
 Engineer :Alex Li



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5805.79	Peak	50.24	2.74	52.98	88.20	-35.22
5829.29	Average	41.13	2.86	43.99	68.20	-24.21
6143.58	Average	76.21	3.74	79.95	-	-
6143.58	Peak	84.93	3.74	88.67	-	-
7230.22	Average	40.42	7.57	47.99	68.20	-20.21
7230.97	Peak	49.24	7.58	56.82	88.20	-31.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2604001458E2
 Operation Mode :802.11be320 RU 3x996MRU2
 Test Frequency :6105 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC C
 Test Date :2026-06-25
 Temp./Humi. :23.5°C/64%
 Antenna Pol. :Vertical
 Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dB μ V	dB	dB μ V/m	dB μ V/m	dB
5890.30	Average	41.62	3.13	44.75	68.20	-23.45
5892.55	Peak	51.00	3.14	54.14	88.20	-34.06
6146.08	Average	82.70	3.74	86.44	-	-
6146.08	Peak	92.07	3.74	95.81	-	-
7168.21	Peak	50.16	7.29	57.45	88.20	-30.75
7229.72	Average	40.78	7.57	48.35	68.20	-19.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
 Operation Mode :802.11be320 RU 3x996MRU2
 Test Frequency :6105 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC C
 Test Date :2026-06-25
 Temp./Humi. :23.5°C/64%
 Antenna Pol. :Horizontal
 Engineer :Alex Li



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5817.04	Average	41.82	2.80	44.62	68.20	-23.58
5899.30	Peak	50.96	3.18	54.14	88.20	-34.06
6140.33	Average	76.37	3.73	80.10	-	-
6140.33	Peak	85.00	3.73	88.73	-	-
7155.71	Peak	50.36	7.22	57.58	88.20	-30.62
7172.71	Average	41.25	7.32	48.57	68.20	-19.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2604001458E2
 Operation Mode :802.11be320 RU 3x996MRU4
 Test Frequency :6105 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC C
 Test Date :2026-06-25
 Temp./Humi. :23.5°C/64%
 Antenna Pol. :Vertical
 Engineer :Alex Li



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dB μ V	dB	dB μ V/m	dB μ V/m	dB
5859.30	Average	41.06	2.99	44.05	68.20	-24.15
5924.30	Peak	51.22	3.19	54.41	88.20	-33.79
6109.83	Average	83.02	3.66	86.68	-	-
6109.83	Peak	91.79	3.66	95.45	-	-
7164.46	Peak	50.51	7.28	57.79	88.20	-30.41
7168.21	Average	40.62	7.29	47.91	68.20	-20.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2604001458E2
Operation Mode :802.11be320 RU 3x996MRU4
Test Frequency :6105 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-25
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dB μ V	dB	dB μ V/m	dB μ V/m	dB
5645.77	Peak	51.22	2.28	53.50	88.20	-34.70
5898.55	Average	40.70	3.17	43.87	68.20	-24.33
6143.58	Average	79.58	3.74	83.32	-	-
6143.58	Peak	88.08	3.74	91.82	-	-
7197.71	Peak	50.05	7.46	57.51	88.20	-30.69
7246.97	Average	40.22	7.63	47.85	68.20	-20.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be320 RU 3x996+484MRU2
Test Frequency :6105 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-25
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dB μ V	dB	dB μ V/m	dB μ V/m	dB
5817.54	Peak	51.35	2.80	54.15	88.20	-34.05
5894.05	Average	41.03	3.16	44.19	68.20	-24.01
6150.83	Average	82.49	3.74	86.23	-	-
6150.83	Peak	92.17	3.74	95.91	-	-
7229.97	Average	40.37	7.57	47.94	68.20	-20.26
7248.47	Peak	50.87	7.63	58.50	88.20	-29.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be320 RU 3x996+484MRU2
Test Frequency :6105 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-25
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dB μ V	dB	dB μ V/m	dB μ V/m	dB
5828.54	Average	41.65	2.85	44.50	68.20	-23.70
5909.30	Peak	51.47	3.19	54.66	88.20	-33.54
6141.83	Average	77.37	3.73	81.10	-	-
6141.83	Peak	86.11	3.73	89.84	-	-
7194.71	Peak	49.51	7.44	56.95	88.20	-31.25
7226.22	Average	41.18	7.56	48.74	68.20	-19.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be320 RU 3x996+484MRU8
Test Frequency :6105 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-25
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dB μ V	dB	dB μ V/m	dB μ V/m	dB
5771.78	Peak	51.08	2.64	53.72	88.20	-34.48
5910.30	Average	41.08	3.19	44.27	68.20	-23.93
6168.58	Average	82.36	3.79	86.15	-	-
6168.58	Peak	91.28	3.79	95.07	-	-
7161.71	Peak	51.49	7.25	58.74	88.20	-29.46
7195.71	Average	40.27	7.45	47.72	68.20	-20.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be320 RU 3x996+484MRU8
Test Frequency :6105 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-25
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dB μ V	dB	dB μ V/m	dB μ V/m	dB
5882.30	Average	40.59	3.10	43.69	68.20	-24.51
5911.30	Peak	50.42	3.19	53.61	88.20	-34.59
6059.57	Average	76.36	3.51	79.87	-	-
6059.57	Peak	85.39	3.51	88.90	-	-
7172.46	Peak	49.81	7.32	57.13	88.20	-31.07
7186.21	Average	40.39	7.39	47.78	68.20	-20.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2604001458E2
Operation Mode :802.11be320 RU 4x996
Test Frequency :6105 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-25
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5873.55	Peak	51.60	3.05	54.65	88.20	-33.55
5909.55	Average	42.75	3.19	45.94	68.20	-22.26
6108.08	Average	82.09	3.66	85.75	-	-
6108.08	Peak	93.13	3.66	96.79	-	-
7150.71	Peak	50.75	7.20	57.95	88.20	-30.25
7189.96	Average	41.68	7.41	49.09	68.20	-19.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be320 RU 4x996
Test Frequency :6105 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-25
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dB μ V	dB	dB μ V/m	dB μ V/m	dB
5809.04	Peak	51.55	2.77	54.32	88.20	-33.88
5919.80	Average	41.27	3.19	44.46	68.20	-23.74
6141.83	Average	77.55	3.73	81.28	-	-
6141.83	Peak	87.34	3.73	91.07	-	-
7138.96	Peak	51.25	7.20	58.45	88.20	-29.75
7206.71	Average	41.07	7.49	48.56	68.20	-19.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
 Operation Mode :802.11be320 RU 3x996MRU1
 Test Frequency :6905 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC C
 Test Date :2026-06-25
 Temp./Humi. :23.5°C/64%
 Antenna Pol. :Vertical
 Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dB μ V	dB	dB μ V/m	dB μ V/m	dB
5780.54	Peak	51.35	2.66	54.01	88.20	-34.19
5902.80	Average	41.70	3.18	44.88	68.20	-23.32
7020.94	Average	79.04	6.82	85.86	-	-
7020.94	Peak	87.53	6.82	94.35	-	-
7157.21	Average	41.56	7.24	48.80	68.20	-19.40
7170.96	Peak	50.81	7.31	58.12	88.20	-30.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be320 RU 3x996MRU1
Test Frequency :6905 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-25
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dB μ V	dB	dB μ V/m	dB μ V/m	dB
5908.05	Average	40.67	3.18	43.85	68.20	-24.35
5919.55	Peak	50.32	3.19	53.51	88.20	-34.69
6992.94	Average	78.93	6.68	85.61	-	-
6992.94	Peak	88.53	6.68	95.21	-	-
7129.20	Peak	50.74	7.20	57.94	88.20	-30.26
7223.97	Average	40.38	7.55	47.93	68.20	-20.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be320 RU 3x996MRU4
Test Frequency :6905 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-25
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dB μ V	dB	dB μ V/m	dB μ V/m	dB
5806.29	Peak	51.37	2.75	54.12	88.20	-34.08
5893.55	Average	40.82	3.15	43.97	68.20	-24.23
6759.41	Average	77.59	5.77	83.36	-	-
6759.41	Peak	86.70	5.77	92.47	-	-
7192.46	Peak	51.01	7.43	58.44	88.20	-29.76
7230.97	Average	40.63	7.58	48.21	68.20	-19.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
 Operation Mode :802.11be320 RU 3x996MRU4
 Test Frequency :6905 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC C
 Test Date :2026-06-25
 Temp./Humi. :23.5°C/64%
 Antenna Pol. :Horizontal
 Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dB μ V	dB	dB μ V/m	dB μ V/m	dB
5899.80	Average	40.49	3.18	43.67	68.20	-24.53
5913.30	Peak	50.85	3.19	54.04	88.20	-34.16
6747.91	Average	80.54	5.77	86.31	-	-
6747.91	Peak	88.93	5.77	94.70	-	-
7183.46	Average	40.68	7.38	48.06	68.20	-20.14
7218.47	Peak	50.60	7.53	58.13	88.20	-30.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
 Operation Mode :802.11be320 RU 3x996+484MRU1
 Test Frequency :6905 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC C
 Test Date :2026-06-25
 Temp./Humi. :23.5°C/64%
 Antenna Pol. :Vertical
 Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dB μ V	dB	dB μ V/m	dB μ V/m	dB
5912.05	Average	40.62	3.18	43.80	68.20	-24.40
5918.55	Peak	51.50	3.19	54.69	88.20	-33.51
7037.19	Average	72.01	6.92	78.93	-	-
7037.19	Peak	80.60	6.92	87.52	-	-
7218.47	Average	40.41	7.53	47.94	68.20	-20.26
7227.47	Peak	50.46	7.56	58.02	88.20	-30.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be320 RU 3x996+484MRU1
Test Frequency :6905 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-25
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dB μ V	dB	dB μ V/m	dB μ V/m	dB
5687.02	Average	42.04	2.56	44.60	68.20	-23.60
5897.05	Peak	50.72	3.17	53.89	88.20	-34.31
6787.41	Average	77.98	5.76	83.74	-	-
6787.41	Peak	85.81	5.76	91.57	-	-
7218.47	Average	41.19	7.53	48.72	68.20	-19.48
7245.72	Peak	49.53	7.62	57.15	88.20	-31.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be320 RU 3x996+484MRU2
Test Frequency :6905 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-25
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5897.55	Average	41.36	3.17	44.53	68.20	-23.67
5904.30	Peak	51.40	3.18	54.58	88.20	-33.62
6964.93	Average	76.42	6.59	83.01	-	-
6964.93	Peak	86.50	6.59	93.09	-	-
7179.21	Peak	51.15	7.35	58.50	88.20	-29.70
7248.97	Average	41.19	7.63	48.82	68.20	-19.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be320 RU 3x996+484MRU2
Test Frequency :6905 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-25
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dB μ V	dB	dB μ V/m	dB μ V/m	dB
5881.55	Peak	51.03	3.10	54.13	88.20	-34.07
5895.05	Average	40.77	3.16	43.93	68.20	-24.27
6771.91	Average	77.93	5.76	83.69	-	-
6771.91	Peak	88.10	5.76	93.86	-	-
7135.96	Peak	50.57	7.19	57.76	88.20	-30.44
7214.96	Average	40.71	7.52	48.23	68.20	-19.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be320 RU 3x996+484MRU3
Test Frequency :6905 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-25
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dB μ V	dB	dB μ V/m	dB μ V/m	dB
5898.30	Peak	50.97	3.17	54.14	88.20	-34.06
5909.80	Average	41.14	3.19	44.33	68.20	-23.87
6788.66	Average	78.27	5.76	84.03	-	-
6788.66	Peak	87.64	5.76	93.40	-	-
7163.46	Peak	51.52	7.27	58.79	88.20	-29.41
7187.46	Average	41.61	7.40	49.01	68.20	-19.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be320 RU 3x996+484MRU3
Test Frequency :6905 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-25
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5780.04	Peak	51.38	2.66	54.04	88.20	-34.16
5906.05	Average	41.15	3.18	44.33	68.20	-23.87
6768.91	Average	79.15	5.77	84.92	-	-
6768.91	Peak	87.42	5.77	93.19	-	-
7194.46	Average	41.34	7.44	48.78	68.20	-19.42
7195.46	Peak	50.02	7.44	57.46	88.20	-30.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be320 RU 3x996+484MRU4
Test Frequency :6905 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-25
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5818.54	Peak	52.10	2.80	54.90	88.20	-33.30
5910.55	Average	40.69	3.19	43.88	68.20	-24.32
6742.91	Average	77.68	5.79	83.47	-	-
6742.91	Peak	87.32	5.79	93.11	-	-
7228.47	Average	40.68	7.56	48.24	68.20	-19.96
7246.22	Peak	50.58	7.63	58.21	88.20	-29.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be320 RU 3x996+484MRU4
Test Frequency :6905 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-25
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5636.52	Peak	51.96	2.26	54.22	88.20	-33.98
5852.54	Average	40.96	2.96	43.92	68.20	-24.28
6751.16	Average	77.44	5.77	83.21	-	-
6751.16	Peak	85.34	5.77	91.11	-	-
7185.96	Peak	50.68	7.39	58.07	88.20	-30.13
7230.47	Average	40.52	7.57	48.09	68.20	-20.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be320 RU 4x996
Test Frequency :6905 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-25
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5888.05	Average	41.06	3.12	44.18	68.20	-24.02
5895.80	Peak	50.61	3.16	53.77	88.20	-34.43
6763.91	Average	77.68	5.76	83.44	-	-
6763.91	Peak	86.10	5.76	91.86	-	-
7237.22	Peak	50.63	7.59	58.22	88.20	-29.98
7245.97	Average	40.30	7.63	47.93	68.20	-20.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be320 RU 4x996
Test Frequency :6905 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-25
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5877.05	Peak	50.86	3.07	53.93	88.20	-34.27
5892.30	Average	40.44	3.14	43.58	68.20	-24.62
6767.16	Average	77.23	5.76	82.99	-	-
6767.16	Peak	85.70	5.76	91.46	-	-
7205.46	Average	40.54	7.49	48.03	68.20	-20.17
7248.97	Peak	50.38	7.63	58.01	88.20	-30.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be320 RU Full
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-22
Temp./Humi. :23.5°C/64%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5542.255	Peak	51.98	2.11	54.09	88.20	-34.11
5703.525	Average	41.93	2.64	44.57	68.20	-23.63
6871.421	Average	65.22	6.05	71.27	-	-
6871.421	Peak	73.39	6.05	79.44	-	-
7263.721	Average	41.47	7.74	49.21	54.00	-4.79
7332.729	Peak	50.46	7.96	58.42	74.00	-15.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2604001458E2
Operation Mode :802.11be320 RU Full
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC C
Test Date :2026-06-22
Temp./Humi. :23.5°C/64%
Antenna Pol. :Horizontal
Engineer :Alex Li



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5862.295	Peak	51.13	3.01	54.14	88.20	-34.06
5882.548	Average	41.85	3.10	44.95	68.20	-23.25
7091.699	Average	61.08	7.18	68.25	-	-
7091.699	Peak	69.22	7.18	76.40	-	-
7301.475	Average	41.52	8.00	49.52	54.00	-4.48
7404.738	Peak	51.53	7.79	59.32	74.00	-14.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

7.6 Contention Based Protocol

7.6.1 CBP Detection

Contention Based Protocol																
Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Adjusted Power (dBm)	Detection Trials (1=Detection, 0= No Detection)										Detection Probability (%)	Limit (%)
					1	2	3	4	5	6	7	8	9	10		
802.11be EHT20	5	6135	6135	-65.17	0	1	1	1	1	1	1	1	1	1	90	90
802.11be EHT320	5	6265	6110	-62.11	1	0	1	1	1	1	1	1	1	1	90	90
			6265	-62.23	1	1	1	1	1	1	1	1	1	1	100	90
			6420	-62.12	1	1	1	1	1	1	1	1	1	1	100	90
802.11be EHT20	6	6455	6455	-65.16	1	1	1	1	1	1	1	1	1	1	100	90
802.11be EHT20	7	6695	6695	-68.16	1	1	1	1	1	1	1	1	1	1	100	90
802.11be EHT20	8	7015	7015	-67.14	1	1	1	1	1	1	0	1	1	1	90	90
802.11be EHT320	8	6905	6750	-62.08	1	1	1	1	1	1	1	1	1	1	100	90
			6905	-62.07	1	1	0	1	1	1	1	1	1	1	90	90
			7060	-62.16	1	1	1	1	1	1	1	1	1	1	100	90

Note 1 : Adjusted Power= Injected AWGN - minimum antenna gain

Note 2 : Injected AWGN includes the path loss, so path loss is not listed separately.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

7.6.2 CBP_Threshold_Level

Contention Based Protocol Threshold Level Verify									
Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected AWGN (dBm)	Antenna Gain (dBi)	Antenna Path Loss (dB)	Adjusted Power (dBm)	Detection Limit (dBm)	EUT Tx Status
802.11be EHT20	5	6135	6135	-64.83	0.34	0	-65.17	-62	OFF
			6135	-66.83	0.34	0	-67.17	-62	Minimal
			6135	-70.83	0.34	0	-71.17	-62	ON
802.11be EHT320	5	6265	6110	-61.77	0.34	0	-62.11	-62	OFF
			6110	-85.77	0.34	0	-86.11	-62	Minimal
			6110	-87.77	0.34	0	-88.11	-62	ON
			6265	-61.89	0.34	0	-62.23	-62	OFF
			6265	-78.89	0.34	0	-79.23	-62	Minimal
			6265	-80.89	0.34	0	-81.23	-62	ON
			6420	-61.78	0.34	0	-62.12	-62	OFF
			6420	-83.78	0.34	0	-84.12	-62	Minimal
			6420	-85.78	0.34	0	-86.12	-62	ON

In the UNII-5 band, when the antenna gain is 0.23 dBi, it meets the detection limit requirement of -62 dBm.

Contention Based Protocol Threshold Level Verify									
Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected AWGN (dBm)	Antenna Gain (dBi)	Antenna Path Loss (dB)	Adjusted Power (dBm)	Detection Limit (dBm)	EUT Tx Status
802.11be EHT20	6	6455	6455	-65.46	-0.30	0	-65.16	-62	OFF
			6455	-68.46	-0.30	0	-68.16	-62	Minimal
			6455	-74.46	-0.30	0	-74.16	-62	ON

In the UNII-6 band, when the antenna gain is 0.23 dBi, it meets the detection limit requirement of -62 dBm.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Contention Based Protocol Threshold Level Verify									
Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected AWGN (dBm)	Antenna Gain (dBi)	Antenna Path Loss (dB)	Adjusted Power (dBm)	Detection Limit (dBm)	EUT Tx Status
802.11be EHT20	7	6695	6695	-68.81	-0.65	0	-68.16	-62	OFF
			6695	-71.81	-0.65	0	-71.16	-62	Minimal
			6695	-96.81	-0.65	0	-96.16	-62	ON


In the UNII-7 band, when the antenna gain is -0.59 dBi, it meets the detection limit requirement of -62 dBm.

Contention Based Protocol Threshold Level Verify									
Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected AWGN (dBm)	Antenna Gain (dBi)	Antenna Path Loss (dB)	Adjusted Power (dBm)	Detection Limit (dBm)	EUT Tx Status
802.11be EHT20	8	7015	7015	-67.66	-0.52	0	-67.14	-62	OFF
			7015	-70.66	-0.52	0	-70.14	-62	Minimal
			7015	-82.66	-0.52	0	-82.14	-62	ON
802.11be EHT320	8	6905	6750	-62.60	-0.52	0	-62.08	-62	OFF
			6750	-86.60	-0.52	0	-86.08	-62	Minimal
			6750	-87.60	-0.52	0	-87.08	-62	ON
			6905	-62.59	-0.52	0	-62.07	-62	OFF
			6905	-80.59	-0.52	0	-80.07	-62	Minimal
			6905	-82.59	-0.52	0	-82.07	-62	ON
			7060	-62.68	-0.52	0	-62.16	-62	OFF
			7060	-84.68	-0.52	0	-84.16	-62	Minimal
			7060	-86.68	-0.52	0	-86.16	-62	ON


In the UNII-8 band, when the antenna gain is -0.59 dBi, it meets the detection limit requirement of -62 dBm.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



be 20M 6135MHz_Int6135MHz_-65.17dBm OFF




be 20M 6135MHz_Int6135MHz_-67.17dBm Minimal




be 20M 6135MHz_Int6135MHz_-71.17dBm ON



be 20M 6455MHz_Int6455MHz_-65.16dBm OFF



be 20M 6455MHz_Int6455MHz_-68.16dBm Minimal



be 20M 6455MHz_Int6455MHz_-74.16dBm ON

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw


Member of SGS Group




be 320M 6265MHz Int6265MHz -62.23dBm OFF




be 320M 6265MHz Int6265MHz -79.23dBm Minimal




be 320M 6265MHz Int6265MHz -81.23dBm ON



be 320M 6265MHz Int6420MHz -62.12dBm OFF



be 320M 6265MHz Int6420MHz -84.12dBm Minimal



be 320M 6265MHz Int6420MHz -86.12dBm ON

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.