

7.2.3 Maximum Output Power

802.11a_Ch0

CH	Frequency (MHz)	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
1	5955	4.17	2.51	6.68	24	PASS
45	6175	3.91	2.51	6.42	24	PASS
93	6415	3.62	2.51	6.13	24	PASS
97	6435	4.78	2.45	7.23	24	PASS
105	6475	5.32	2.45	7.77	24	PASS
113	6515	5.90	2.45	8.35	24	PASS
117	6535	5.91	2.72	8.63	24	PASS
149	6695	5.50	2.72	8.22	24	PASS
181	6855	5.75	2.72	8.47	24	PASS
185	6875	5.92	2.72	8.64	24	PASS
189	6895	6.32	2.47	8.79	24	PASS
209	6995	6.30	2.47	8.77	24	PASS
233	7115	6.45	2.47	8.92	24	PASS

802.11a_Ch1

CH	Frequency (MHz)	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
1	5955	4.11	2.83	6.94	24	PASS
45	6175	3.79	2.83	6.62	24	PASS
93	6415	3.52	2.83	6.35	24	PASS
97	6435	4.69	2.55	7.24	24	PASS
105	6475	5.23	2.55	7.78	24	PASS
113	6515	5.81	2.55	8.36	24	PASS
117	6535	5.85	2.78	8.63	24	PASS
149	6695	5.45	2.78	8.23	24	PASS
181	6855	5.66	2.78	8.44	24	PASS
185	6875	5.88	2.78	8.66	24	PASS
189	6895	6.25	2.26	8.51	24	PASS
209	6995	6.23	2.26	8.49	24	PASS
233	7115	6.43	2.26	8.69	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11a_2Tx

CH	Frequency (MHz)	Avg. Output Power(dBm)				TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
		Ch0	Ch1	Ch2	Ch3					
1	5955	4.23	4.25	0.04	0.04	7.25	2.67	9.92	24	PASS
45	6175	3.95	3.90	0.04	0.04	6.93	2.67	9.61	24	PASS
93	6415	3.66	3.61	0.04	0.04	6.64	2.67	9.32	24	PASS
97	6435	5.68	4.10	0.04	0.04	7.97	2.50	10.47	24	PASS
105	6475	6.12	4.37	0.04	0.04	8.34	2.50	10.84	24	PASS
113	6515	6.68	4.95	0.04	0.04	8.91	2.50	11.41	24	PASS
117	6535	6.62	5.09	0.04	0.04	8.93	2.75	11.68	24	PASS
149	6695	5.91	5.07	0.04	0.04	8.52	2.75	11.27	24	PASS
181	6855	6.43	5.17	0.04	0.04	8.85	2.75	11.60	24	PASS
185	6875	6.25	5.59	0.04	0.04	8.94	2.75	11.69	24	PASS
189	6895	6.85	6.02	0.04	0.04	9.46	2.37	11.83	24	PASS
209	6995	6.78	5.81	0.04	0.04	9.33	2.37	11.70	24	PASS
233	7115	7.67	5.89	0.04	0.04	9.88	2.37	12.24	24	PASS

802.11ax_HE20_SU_Ch0

CH	Frequency (MHz)	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
1	5955	3.83	2.51	6.34	24	PASS
45	6175	3.62	2.51	6.13	24	PASS
93	6415	2.93	2.51	5.44	24	PASS
97	6435	4.89	2.45	7.34	24	PASS
105	6475	5.71	2.45	8.16	24	PASS
113	6515	5.63	2.45	8.08	24	PASS
117	6535	5.88	2.72	8.60	24	PASS
149	6695	5.19	2.72	7.91	24	PASS
181	6855	5.85	2.72	8.57	24	PASS
185	6875	5.88	2.72	8.60	24	PASS
189	6895	6.35	2.47	8.82	24	PASS
209	6995	6.48	2.47	8.95	24	PASS
233	7115	7.53	2.47	10.00	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11ax_HE20_SU_Ch1

CH	Frequency (MHz)	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
1	5955	3.78	2.83	6.61	24	PASS
45	6175	3.53	2.83	6.36	24	PASS
93	6415	2.88	2.83	5.71	24	PASS
97	6435	4.82	2.55	7.37	24	PASS
105	6475	5.65	2.55	8.20	24	PASS
113	6515	5.59	2.55	8.14	24	PASS
117	6535	5.83	2.78	8.61	24	PASS
149	6695	5.12	2.78	7.90	24	PASS
181	6855	5.80	2.78	8.58	24	PASS
185	6875	5.79	2.78	8.57	24	PASS
189	6895	6.28	2.26	8.54	24	PASS
209	6995	6.42	2.26	8.68	24	PASS
233	7115	7.47	2.26	9.73	24	PASS

802.11ax_HE20_SU_2Tx

CH	Frequency (MHz)	Avg. Output Power(dBm)		TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
		Ch0	Ch1					
1	5955	4.02	3.72	6.89	2.67	9.56	24	PASS
45	6175	3.64	3.59	6.63	2.67	9.30	24	PASS
93	6415	3.54	2.66	6.14	2.67	8.81	24	PASS
97	6435	5.59	4.05	7.90	2.50	10.40	24	PASS
105	6475	6.49	4.75	8.72	2.50	11.22	24	PASS
113	6515	6.62	4.77	8.81	2.50	11.31	24	PASS
117	6535	6.65	4.92	8.89	2.75	11.64	24	PASS
149	6695	5.77	4.92	8.38	2.75	11.13	24	PASS
181	6855	6.42	5.44	8.97	2.75	11.72	24	PASS
185	6875	6.28	5.434	8.89	2.75	11.64	24	PASS
189	6895	6.86	5.99	9.46	2.37	11.83	24	PASS
209	6995	7.09	6.09	9.63	2.37	12.00	24	PASS
233	7115	8.39	6.46	10.55	2.37	12.91	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11ax_HE40_SU_Ch0

CH	Frequency (MHz)	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
3	5965	4.94	2.51	7.45	24	PASS
43	6165	5.19	2.51	7.70	24	PASS
91	6405	4.62	2.51	7.13	24	PASS
99	6445	5.18	2.45	7.63	24	PASS
107	6485	5.14	2.45	7.59	24	PASS
115	6525	5.29	2.45	7.74	24	PASS
123	6565	5.71	2.72	8.43	24	PASS
147	6685	5.64	2.72	8.36	24	PASS
179	6845	5.62	2.72	8.34	24	PASS
187	6885	5.81	2.47	8.28	24	PASS
195	6925	5.94	2.47	8.41	24	PASS
211	7005	6.00	2.47	8.47	24	PASS
227	7085	5.47	2.47	7.94	24	PASS

802.11ax_HE40_SU_Ch1

CH	Frequency (MHz)	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
3	5965	4.89	2.83	7.72	24	PASS
43	6165	5.12	2.83	7.95	24	PASS
91	6405	4.55	2.83	7.38	24	PASS
99	6445	5.13	2.55	7.68	24	PASS
107	6485	5.09	2.55	7.64	24	PASS
115	6525	5.24	2.55	7.79	24	PASS
123	6565	5.62	2.78	8.40	24	PASS
147	6685	5.58	2.78	8.36	24	PASS
179	6845	5.56	2.78	8.34	24	PASS
187	6885	5.74	2.26	8.00	24	PASS
195	6925	5.87	2.26	8.13	24	PASS
211	7005	5.92	2.26	8.18	24	PASS
227	7085	5.38	2.26	7.64	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11ax_40_SU_2Tx

CH	Frequency (MHz)	Avg. Output Power(dBm)		TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
		Ch0	Ch1					
3	5965	5.53	4.30	7.97	2.67	10.65	24	PASS
43	6165	5.89	4.42	8.23	2.67	10.90	24	PASS
91	6405	5.29	3.86	7.65	2.67	10.32	24	PASS
99	6445	5.83	4.43	8.20	2.50	10.70	24	PASS
107	6485	5.79	4.42	8.17	2.50	10.67	24	PASS
115	6525	5.98	4.45	8.30	2.50	10.80	24	PASS
123	6565	6.32	5.27	8.84	2.75	11.59	24	PASS
147	6685	5.97	5.53	8.77	2.75	11.52	24	PASS
179	6845	6.12	5.24	8.72	2.75	11.47	24	PASS
187	6885	6.14	5.50	8.85	2.75	11.60	24	PASS
195	6925	6.28	5.57	8.95	2.37	11.32	24	PASS
211	7005	6.49	5.48	9.03	2.37	11.40	24	PASS
227	7085	6.18	4.89	8.60	2.37	10.96	24	PASS

802.11ax_HE80_SU_Ch0

CH	Frequency (MHz)	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
7	5985	10.27	2.51	12.78	24	PASS
39	6145	9.37	2.51	11.88	24	PASS
87	6385	8.67	2.51	11.18	24	PASS
103	6465	8.54	2.45	10.99	24	PASS
119	6545	8.80	2.72	11.52	24	PASS
135	6625	8.63	2.72	11.35	24	PASS
151	6705	8.62	2.72	11.34	24	PASS
167	6785	8.76	2.72	11.48	24	PASS
183	6865	9.14	2.72	11.86	24	PASS
199	6945	9.37	2.47	11.84	24	PASS
215	7025	9.32	2.47	11.79	24	PASS

802.11ax_HE80_SU_Ch1

CH	Frequency (MHz)	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
7	5985	10.20	2.83	13.03	24	PASS
39	6145	9.28	2.83	12.11	24	PASS
87	6385	8.62	2.83	11.45	24	PASS
103	6465	8.48	2.55	11.03	24	PASS
119	6545	8.78	2.78	11.56	24	PASS
135	6625	8.54	2.78	11.32	24	PASS
151	6705	8.56	2.78	11.34	24	PASS
167	6785	8.67	2.78	11.45	24	PASS
183	6865	9.05	2.78	11.83	24	PASS
199	6945	9.28	2.26	11.54	24	PASS
215	7025	9.26	2.26	11.52	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11ax_80_SU_2Tx

CH	Frequency (MHz)	Avg. Output Power(dBm)		TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
		Ch0	Ch1					
7	5985	10.86	9.57	13.28	2.67	15.95	24	PASS
39	6145	9.84	8.83	12.38	2.67	15.05	24	PASS
87	6385	9.72	8.09	12.00	2.67	14.67	24	PASS
103	6465	9.85	7.77	11.95	2.50	14.45	24	PASS
119	6545	9.57	7.84	11.81	2.50	14.31	24	PASS
135	6625	9.58	8.37	12.03	2.75	14.78	24	PASS
151	6705	9.52	8.40	12.01	2.75	14.76	24	PASS
167	6785	9.35	8.80	12.10	2.75	14.85	24	PASS
183	6865	9.64	8.89	12.30	2.75	15.05	24	PASS
199	6945	9.92	8.95	12.48	2.37	14.84	24	PASS
215	7025	9.93	8.87	12.45	2.37	14.81	24	PASS

802.11ax_HE160_SU_Ch0

CH	Frequency (MHz)	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
15	6025	11.08	2.51	13.59	24	PASS
47	6185	11.17	2.51	13.68	24	PASS
79	6345	11.13	2.51	13.64	24	PASS
111	6505	11.29	2.45	13.74	24	PASS
143	6665	11.10	2.72	13.82	24	PASS
175	6825	11.24	2.72	13.96	24	PASS
207	6985	12.32	2.47	14.79	24	PASS

802.11ax_HE160_SU_Ch1

CH	Frequency (MHz)	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
15	6025	11.02	2.83	13.85	24	PASS
47	6185	11.08	2.83	13.91	24	PASS
79	6345	11.07	2.83	13.90	24	PASS
111	6505	11.22	2.55	13.77	24	PASS
143	6665	11.02	2.78	13.80	24	PASS
175	6825	11.16	2.78	13.94	24	PASS
207	6985	12.27	2.26	14.53	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11ax_160_SU_2Tx

CH	Frequency (MHz)	Avg. Output Power(dBm)		TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
		Ch0	Ch1					
15	6025	11.64	10.47	14.11	2.67	16.78	24	PASS
47	6185	11.83	10.51	14.23	2.67	16.91	24	PASS
79	6345	11.90	10.40	14.23	2.67	16.90	24	PASS
111	6505	12.00	10.48	14.32	2.50	16.82	24	PASS
143	6665	11.59	10.87	14.26	2.75	17.01	24	PASS
175	6825	11.68	10.85	14.30	2.75	17.05	24	PASS
207	6985	12.84	11.78	15.36	2.37	17.72	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11ax_HE20_RU_Ch0

CH	Frequency (MHz)	RU config.	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
1	5955	242	2.22	2.51	4.73	24	PASS
		26/0	-6.28	2.51	-3.77	24	PASS
		52/37	-3.60	2.51	-1.09	24	PASS
		106/53	-0.97	2.51	1.54	24	PASS
45	6175	242	3.12	2.51	5.63	24	PASS
93	6415	242	1.92	2.51	4.43	24	PASS
		26/8	-6.35	2.51	-3.84	24	PASS
		52/40	-4.08	2.51	-1.57	24	PASS
		106/54	-0.70	2.51	1.81	24	PASS
97	6435	242	2.30	2.45	4.75	24	PASS
		26/0	-6.22	2.45	-3.77	24	PASS
		52/37	-3.87	2.45	-1.42	24	PASS
		106/53	-0.97	2.45	1.48	24	PASS
105	6475	242	2.60	2.45	5.05	24	PASS
113	6515	242	2.40	2.45	4.85	24	PASS
		26/8	-6.20	2.45	-3.75	24	PASS
		52/40	-3.53	2.45	-1.08	24	PASS
		106/54	-0.17	2.45	2.28	24	PASS
117	6535	242	3.47	2.72	6.19	24	PASS
		26/0	-5.84	2.72	-3.12	24	PASS
		52/37	-3.33	2.72	-0.61	24	PASS
		106/53	-0.33	2.72	2.39	24	PASS
149	6695	242	2.90	2.72	5.62	24	PASS
181	6855	242	3.27	2.72	5.99	24	PASS
		26/8	-5.30	2.72	-2.58	24	PASS
		52/40	-3.14	2.72	-0.42	24	PASS
		106/54	-0.24	2.72	2.48	24	PASS
185	6875	242	3.13	2.72	5.85	24	PASS
189	6895	242	3.45	2.47	5.92	24	PASS
		26/0	-5.62	2.47	-3.15	24	PASS
		52/37	-2.78	2.47	-0.31	24	PASS
		106/53	0.10	2.47	2.57	24	PASS
209	6995	242	3.15	2.47	5.62	24	PASS
233	7115	242	2.84	2.47	5.31	24	PASS
		26/8	-5.62	2.47	-3.15	24	PASS
		52/40	-3.31	2.47	-0.84	24	PASS
		106/54	-0.24	2.47	2.23	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11ax_HE20_RU_Ch1

CH	Frequency (MHz)	RU config.	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
1	5955	242	2.15	2.83	4.98	24	PASS
		26/0	-6.34	2.83	-3.51	24	PASS
		52/37	-3.68	2.83	-0.85	24	PASS
		106/53	-1.02	2.83	1.81	24	PASS
45	6175	242	3.04	2.83	5.87	24	PASS
93	6415	242	1.84	2.83	4.67	24	PASS
		26/8	-6.44	2.83	-3.61	24	PASS
		52/40	-4.14	2.83	-1.31	24	PASS
		106/54	-0.78	2.83	2.05	24	PASS
97	6435	242	2.21	2.55	4.76	24	PASS
		26/0	-6.31	2.55	-3.76	24	PASS
		52/37	-3.94	2.55	-1.39	24	PASS
		106/53	-1.04	2.55	1.51	24	PASS
105	6475	242	2.51	2.55	5.06	24	PASS
113	6515	242	2.34	2.55	4.89	24	PASS
		26/8	-6.25	2.55	-3.70	24	PASS
		52/40	-3.58	2.55	-1.03	24	PASS
		106/54	-0.23	2.55	2.32	24	PASS
117	6535	242	3.38	2.78	6.16	24	PASS
		26/0	-5.92	2.78	-3.14	24	PASS
		52/37	-3.42	2.78	-0.64	24	PASS
		106/53	-0.42	2.78	2.36	24	PASS
149	6695	242	2.81	2.78	5.59	24	PASS
181	6855	242	3.20	2.78	5.98	24	PASS
		26/8	-5.39	2.78	-2.61	24	PASS
		52/40	-3.20	2.78	-0.42	24	PASS
		106/54	-0.31	2.78	2.47	24	PASS
185	6875	242	3.05	2.78	5.83	24	PASS
189	6895	242	3.39	2.26	5.65	24	PASS
		26/0	-5.67	2.26	-3.41	24	PASS
		52/37	-2.84	2.26	-0.58	24	PASS
		106/53	0.08	2.26	2.34	24	PASS
209	6995	242	3.09	2.26	5.35	24	PASS
233	7115	242	2.78	2.26	5.04	24	PASS
		26/8	-5.71	2.26	-3.45	24	PASS
		52/40	-3.38	2.26	-1.12	24	PASS
		106/54	-0.31	2.26	1.95	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11ax_HE20_RU_2Tx

CH	Frequency (MHz)	RU config.	Avg. Output Power(dBm)				TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
			Ch0	Ch1	Ch2	Ch3					
1	5955	242	2.31	2.12	0.03	0.03	5.22	2.67	7.90	24	PASS
		26/0	-6.77	-5.67	0.04	0.04	-3.17	2.67	-0.50	24	PASS
		52/37	-4.13	-3.09	0.01	0.01	-0.57	2.67	2.11	24	PASS
		106/53	-1.39	-0.38	0.05	0.05	2.15	2.67	4.82	24	PASS
45	6175	242	3.12	3.15	0.03	0.03	6.14	2.67	8.82	24	PASS
93	6415	242	2.36	1.54	0.03	0.03	4.98	2.67	7.65	24	PASS
		26/8	-6.12	-6.59	0.04	0.04	-3.33	2.67	-0.66	24	PASS
		52/40	-3.35	-4.94	0.01	0.01	-1.06	2.67	1.61	24	PASS
		106/54	0.07	-1.61	0.05	0.05	2.32	2.67	4.99	24	PASS
97	6435	242	3.06	2.02	0.03	0.03	5.58	2.50	8.08	24	PASS
		26/0	-5.82	-6.40	0.04	0.04	-3.09	2.50	-0.59	24	PASS
		52/37	-3.16	-4.65	0.01	0.01	-0.83	2.50	1.67	24	PASS
		106/53	-0.26	-1.77	0.05	0.05	2.06	2.50	4.56	24	PASS
105	6475	242	3.22	2.29	0.03	0.03	5.79	2.50	8.29	24	PASS
113	6515	242	3.01	2.09	0.03	0.03	5.58	2.50	8.08	24	PASS
		26/8	-5.79	-6.47	0.04	0.04	-3.10	2.50	-0.60	24	PASS
		52/40	-3.06	-3.90	0.01	0.01	-0.45	2.50	2.05	24	PASS
		106/54	0.36	-0.61	0.05	0.05	2.91	2.50	5.41	24	PASS
117	6535	242	3.52	3.42	0.03	0.03	6.48	2.75	9.23	24	PASS
		26/0	-5.79	-5.83	0.04	0.04	-2.80	2.75	-0.05	24	PASS
		52/37	-3.11	-3.28	0.01	0.01	-0.18	2.75	2.57	24	PASS
		106/53	-0.13	-0.47	0.05	0.05	2.71	2.75	5.46	24	PASS
149	6695	242	3.09	2.70	0.03	0.03	5.91	2.75	8.66	24	PASS
181	6855	242	3.76	3.02	0.03	0.03	6.41	2.75	9.16	24	PASS
		26/8	-4.83	-5.82	0.04	0.04	-2.28	2.75	0.47	24	PASS
		52/40	-2.51	-3.60	0.01	0.01	-0.01	2.75	2.74	24	PASS
		106/54	0.70	-0.96	0.05	0.05	2.96	2.75	5.71	24	PASS
185	6875	242	3.65	2.84	0.03	0.03	6.27	2.75	9.02	24	PASS
189	6895	242	3.98	3.07	0.03	0.03	6.56	2.37	8.92	24	PASS
		26/0	-4.95	-5.98	0.04	0.04	-2.42	2.37	-0.05	24	PASS
		52/37	-2.14	-3.43	0.01	0.01	0.28	2.37	2.64	24	PASS
		106/53	0.82	-0.61	0.05	0.05	3.17	2.37	5.54	24	PASS
209	6995	242	3.71	2.78	0.03	0.03	6.28	2.37	8.64	24	PASS
233	7115	242	3.47	2.17	0.03	0.03	5.88	2.37	8.24	24	PASS
		26/8	-4.99	-6.12	0.04	0.04	-2.50	2.37	-0.14	24	PASS
		52/40	-2.56	-4.12	0.01	0.01	-0.26	2.37	2.11	24	PASS
		106/54	0.60	-1.02	0.05	0.05	2.87	2.37	5.24	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11ax_HE40_RU_Ch0

CH	Frequency (MHz)	RU config.	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
3	5965	484	4.82	2.51	7.33	24	PASS
		242/61	1.61	2.51	4.12	24	PASS
43	6165	484	4.69	2.51	7.20	24	PASS
91	6405	484	4.61	2.51	7.12	24	PASS
		242/62	1.55	2.51	4.06	24	PASS
99	6445	484	4.69	2.45	7.14	24	PASS
		242/61	1.40	2.45	3.85	24	PASS
107	6485	484	5.10	2.45	7.55	24	PASS
		242/62	2.70	2.45	5.15	24	PASS
115	6525	484	5.27	2.45	7.72	24	PASS
123	6565	484	5.23	2.72	7.95	24	PASS
		242/61	2.22	2.72	4.94	24	PASS
147	6685	484	5.12	2.72	7.84	24	PASS
179	6845	484	5.01	2.72	7.73	24	PASS
		242/62	2.76	2.72	5.48	24	PASS
187	6885	484	5.29	2.47	7.76	24	PASS
195	6925	484	5.42	2.47	7.89	24	PASS
		242/61	2.67	2.47	5.14	24	PASS
211	7005	484	5.56	2.47	8.03	24	PASS
227	7085	484	5.08	2.47	7.55	24	PASS
		242/62	1.85	2.47	4.32	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11ax_HE40_RU_Ch1

CH	Frequency (MHz)	RU config.	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
3	5965	484	4.73	2.83	7.56	24	PASS
		242/61	1.54	2.83	4.37	24	PASS
43	6165	484	4.60	2.83	7.43	24	PASS
91	6405	484	4.55	2.83	7.38	24	PASS
		242/62	1.48	2.83	4.31	24	PASS
99	6445	484	4.61	2.55	7.16	24	PASS
		242/61	1.32	2.55	3.87	24	PASS
107	6485	484	5.04	2.55	7.59	24	PASS
		242/62	2.64	2.55	5.19	24	PASS
115	6525	484	5.20	2.55	7.75	24	PASS
123	6565	484	5.15	2.78	7.93	24	PASS
		242/61	2.16	2.78	4.94	24	PASS
147	6685	484	5.05	2.78	7.83	24	PASS
179	6845	484	4.94	2.78	7.72	24	PASS
		242/62	2.69	2.78	5.47	24	PASS
187	6885	484	5.20	2.26	7.46	24	PASS
195	6925	484	5.37	2.26	7.63	24	PASS
		242/61	2.59	2.26	4.85	24	PASS
211	7005	484	5.48	2.26	7.74	24	PASS
227	7085	484	5.02	2.26	7.28	24	PASS
		242/62	1.78	2.26	4.04	24	PASS

802.11ax_HE40_RU_2Tx

CH	Frequency (MHz)	RU config.	Avg. Output Power(dBm)				TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
			Ch0	Ch1	Ch2	Ch3					
3	5965	484	5.70	3.76	0.06	0.06	7.84	2.67	10.52	24	PASS
		242/61	1.97	1.69	0.03	0.03	4.84	2.67	7.51	24	PASS
43	6165	484	5.52	3.69	0.06	0.06	7.71	2.67	10.38	24	PASS
		242/62	2.06	1.04	0.03	0.03	4.59	2.67	7.26	24	PASS
99	6445	484	5.59	3.64	0.06	0.06	7.73	2.50	10.23	24	PASS
		242/61	1.86	0.89	0.03	0.03	4.41	2.50	6.91	24	PASS
107	6485	484	5.98	4.05	0.06	0.06	8.13	2.50	10.63	24	PASS
		242/62	3.13	2.25	0.03	0.03	5.72	2.50	8.22	24	PASS
115	6525	484	6.22	4.075	0.055	0.06	8.29	2.50	10.79	24	PASS
123	6565	484	5.98	4.40	0.06	0.06	8.27	2.75	11.02	24	PASS
		242/61	2.40	2.17	0.03	0.03	5.30	2.75	8.05	24	PASS
147	6685	484	5.80	4.51	0.06	0.06	8.21	2.75	10.96	24	PASS
179	6845	484	5.69	4.31	0.06	0.06	8.06	2.75	10.81	24	PASS
		242/62	3.17	2.34	0.03	0.03	5.78	2.75	8.53	24	PASS
187	6885	484	6.00	4.58	0.06	0.06	8.35	2.75	11.10	24	PASS
195	6925	484	6.07	4.76	0.06	0.06	8.47	2.37	10.84	24	PASS
		242/61	2.92	2.58	0.03	0.03	5.76	2.37	8.13	24	PASS
211	7005	484	6.27	4.78	0.06	0.06	8.59	2.37	10.96	24	PASS
227	7085	484	5.90	4.09	0.06	0.06	8.09	2.37	10.46	24	PASS
		242/62	2.49	1.19	0.03	0.03	4.90	2.37	7.26	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11ax_HE80_RU_Ch0

CH	Frequency (MHz)	RU config.	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
7	5985	996	8.88	2.51	11.39	24	PASS
		484/65	5.41	2.51	7.92	24	PASS
39	6145	996	7.75	2.51	10.26	24	PASS
87	6385	996	8.62	2.51	11.13	24	PASS
		484/66	5.65	2.51	8.16	24	PASS
103	6465	996	8.53	2.45	10.98	24	PASS
		484/65	5.30	2.45	7.75	24	PASS
		484/66	5.98	2.45	8.43	24	PASS
119	6545	996	8.47	2.72	11.19	24	PASS
135	6625	996	8.56	2.72	11.28	24	PASS
		484/65	6.01	2.72	8.73	24	PASS
151	6705	996	8.60	2.72	11.32	24	PASS
167	6785	996	9.06	2.72	11.78	24	PASS
		484/66	6.22	2.72	8.94	24	PASS
183	6865	996	8.94	2.72	11.66	24	PASS
199	6945	996	9.16	2.47	11.63	24	PASS
		484/65	6.01	2.47	8.48	24	PASS
215	7025	996	9.08	2.47	11.55	24	PASS
		484/66	6.30	2.47	8.77	24	PASS

802.11ax_HE80_RU_Ch1

CH	Frequency (MHz)	RU config.	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
7	5985	996	8.80	2.83	11.63	24	PASS
		484/65	5.35	2.83	8.18	24	PASS
39	6145	996	7.70	2.83	10.53	24	PASS
87	6385	996	8.53	2.83	11.36	24	PASS
		484/66	5.57	2.83	8.40	24	PASS
103	6465	996	8.47	2.55	11.02	24	PASS
		484/65	5.25	2.55	7.80	24	PASS
		484/66	5.91	2.55	8.46	24	PASS
119	6545	996	8.69	2.78	11.47	24	PASS
135	6625	996	8.53	2.78	11.31	24	PASS
		484/65	5.92	2.78	8.70	24	PASS
151	6705	996	8.54	2.78	11.32	24	PASS
167	6785	996	8.59	2.78	11.37	24	PASS
		484/66	6.14	2.78	8.92	24	PASS
183	6865	996	8.98	2.78	11.76	24	PASS
199	6945	996	9.17	2.26	11.43	24	PASS
		484/65	5.92	2.26	8.18	24	PASS
215	7025	996	9.09	2.26	11.35	24	PASS
		484/66	6.23	2.26	8.49	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11ax_HE80_RU_2Tx

CH	Frequency (MHz)	RU config.	Avg. Output Power(dBm)				TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
			Ch0	Ch1	Ch2	Ch3					
7	5985	996	9.80	7.72	0.09	0.09	11.89	2.67	14.56	24	PASS
		484/65	6.18	4.52	0.06	0.06	8.43	2.67	11.11	24	PASS
39	6145	996	8.66	7.04	0.09	0.09	10.93	2.67	13.60	24	PASS
87	6385	996	9.63	8.13	0.09	0.09	11.95	2.67	14.62	24	PASS
		484/66	6.62	4.73	0.06	0.06	8.78	2.67	11.46	24	PASS
103	6465	996	9.63	8.01	0.09	0.09	11.90	2.50	14.40	24	PASS
		484/65	6.13	4.34	0.06	0.06	8.33	2.50	10.83	24	PASS
		484/66	6.68	5.20	0.06	0.06	9.01	2.50	11.51	24	PASS
119	6545	996	9.56	7.60	0.09	0.09	11.70	2.50	14.20	24	PASS
135	6625	996	9.45	8.42	0.09	0.09	11.97	2.75	14.72	24	PASS
		484/65	6.54	5.47	0.06	0.06	9.04	2.75	11.79	24	PASS
151	6705	996	9.22	8.71	0.09	0.09	11.98	2.75	14.73	24	PASS
167	6785	996	9.23	8.92	0.09	0.09	12.08	2.75	14.83	24	PASS
		484/66	6.44	6.20	0.06	0.06	9.33	2.75	12.08	24	PASS
183	6865	996	9.43	8.51	0.09	0.09	12.00	2.75	14.75	24	PASS
199	6945	996	9.65	8.61	0.09	0.09	12.17	2.37	14.53	24	PASS
		484/65	6.57	5.53	0.06	0.06	9.09	2.37	11.45	24	PASS
215	7025	996	9.64	8.47	0.09	0.09	12.10	2.37	14.47	24	PASS
		484/66	6.84	5.75	0.06	0.06	9.33	2.37	11.70	24	PASS

802.11ax_HE160_RU_Ch0

CH	Frequency (MHz)	RU config.	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
15	6025	996*2	10.52	2.51	13.03	24	PASS
		996/67	7.46	2.51	9.97	24	PASS
47	6185	996*2	9.98	2.51	12.49	24	PASS
79	6345	996*2	10.42	2.51	12.93	24	PASS
		996/S67	7.81	2.51	10.32	24	PASS
111	6505	996*2	10.56	2.45	13.01	24	PASS
143	6665	996*2	10.77	2.72	13.49	24	PASS
		996/67	8.38	2.72	11.10	24	PASS
		996/S67	8.40	2.72	11.12	24	PASS
175	6825	996*2	10.93	2.72	13.65	24	PASS
207	6985	996*2	11.68	2.47	14.15	24	PASS
		996/67	9.38	2.47	11.85	24	PASS
		996/S67	9.19	2.47	11.66	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11ax_HE160_RU_Ch1

CH	Frequency (MHz)	RU config.	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
15	6025	996*2	10.47	2.83	13.30	24	PASS
		996/67	7.40	2.83	10.23	24	PASS
47	6185	996*2	9.89	2.83	12.72	24	PASS
79	6345	996*2	10.37	2.83	13.20	24	PASS
		996/S67	7.75	2.83	10.58	24	PASS
111	6505	996*2	10.47	2.55	13.02	24	PASS
143	6665	996*2	10.70	2.78	13.48	24	PASS
		996/67	8.30	2.78	11.08	24	PASS
		996/S67	8.34	2.78	11.12	24	PASS
175	6825	996*2	10.86	2.78	13.64	24	PASS
207	6985	996*2	11.61	2.26	13.87	24	PASS
		996/67	9.32	2.26	11.58	24	PASS
		996/S67	9.10	2.26	11.36	24	PASS

802.11ax_HE160_RU_2Tx

CH	Frequency (MHz)	RU config.	Avg. Output Power(dBm)				TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
			Ch0	Ch1	Ch2	Ch3					
15	6025	996*2	10.98	9.99	0.01	0.01	13.53	2.67	16.20	24	PASS
		996/67	8.07	6.76	0.09	0.09	10.47	2.67	13.14	24	PASS
47	6185	996*2	10.65	9.19	0.01	0.01	13.00	2.67	15.67	24	PASS
79	6345	996*2	11.08	9.70	0.01	0.01	13.46	2.67	16.13	24	PASS
		996/S67	8.75	6.61	0.09	0.09	10.82	2.67	13.49	24	PASS
111	6505	996*2	11.25	9.74	0.01	0.01	13.57	2.50	16.08	24	PASS
143	6665	996*2	11.30	10.41	0.01	0.01	13.89	2.75	16.64	24	PASS
		996/67	9.11	7.56	0.09	0.09	11.41	2.75	14.16	24	PASS
		996/S67	8.96	7.77	0.09	0.09	11.41	2.75	14.16	24	PASS
175	6825	996*2	11.42	10.49	0.01	0.01	13.99	2.75	16.74	24	PASS
207	6985	996*2	12.17	11.19	0.01	0.01	14.72	2.37	17.09	24	PASS
		996/67	9.83	9.15	0.09	0.09	12.51	2.37	14.88	24	PASS
		996/S67	9.77	8.84	0.09	0.09	12.34	2.37	14.70	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11be_EHT20_SU_Ch0

CH	Frequency (MHz)	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
1	5955	3.76	2.51	6.27	24	PASS
45	6175	3.52	2.51	6.03	24	PASS
93	6415	2.90	2.51	5.41	24	PASS
97	6435	4.78	2.45	7.23	24	PASS
105	6475	5.59	2.45	8.04	24	PASS
113	6515	5.58	2.45	8.03	24	PASS
117	6535	5.79	2.72	8.51	24	PASS
149	6695	5.16	2.72	7.88	24	PASS
181	6855	5.76	2.72	8.48	24	PASS
185	6875	5.78	2.72	8.50	24	PASS
189	6895	6.28	2.47	8.75	24	PASS
209	6995	6.43	2.47	8.90	24	PASS
233	7115	7.43	2.47	9.90	24	PASS

802.11be_EHT20_SU_Ch1

CH	Frequency (MHz)	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
1	5955	3.67	2.83	6.50	24	PASS
45	6175	3.47	2.83	6.30	24	PASS
93	6415	2.85	2.83	5.68	24	PASS
97	6435	4.74	2.55	7.29	24	PASS
105	6475	5.50	2.55	8.05	24	PASS
113	6515	5.53	2.55	8.08	24	PASS
117	6535	5.72	2.78	8.50	24	PASS
149	6695	5.10	2.78	7.88	24	PASS
181	6855	5.73	2.78	8.51	24	PASS
185	6875	5.72	2.78	8.50	24	PASS
189	6895	6.22	2.26	8.48	24	PASS
209	6995	6.38	2.26	8.64	24	PASS
233	7115	7.37	2.26	9.63	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11be_EHT20_SU_2Tx

CH	Frequency (MHz)	Avg. Output Power(dBm)		TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
		Ch0	Ch1					
1	5955	3.97	3.69	6.85	2.67	9.52	24	PASS
45	6175	3.53	3.53	6.54	2.67	9.22	24	PASS
93	6415	3.43	2.58	6.04	2.67	8.71	24	PASS
97	6435	5.48	3.94	7.79	2.50	10.29	24	PASS
105	6475	6.30	4.73	8.60	2.50	11.10	24	PASS
113	6515	6.50	4.65	8.69	2.50	11.19	24	PASS
117	6535	6.57	4.84	8.81	2.75	11.56	24	PASS
149	6695	5.72	4.84	8.32	2.75	11.07	24	PASS
181	6855	6.34	5.37	8.90	2.75	11.65	24	PASS
185	6875	6.25	5.38	8.85	2.75	11.60	24	PASS
189	6895	6.74	5.90	9.35	2.37	11.72	24	PASS
209	6995	7.06	5.97	9.56	2.37	11.93	24	PASS
233	7115	8.26	6.42	10.45	2.37	12.82	24	PASS

802.11be_EHT40_SU_Ch0

CH	Frequency (MHz)	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
3	5965	5.03	2.51	7.54	24	PASS
43	6165	5.28	2.51	7.79	24	PASS
91	6405	4.72	2.51	7.23	24	PASS
99	6445	5.27	2.45	7.72	24	PASS
107	6485	5.23	2.45	7.68	24	PASS
115	6525	5.39	2.45	7.84	24	PASS
123	6565	5.74	2.72	8.46	24	PASS
147	6685	5.69	2.72	8.41	24	PASS
179	6845	5.66	2.72	8.38	24	PASS
187	6885	5.86	2.47	8.33	24	PASS
195	6925	6.00	2.47	8.47	24	PASS
211	7005	6.08	2.47	8.55	24	PASS
227	7085	5.52	2.47	7.99	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11be_EHT40_SU_Ch1

CH	Frequency (MHz)	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
3	5965	4.97	2.83	7.80	24	PASS
43	6165	5.20	2.83	8.03	24	PASS
91	6405	4.64	2.83	7.47	24	PASS
99	6445	5.20	2.55	7.75	24	PASS
107	6485	5.19	2.55	7.74	24	PASS
115	6525	5.32	2.55	7.87	24	PASS
123	6565	5.69	2.78	8.47	24	PASS
147	6685	5.60	2.78	8.38	24	PASS
179	6845	5.58	2.78	8.36	24	PASS
187	6885	5.80	2.26	8.06	24	PASS
195	6925	5.92	2.26	8.18	24	PASS
211	7005	6.00	2.26	8.26	24	PASS
227	7085	5.44	2.26	7.70	24	PASS

802.11be_EHT40_SU_2Tx

CH	Frequency (MHz)	Avg. Output Power(dBm)		TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
		Ch0	Ch1					
3	5965	5.60	4.37	8.04	2.67	10.72	24	PASS
43	6165	5.94	4.48	8.29	2.67	10.96	24	PASS
91	6405	5.38	3.96	7.74	2.67	10.42	24	PASS
99	6445	5.91	4.50	8.28	2.50	10.78	24	PASS
107	6485	5.87	4.50	8.25	2.50	10.75	24	PASS
115	6525	6.07	4.60	8.41	2.50	10.91	24	PASS
123	6565	6.39	5.32	8.90	2.75	11.65	24	PASS
147	6685	6.07	5.60	8.86	2.75	11.61	24	PASS
179	6845	6.18	5.32	8.79	2.75	11.54	24	PASS
187	6885	6.22	5.59	8.93	2.75	11.68	24	PASS
195	6925	6.33	5.64	9.01	2.37	11.38	24	PASS
211	7005	6.56	5.54	9.09	2.37	11.46	24	PASS
227	7085	6.24	4.95	8.66	2.37	11.02	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11be_EHT80_SU_Ch0

CH	Frequency (MHz)	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
7	5985	10.19	2.51	12.70	24	PASS
39	6145	9.28	2.51	11.79	24	PASS
87	6385	8.62	2.51	11.13	24	PASS
103	6465	8.49	2.45	10.94	24	PASS
119	6545	8.70	2.72	11.42	24	PASS
135	6625	8.56	2.72	11.28	24	PASS
151	6705	8.55	2.72	11.27	24	PASS
167	6785	8.72	2.72	11.44	24	PASS
183	6865	9.12	2.72	11.84	24	PASS
199	6945	9.32	2.47	11.79	24	PASS
215	7025	9.29	2.47	11.76	24	PASS

802.11be_EHT80_SU_Ch1

CH	Frequency (MHz)	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
7	5985	10.13	2.83	12.96	24	PASS
39	6145	9.23	2.83	12.06	24	PASS
87	6385	8.55	2.83	11.38	24	PASS
103	6465	8.44	2.55	10.99	24	PASS
119	6545	8.63	2.78	11.41	24	PASS
135	6625	8.47	2.78	11.25	24	PASS
151	6705	8.46	2.78	11.24	24	PASS
167	6785	8.63	2.78	11.41	24	PASS
183	6865	9.03	2.78	11.81	24	PASS
199	6945	9.26	2.26	11.52	24	PASS
215	7025	9.23	2.26	11.49	24	PASS

802.11be_EHT80_SU_2Tx

CH	Frequency (MHz)	Avg. Output Power(dBm)		TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
		Ch0	Ch1					
7	5985	10.75	9.56	13.21	2.67	15.88	24	PASS
39	6145	9.77	8.74	12.30	2.67	14.97	24	PASS
87	6385	9.40	7.75	11.67	2.67	14.34	24	PASS
103	6465	9.53	7.41	11.61	2.50	14.11	24	PASS
119	6545	9.46	7.82	11.73	2.50	14.23	24	PASS
135	6625	9.22	7.87	11.61	2.75	14.36	24	PASS
151	6705	9.18	8.04	11.66	2.75	14.41	24	PASS
167	6785	9.22	8.46	11.87	2.75	14.62	24	PASS
183	6865	9.62	8.82	12.25	2.75	15.00	24	PASS
199	6945	9.85	8.84	12.39	2.37	14.76	24	PASS
215	7025	9.80	8.82	12.35	2.37	14.72	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11be_EHT160_SU_Ch0

CH	Frequency (MHz)	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
15	6025	11.15	2.51	13.66	24	PASS
47	6185	11.22	2.51	13.73	24	PASS
79	6345	11.18	2.51	13.69	24	PASS
111	6505	11.35	2.45	13.80	24	PASS
143	6665	11.13	2.72	13.85	24	PASS
175	6825	11.27	2.72	13.99	24	PASS
207	6985	11.78	2.47	14.25	24	PASS

802.11be_EHT160_SU_Ch1

CH	Frequency (MHz)	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
15	6025	11.09	2.83	13.92	24	PASS
47	6185	11.17	2.83	14.00	24	PASS
79	6345	11.09	2.83	13.92	24	PASS
111	6505	11.27	2.55	13.82	24	PASS
143	6665	11.07	2.78	13.85	24	PASS
175	6825	11.22	2.78	14.00	24	PASS
207	6985	11.72	2.26	13.98	24	PASS

802.11be_EHT160_SU_2Tx

CH	Frequency (MHz)	Avg. Output Power (dBm)		TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
		Ch0	Ch1					
15	6025	11.68	10.54	14.16	2.67	16.83	24	PASS
47	6185	11.90	10.65	14.33	2.67	17.01	24	PASS
79	6345	11.97	10.49	14.31	2.67	16.98	24	PASS
111	6505	12.06	10.55	14.38	2.50	16.89	24	PASS
143	6665	11.60	10.90	14.28	2.75	17.03	24	PASS
175	6825	11.75	10.88	14.35	2.75	17.10	24	PASS
207	6985	12.37	11.34	14.90	2.37	17.27	24	PASS

802.11be_EHT320_SU_Ch0

CH	Frequency (MHz)	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
31	6105	13.42	2.51	15.93	24	PASS
63	6265	13.34	2.51	15.85	24	PASS
95	6425	13.56	2.51	16.07	24	PASS
127	6585	13.61	2.45	16.06	24	PASS
159	6745	13.97	2.72	16.69	24	PASS
191	6905	13.89	2.47	16.36	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11be_EHT320_SU_Ch1

CH	Frequency (MHz)	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
31	6105	13.35	2.83	16.18	24	PASS
63	6265	13.28	2.83	16.11	24	PASS
95	6425	13.49	2.83	16.32	24	PASS
127	6585	13.55	2.55	16.10	24	PASS
159	6745	13.91	2.78	16.69	24	PASS
191	6905	13.84	2.26	16.10	24	PASS

802.11be_EHT320_SU_2Tx

CH	Frequency (MHz)	Avg. Output Power(dBm)		TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
		Ch0	Ch1					
31	6105	14.08	12.65	16.44	2.67	19.11	24	PASS
63	6265	14.00	12.80	16.46	2.67	19.13	24	PASS
95	6425	14.25	12.80	16.60	2.67	19.27	24	PASS
127	6585	13.89	13.29	16.62	2.50	19.12	24	PASS
159	6745	13.99	13.95	16.46	2.75	19.21	24	PASS
191	6905	14.16	13.60	16.60	2.37	18.97	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11be_EHT20_RU_Ch0

CH	Frequency (MHz)	RU config.	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
1	5955	242	2.16	2.51	4.67	24	PASS
		26/0	-6.34	2.51	-3.83	24	PASS
		52/37	-3.65	2.51	-1.14	24	PASS
		106/53	-1.00	2.51	1.51	24	PASS
		52+26 MRU1	-1.76	2.51	0.75	24	PASS
		106+26 MRU1	-0.69	2.51	1.82	24	PASS
45	6175	242	3.08	2.51	5.59	24	PASS
93	6415	242	1.89	2.51	4.40	24	PASS
		26/8	-6.43	2.51	-3.92	24	PASS
		52/40	-4.15	2.51	-1.64	24	PASS
		106/54	-0.76	2.51	1.75	24	PASS
		52+26 MRU3	-2.36	2.51	0.15	24	PASS
		106+26 MRU2	-0.20	2.51	2.31	24	PASS
97	6435	242	2.29	2.45	4.74	24	PASS
		26/0	-6.27	2.45	-3.82	24	PASS
		52/37	-3.93	2.45	-1.48	24	PASS
		106/53	-1.04	2.45	1.41	24	PASS
		52+26 MRU1	-2.16	2.45	0.29	24	PASS
		106+26 MRU1	0.32	2.45	2.77	24	PASS
105	6475	242	2.58	2.45	5.03	24	PASS
113	6515	242	2.36	2.45	4.81	24	PASS
		26/8	-6.28	2.45	-3.83	24	PASS
		52/40	-3.56	2.45	-1.11	24	PASS
		106/54	-0.14	2.45	2.31	24	PASS
		52+26 MRU3	-1.88	2.45	0.57	24	PASS
		106+26 MRU2	0.06	2.45	2.51	24	PASS
117	6535	242	3.41	2.72	6.13	24	PASS
		26/0	-5.93	2.72	-3.21	24	PASS
		52/37	-3.37	2.72	-0.65	24	PASS
		106/53	-0.35	2.72	2.37	24	PASS
		52+26 MRU1	-1.57	2.72	1.15	24	PASS
		106+26 MRU1	-0.08	2.72	2.64	24	PASS
149	6695	242	2.84	2.72	5.56	24	PASS
181	6855	242	3.22	2.72	5.94	24	PASS
		26/8	-5.42	2.72	-2.70	24	PASS
		52/40	-3.18	2.72	-0.46	24	PASS
		106/54	-0.27	2.72	2.45	24	PASS
		52+26 MRU3	-1.39	2.72	1.33	24	PASS
		106+26 MRU2	0.24	2.72	2.96	24	PASS
185	6875	242	3.09	2.72	5.81	24	PASS
189	6895	242	3.44	2.47	5.91	24	PASS
		26/0	-5.71	2.47	-3.24	24	PASS
		52/37	-2.87	2.47	-0.40	24	PASS
		106/53	0.08	2.47	2.55	24	PASS
		52+26 MRU1	-1.13	2.47	1.34	24	PASS
		106+26 MRU1	0.77	2.47	3.24	24	PASS
209	6995	242	3.12	2.47	5.59	24	PASS
233	7115	242	2.77	2.47	5.24	24	PASS
		26/8	-5.68	2.47	-3.21	24	PASS
		52/40	-3.37	2.47	-0.90	24	PASS
		106/54	-0.25	2.47	2.22	24	PASS
		52+26 MRU3	-1.61	2.47	0.86	24	PASS
		106+26 MRU2	0.20	2.47	2.67	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11be_EHT20_RU_Ch1

CH	Frequency (MHz)	RU config.	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
1	5955	242	2.07	2.83	4.90	24	PASS
		26/0	-6.39	2.83	-3.56	24	PASS
		52/37	-3.70	2.83	-0.87	24	PASS
		106/53	-1.09	2.83	1.74	24	PASS
		52+26 MRU1	-1.81	2.83	1.02	24	PASS
		106+26 MRU1	-0.76	2.83	2.07	24	PASS
45	6175	242	3.03	2.83	5.86	24	PASS
93	6415	242	1.81	2.83	4.64	24	PASS
		26/8	-6.52	2.83	-3.69	24	PASS
		52/40	-4.23	2.83	-1.40	24	PASS
		106/54	-0.81	2.83	2.02	24	PASS
		52+26 MRU3	-2.42	2.83	0.41	24	PASS
		106+26 MRU2	-0.29	2.83	2.54	24	PASS
97	6435	242	2.20	2.55	4.75	24	PASS
		26/0	-6.36	2.55	-3.81	24	PASS
		52/37	-4.01	2.55	-1.46	24	PASS
		106/53	-1.11	2.55	1.44	24	PASS
		52+26 MRU1	-2.22	2.55	0.33	24	PASS
		106+26 MRU1	0.26	2.55	2.81	24	PASS
105	6475	242	2.49	2.55	5.04	24	PASS
113	6515	242	2.31	2.55	4.86	24	PASS
		26/8	-6.35	2.55	-3.80	24	PASS
		52/40	-3.65	2.55	-1.10	24	PASS
		106/54	-0.25	2.55	2.30	24	PASS
		52+26 MRU3	-1.93	2.55	0.62	24	PASS
		106+26 MRU2	0.01	2.55	2.56	24	PASS
117	6535	242	3.36	2.78	6.14	24	PASS
		26/0	-6.00	2.78	-3.22	24	PASS
		52/37	-3.44	2.78	-0.66	24	PASS
		106/53	-0.43	2.78	2.35	24	PASS
		52+26 MRU1	-1.67	2.78	1.11	24	PASS
		106+26 MRU1	-0.16	2.78	2.62	24	PASS
149	6695	242	2.78	2.78	5.56	24	PASS
181	6855	242	3.16	2.78	5.94	24	PASS
		26/8	-5.47	2.78	-2.69	24	PASS
		52/40	-3.26	2.78	-0.48	24	PASS
		106/54	-0.35	2.78	2.43	24	PASS
		52+26 MRU3	-1.46	2.78	1.32	24	PASS
		106+26 MRU2	0.16	2.78	2.94	24	PASS
185	6875	242	3.03	2.78	5.81	24	PASS
189	6895	242	3.35	2.26	5.61	24	PASS
		26/0	-5.76	2.26	-3.50	24	PASS
		52/37	-2.93	2.26	-0.67	24	PASS
		106/53	0.01	2.26	2.27	24	PASS
		52+26 MRU1	-1.21	2.26	1.05	24	PASS
		106+26 MRU1	0.69	2.26	2.95	24	PASS
209	6995	242	3.04	2.26	5.30	24	PASS
233	7115	242	2.71	2.26	4.97	24	PASS
		26/8	-5.76	2.26	-3.50	24	PASS
		52/40	-3.46	2.26	-1.20	24	PASS
		106/54	-0.34	2.26	1.92	24	PASS
		52+26 MRU3	-1.70	2.26	0.56	24	PASS
		106+26 MRU2	0.16	2.26	2.42	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11be_EHT20_RU_2Tx

CH	Frequency (MHz)	RU config.	Avg. Output Power(dBm)				TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
			Ch0	Ch1	Ch2	Ch3					
1	5955	242	2.26	2.09	0.05	0.05	5.18	2.67	7.86	24	PASS
		26/0	-6.85	-5.74	0.02	0.02	-3.25	2.67	-0.58	24	PASS
		52/37	-4.16	-3.17	0.02	0.02	-0.63	2.67	2.04	24	PASS
		106/53	-1.43	-0.49	0.08	0.08	2.07	2.67	4.74	24	PASS
		52+26 MRU1	-2.06	-1.29	0.05	0.05	1.35	2.67	4.02	24	PASS
		106+26 MRU1	-1.09	-0.20	0.05	0.05	2.39	2.67	5.06	24	PASS
45	6175	242	3.10	3.12	0.05	0.05	6.12	2.67	8.79	24	PASS
93	6415	242	2.34	1.48	0.05	0.05	4.94	2.67	7.61	24	PASS
		26/8	-6.19	-6.65	0.02	0.02	-3.41	2.67	-0.74	24	PASS
		52/40	-3.39	-5.01	0.02	0.02	-1.12	2.67	1.55	24	PASS
		106/54	0.02	-1.64	0.08	0.08	2.28	2.67	4.95	24	PASS
		52+26 MRU3	-1.59	-3.22	0.05	0.05	0.68	2.67	3.35	24	PASS
		106+26 MRU2	0.48	-0.40	0.05	0.05	3.07	2.67	5.74	24	PASS
97	6435	242	3.02	1.97	0.05	0.05	5.53	2.50	8.03	24	PASS
		26/0	-5.92	-6.46	0.02	0.02	-3.18	2.50	-0.68	24	PASS
		52/37	-3.18	-4.69	0.02	0.02	-0.86	2.50	1.64	24	PASS
		106/53	-0.36	-1.81	0.08	0.08	1.98	2.50	4.48	24	PASS
		52+26 MRU1	-1.38	-2.89	0.05	0.05	0.94	2.50	3.44	24	PASS
		106+26 MRU1	0.41	0.27	0.05	0.05	3.35	2.50	5.85	24	PASS
105	6475	242	3.16	2.28	0.05	0.05	5.75	2.50	8.25	24	PASS
113	6515	242	2.95	2.04	0.05	0.05	5.53	2.50	8.03	24	PASS
		26/8	-5.86	-6.57	0.02	0.02	-3.19	2.50	-0.69	24	PASS
		52/40	-3.12	-4.00	0.02	0.02	-0.53	2.50	1.97	24	PASS
		106/54	0.28	-0.55	0.08	0.08	2.89	2.50	5.39	24	PASS
		52+26 MRU3	-1.31	-2.31	0.05	0.05	1.23	2.50	3.73	24	PASS
		106+26 MRU2	0.81	-0.87	0.05	0.05	3.06	2.50	5.56	24	PASS
117	6535	242	3.46	3.38	0.05	0.05	6.43	2.75	9.18	24	PASS
		26/0	-5.85	-5.89	0.02	0.02	-2.86	2.75	-0.11	24	PASS
		52/37	-3.15	-3.32	0.02	0.02	-0.23	2.75	2.52	24	PASS
		106/53	-0.17	-0.48	0.08	0.08	2.68	2.75	5.43	24	PASS
		52+26 MRU1	-1.29	-1.68	0.05	0.05	1.53	2.75	4.28	24	PASS
		106+26 MRU1	0.51	-0.57	0.05	0.05	3.01	2.75	5.76	24	PASS
149	6695	242	3.06	2.64	0.05	0.05	5.86	2.75	8.61	24	PASS
181	6855	242	3.73	2.93	0.05	0.05	6.35	2.75	9.11	24	PASS
		26/8	-4.89	-5.91	0.02	0.02	-2.36	2.75	0.39	24	PASS
		52/40	-2.59	-3.65	0.02	0.02	-0.08	2.75	2.67	24	PASS
		106/54	0.66	-1.03	0.08	0.08	2.90	2.75	5.65	24	PASS
		52+26 MRU3	-0.71	-2.00	0.05	0.05	1.70	2.75	4.45	24	PASS
		106+26 MRU2	1.10	-0.73	0.05	0.05	3.29	2.75	6.04	24	PASS
185	6875	242	3.56	2.80	0.05	0.05	6.20	2.75	8.95	24	PASS
189	6895	242	3.93	3.02	0.05	0.05	6.51	2.37	8.87	24	PASS
		26/0	-5.04	-6.09	0.02	0.02	-2.53	2.37	-0.16	24	PASS
		52/37	-2.21	-3.45	0.02	0.02	0.22	2.37	2.59	24	PASS
		106/53	0.78	-0.65	0.08	0.08	3.13	2.37	5.50	24	PASS
		52+26 MRU1	-0.36	-1.86	0.05	0.05	1.96	2.37	4.33	24	PASS
		106+26 MRU1	1.20	0.34	0.05	0.05	3.80	2.37	6.17	24	PASS
209	6995	242	3.68	2.74	0.05	0.05	6.24	2.37	8.61	24	PASS
233	7115	242	3.40	2.07	0.05	0.05	5.79	2.37	8.16	24	PASS
		26/8	-5.07	-6.20	0.02	0.02	-2.59	2.37	-0.23	24	PASS
		52/40	-2.59	-4.19	0.02	0.02	-0.31	2.37	2.06	24	PASS
		106/54	0.59	-1.07	0.08	0.08	2.85	2.37	5.21	24	PASS
		52+26 MRU3	-0.68	-2.33	0.05	0.05	1.58	2.37	3.95	24	PASS
		106+26 MRU2	0.93	-0.64	0.05	0.05	3.22	2.37	5.59	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11be_EHT40_RU_Ch0

CH	Frequency (MHz)	RU config.	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
3	5965	484	4.90	2.51	7.41	24	PASS
		242/61	1.66	2.51	4.17	24	PASS
43	6165	484	4.78	2.51	7.29	24	PASS
91	6405	484	4.71	2.51	7.22	24	PASS
		242/62	1.65	2.51	4.16	24	PASS
99	6445	484	4.77	2.45	7.22	24	PASS
		242/61	1.53	2.45	3.98	24	PASS
107	6485	484	5.18	2.45	7.63	24	PASS
		242/62	2.79	2.45	5.24	24	PASS
115	6525	484	-0.25	2.45	2.20	24	PASS
123	6565	484	5.29	2.72	8.01	24	PASS
		242/61	2.31	2.72	5.03	24	PASS
147	6685	484	5.19	2.72	7.91	24	PASS
179	6845	484	5.10	2.72	7.82	24	PASS
		242/62	2.88	2.72	5.60	24	PASS
187	6885	484	1.66	2.72	4.38	24	PASS
195	6925	484	5.52	2.47	7.99	24	PASS
		242/61	2.74	2.47	5.21	24	PASS
211	7005	484	5.59	2.47	8.06	24	PASS
227	7085	484	5.19	2.47	7.66	24	PASS
		242/62	1.94	2.47	4.41	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11be_EHT40_RU_Ch1

CH	Frequency (MHz)	RU config.	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
3	5965	484	4.81	2.83	7.64	24	PASS
		242/61	1.61	2.83	4.44	24	PASS
43	6165	484	4.72	2.83	7.55	24	PASS
91	6405	484	4.63	2.83	7.46	24	PASS
		242/62	1.58	2.83	4.41	24	PASS
99	6445	484	4.72	2.55	7.27	24	PASS
		242/61	1.45	2.55	4.00	24	PASS
107	6485	484	5.09	2.55	7.64	24	PASS
		242/62	2.72	2.55	5.27	24	PASS
115	6525	484	-0.34	2.55	2.21	24	PASS
123	6565	484	5.24	2.78	8.02	24	PASS
		242/61	2.22	2.78	5.00	24	PASS
147	6685	484	5.12	2.78	7.90	24	PASS
179	6845	484	5.03	2.78	7.81	24	PASS
		242/62	2.82	2.78	5.60	24	PASS
187	6885	484	1.61	2.78	4.39	24	PASS
195	6925	484	5.43	2.26	7.69	24	PASS
		242/61	2.67	2.26	4.93	24	PASS
211	7005	484	5.50	2.26	7.76	24	PASS
227	7085	484	5.11	2.26	7.37	24	PASS
		242/62	1.85	2.26	4.11	24	PASS

802.11be_EHT40_RU_2Tx

CH	Frequency (MHz)	RU config.	Avg. Output Power(dBm)				TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
			Ch0	Ch1	Ch2	Ch3					
3	5965	484	5.70	3.93	0.06	0.06	7.91	2.67	10.58	24	PASS
		242/61	1.79	1.96	0.05	0.05	4.88	2.67	7.56	24	PASS
43	6165	484	5.58	3.80	0.06	0.06	7.79	2.67	10.46	24	PASS
		242/62	5.54	3.70	0.06	0.06	7.72	2.67	10.40	24	PASS
91	6405	484	2.13	1.12	0.05	0.05	4.66	2.67	7.33	24	PASS
		242/62	2.13	1.12	0.05	0.05	4.66	2.67	7.33	24	PASS
99	6445	484	5.61	3.77	0.06	0.06	7.79	2.50	10.29	24	PASS
		242/61	1.76	1.34	0.05	0.05	4.56	2.50	7.06	24	PASS
107	6485	484	6.05	4.10	0.06	0.06	8.19	2.50	10.69	24	PASS
		242/62	3.19	2.36	0.05	0.05	5.80	2.50	8.30	24	PASS
115	6525	484	0.59	-1.074	0.076	0.08	8.39	2.50	10.89	24	PASS
123	6565	484	6.04	4.44	0.06	0.06	8.32	2.75	11.07	24	PASS
		242/61	2.46	2.27	0.05	0.05	5.37	2.75	8.12	24	PASS
147	6685	484	5.83	4.68	0.06	0.06	8.30	2.75	11.05	24	PASS
179	6845	484	5.75	4.37	0.06	0.06	8.12	2.75	10.87	24	PASS
		242/62	3.26	2.49	0.05	0.05	5.90	2.75	8.65	24	PASS
187	6885	484	1.79	1.956	0.046	0.0462809	4.88	2.75	7.63	24	PASS
195	6925	484	6.21	4.77	0.06	0.06	8.55	2.37	10.92	24	PASS
		242/61	3.00	2.66	0.05	0.05	5.84	2.37	8.21	24	PASS
211	7005	484	6.32	4.84	0.06	0.06	8.65	2.37	11.01	24	PASS
227	7085	484	6.05	4.16	0.06	0.06	8.21	2.37	10.58	24	PASS
		242/62	2.59	1.27	0.05	0.05	4.99	2.37	7.35	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11be_EHT80_RU_Ch0

CH	Frequency (MHz)	RU config.	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
7	5985	996	8.79	2.51	11.30	24	PASS
		484/65	5.31	2.51	7.82	24	PASS
		484+242 MRU2	6.70	2.51	9.21	24	PASS
		484+242 MRU4	6.70	2.51	9.21	24	PASS
39	6145	996	7.72	2.51	10.23	24	PASS
87	6385	996	8.55	2.51	11.06	24	PASS
		484/66	5.62	2.51	8.13	24	PASS
		484+242 MRU1	6.74	2.51	9.25	24	PASS
		484+242 MRU3	6.60	2.51	9.11	24	PASS
103	6465	996	8.47	2.45	10.92	24	PASS
		484/65	5.22	2.45	7.67	24	PASS
		484/66	5.90	2.45	8.35	24	PASS
		484+242 MRU1	6.77	2.45	9.22	24	PASS
		484+242 MRU2	6.46	2.45	8.91	24	PASS
		484+242 MRU3	6.65	2.45	9.10	24	PASS
		484+242 MRU4	6.45	2.45	8.90	24	PASS
119	6545	996	8.44	2.72	11.16	24	PASS
135	6625	996	8.52	2.72	11.24	24	PASS
		484/65	5.94	2.72	8.66	24	PASS
		484+242 MRU2	6.49	2.72	9.21	24	PASS
		484+242 MRU4	7.14	2.72	9.86	24	PASS
151	6705	996	8.52	2.72	11.24	24	PASS
167	6785	996	8.90	2.72	11.62	24	PASS
		484/66	6.17	2.72	8.89	24	PASS
		484+242 MRU1	7.91	2.72	10.63	24	PASS
		484+242 MRU3	7.74	2.72	10.46	24	PASS
183	6865	996	8.86	2.72	11.58	24	PASS
199	6945	996	9.08	2.47	11.55	24	PASS
		484/65	5.96	2.47	8.43	24	PASS
		484+242 MRU2	7.88	2.47	10.35	24	PASS
		484+242 MRU4	7.11	2.47	9.58	24	PASS
215	7025	996	9.01	2.47	11.48	24	PASS
		484/66	6.25	2.47	8.72	24	PASS
		484+242 MRU1	7.39	2.47	9.86	24	PASS
		484+242 MRU3	7.15	2.47	9.62	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11be_EHT80_RU_Ch1

CH	Frequency (MHz)	RU config.	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
7	5985	996	8.70	2.83	11.53	24	PASS
		484/65	5.22	2.83	8.05	24	PASS
		484+242 MRU2	6.64	2.83	9.47	24	PASS
		484+242 MRU4	6.63	2.83	9.46	24	PASS
39	6145	996	7.64	2.83	10.47	24	PASS
87	6385	996	8.49	2.83	11.32	24	PASS
		484/66	5.53	2.83	8.36	24	PASS
		484+242 MRU1	6.66	2.83	9.49	24	PASS
		484+242 MRU3	6.54	2.83	9.37	24	PASS
103	6465	996	8.44	2.55	10.99	24	PASS
		484/65	5.13	2.55	7.68	24	PASS
		484/66	5.83	2.55	8.38	24	PASS
		484+242 MRU1	6.68	2.55	9.23	24	PASS
		484+242 MRU2	6.38	2.55	8.93	24	PASS
		484+242 MRU3	6.56	2.55	9.11	24	PASS
		484+242 MRU4	6.38	2.55	8.93	24	PASS
119	6545	996	8.51	2.78	11.29	24	PASS
135	6625	996	8.42	2.78	11.20	24	PASS
		484/65	5.88	2.78	8.66	24	PASS
		484+242 MRU2	6.40	2.78	9.18	24	PASS
		484+242 MRU4	7.06	2.78	9.84	24	PASS
151	6705	996	8.44	2.78	11.22	24	PASS
167	6785	996	8.54	2.78	11.32	24	PASS
		484/66	6.09	2.78	8.87	24	PASS
		484+242 MRU1	7.82	2.78	10.60	24	PASS
		484+242 MRU3	7.68	2.78	10.46	24	PASS
183	6865	996	8.88	2.78	11.66	24	PASS
199	6945	996	9.06	2.26	11.32	24	PASS
		484/65	5.91	2.26	8.17	24	PASS
		484+242 MRU2	7.80	2.26	10.06	24	PASS
		484+242 MRU4	7.06	2.26	9.32	24	PASS
215	7025	996	9.01	2.26	11.27	24	PASS
		484/66	6.18	2.26	8.44	24	PASS
		484+242 MRU1	7.34	2.26	9.60	24	PASS
		484+242 MRU3	7.06	2.26	9.32	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11be_EHT80_RU_2Tx

CH	Frequency (MHz)	RU config.	Avg. Output Power(dBm)				TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
			Ch0	Ch1	Ch2	Ch3					
7	5985	996	9.74	7.63	0.09	0.09	11.82	2.67	14.49	24	PASS
		484/65	6.11	4.46	0.06	0.06	8.37	2.67	11.04	24	PASS
		484+242 MRU2	7.59	5.78	0.06	0.06	9.79	2.67	12.46	24	PASS
		484+242 MRU4	7.62	5.93	0.06	0.06	9.87	2.67	12.54	24	PASS
39	6145	996	8.58	6.97	0.09	0.09	10.85	2.67	13.53	24	PASS
87	6385	996	9.56	8.09	0.09	0.09	11.89	2.67	14.57	24	PASS
		484/66	6.55	4.67	0.06	0.06	8.72	2.67	11.39	24	PASS
		484+242 MRU1	7.42	5.93	0.06	0.06	9.75	2.67	12.42	24	PASS
		484+242 MRU3	7.31	5.79	0.06	0.06	9.63	2.67	12.30	24	PASS
103	6465	996	9.56	8.05	0.09	0.09	11.88	2.50	14.38	24	PASS
		484/65	6.08	4.27	0.06	0.06	8.27	2.50	10.77	24	PASS
		484/66	6.57	5.14	0.06	0.06	8.92	2.50	11.42	24	PASS
		484+242 MRU1	7.50	5.93	0.06	0.06	9.80	2.50	12.30	24	PASS
		484+242 MRU2	7.21	5.65	0.06	0.06	9.51	2.50	12.01	24	PASS
		484+242 MRU3	7.33	5.83	0.06	0.06	9.66	2.50	12.16	24	PASS
135	6625	484+242 MRU4	7.13	5.69	0.06	0.06	9.48	2.50	11.98	24	PASS
		996	9.39	7.42	0.09	0.09	11.52	2.50	14.02	24	PASS
		996	9.41	8.34	0.09	0.09	11.91	2.75	14.66	24	PASS
		484/65	6.49	5.37	0.06	0.06	8.97	2.75	11.72	24	PASS
151	6705	484+242 MRU2	7.01	6.05	0.06	0.06	9.57	2.75	12.32	24	PASS
		484+242 MRU4	8.20	6.48	0.06	0.06	10.44	2.75	13.19	24	PASS
		996	9.17	8.62	0.09	0.09	11.91	2.75	14.66	24	PASS
		996	9.17	8.84	0.09	0.09	12.01	2.75	14.76	24	PASS
167	6785	484/66	6.35	6.14	0.06	0.06	9.25	2.75	12.00	24	PASS
		484+242 MRU1	8.42	7.33	0.06	0.06	10.92	2.75	13.67	24	PASS
		484+242 MRU3	8.27	7.14	0.06	0.06	10.75	2.75	13.51	24	PASS
		996	9.38	8.44	0.09	0.09	11.94	2.75	14.69	24	PASS
183	6865	996	9.60	8.53	0.09	0.09	12.10	2.37	14.47	24	PASS
		484/65	6.50	5.47	0.06	0.06	9.02	2.37	11.39	24	PASS
		484+242 MRU2	8.69	6.93	0.06	0.06	10.91	2.37	13.28	24	PASS
		484+242 MRU4	8.23	6.44	0.06	0.06	10.44	2.37	12.81	24	PASS
215	7025	996	9.58	8.43	0.09	0.09	12.05	2.37	14.41	24	PASS
		484/66	6.77	5.72	0.06	0.06	9.28	2.37	11.65	24	PASS
		484+242 MRU1	8.39	6.80	0.06	0.06	10.68	2.37	13.05	24	PASS
		484+242 MRU3	8.18	6.76	0.06	0.06	10.54	2.37	12.91	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11be_EHT160_RU_Ch0

CH	Frequency (MHz)	RU config.	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
15	6025	996*2	10.67	2.51	13.18	24	PASS
		996/67	7.49	2.51	10.00	24	PASS
		996+484 MRU2	9.00	2.51	11.51	24	PASS
		996+484 MRU4	9.52	2.51	12.03	24	PASS
		996+484+242 MRU2	10.28	2.51	12.79	24	PASS
		996+484+242 MRU4	10.39	2.51	12.90	24	PASS
		996+484+242 MRU8	10.72	2.51	13.23	24	PASS
47	6185	996*2	10.13	2.51	12.64	24	PASS
79	6345	996*2	10.55	2.51	13.06	24	PASS
		996/S67	7.84	2.51	10.35	24	PASS
		996+484 MRU3	9.38	2.51	11.89	24	PASS
		996+484+242 MRU5	10.65	2.51	13.16	24	PASS
		996+484+242 MRU7	10.34	2.51	12.85	24	PASS
111	6505	996*2	10.74	2.45	13.19	24	PASS
143	6665	996*2	10.89	2.72	13.61	24	PASS
		996/67	8.47	2.72	11.19	24	PASS
		996/S67	8.44	2.72	11.16	24	PASS
		996+484 MRU1	10.02	2.72	12.74	24	PASS
		996+484 MRU2	9.95	2.72	12.67	24	PASS
		996+484 MRU3	10.02	2.72	12.74	24	PASS
		996+484+242 MRU2	10.45	2.72	13.17	24	PASS
		996+484+242 MRU4	10.71	2.72	13.43	24	PASS
		996+484+242 MRU5	10.94	2.72	13.66	24	PASS
		996+484+242 MRU7	10.59	2.72	13.31	24	PASS
		996+484+242 MRU8	10.43	2.72	13.15	24	PASS
175	6825	996*2	11.06	2.72	13.78	24	PASS
207	6985	996*2	11.05	2.47	13.52	24	PASS
		996/67	8.60	2.47	11.07	24	PASS
		996/S67	8.37	2.47	10.84	24	PASS
		996+484 MRU1	10.03	2.47	12.50	24	PASS
		996+484 MRU2	10.06	2.47	12.53	24	PASS
		996+484 MRU3	10.13	2.47	12.60	24	PASS
		996+484+242 MRU2	10.59	2.47	13.06	24	PASS
		996+484+242 MRU4	10.66	2.47	13.13	24	PASS
		996+484+242 MRU5	11.04	2.47	13.51	24	PASS
		996+484+242 MRU7	10.72	2.47	13.19	24	PASS
		996+484+242 MRU8	11.12	2.47	13.59	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11be_EHT160_RU_Ch1

CH	Frequency (MHz)	RU config.	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
15	6025	996*2	10.59	2.83	13.42	24	PASS
		996/67	7.42	2.83	10.25	24	PASS
		996+484 MRU2	8.93	2.83	11.76	24	PASS
		996+484 MRU4	9.44	2.83	12.27	24	PASS
		996+484+242 MRU2	10.20	2.83	13.03	24	PASS
		996+484+242 MRU4	10.34	2.83	13.17	24	PASS
		996+484+242 MRU8	10.67	2.83	13.50	24	PASS
47	6185	996*2	10.04	2.83	12.87	24	PASS
79	6345	996*2	10.48	2.83	13.31	24	PASS
		996/S67	7.78	2.83	10.61	24	PASS
		996+484 MRU3	9.33	2.83	12.16	24	PASS
		996+484+242 MRU5	10.58	2.83	13.41	24	PASS
		996+484+242 MRU7	10.26	2.83	13.09	24	PASS
111	6505	996*2	10.66	2.55	13.21	24	PASS
143	6665	996*2	10.82	2.78	13.60	24	PASS
		996/67	8.41	2.78	11.19	24	PASS
		996/S67	8.35	2.78	11.13	24	PASS
		996+484 MRU1	9.97	2.78	12.75	24	PASS
		996+484 MRU2	9.90	2.78	12.68	24	PASS
		996+484 MRU3	9.97	2.78	12.75	24	PASS
		996+484+242 MRU2	10.36	2.78	13.14	24	PASS
		996+484+242 MRU4	10.65	2.78	13.43	24	PASS
		996+484+242 MRU5	10.89	2.78	13.67	24	PASS
		996+484+242 MRU7	10.52	2.78	13.30	24	PASS
		996+484+242 MRU8	10.34	2.78	13.12	24	PASS
175	6825	996*2	10.99	2.78	13.77	24	PASS
207	6985	996*2	10.96	2.26	13.22	24	PASS
		996/67	8.53	2.26	10.79	24	PASS
		996/S67	8.30	2.26	10.56	24	PASS
		996+484 MRU1	9.94	2.26	12.20	24	PASS
		996+484 MRU2	10.00	2.26	12.26	24	PASS
		996+484 MRU3	10.06	2.26	12.32	24	PASS
		996+484+242 MRU2	10.54	2.26	12.80	24	PASS
		996+484+242 MRU4	10.57	2.26	12.83	24	PASS
		996+484+242 MRU5	10.95	2.26	13.21	24	PASS
		996+484+242 MRU7	10.66	2.26	12.92	24	PASS
		996+484+242 MRU8	11.06	2.26	13.32	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11be_EHT160_RU_2Tx

CH	Frequency (MHz)	RU config.	Avg. Output Power(dBm)				TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
			Ch0	Ch1	Ch2	Ch3					
15	6025	996*2	11.16	10.17	0.10	0.10	13.70	2.67	16.38	24	PASS
		996/67	8.08	6.81	0.06	0.06	10.50	2.67	13.17	24	PASS
		996+484 MRU2	9.88	7.92	0.07	0.07	12.02	2.67	14.70	24	PASS
		996+484 MRU4	10.40	8.39	0.07	0.07	12.53	2.67	15.20	24	PASS
		996+484+242 MRU2	10.86	9.82	0.01	0.01	13.39	2.67	16.06	24	PASS
		996+484+242 MRU4	10.94	9.90	0.01	0.01	13.47	2.67	16.14	24	PASS
		996+484+242 MRU8	11.29	10.20	0.01	0.01	13.79	2.67	16.47	24	PASS
47	6185	996*2	10.83	9.31	0.10	0.10	13.15	2.67	15.82	24	PASS
79	6345	996*2	11.22	9.84	0.10	0.10	13.59	2.67	16.27	24	PASS
		996/S67	8.78	6.65	0.06	0.06	10.85	2.67	13.52	24	PASS
		996+484 MRU3	10.05	8.76	0.07	0.07	12.47	2.67	15.14	24	PASS
		996+484+242 MRU5	11.36	9.91	0.01	0.01	13.71	2.67	16.38	24	PASS
		996+484+242 MRU7	10.96	9.63	0.01	0.01	13.36	2.67	16.03	24	PASS
111	6505	996*2	11.46	9.89	0.10	0.10	13.76	2.67	16.43	24	PASS
143	6665	996*2	11.47	10.55	0.10	0.10	14.04	2.75	16.79	24	PASS
		996/67	9.20	7.60	0.06	0.06	11.48	2.75	14.23	24	PASS
		996/S67	9.05	7.80	0.06	0.06	11.48	2.75	14.23	24	PASS
		996+484 MRU1	10.55	9.65	0.07	0.07	13.14	2.75	15.89	24	PASS
		996+484 MRU2	10.51	9.60	0.07	0.07	13.09	2.75	15.84	24	PASS
		996+484 MRU3	10.62	9.60	0.07	0.07	13.16	2.75	15.91	24	PASS
		996+484+242 MRU2	10.92	10.20	0.01	0.01	13.59	2.75	16.34	24	PASS
		996+484+242 MRU4	11.12	10.24	0.01	0.01	13.72	2.75	16.47	24	PASS
		996+484+242 MRU5	11.48	10.59	0.01	0.01	14.07	2.75	16.82	24	PASS
		996+484+242 MRU7	11.09	10.26	0.01	0.01	13.71	2.75	16.46	24	PASS
175	6825	996*2	10.96	10.12	0.01	0.01	13.57	2.75	16.33	24	PASS
		996*2	11.59	10.66	0.10	0.10	14.16	2.75	16.91	24	PASS
		996/67	11.71	10.41	0.10	0.10	14.12	2.37	16.48	24	PASS
		996/S67	9.23	7.88	0.06	0.06	11.61	2.37	13.98	24	PASS
		996/S67	9.14	7.42	0.06	0.06	11.37	2.37	13.74	24	PASS
		996+484 MRU1	10.72	9.33	0.07	0.07	13.10	2.37	15.46	24	PASS
		996+484 MRU2	10.65	9.40	0.07	0.07	13.09	2.37	15.45	24	PASS
		996+484 MRU3	10.78	9.54	0.07	0.07	13.22	2.37	15.59	24	PASS
		996+484+242 MRU2	11.26	10.02	0.01	0.01	13.70	2.37	16.07	24	PASS
		996+484+242 MRU4	11.32	10.16	0.01	0.01	13.79	2.37	16.16	24	PASS
207	6985	996+484+242 MRU5	11.73	10.49	0.01	0.01	14.17	2.37	16.54	24	PASS
		996+484+242 MRU7	11.39	10.23	0.01	0.01	13.86	2.37	16.23	24	PASS
		996+484+242 MRU8	11.72	10.49	0.01	0.01	14.16	2.37	16.53	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11be_EHT320_RU_Ch0

CH	Frequency (MHz)	RU config.	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
31	6105	996*4	13.09	2.51	15.60	24	PASS
		2*996+484 MRU2	11.29	2.51	13.80	24	PASS
		2*996+484 MRU6	11.31	2.51	13.82	24	PASS
		3*996 MRU2	12.14	2.51	14.65	24	PASS
		3*996 MRU4	12.11	2.51	14.62	24	PASS
		3*996+484 MRU2	12.58	2.51	15.09	24	PASS
		3*996+484 MRU8	12.57	2.51	15.08	24	PASS
63	6265	996*4	12.70	2.51	15.21	24	PASS
		2*996+484 MRU7	11.23	2.51	13.74	24	PASS
		2*996+484 MRU11	11.35	2.51	13.86	24	PASS
		3*996 MRU1	11.98	2.51	14.49	24	PASS
		3*996 MRU3	12.24	2.51	14.75	24	PASS
		3*996+484 MRU1	12.58	2.51	15.09	24	PASS
		3*996+484 MRU7	12.75	2.51	15.26	24	PASS
95	6425	996*4	13.14	2.51	15.65	24	PASS
127	6585	996*4	13.28	2.45	15.73	24	PASS
159	6745	996*4	13.94	2.72	16.66	24	PASS
191	6905	996*4	13.92	2.47	16.39	24	PASS
		3*996 MRU1	13.23	2.47	15.70	24	PASS
		3*996 MRU4	13.31	2.47	15.78	24	PASS
		3*996+484 MRU1	13.84	2.47	16.31	24	PASS
		3*996+484 MRU2	13.75	2.47	16.22	24	PASS
		3*996+484 MRU3	13.79	2.47	16.26	24	PASS
		3*996+484 MRU4	13.84	2.47	16.31	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11be_EHT320_RU_Ch1

CH	Frequency (MHz)	RU config.	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
31	6105	996*4	13.02	2.83	15.85	24	PASS
		2*996+484 MRU2	11.20	2.83	14.03	24	PASS
		2*996+484 MRU6	11.24	2.83	14.07	24	PASS
		3*996 MRU2	12.08	2.83	14.91	24	PASS
		3*996 MRU4	12.03	2.83	14.86	24	PASS
		3*996+484 MRU2	12.53	2.83	15.36	24	PASS
		3*996+484 MRU8	12.50	2.83	15.33	24	PASS
63	6265	996*4	12.63	2.83	15.46	24	PASS
		2*996+484 MRU7	11.18	2.83	14.01	24	PASS
		2*996+484 MRU11	11.26	2.83	14.09	24	PASS
		3*996 MRU1	11.92	2.83	14.75	24	PASS
		3*996 MRU3	12.15	2.83	14.98	24	PASS
		3*996+484 MRU1	12.50	2.83	15.33	24	PASS
		3*996+484 MRU7	12.66	2.83	15.49	24	PASS
95	6425	996*4	13.05	2.83	15.88	24	PASS
127	6585	996*4	13.20	2.55	15.75	24	PASS
159	6745	996*4	13.87	2.78	16.65	24	PASS
191	6905	996*4	13.83	2.26	16.09	24	PASS
		3*996 MRU1	13.16	2.26	15.42	24	PASS
		3*996 MRU4	13.26	2.26	15.52	24	PASS
		3*996+484 MRU1	13.76	2.26	16.02	24	PASS
		3*996+484 MRU2	13.67	2.26	15.93	24	PASS
		3*996+484 MRU3	13.73	2.26	15.99	24	PASS
		3*996+484 MRU4	13.75	2.26	16.01	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11be_EHT320_RU_2Tx

CH	Frequency (MHz)	RU config.	Avg. Output Power(dBm)				TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
			Ch0	Ch1	Ch2	Ch3					
31	6105	996*4	13.90	12.22	0.18	0.18	16.15	2.67	18.82	24	PASS
		2*996+484 MRU2	12.03	10.61	0.12	0.12	14.39	2.67	17.06	24	PASS
		2*996+484 MRU6	12.08	10.57	0.12	0.12	14.40	2.67	17.07	24	PASS
		3*996 MRU2	12.99	11.42	0.16	0.16	15.28	2.67	17.96	24	PASS
		3*996 MRU4	12.95	11.35	0.16	0.16	15.23	2.67	17.90	24	PASS
		3*996+484 MRU2	13.35	11.92	0.16	0.16	15.70	2.67	18.38	24	PASS
63	6265	3*996+484 MRU8	13.33	11.78	0.16	0.16	15.63	2.67	18.31	24	PASS
		996*4	13.37	11.92	0.18	0.18	15.71	2.67	18.39	24	PASS
		2*996+484 MRU7	11.89	10.45	0.12	0.12	14.24	2.67	16.91	24	PASS
		2*996+484 MRU11	11.95	10.65	0.12	0.12	14.36	2.67	17.03	24	PASS
		3*996 MRU1	12.58	11.30	0.16	0.16	14.99	2.67	17.67	24	PASS
		3*996 MRU3	12.85	11.54	0.16	0.16	15.25	2.67	17.92	24	PASS
95	6425	3*996+484 MRU1	13.20	11.85	0.16	0.16	15.59	2.67	18.26	24	PASS
		3*996+484 MRU7	13.39	12.01	0.16	0.16	15.76	2.67	18.44	24	PASS
127	6585	996*4	14.05	12.35	0.18	0.18	16.29	2.67	18.96	24	PASS
159	6745	996*4	13.72	12.84	0.18	0.18	16.31	2.50	18.81	24	PASS
		996*4	14.13	13.83	0.18	0.18	16.99	2.75	19.74	24	PASS
191	6905	996*4	14.34	13.59	0.18	0.18	16.99	2.37	19.36	24	PASS
		3*996 MRU1	13.77	12.80	0.16	0.16	16.32	2.37	18.69	24	PASS
		3*996 MRU4	13.80	12.92	0.16	0.16	16.39	2.37	18.76	24	PASS
		3*996+484 MRU1	14.37	13.43	0.16	0.16	16.94	2.37	19.30	24	PASS
		3*996+484 MRU2	14.33	13.34	0.16	0.16	16.87	2.37	19.24	24	PASS
		3*996+484 MRU3	14.34	13.41	0.16	0.16	16.91	2.37	19.28	24	PASS
191	6905	3*996+484 MRU4	14.32	13.57	0.16	0.16	16.97	2.37	19.34	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

7.3 Maximum Power Spectral Density

POWER DENSITY 802.11a MODE								
Frequency (MHz)	PSD (dBm/MHz)		Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	Directional Gain(dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)	Margin (dB)
	Ch0 meas	Ch1 meas						
5955	-9.818	-9.92	0.00	-6.86	5.68	-1.18	-1.00	-0.18
6175	-10.86	-9.24	0.00	-6.96	5.68	-1.28	-1.00	-0.28
6415	-11.03	-10.30	0.00	-7.64	5.68	-1.96	-1.00	-0.96
6435	-9.59	-9.90	0.00	-6.73	5.51	-1.22	-1.00	-0.22
6475	-9.64	-10.23	0.00	-6.91	5.51	-1.40	-1.00	-0.40
6515	-9.07	-10.82	0.00	-6.85	5.51	-1.34	-1.00	-0.34
6535	-9.11	-10.93	0.00	-6.92	5.76	-1.16	-1.00	-0.16
6695	-9.58	-9.99	0.00	-6.77	5.76	-1.01	-1.00	-0.01
6855	-9.61	-10.69	0.00	-7.11	5.76	-1.35	-1.00	-0.35
6875	-9.49	-10.29	0.00	-6.86	5.76	-1.10	-1.00	-0.10
6895	-9.25	-9.70	0.00	-6.46	5.38	-1.08	-1.00	-0.08
6995	-9.38	-10.26	0.00	-6.78	5.38	-1.40	-1.00	-0.40
7115	-9.27	-10.17	0.00	-6.69	5.38	-1.31	-1.00	-0.31

POWER DENSITY 802.11ax HE20 SU MODE								
Frequency (MHz)	PSD (dBm/MHz)		Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	Directional Gain(dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)	Margin (dB)
	Ch0 meas	Ch1 meas						
5955	-10.32	-9.89	0.00	-7.09	5.68	-1.41	-1.00	-0.41
6175	-10.89	-9.13	0.00	-6.91	5.68	-1.23	-1.00	-0.23
6415	-11.56	-10.84	0.00	-8.17	5.68	-2.49	-1.00	-1.49
6435	-9.97	-9.78	0.00	-6.86	5.51	-1.35	-1.00	-0.35
6475	-9.28	-9.86	0.00	-6.55	5.51	-1.04	-1.00	-0.04
6515	-9.06	-11.02	0.00	-6.92	5.51	-1.41	-1.00	-0.41
6535	-9.29	-11.01	0.00	-7.06	5.76	-1.30	-1.00	-0.30
6695	-10.09	-9.99	0.00	-7.03	5.76	-1.27	-1.00	-0.27
6855	-9.84	-10.59	0.00	-7.19	5.76	-1.43	-1.00	-0.43
6875	-9.97	-10.48	0.00	-7.21	5.76	-1.45	-1.00	-0.45
6895	-9.58	-10.39	0.00	-6.96	5.38	-1.58	-1.00	-0.58
6995	-9.38	-10.27	0.00	-6.79	5.38	-1.41	-1.00	-0.41
7115	-9.06	-10.27	0.00	-6.61	5.38	-1.23	-1.00	-0.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

POWER DENSITY 802.11ax HE20 RU MODE									
Frequency (MHz)	RU config.	PSD (dBm/MHz)		Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	Directional Gain(dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)	Margin (dB)
		Ch0 meas	Ch1 meas						
5955	242	-10.62	-9.73	0.00	-7.14	5.68	-1.46	-1.00	-0.46
	26/0	-10.74	-9.56	0.00	-7.10	5.68	-1.42	-1.00	-0.42
	52/37	-10.70	-9.34	0.00	-6.96	5.68	-1.28	-1.00	-0.28
	106/53	-10.61	-9.38	0.00	-6.94	5.68	-1.26	-1.00	-0.26
6175	242	-11.01	-9.25	0.00	-7.03	5.68	-1.35	-1.00	-0.35
6415	242	-10.15	-10.58	0.00	-7.35	5.68	-1.67	-1.00	-0.67
	26/8	-10.00	-10.53	0.00	-7.25	5.68	-1.57	-1.00	-0.57
	52/40	-9.91	-11.14	0.00	-7.47	5.68	-1.79	-1.00	-0.79
	106/54	-9.27	-10.86	0.00	-6.98	5.68	-1.30	-1.00	-0.30
6435	242	-9.73	-10.29	0.00	-6.99	5.51	-1.48	-1.00	-0.48
	26/0	-9.77	-10.32	0.00	-7.02	5.51	-1.51	-1.00	-0.51
	52/37	-9.69	-11.08	0.00	-7.32	5.51	-1.81	-1.00	-0.81
	106/53	-9.72	-10.95	0.00	-7.28	5.51	-1.77	-1.00	-0.77
6475	242	-10.12	-9.87	0.00	-6.98	5.51	-1.47	-1.00	-0.47
6515	242	-10.14	-10.44	0.00	-7.28	5.51	-1.77	-1.00	-0.77
	26/8	-10.31	-10.53	0.00	-7.41	5.51	-1.90	-1.00	-0.90
	52/40	-10.03	-10.56	0.00	-7.28	5.51	-1.77	-1.00	-0.77
	106/54	-9.53	-10.01	0.00	-6.75	5.51	-1.24	-1.00	-0.24
6535	242	-9.98	-9.66	0.00	-6.81	5.76	-1.05	-1.00	-0.05
	26/0	-9.99	-9.82	0.00	-6.89	5.76	-1.13	-1.00	-0.13
	52/37	-10.10	-9.84	0.00	-6.96	5.76	-1.20	-1.00	-0.20
	106/53	-10.06	-10.11	0.00	-7.07	5.76	-1.31	-1.00	-0.31
6695	242	-10.54	-10.08	0.00	-7.29	5.76	-1.53	-1.00	-0.53
6855	242	-9.90	-10.70	0.00	-7.27	5.76	-1.51	-1.00	-0.51
	26/8	-9.49	-10.55	0.00	-6.98	5.76	-1.22	-1.00	-0.22
	52/40	-9.70	-10.80	0.00	-7.21	5.76	-1.45	-1.00	-0.45
	106/54	-9.26	-11.18	0.00	-7.11	5.76	-1.35	-1.00	-0.35
6875	242	-9.86	-11.12	0.00	-7.44	5.76	-1.68	-1.00	-0.68
6895	242	-9.78	-10.75	0.00	-7.23	5.38	-1.85	-1.00	-0.85
	26/0	-9.71	-10.71	0.00	-7.17	5.38	-1.79	-1.00	-0.79
	52/37	-9.55	-10.61	0.00	-7.04	5.38	-1.66	-1.00	-0.66
	106/53	-9.36	-10.50	0.00	-6.88	5.38	-1.50	-1.00	-0.50
6995	242	-9.86	-10.85	0.00	-7.32	5.38	-1.94	-1.00	-0.94
7115	242	-9.61	-11.04	0.00	-7.26	5.38	-1.88	-1.00	-0.88
	26/8	-9.34	-10.74	0.00	-6.97	5.38	-1.59	-1.00	-0.59
	52/40	-9.83	-10.90	0.00	-7.32	5.38	-1.94	-1.00	-0.94
	106/54	-9.12	-10.99	0.00	-6.95	5.38	-1.57	-1.00	-0.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

POWER DENSITY 802.11ax HE80 SU MODE								
Frequency (MHz)	PSD (dBm/MHz)		Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	Directional Gain(dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)	Margin (dB)
	Ch0 meas	Ch1 meas						
5985	-9.45	-10.03	0.00	-6.72	5.68	-1.04	-1.00	-0.04
6145	-10.76	-9.53	0.00	-7.09	5.68	-1.41	-1.00	-0.41
6385	-9.46	-10.25	0.00	-6.83	5.68	-1.15	-1.00	-0.15
6465	-9.49	-10.49	0.00	-6.95	5.51	-1.44	-1.00	-0.44
6545	-9.68	-11.08	0.00	-7.31	5.76	-1.55	-1.00	-0.55
6625	-9.74	-10.96	0.00	-7.30	5.76	-1.54	-1.00	-0.54
6705	-9.92	-11.01	0.00	-7.42	5.76	-1.66	-1.00	-0.66
6785	-10.41	-10.72	0.00	-7.56	5.76	-1.80	-1.00	-0.80
6865	-10.06	-10.41	0.00	-7.22	5.76	-1.46	-1.00	-0.46
6945	-9.51	-9.94	0.00	-6.71	5.38	-1.33	-1.00	-0.33
7025	-8.93	-9.94	0.00	-6.39	5.38	-1.01	-1.00	-0.01

POWER DENSITY 802.11ax HE80 RU MODE									
Frequency (MHz)	RU config.	PSD (dBm/MHz)		Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	Directional Gain(dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)	Margin (dB)
		Ch0 meas	Ch1 meas						
5985	996	-9.15	-10.39	0.00	-6.72	5.68	-1.04	-1.00	-0.04
	484/65	-9.77	-10.64	0.00	-7.17	5.68	-1.49	-1.00	-0.49
6145	996	-10.65	-10.59	0.00	-7.61	5.68	-1.93	-1.00	-0.93
6385	996	-9.57	-10.06	0.00	-6.80	5.68	-1.12	-1.00	-0.12
	484/66	-9.17	-10.53	0.00	-6.79	5.68	-1.11	-1.00	-0.11
6465	996	-9.27	-10.76	0.00	-6.94	5.51	-1.43	-1.00	-0.43
	484/65	-9.68	-10.57	0.00	-7.09	5.51	-1.58	-1.00	-0.58
	484/66	-9.33	-10.80	0.00	-6.99	5.51	-1.48	-1.00	-0.48
6545	996	-9.47	-11.68	0.00	-7.43	5.76	-1.67	-1.00	-0.67
6625	996	-9.39	-10.49	0.00	-6.89	5.76	-1.13	-1.00	-0.13
	484/65	-9.72	-11.09	0.00	-7.34	5.76	-1.58	-1.00	-0.58
6705	996	-9.45	-10.35	0.00	-6.87	5.76	-1.11	-1.00	-0.11
6785	996	-9.73	-10.09	0.00	-6.89	5.76	-1.13	-1.00	-0.13
	484/66	-10.33	-10.65	0.00	-7.48	5.76	-1.72	-1.00	-0.72
6865	996	-9.69	-10.58	0.00	-7.10	5.76	-1.34	-1.00	-0.34
6945	996	-9.51	-10.54	0.00	-6.98	5.38	-1.60	-1.00	-0.60
	484/65	-9.49	-10.69	0.00	-7.04	5.38	-1.66	-1.00	-0.66
7025	996	-9.36	-10.40	0.00	-6.84	5.38	-1.46	-1.00	-0.46
	484/66	-9.29	-10.47	0.00	-6.83	5.38	-1.45	-1.00	-0.45

POWER DENSITY 802.11ax HE160 SU MODE								
Frequency (MHz)	PSD (dBm/MHz)		Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	Directional Gain(dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)	Margin (dB)
	Ch0 meas	Ch1 meas						
6985	-9.26	-9.88	0.00	-6.55	5.38	-1.17	-1.00	-0.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

POWER DENSITY 802.11ax HE160 RU MODE									
Frequency (MHz)	RU config.	PSD (dBm/MHz)		Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	Directional Gain(dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)	Margin (dB)
		Ch0 meas	Ch1 meas						
6985	996*2	-9.84	-10.46	0.00	-7.13	5.38	-1.75	-1.00	-0.75
	996/67	-9.46	-10.53	0.00	-6.95	5.38	-1.57	-1.00	-0.57
	996/S67	-8.68	-10.51	0.00	-6.49	5.38	-1.11	-1.00	-0.11

POWER DENSITY 802.11be EHT20 RU MODE									
Frequency (MHz)	RU config.	PSD (dBm/MHz)		Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	Directional Gain(dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)	Margin (dB)
		Ch0 meas	Ch1 meas						
5955	52+26 MRU1	-10.50	-9.53	0.00	-6.98	5.68	-1.30	-1.00	-0.30
	106+26 MRU1	-10.91	-10.04	0.00	-7.44	5.68	-1.76	-1.00	-0.76
6415	52+26 MRU3	-9.91	-11.53	0.00	-7.63	5.68	-1.95	-1.00	-0.95
	106+26 MRU2	-9.77	-10.81	0.00	-7.25	5.68	-1.57	-1.00	-0.57
6435	52+26 MRU1	-9.48	-10.69	0.00	-7.03	5.51	-1.52	-1.00	-0.52
	106+26 MRU1	-10.08	-9.53	0.00	-6.79	5.51	-1.28	-1.00	-0.28
6515	52+26 MRU3	-9.98	-10.76	0.00	-7.34	5.51	-1.83	-1.00	-0.83
	106+26 MRU2	-9.81	-10.30	0.00	-7.04	5.51	-1.53	-1.00	-0.53
6535	52+26 MRU1	-9.93	-10.24	0.00	-7.07	5.76	-1.31	-1.00	-0.31
	106+26 MRU1	-10.47	-10.21	0.00	-7.33	5.76	-1.57	-1.00	-0.57
6855	52+26 MRU3	-9.81	-10.98	0.00	-7.35	5.76	-1.59	-1.00	-0.59
	106+26 MRU2	-10.16	-10.83	0.00	-7.48	5.76	-1.72	-1.00	-0.72
6895	52+26 MRU1	-9.56	-10.66	0.00	-7.06	5.38	-1.68	-1.00	-0.68
	106+26 MRU1	-9.71	-10.75	0.00	-7.19	5.38	-1.81	-1.00	-0.81
7115	52+26 MRU3	-9.49	-10.96	0.00	-7.15	5.38	-1.77	-1.00	-0.77
	106+26 MRU2	-9.37	-11.38	0.00	-7.25	5.38	-1.87	-1.00	-0.87

POWER DENSITY802.11be EHT40 SU MODE								
Frequency (MHz)	PSD (dBm/MHz)		Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	Directional Gain(dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)	Margin (dB)
	Ch0 meas	Ch1 meas						
5965	-9.89	-10.54	0.00	-7.19	5.68	-1.51	-1.00	-0.51
6165	-10.22	-10.19	0.00	-7.19	5.68	-1.51	-1.00	-0.51
6405	-10.07	-11.01	0.00	-7.50	5.68	-1.82	-1.00	-0.82
6445	-9.83	-10.52	0.00	-7.15	5.51	-1.64	-1.00	-0.64
6485	-9.78	-10.85	0.00	-7.27	5.51	-1.76	-1.00	-0.76
6525	-9.90	-11.08	0.00	-7.44	5.51	-1.93	-1.00	-0.93
6565	-9.66	-10.86	0.00	-7.21	5.76	-1.45	-1.00	-0.45
6685	-10.00	-10.70	0.00	-7.33	5.76	-1.57	-1.00	-0.57
6845	-9.95	-11.16	0.00	-7.50	5.76	-1.74	-1.00	-0.74
6885	-9.09	-10.82	0.00	-6.86	5.38	-1.48	-1.00	-0.48
6925	-9.68	-10.74	0.00	-7.17	5.38	-1.79	-1.00	-0.79
7005	-9.33	-10.16	0.00	-6.71	5.38	-1.33	-1.00	-0.33
7085	-9.54	-10.65	0.00	-7.05	5.38	-1.67	-1.00	-0.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

POWER DENSITY802.11be EHT40 RU MODE									
Frequency (MHz)	RU config.	PSD (dBm/MHz)		Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	Directional Gain(dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)	Margin (dB)
		Ch0 meas	Ch1 meas						
5965	484	-9.99	-10.38	0.00	-7.17	5.68	-1.49	-1.00	-0.49
	242/61	-10.42	-9.66	0.00	-7.01	5.68	-1.33	-1.00	-0.33
6165	484	-9.92	-10.26	0.00	-7.07	5.68	-1.39	-1.00	-0.39
6405	484	-9.48	-10.54	0.00	-6.96	5.68	-1.28	-1.00	-0.28
	242/62	-9.64	-9.86	0.00	-6.74	5.68	-1.06	-1.00	-0.06
6445	484	-9.17	-11.14	0.00	-7.03	5.51	-1.52	-1.00	-0.52
	242/61	-9.81	-10.95	0.00	-7.33	5.51	-1.82	-1.00	-0.82
6485	484	-9.18	-11.05	0.00	-7.01	5.51	-1.50	-1.00	-0.50
	242/62	-9.22	-10.30	0.00	-6.72	5.51	-1.21	-1.00	-0.21
6525	484	-9.12	-11.29	0.00	-7.06	5.51	-1.55	-1.00	-0.55
6565	484	-9.24	-10.92	0.00	-6.99	5.76	-1.23	-1.00	-0.23
	242/61	-10.59	-10.45	0.00	-7.51	5.76	-1.75	-1.00	-0.75
6685	484	-9.31	-10.74	0.00	-6.96	5.76	-1.20	-1.00	-0.20
6845	484	-9.75	-10.83	0.00	-7.24	5.76	-1.48	-1.00	-0.48
	242/62	-9.56	-10.05	0.00	-6.79	5.76	-1.03	-1.00	-0.03
6885	484	-9.70	-10.68	0.00	-7.15	5.38	-1.77	-1.00	-0.77
6925	484	-9.30	-10.76	0.00	-6.95	5.38	-1.57	-1.00	-0.57
	242/61	-9.86	-10.04	0.00	-6.94	5.38	-1.56	-1.00	-0.56
7005	484	-8.88	-10.45	0.00	-6.58	5.38	-1.20	-1.00	-0.20
7085	484	-9.41	-10.92	0.00	-7.09	5.38	-1.71	-1.00	-0.71
	242/62	-10.13	-10.75	0.00	-7.42	5.38	-2.04	-1.00	-1.04

POWER DENSITY802.11be EHT80 RU MODE									
Frequency (MHz)	RU config.	PSD (dBm/MHz)		Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	Directional Gain(dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)	Margin (dB)
		Ch0 meas	Ch1 meas						
5985	484+242 MRU2	-9.57	-10.08	0.00	-6.81	5.68	-1.13	-1.00	-0.13
	484+242 MRU4	-9.44	-10.17	0.00	-6.78	5.68	-1.10	-1.00	-0.10
6385	484+242 MRU1	-9.49	-10.60	0.00	-7.00	5.68	-1.32	-1.00	-0.32
	484+242 MRU3	-9.79	-10.41	0.00	-7.08	5.68	-1.40	-1.00	-0.40
6465	484+242 MRU1	-9.79	-10.95	0.00	-7.32	5.51	-1.81	-1.00	-0.81
	484+242 MRU2	-9.66	-10.96	0.00	-7.25	5.51	-1.74	-1.00	-0.74
	484+242 MRU3	-9.82	-10.65	0.00	-7.20	5.51	-1.69	-1.00	-0.69
	484+242 MRU4	-9.80	-10.69	0.00	-7.22	5.51	-1.71	-1.00	-0.71
6625	484+242 MRU2	-9.83	-11.20	0.00	-7.45	5.76	-1.69	-1.00	-0.69
	484+242 MRU4	-9.21	-11.00	0.00	-7.00	5.76	-1.24	-1.00	-0.24
6785	484+242 MRU1	-9.49	-10.45	0.00	-6.93	5.76	-1.17	-1.00	-0.17
	484+242 MRU3	-9.40	-10.57	0.00	-6.93	5.76	-1.17	-1.00	-0.17
6945	484+242 MRU2	-8.78	-10.24	0.00	-6.44	5.38	-1.06	-1.00	-0.06
	484+242 MRU4	-9.15	-10.76	0.00	-6.87	5.38	-1.49	-1.00	-0.49
7025	484+242 MRU1	-8.79	-10.82	0.00	-6.67	5.38	-1.29	-1.00	-0.29
	484+242 MRU3	-8.68	-10.57	0.00	-6.51	5.38	-1.13	-1.00	-0.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

POWER DENSITY 802.11b EHT160 SU MODE								
Frequency (MHz)	PSD (dBm/MHz)		Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	Directional Gain(dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)	Margin (dB)
	Ch0 meas	Ch1 meas						
6025	-10.26	-9.49	0.00	-6.85	5.68	-1.17	-1.00	-0.17
6185	-10.01	-9.44	0.00	-6.71	5.68	-1.03	-1.00	-0.03
6345	-9.43	-10.56	0.00	-6.95	5.68	-1.27	-1.00	-0.27
6505	-9.57	-10.26	0.00	-6.89	5.51	-1.38	-1.00	-0.38
6665	-10.11	-11.06	0.00	-7.55	5.76	-1.79	-1.00	-0.79
6825	-10.16	-10.88	0.00	-7.49	5.76	-1.73	-1.00	-0.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

POWER DENSITY 802.11be EHT160 RU MODE									
Frequency (MHz)	RU config.	PSD (dBm/MHz)		Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	Directional Gain(dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)	Margin (dB)
		Ch0 meas	Ch1 meas						
6025	996*2	-9.86	-9.88	0.10	-6.76	5.68	-1.08	-1.00	-0.08
	996/67	-10.24	-11.36	0.00	-7.76	5.68	-2.08	-1.00	-1.08
	996+484 MRU2	-10.33	-10.91	0.00	-7.60	5.68	-1.92	-1.00	-0.92
	996+484 MRU4	-9.74	-10.84	0.00	-7.25	5.68	-1.57	-1.00	-0.57
	996+484+242 MRU2	-9.93	-9.97	0.00	-6.94	5.68	-1.26	-1.00	-0.26
	996+484+242 MRU4	-10.42	-9.74	0.00	-7.06	5.68	-1.38	-1.00	-0.38
	996+484+242 MRU8	-10.07	-9.66	0.00	-6.85	5.68	-1.17	-1.00	-0.17
6185	996*2	-10.54	-10.21	0.10	-7.26	5.68	-1.58	-1.00	-0.58
6345	996*2	-9.71	-10.94	0.10	-7.17	5.68	-1.49	-1.00	-0.49
	996/S67	-9.82	-11.18	0.00	-7.44	5.68	-1.76	-1.00	-0.76
	996+484 MRU1	-9.45	-10.74	0.00	-7.04	5.68	-1.36	-1.00	-0.36
	996+484 MRU3	-9.87	-10.80	0.00	-7.30	5.68	-1.62	-1.00	-0.62
	996+484+242 MRU1	-9.37	-10.39	0.00	-6.84	5.68	-1.16	-1.00	-0.16
	996+484+242 MRU5	-9.44	-10.53	0.00	-6.94	5.68	-1.26	-1.00	-0.26
	996+484+242 MRU7	-9.88	-10.78	0.00	-7.30	5.68	-1.62	-1.00	-0.62
6505	996*2	-9.61	-10.83	0.10	-7.07	5.51	-1.56	-1.00	-0.56
6665	996*2	-9.44	-10.79	0.10	-6.95	5.76	-1.19	-1.00	-0.19
	996/67	-9.03	-11.32	0.00	-7.02	5.76	-1.26	-1.00	-0.26
	996/S67	-9.44	-11.00	0.00	-7.14	5.76	-1.38	-1.00	-0.38
	996+484 MRU1	-9.44	-10.90	0.00	-7.10	5.76	-1.34	-1.00	-0.34
	996+484 MRU2	-9.12	-11.10	0.00	-6.99	5.76	-1.23	-1.00	-0.23
	996+484 MRU3	-9.31	-11.05	0.00	-7.08	5.76	-1.32	-1.00	-0.32
	996+484 MRU4	-9.48	-11.04	0.00	-7.18	5.76	-1.42	-1.00	-0.42
	996+484+242 MRU1	-9.78	-10.70	0.00	-7.21	5.76	-1.45	-1.00	-0.45
	996+484+242 MRU2	-10.07	-10.95	0.00	-7.48	5.76	-1.72	-1.00	-0.72
	996+484+242 MRU4	-9.89	-10.79	0.00	-7.30	5.76	-1.54	-1.00	-0.54
	996+484+242 MRU5	-9.51	-10.30	0.00	-6.88	5.76	-1.12	-1.00	-0.12
	996+484+242 MRU7	-9.84	-10.56	0.00	-7.18	5.76	-1.42	-1.00	-0.42
	996+484+242 MRU8	-10.25	-11.13	0.00	-7.66	5.76	-1.90	-1.00	-0.90
6825	996*2	-10.05	-11.10	0.10	-7.43	5.76	-1.67	-1.00	-0.67
6985	996+484 MRU1	-9.07	-11.06	0.00	-6.94	5.38	-1.56	-1.00	-0.56
	996+484 MRU2	-9.18	-10.79	0.00	-6.90	5.38	-1.52	-1.00	-0.52
	996+484 MRU3	-9.15	-10.75	0.00	-6.86	5.38	-1.48	-1.00	-0.48
	996+484 MRU4	-9.68	-10.89	0.00	-7.24	5.38	-1.86	-1.00	-0.86
	996+484+242 MRU1	-9.58	-10.90	0.00	-7.18	5.38	-1.80	-1.00	-0.80
	996+484+242 MRU2	-9.67	-11.02	0.00	-7.29	5.38	-1.91	-1.00	-0.91
	996+484+242 MRU4	-9.66	-11.10	0.00	-7.31	5.38	-1.93	-1.00	-0.93
	996+484+242 MRU5	-9.49	-10.69	0.00	-7.04	5.38	-1.66	-1.00	-0.66
	996+484+242 MRU7	-9.58	-10.89	0.00	-7.18	5.38	-1.80	-1.00	-0.80
	996+484+242 MRU8	-9.42	-10.44	0.00	-6.89	5.38	-1.51	-1.00	-0.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group


POWER DENSITY 802.11be EHT320 SU MODE								
Frequency (MHz)	PSD (dBm/MHz)		Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	Directional Gain(dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)	Margin (dB)
	Ch0 meas	Ch1 meas						
6105	-10.98	-9.89	0.00	-7.39	5.68	-1.71	-1.00	-0.71
6265	-10.63	-9.53	0.00	-7.04	5.68	-1.36	-1.00	-0.36
6425	-9.72	-10.94	0.00	-7.28	5.68	-1.60	-1.00	-0.60
6585	-10.48	-11.03	0.00	-7.74	5.76	-1.98	-1.00	-0.98
6745	-10.49	-10.87	0.00	-7.66	5.76	-1.90	-1.00	-0.90
6905	-9.89	-10.83	0.00	-7.33	5.38	-1.95	-1.00	-0.95

POWER DENSITY 802.11be EHT320 RU MODE									
Frequency (MHz)	RU config.	PSD (dBm/MHz)		Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	Directional Gain(dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)	Margin (dB)
		Ch0 meas	Ch1 meas						
6105	996*4	-10.54	-9.56	0.18	-6.83	5.68	-1.15	-1.00	-0.15
	2*996+484 MRU2	-11.09	-9.90	0.12	-7.33	5.68	-1.65	-1.00	-0.65
	2*996+484 MRU6	-10.76	-9.87	0.12	-7.16	5.68	-1.48	-1.00	-0.48
	3*996 MRU2	-10.74	-10.05	0.16	-7.21	5.68	-1.53	-1.00	-0.53
	3*996 MRU4	-10.60	-9.98	0.16	-7.11	5.68	-1.43	-1.00	-0.43
	3*996+484 MRU2	-10.92	-9.89	0.16	-7.21	5.68	-1.53	-1.00	-0.53
	3*996+484 MRU8	-10.68	-9.96	0.16	-7.13	5.68	-1.45	-1.00	-0.45
6265	996*4	-11.02	-10.08	0.18	-7.34	5.68	-1.66	-1.00	-0.66
	2*996+484 MRU7	-10.66	-10.58	0.12	-7.49	5.68	-1.81	-1.00	-0.81
	2*996+484 MRU11	-10.64	-9.50	0.12	-6.90	5.68	-1.22	-1.00	-0.22
	3*996 MRU1	-10.70	-9.53	0.16	-6.90	5.68	-1.22	-1.00	-0.22
	3*996 MRU3	-10.66	-10.09	0.16	-7.20	5.68	-1.52	-1.00	-0.52
	3*996+484 MRU1	-10.64	-9.70	0.16	-6.97	5.68	-1.29	-1.00	-0.29
	3*996+484 MRU7	-10.64	-9.59	0.16	-6.91	5.68	-1.23	-1.00	-0.23
6425	996*4	-9.62	-11.11	0.18	-7.11	5.68	-1.43	-1.00	-0.43
6585	996*4	-10.54	-10.83	0.18	-7.49	5.76	-1.73	-1.00	-0.73
6745	996*4	-10.07	-10.85	0.18	-7.26	5.76	-1.50	-1.00	-0.50
6905	996*4	-9.92	-10.42	0.18	-6.97	5.38	-1.59	-1.00	-0.59
	3*996 MRU1	-9.98	-10.83	0.16	-7.21	5.38	-1.83	-1.00	-0.83
	3*996 MRU4	-9.69	-10.70	0.16	-6.99	5.38	-1.61	-1.00	-0.61
	3*996+484 MRU1	-9.73	-10.66	0.16	-7.00	5.38	-1.62	-1.00	-0.62
	3*996+484 MRU2	-9.53	-10.42	0.16	-6.78	5.38	-1.40	-1.00	-0.40
	3*996+484 MRU3	-9.24	-10.34	0.16	-6.58	5.38	-1.20	-1.00	-0.20
	3*996+484 MRU4	-9.71	-10.60	0.16	-6.96	5.38	-1.58	-1.00	-0.58


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11a_20MHz_Chain0_5955MHz




802.11a_20MHz_Chain0_6175MHz




802.11a_20MHz_Chain0_6415MHz



802.11a_20MHz_Chain0_6435MHz



802.11a_20MHz_Chain0_6475MHz




802.11a_20MHz_Chain0_6515MHz


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11a_20MHz_Chain0_6535MHz




802.11a_20MHz_Chain0_6695MHz




802.11a_20MHz_Chain0_6855MHz



802.11a_20MHz_Chain0_6875MHz



802.11a_20MHz_Chain0_6895MHz




802.11a_20MHz_Chain0_6995MHz


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11a_20MHz_Chain0_7115MHz




802.11a_20MHz_Chain1_5955MHz




802.11a_20MHz_Chain1_6175MHz



802.11a_20MHz_Chain1_6415MHz



802.11a_20MHz_Chain1_6435MHz




802.11a_20MHz_Chain1_6475MHz


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11a_20MHz_Chain1_6515MHz




802.11a_20MHz_Chain1_6535MHz




802.11a_20MHz_Chain1_6695MHz



802.11a_20MHz_Chain1_6855MHz



802.11a_20MHz_Chain1_6875MHz




802.11a_20MHz_Chain1_6895MHz


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11a_20MHz_Chain1_6995MHz




802.11a_20MHz_Chain1_7115MHz




802.11ax_20MHz_Chain0_5955MHz



802.11ax_20MHz_Chain0_5955MHz_RU26_0



802.11ax_20MHz_Chain0_5955MHz_RU52_37




802.11ax_20MHz_Chain0_5955MHz_RU106_53


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11ax 20MHz Chain0 5955MHz RU242




802.11ax 20MHz Chain0 6175MHz




802.11ax 20MHz Chain0 6175MHz RU242



802.11ax 20MHz Chain0 6415MHz



802.11ax 20MHz Chain0 6415MHz RU26_8




802.11ax 20MHz Chain0 6415MHz RU52_40


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11ax 20MHz Chain0 6415MHz RU106_54




802.11ax 20MHz Chain0 6415MHz RU242




802.11ax 20MHz Chain0 6435MHz



802.11ax 20MHz Chain0 6435MHz RU26_0



802.11ax 20MHz Chain0 6435MHz RU52_37




802.11ax 20MHz Chain0 6435MHz RU106_53


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11ax 20MHz Chain0 6435MHz RU242




802.11ax 20MHz Chain0 6475MHz




802.11ax 20MHz Chain0 6475MHz RU242



802.11ax 20MHz Chain0 6515MHz



802.11ax 20MHz Chain0 6515MHz RU26_8



802.11ax 20MHz Chain0 6515MHz RU52_40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.