

Appendix B: Test Results of Radiated Spurious Emissions & Mains

Conducted Emission Test

<HXMS261>

Band Edges, 2.31GHz ~ 2.5GHz


SRD_2M

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2377.69	53.42	17.10	36.32	74.00	-20.58		297	191	Peak	Horizontal	
2 *	2404.00	100.50	64.22	36.28	74.00	-26.50		297	191	Peak	Horizontal	
3	2486.70	53.55	16.60	36.95	74.00	-20.45		297	191	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2365.20	52.03	15.67	36.36	74.00	-21.97		230	297	Peak	Vertical	
2 *	2404.00	96.02	59.74	36.28	74.00	-22.02		230	297	Peak	Vertical	
3	2499.10	53.18	16.15	37.03	74.00	-20.82		230	297	Peak	Vertical	

SRD_2M

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2328.10	42.35	5.97	36.38	54.00	-11.65	297	191	Average	Horizontal		
2 *	2404.00	98.50	62.22	36.28	54.00	44.50	297	191	Average	Horizontal		
3	2498.15	43.26	6.23	37.03	54.00	-10.74	297	191	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2336.27	42.62	6.23	36.39	54.00	-11.38	230	297	Average	Vertical		
2 *	2404.00	93.00	57.52	36.28	54.00	39.00	230	297	Average	Vertical		
3	2493.49	42.92	5.92	37.00	54.00	-11.08	230	297	Average	Vertical		


SRD_2M

Middle Channel (Horizontal) Peak

Middle Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2316.46	52.58	16.21	36.37	74.00	-21.42	248	21	Peak	Horizontal		
2 *	2440.00	100.81	64.20	36.61	74.00	26.81	248	21	Peak	Horizontal		
3	2499.57	53.05	16.01	37.04	74.00	-20.95	248	21	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2331.00	53.35	16.96	36.39	74.00	-20.65	203	312	Peak	Vertical		
2 *	2440.00	97.08	60.47	36.61	74.00	23.08	203	312	Peak	Vertical		
3	2488.93	53.13	16.17	36.96	74.00	-20.87	203	312	Peak	Vertical		

SRD_2M

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2340.21	42.43	6.04	36.39	54.00	-11.57	248	21	Average	Horizontal		
2 *	2440.00	98.52	61.91	36.61	54.00	44.52	248	21	Average	Horizontal		
3	2499.29	43.91	6.87	37.04	54.00	-10.09	248	21	Average	Horizontal		

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2326.06	42.62	6.44	36.38	54.00	-11.18	203	312	Average	Vertical		
2 *	2440.00	95.02	58.41	36.61	54.00	41.02	203	312	Average	Vertical		
3	2497.72	43.18	6.15	37.03	54.00	-10.82	203	312	Average	Vertical		

SRD_2M

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2331.71	52.77	16.38	36.39	74.00	-21.23	200	29	Peak	Horizontal		
2 *	2478.00	101.88	64.99	36.89	74.00	27.88	200	29	Peak	Horizontal		
3	2484.94	53.73	16.79	36.94	74.00	-20.27	200	29	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2347.91	53.21	16.81	36.40	74.00	-20.79	237	329	Peak	Vertical		
2 *	2478.00	97.54	60.65	36.89	74.00	23.54	237	329	Peak	Vertical		
3	2493.26	54.65	17.65	37.00	74.00	-19.35	237	329	Peak	Vertical		

SRD_2M

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2382.02	42.56	6.26	36.30	54.00	-11.44	200	29	Average	Horizontal		
2 *	2478.00	99.69	62.80	36.89	54.00	45.69	200	29	Average	Horizontal		
3	2485.18	43.47	6.53	36.94	54.00	-10.53	200	29	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2320.88	42.44	6.07	36.37	54.00	-11.56	237	329	Average	Vertical		
2 *	2478.00	95.46	58.57	36.89	54.00	41.46	237	329	Average	Vertical		
3	2499.10	43.19	6.16	37.03	54.00	-10.81	237	329	Average	Vertical		

SRD_4M

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2341.78	53.01	16.62	36.39	74.00	-20.99	144	347	Peak	Horizontal		
2 *	2406.00	99.76	63.45	36.31	74.00	25.76	144	347	Peak	Horizontal		
3	2483.76	54.61	17.68	36.93	74.00	-19.39	144	347	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2325.44	53.60	17.22	36.38	74.00	-20.40	200	297	Peak	Vertical		
2 *	2406.00	95.42	59.11	36.31	74.00	21.42	200	297	Peak	Vertical		
3	2484.18	53.99	17.05	36.94	74.00	-20.01	200	297	Peak	Vertical		

SRD_4M

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2332.14	42.62	6.23	36.39	54.00	-11.38	144	347	Average	Horizontal		
2 *	2406.00	94.76	58.45	36.31	54.00	40.76	144	347	Average	Horizontal		
3	2498.10	43.21	6.18	37.03	54.00	-10.79	144	347	Average	Horizontal		

Low Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2333.28	42.40	6.01	36.39	54.00	-11.60	200	297	Average	Vertical		
2 *	2406.00	90.57	54.26	36.31	54.00	36.57	200	297	Average	Vertical		
3	2497.29	43.41	6.39	37.02	54.00	-10.59	200	297	Average	Vertical		

SRD_4M

Middle Channel (Horizontal) Peak



Middle Channel (Vertical) Peak




SRD_4M

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2387.38	42.21	5.92	36.29	54.00	-11.79	198	27	Average	Horizontal		
2 *	2440.00	95.01	58.40	36.61	54.00	41.01	198	27	Average	Horizontal		
3	2495.49	43.08	6.07	37.01	54.00	-10.92	198	27	Average	Horizontal		

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2326.44	42.39	6.01	36.38	54.00	-11.61	244	330	Average	Vertical		
2 *	2440.00	92.36	55.75	36.61	54.00	38.36	244	330	Average	Vertical		
3	2488.46	43.19	6.23	36.96	54.00	-10.81	244	330	Average	Vertical		

SRD_4M

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2318.55	53.51	17.14	36.37	74.00	-20.49	200	26	Peak	Horizontal		
2 *	2476.00	101.47	64.59	36.88	74.00	27.47	200	26	Peak	Horizontal		
3	2488.89	53.47	16.51	36.96	74.00	-20.53	200	26	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2344.25	52.88	16.48	36.40	74.00	-21.12	181	201	Peak	Vertical		
2 *	2476.00	96.00	59.12	36.88	74.00	22.00	181	201	Peak	Vertical		
3	2495.58	52.95	15.94	37.01	74.00	-21.05	181	201	Peak	Vertical		

SRD_4M

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



		Freq	Read Level		Limit	Over	APos	TPos	Remark	Pol/Phase	Note
		Hz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1		2318.08	42.47	6.10	36.37	54.00	-11.53	200	26	Average	Horizontal
2	*	2476.00	96.43	59.55	36.68	54.00	42.43	200	26	Average	Horizontal
3		2499.00	43.38	6.35	37.03	54.00	-10.62	200	26	Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Head	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	Hz	dBu/m	dBu	dB/m	dBu/m	dB	cm	deg		
1	2320.17	42.64	6.27	36.37	54.00	-11.36	181	201	Average	Vertical
2	2476.90	41.19	54.31	36.88	54.00	37.19	181	201	Average	Vertical
3	2499.34	93.38	6.34	37.04	54.00	-16.62	181	201	Average	Vertical


Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

Worst Emission

(Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	59.10	30.24	36.53	-6.29	40.00	-9.76	200	110	Peak	Horizontal		
2	158.04	38.67	44.77	-5.90	43.50	-4.63	200	232	Peak	Horizontal		
3	244.37	41.29	48.18	-6.89	46.00	-4.71	100	233	Peak	Horizontal		
4	308.39	34.85	40.24	-5.39	46.00	-11.15	100	253	Peak	Horizontal		
5	849.65	34.71	38.52	4.19	46.00	-11.29	100	35	Peak	Horizontal		
6	943.74	33.96	28.42	5.54	46.00	-12.04	200	133	Peak	Horizontal		

(Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	59.10	30.03	36.32	-6.29	40.00	-9.97	100	250	Peak	Vertical		
2	156.10	32.42	38.52	-6.10	43.50	-11.08	100	360	Peak	Vertical		
3	237.58	36.79	43.82	-7.03	46.00	-9.21	100	338	Peak	Vertical		
4	520.82	32.68	33.60	-0.92	46.00	-13.32	200	189	Peak	Vertical		
5	850.62	34.32	30.10	4.22	46.00	-11.68	100	2	Peak	Vertical		
6	921.43	34.94	29.86	5.08	46.00	-11.06	200	131	Peak	Vertical		

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


SRD_2M

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4885.00	30.99	40.39	-9.40	54.00	-23.01	100	181	Average	Horizontal		
2	4885.00	41.03	50.43	-9.40	74.00	-32.97	100	181	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4885.00	29.72	39.12	-9.40	54.00	-24.28	100	281	Average	Vertical		
2	4885.00	41.62	51.02	-9.40	74.00	-32.38	100	281	Peak	Vertical		

SRD_2M

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4880.00	30.39	39.80	-9.41	54.00	-23.61	180	180	Average	Horizontal		
2	4880.00	40.95	50.36	-9.41	74.00	-33.05	180	180	Peak	Horizontal		

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4880.00	30.18	39.59	-9.41	54.00	-23.82	180	185	Average	Vertical		
2	4880.00	40.90	50.31	-9.41	74.00	-33.10	180	185	Peak	Vertical		


SRD_2M

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	4956.00	29.99	39.11	-9.12	54.00	-24.01	180	196 Average
2	4956.00	41.88	50.20	-9.12	74.00	-32.92	180	196 Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg
1	4956.00	30.75	39.87	-9.12	54.00	-23.25	180	285 Average
2	4956.00	41.85	50.97	-9.12	74.00	-32.15	180	285 Peak


SRD_4M

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4812.00	29.71	39.11	-9.40	54.00	-24.29	100	112	Average	Horizontal		
2	4812.00	40.51	49.91	-9.40	74.00	-33.49	100	112	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4812.00	29.98	39.38	-9.40	54.00	-24.02	100	274	Average	Vertical		
2	4812.00	40.62	50.02	-9.40	74.00	-33.38	100	274	Peak	Vertical		


SRD_4M

Middle Channel (Horizontal)

Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4880.00	29.95	39.36	-9.41	54.00	-24.05	180	276	Average	Horizontal	
2	4880.00	41.29	50.70	-9.41	74.00	-32.71	180	276	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4880.00	29.92	39.33	-9.41	54.00	-24.06	180	250	Average	Vertical	
2	4880.00	41.02	50.43	-9.41	74.00	-32.98	180	250	Peak	Vertical	


SRD_4M

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4952.00	30.05	39.16	-9.11	54.00	-23.95	300	28	Average	Horizontal	
2	4952.00	40.83	49.94	-9.11	74.00	-33.17	300	28	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4952.00	30.18	39.29	-9.11	54.00	-23.82	200	91	Average	Vertical	
2	4952.00	41.41	50.52	-9.11	74.00	-32.59	200	91	Peak	Vertical	

Mains Conducted Emission, TX 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Level	Read	Limit	Over		
	MHz	dBuV	Level Factor	Line	Limit	Remark	Pol/Phase Note
	MHz	dBuV	dB	dBuV	dB		
1	0.17	29.33	19.31	10.02	55.17	-25.84 Average	line1
2	0.17	42.28	32.26	10.02	65.17	-22.89 QP	line1
3	0.30	18.28	8.26	10.02	50.37	-32.09 Average	line1
4	0.30	28.35	18.33	10.02	60.37	-32.02 QP	line1
5	0.51	30.22	20.16	10.06	46.00	-15.78 Average	line1
6	0.51	37.73	27.67	10.06	56.00	-18.27 QP	line1
7	1.98	20.57	10.32	10.25	46.00	-25.43 Average	line1
8	1.98	26.13	15.08	10.25	56.00	-29.07 QP	line1
9	8.13	13.92	3.05	10.87	50.00	-36.00 Average	line1
10	8.13	19.99	9.12	10.87	60.00	-40.01 QP	line1
11	15.85	13.72	2.51	11.21	50.00	-36.28 Average	line1
12	15.85	20.86	9.65	11.21	60.00	-39.14 QP	line1



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read	Limit	Over		
	MHz	dBuV	Level Factor	Line	Limit	Remark	Pol/Phase Note
	MHz	dBuV	dB	dBuV	dB		
1	0.19	20.74	10.73	10.01	53.85	-33.11 Average	neutral
2	0.19	37.69	27.68	10.01	63.85	-26.16 QP	neutral
3	0.51	19.64	9.59	10.05	46.00	-26.36 Average	neutral
4	0.51	27.15	17.10	10.05	56.00	-28.05 QP	neutral
5	1.97	13.08	2.93	10.15	46.00	-32.92 Average	neutral
6	1.97	17.90	7.75	10.15	56.00	-38.10 QP	neutral
7	3.38	10.04	-0.20	10.24	46.00	-35.96 Average	neutral
8	3.38	16.67	6.43	10.24	56.00	-39.33 QP	neutral
9	11.35	13.97	3.18	10.79	50.00	-36.03 Average	neutral
10	11.35	19.17	8.38	10.79	60.00	-40.83 QP	neutral
11	15.69	14.17	3.17	11.00	50.00	-35.83 Average	neutral
12	15.69	20.52	9.52	11.00	60.00	-39.48 QP	neutral

<HXMS262>

Band Edges, 2.31GHz ~ 2.5GHz


SRD_2M

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2384.29	52.49	16.19	36.30	74.00	-21.51	114	168 Peak	Horizontal	
2 *	2404.00	103.31	67.03	36.28	74.00	29.31	114	168 Peak	Horizontal	
3	2488.65	54.12	17.16	36.96	74.00	-19.88	114	168 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2331.23	52.65	16.27	36.38	74.00	-21.35	212	182 Peak	Vertical	
2 *	2404.00	100.19	63.91	36.28	74.00	26.19	212	182 Peak	Vertical	
3	2493.92	53.44	16.44	37.00	74.00	-20.56	212	182 Peak	Vertical	

SRD_2M

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2324.07	39.31	2.93	36.38	54.00	-14.69	114	168	Average	Horizontal		
2 *	2400.00	100.54	64.26	36.28	54.00	46.54	114	168	Average	Horizontal		
3	2498.39	40.30	3.27	37.03	54.00	-13.70	114	168	Average	Horizontal		

Low Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2311.47	39.29	2.92	36.37	54.00	-14.71	212	182	Average	Vertical		
2 *	2400.00	97.25	60.97	36.28	54.00	43.25	212	182	Average	Vertical		
3	2488.03	40.40	3.44	36.96	54.00	-13.60	212	182	Average	Vertical		

SRD_2M

Middle Channel (Horizontal) Peak



Middle Channel (Vertical) Peak




SRD_2M

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2316.56	39.28	2.91	36.37	54.00	-14.72	144	169 Average	Horizontal	
2 *	2440.00	100.06	63.45	36.61	54.00	46.06	144	169 Average	Horizontal	
3	2499.81	40.29	3.25	37.04	54.00	-13.71	144	169 Average	Horizontal	

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2312.57	39.30	2.93	36.37	54.00	-14.70	232	179 Average	Vertical	
2 *	2440.00	98.59	61.98	36.61	54.00	44.59	232	179 Average	Vertical	
3	2489.79	40.15	3.17	36.98	54.00	-13.85	232	179 Average	Vertical	

SRD_2M

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2350.42	53.16	16.76	36.40	74.00	-20.84	122	171	Peak	Horizontal		
2 *	2478.00	103.23	66.34	36.89	74.00	29.23	122	171	Peak	Horizontal		
3	2495.58	53.84	16.83	37.01	74.00	-20.16	122	171	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2379.11	52.47	16.16	36.31	74.00	-21.53	254	185	Peak	Vertical		
2 *	2478.00	101.00	64.91	36.09	74.00	27.00	254	185	Peak	Vertical		
3	2497.63	53.59	16.56	37.03	74.00	-20.41	254	185	Peak	Vertical		

SRD_2M

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2312.57	39.26	2.89	36.37	54.00	-14.74	122	171 Average	Horizontal	
2 *	2478.00	100.39	63.50	36.89	54.00	46.39	122	171 Average	Horizontal	
3	2484.99	40.60	3.66	36.94	54.00	-13.40	122	171 Average	Horizontal	

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2330.09	39.10	2.72	36.38	54.00	-14.90	254	185 Average	Vertical	
2 *	2478.00	98.92	62.03	36.89	54.00	44.92	254	185 Average	Vertical	
3	2492.59	40.24	3.24	37.00	54.00	-13.76	254	185 Average	Vertical	

SRD_4M

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2363.25	52.83	16.46	36.37	74.00	-21.17	113	168	Peak	Horizontal		
2 *	2406.00	103.33	67.02	36.31	74.00	29.33	113	168	Peak	Horizontal		
3	2498.10	52.91	15.88	37.03	74.00	-21.09	113	168	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2388.66	51.75	15.46	36.29	74.00	-22.25	238	184	Peak	Vertical		
2 *	2406.00	101.17	64.86	36.31	74.00	27.17	238	184	Peak	Vertical		
3	2491.40	53.41	16.42	36.99	74.00	-20.59	238	184	Peak	Vertical		

SRD_4M

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2326.77	40.39	4.01	36.38	54.00	-13.61	113	168 Average	Horizontal	
2 *	2406.00	97.30	60.99	36.31	54.00	43.30	113	168 Average	Horizontal	
3	2485.04	40.96	4.02	36.94	54.00	-13.04	113	168 Average	Horizontal	

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2320.12	39.63	3.26	36.37	54.00	-14.37	238	184 Average	Vertical	
2 *	2406.00	94.96	58.65	36.31	54.00	40.96	238	184 Average	Vertical	
3	2497.25	40.35	3.33	37.02	54.00	-13.65	238	184 Average	Vertical	

SRD_4M

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2335.75	52.71	16.32	36.39	74.00	-21.29	122	169	Peak	Horizontal		
2 *	2440.00	102.04	66.23	36.61	74.00	28.04	122	169	Peak	Horizontal		
3	2494.06	52.95	15.95	37.00	74.00	-21.05	122	169	Peak	Horizontal		

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2380.76	52.81	16.53	36.28	74.00	-21.19	231	189	Peak	Vertical		
2 *	2440.00	100.83	64.22	36.61	74.00	26.83	231	189	Peak	Vertical		
3	2490.83	53.49	16.51	36.98	74.00	-20.51	231	189	Peak	Vertical		

SRD_4M

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2346.24	39.66	3.26	36.40	54.00	-14.34	122	169	Average	Horizontal		
2 *	2440.00	96.66	60.05	36.61	54.00	42.66	122	169	Average	Horizontal		
3	2498.43	40.65	3.62	37.03	54.00	-13.35	122	169	Average	Horizontal		

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2377.74	39.78	3.46	36.32	54.00	-14.22	231	189	Average	Vertical		
2 *	2440.00	94.67	58.06	36.61	54.00	40.67	231	189	Average	Vertical		
3	2486.89	40.74	3.79	36.95	54.00	-13.26	231	189	Average	Vertical		

SRD_4M

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2324.16	39.89	3.51	36.38	54.00	-14.11	126	171 Average	Horizontal	
2 *	2476.66	97.15	60.27	36.88	54.00	43.15	126	171 Average	Horizontal	
3	2483.66	40.84	3.91	36.93	54.00	-13.16	126	171 Average	Horizontal	

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2311.81	39.67	3.30	36.37	54.00	-14.33	228	183 Average	Vertical	
2 *	2476.66	94.73	57.85	36.88	54.00	40.73	228	183 Average	Vertical	
3	2487.46	40.91	3.96	36.95	54.00	-13.09	228	183 Average	Vertical	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


Worst Emission

(Horizontal)

(Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	87.23	28.06	40.36	-12.30	40.00	-11.94	100	325	Peak	Horizontal		
2	176.47	35.03	41.43	-6.40	43.50	-8.47	200	193	Peak	Horizontal		
3	219.15	35.80	44.18	-8.38	46.00	-10.20	100	170	Peak	Horizontal		
4	525.67	29.46	30.33	-0.87	46.00	-16.54	100	71	Peak	Horizontal		
5	719.67	34.14	31.57	2.57	46.00	-11.86	144	360	Peak	Horizontal		
6	906.88	35.02	30.04	4.98	46.00	-10.98	100	60	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	85.29	30.96	43.01	-12.05	40.00	-9.04	200	163	Peak	Vertical		
2	180.35	40.27	47.25	-6.98	43.50	-3.23	100	170	Peak	Vertical		
3	239.52	32.75	39.75	-7.00	46.00	-13.25	122	360	Peak	Vertical		
4	487.84	27.80	29.48	-1.68	46.00	-18.20	171	360	Peak	Vertical		
5	720.64	34.25	31.68	2.57	46.00	-11.75	100	170	Peak	Vertical		
6	855.47	34.41	30.08	4.33	46.00	-11.59	100	242	Peak	Vertical		

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


SRD_2M

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4880.00	25.68	35.08	-9.40	54.00	-28.32	200	360	Average	Horizontal		
2	4880.00	39.93	49.33	-9.40	74.00	-34.07	200	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4880.00	26.81	36.21	-9.40	54.00	-27.19	200	310	Average	Vertical		
2	4880.00	40.52	49.92	-9.40	74.00	-33.48	200	310	Peak	Vertical		

SRD_2M

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4880.00	26.98	36.39	-9.41	54.00	-27.02	100	162	Average	Horizontal		
2	4880.00	39.87	49.28	-9.41	74.00	-34.13	100	162	Peak	Horizontal		

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4880.00	26.91	36.32	-9.41	54.00	-27.09	100	151	Average	Vertical		
2	4880.00	50.32	59.73	-9.41	74.00	-23.68	100	151	Peak	Vertical		


SRD_2M

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4956.00	26.36	35.48	-9.12	54.00	-27.64	200		1 Average	Horizontal	
2	4956.00	40.63	49.75	-9.12	74.00	-33.37	200		1 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4956.00	26.74	35.86	-9.12	54.00	-27.26	100		49 Average	Vertical	
2	4956.00	40.57	49.69	-9.12	74.00	-33.43	100		49 Peak	Vertical	


SRD_4M

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4812.00	27.40	36.80	-9.40	54.00	-26.60	150	44	Average	Horizontal	
2	4812.00	40.27	49.67	-9.40	74.00	-33.73	150	44	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4812.00	25.43	34.83	-9.40	54.00	-28.57	150	36	Average	Vertical	
2	4812.00	39.96	49.36	-9.40	74.00	-34.04	150	36	Peak	Vertical	


SRD_4M

Middle Channel (Horizontal)

Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4880.00	27.06	37.27	-9.41	54.00	-26.14	150	215	Average	Horizontal		
2	4880.00	39.90	49.31	-9.41	74.00	-34.10	150	215	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4880.00	26.25	35.66	-9.41	54.00	-27.75	150	243	Average	Vertical		
2	4880.00	39.82	49.23	-9.41	74.00	-34.18	150	243	Peak	Vertical		


SRD_4M

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4952.00	26.31	35.42	-9.11	54.00	-27.69	150	101	Average	Horizontal		
2	4952.00	40.06	49.17	-9.11	74.00	-33.94	150	101	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4952.00	26.52	35.63	-9.11	54.00	-27.48	150	168	Average	Vertical		
2	4952.00	40.01	49.12	-9.11	74.00	-33.99	150	168	Peak	Vertical		