


E-Label Information

1. The information that will be displayed on the e-label and information that will remain in the user manual is shown below:

Information	on E-label	In Manual
FCC ID , IC ID	Yes	No
15.19 statement ("This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.")	No	Yes
Class A/B Digital Device user manual statements	No	Yes

Images of the e-label screen are provided below:



Contains Intel Radio Model AX201D2W

Contains FCC ID: PD9AX201D2

Contains IC: 1000M-AX201D2

SCT: RCPINAX18-2065

CONTIENE MODULO CNC C-22445

CMIIT ID: 2018AJ7553(M)



CCAH18LP3410T5



Complies with
IMDA Standards
DB02941



R003-180233
T180132003

5.15-5.35GHz: Indoor use only
(except communicate to high power radio)



R-C-INT-AX201D2W



Contains WNC Model XRAV-1

Contains FCC ID: NKR-XRAV1

Contains IC: 4441A-XRAV1

ICASA TA-2016/2503
APPROVED



Complies with
IMDA Standards
N4270-16

Z571 (R-NZ only)
CNC ID: H-17374



CCAF16LP1450T0



MSIP-CRM-WM5-XRAV-1

2. Users are able to access the information in no more than three steps in a device's menu.
The actual Steps are: Choose esc or F10 > Advanced > Electronic Labels
No special access codes or permissions are required to go through the above steps beyond entering an user-defined password to protect against unauthorized access to the device.
3. The information is stored on the device, no special accessories or supplemental plug-ins (e.g., a SIM/USIM card) are required to access the information.
Yes.
4. Users are provided specific instructions on how to access the information.
Yes.
5. The above information must be programmed by the responsible party and the information must be secured in such a manner that third-parties cannot modify it.
The e-label information is pre-programmed by the manufacturer. The user cannot modify the e-label formation.
6. When e-labeling is used, a physical temporary label is also required on the product, or a label on the packaging, at the time of importation, marketing, and sales.
The physical label will be on the packaging box.