


## 4.6 Conducted Spurious Emissions

### 4.6.1 Limits of Conducted Spurious Emissions Measurement

The power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) by at least  $55 + 10 \log_{10}(P)$  dB. The limit of emission is equal to -25 dBm.


### 4.6.2 Test Setup



### 4.6.3 Test Procedure

- The EUT makes a phone call to the communication simulator. All measurements were done at low, middle and high operational frequency range.
- Measuring frequency range is from 30 MHz to 26 GHz for LTE Band 7 and from 30 MHz to 27 GHz for LTE Band 41. 10dB attenuation pad is connected with spectrum. RBW=1MHz and VBW=3MHz are used for conducted emission measurement.

#### 4.6.4 Test Results





## LTE Band 7

Channel Bandwidth: 10 MHz

Channel 20800

Frequency Range : 30 MHz ~ 3 GHz



Frequency Range : 3 GHz ~ 26 GHz



## Channel 21100

Frequency Range : 30 MHz ~ 3 GHz



Frequency Range : 3 GHz ~ 26 GHz



## Channel 21400

Frequency Range : 30 MHz ~ 3 GHz

Frequency Range : 3 GHz ~ 26 GHz





## LTE Band 7

Channel Bandwidth: 15 MHz

Channel 20825

Frequency Range : 30 MHz ~ 3 GHz



Frequency Range : 3 GHz ~ 26 GHz



## Channel 21100

Frequency Range : 30 MHz ~ 3 GHz



Frequency Range : 3 GHz ~ 26 GHz



## Channel 21375

Frequency Range : 30 MHz ~ 3 GHz

Frequency Range : 3 GHz ~ 26 GHz





## LTE Band 7

Channel Bandwidth: 20 MHz

Channel 20850

Frequency Range : 30 MHz ~ 3 GHz



Frequency Range : 3 GHz ~ 26 GHz



## Channel 21100

Frequency Range : 30 MHz ~ 3 GHz



Frequency Range : 3 GHz ~ 26 GHz



## Channel 21350

Frequency Range : 30 MHz ~ 3 GHz

Frequency Range : 3 GHz ~ 26 GHz





## LTE Band 38

Channel Bandwidth: 5 MHz

Channel 37775

Frequency Range : 30 MHz ~ 3 GHz



Frequency Range : 3 GHz ~ 27 GHz



## Channel 38000

Frequency Range : 30 MHz ~ 3 GHz



Frequency Range : 3 GHz ~ 27 GHz



## Channel 38225

Frequency Range : 30 MHz ~ 3 GHz

Frequency Range : 3 GHz ~ 27 GHz




## LTE Band 38


Channel Bandwidth: 10 MHz

Channel 37800

Frequency Range : 30 MHz ~ 3 GHz




Frequency Range : 3 GHz ~ 27 GHz




## Channel 38000

Frequency Range : 30 MHz ~ 3 GHz




Frequency Range : 3 GHz ~ 27 GHz




## Channel 38200

Frequency Range : 30 MHz ~ 3 GHz



Frequency Range : 3 GHz ~ 27 GHz





## LTE Band 38

Channel Bandwidth: 15 MHz

Channel 37825

Frequency Range : 30 MHz ~ 3 GHz



Frequency Range : 3 GHz ~ 27 GHz



## Channel 38000

Frequency Range : 30 MHz ~ 3 GHz



Frequency Range : 3 GHz ~ 27 GHz



## Channel 38175

Frequency Range : 30 MHz ~ 3 GHz

Frequency Range : 3 GHz ~ 27 GHz





## LTE Band 38

Channel Bandwidth: 20 MHz

Channel 37850

Frequency Range : 30 MHz ~ 3 GHz



Frequency Range : 3 GHz ~ 27 GHz



## Channel 38000

Frequency Range : 30 MHz ~ 3 GHz



Frequency Range : 3 GHz ~ 27 GHz



## Channel 38150

Frequency Range : 30 MHz ~ 3 GHz

Frequency Range : 3 GHz ~ 27 GHz





## LTE Band 41

Channel Bandwidth: 5 MHz

Channel 39675

Frequency Range : 30 MHz ~ 3 GHz



Frequency Range : 3 GHz ~ 27 GHz



## Channel 40620

Frequency Range : 30 MHz ~ 3 GHz



Frequency Range : 3 GHz ~ 27 GHz



## Channel 41565

Frequency Range : 30 MHz ~ 3 GHz

Frequency Range : 3 GHz ~ 27 GHz





## LTE Band 41

Channel Bandwidth: 10 MHz

Channel 39700

Frequency Range : 30 MHz ~ 3 GHz



Frequency Range : 3 GHz ~ 27 GHz



## Channel 40620

Frequency Range : 30 MHz ~ 3 GHz



Frequency Range : 3 GHz ~ 27 GHz



## Channel 41540

Frequency Range : 30 MHz ~ 3 GHz

Frequency Range : 3 GHz ~ 27 GHz





## LTE Band 41

Channel Bandwidth: 15 MHz

Channel 39725

Frequency Range : 30 MHz ~ 3 GHz



Frequency Range : 3 GHz ~ 27 GHz



## Channel 40620

Frequency Range : 30 MHz ~ 3 GHz



Frequency Range : 3 GHz ~ 27 GHz



## Channel 41515

Frequency Range : 30 MHz ~ 3 GHz

Frequency Range : 3 GHz ~ 27 GHz





## LTE Band 41

Channel Bandwidth: 20 MHz

Channel 39750

Frequency Range : 30 MHz ~ 3 GHz



Frequency Range : 3 GHz ~ 27 GHz



## Channel 40620

Frequency Range : 30 MHz ~ 3 GHz



Frequency Range : 3 GHz ~ 27 GHz



## Channel 41490

Frequency Range : 30 MHz ~ 3 GHz

Frequency Range : 3 GHz ~ 27 GHz



## 4.7 Radiated Emission Measurement

### 4.7.1 Limits of Radiated Emission Measurement

The power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) by at least  $55 + 10 \log_{10}(P)$  dB. The limit of emission is equal to -25 dBm.

### 4.7.2 Test Procedure


- Substitution method is used for E.I.R.P measurement. In the semi-anechoic chamber, EUT placed on the 0.8 m height of Turn Table, rotated the table around 360 degrees to search the maximum radiation power and receiver antenna shall be rotated vertical and horizontal polarization and moved height from 1 m to 4 m to find the maximum polar radiated power. The "Read Value" is the spectrum reading the maximum power value.
- The substitution horn antenna is substituted for EUT at the same position and signals generator export the CW signal to the substitution antenna via a TX cable. Rotated the Turn Table and moved receiving antenna to find the maximum radiation power. Adjust output power level of S.G to get a Value of spectrum reading equal to "Read Value" of step a. Record the power level of S.G.
- EIRP = Output power level of S.G – TX cable loss + Antenna gain of substitution horn.
- E.R.P power can be calculated form E.I.R.P power by subtracting the gain of dipole, E.R.P power = E.I.P.R power - 2.15 dBi.

**NOTE:** The resolution bandwidth of spectrum analyzer is 1 MHz and the video bandwidth is 3 MHz.

### 4.7.3 Deviation from Test Standard

No deviation.

### 4.7.4 Test Setup



For the actual test configuration, please refer to the attached file (Test Setup Photo).

#### 4.7.5 Test Results

##### LTE Band 7

Channel Bandwidth: 20 MHz / QPSK


##### Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5



Site : 966 Chamber 5

Condition: PART 27(B7) HORIZONTAL

Remak : LTE Band 7 QPSK\_20M\_L-CH Link

Tested by: Gavin Wu


|              |        | Read   | Limit  | Over   |        |        |
|--------------|--------|--------|--------|--------|--------|--------|
| Freq         | Level  | Level  | Line   | Limit  | Factor | Remark |
| MHz          | dBm    | dBm    | dBm    | dB     | dB     |        |
| 1 pp 5020.00 | -51.76 | -48.53 | -25.00 | -26.76 | -3.23  | Peak   |



# Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 6



Site : 966 Chamber 5

Condition: PART 27(B7) VERTICAL

Remak : LTE Band 7 QPSK\_20M\_L-CH Link

Tested by: Gavin Wu

| Freq         | Level  | Read Level | Limit Line | Over Limit | Factor | Remark |
|--------------|--------|------------|------------|------------|--------|--------|
| MHz          | dBm    | dBm        | dBm        | dB         | dB     |        |
| 1 pp 5020.00 | -51.96 | -48.73     | -25.00     | -26.96     | -3.23  | Peak   |


## Middle Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5



Site : 966 Chamber 5

Condition: PART 27(B7) HORIZONTAL

Remak : LTE Band 7 QPSK\_20M\_M-CH Link

Tested by: Gavin Wu


|              |        | Read   | Limit  | Over   |        |        |
|--------------|--------|--------|--------|--------|--------|--------|
| Freq         | Level  | Level  | Line   | Limit  | Factor | Remark |
| MHz          | dBm    | dBm    | dBm    | dB     | dB     |        |
| 1 pp 5070.00 | -51.28 | -48.16 | -25.00 | -26.28 | -3.12  | Peak   |



# Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 6



Site : 966 Chamber 5

Condition: PART 27(B7) VERTICAL

Remak : LTE Band 7 QPSK\_20M\_M-CH Link

Tested by: Gavin Wu

|              |        | Read   | Limit  | Over   |        |        |
|--------------|--------|--------|--------|--------|--------|--------|
| Freq         | Level  | Level  | Line   | Limit  | Factor | Remark |
| MHz          | dBm    | dBm    | dBm    | dB     | dB     |        |
| 1 pp 5070.00 | -51.61 | -48.49 | -25.00 | -26.61 | -3.12  | Peak   |


## High Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 7



Site : 966 Chamber 5  
 Condition: PART 27(B7) HORIZONTAL  
 Remak : LTE Band 7 QPSK\_20M\_H-CH Link  
 Tested by: Gavin Wu


|      |         |        | Read   | Limit  | Over   |        |        |
|------|---------|--------|--------|--------|--------|--------|--------|
|      | Freq    | Level  | Level  | Line   | Limit  | Factor | Remark |
|      | MHz     | dBm    | dBm    | dBm    | dB     | dB     |        |
| 1    | 42.61   | -60.13 | -59.19 | -25.00 | -35.13 | -0.94  | Peak   |
| 2 pp | 235.64  | -46.61 | -40.03 | -25.00 | -21.61 | -6.58  | Peak   |
| 3    | 300.63  | -57.33 | -50.33 | -25.00 | -32.33 | -7.00  | Peak   |
| 4    | 338.46  | -60.20 | -53.78 | -25.00 | -35.20 | -6.42  | Peak   |
| 5    | 448.07  | -63.26 | -57.69 | -25.00 | -38.26 | -5.57  | Peak   |
| 6    | 576.11  | -63.32 | -61.56 | -25.00 | -38.32 | -1.76  | Peak   |
| 7    | 5120.00 | -50.68 | -47.67 | -25.00 | -25.68 | -3.01  | Peak   |



# Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 8



Site : 966 Chamber 5

Condition: PART 27(B7) VERTICAL

Remak : LTE Band 7 QPSK\_20M\_H-CH Link

Tested by: Gavin Wu

|      | Freq    | Level  | Read Level | Limit Line | Over Limit | Factor | Remark |
|------|---------|--------|------------|------------|------------|--------|--------|
|      | MHz     | dBm    | dBm        | dBm        | dB         | dB     |        |
| 1 pp | 41.64   | -49.29 | -48.88     | -25.00     | -24.29     | -0.41  | Peak   |
| 2    | 207.51  | -52.18 | -44.47     | -25.00     | -27.18     | -7.71  | Peak   |
| 3    | 232.73  | -53.43 | -46.73     | -25.00     | -28.43     | -6.70  | Peak   |
| 4    | 402.48  | -58.65 | -52.72     | -25.00     | -33.65     | -5.93  | Peak   |
| 5    | 460.68  | -59.43 | -54.08     | -25.00     | -34.43     | -5.35  | Peak   |
| 6    | 546.04  | -60.76 | -57.77     | -25.00     | -35.76     | -2.99  | Peak   |
| 7    | 5120.00 | -50.63 | -47.62     | -25.00     | -25.63     | -3.01  | Peak   |


LTE Band 38  
Channel Bandwidth: 20 MHz / QPSK  
Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5



Site : 966 Chamber 5  
Condition: PART 27(B38) HORIZONTAL  
Remak : LTE Band 38 QPSK\_20M\_L-CH Link  
Tested by: Getaz Yang


| Freq         | Level  | Read   | Limit  | Over   | Factor | Remark |
|--------------|--------|--------|--------|--------|--------|--------|
|              |        | Level  | Line   | Limit  |        |        |
| MHz          | dBm    | dBm    | dBm    | dB     | dB     |        |
| 1 pp 5160.00 | -50.11 | -47.18 | -25.00 | -25.11 | -2.93  | Peak   |



# Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 6



Site : 966 Chamber 5

Condition: PART 27(B38) VERTICAL

Remak : LTE Band 38 QPSK\_20M\_L-CH Link

Tested by: Getaz Yang

|              |        | Read   | Limit  | Over   |        |        |
|--------------|--------|--------|--------|--------|--------|--------|
| Freq         | Level  | Level  | Line   | Limit  | Factor | Remark |
| MHz          | dBm    | dBm    | dBm    | dB     | dB     |        |
| 1 pp 5160.00 | -49.87 | -46.94 | -25.00 | -24.87 | -2.93  | Peak   |


## Middle Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 7



Site : 966 Chamber 5

Condition: PART 27(B38) HORIZONTAL

Remak : LTE Band 38 QPSK\_20M\_M-CH Link

Tested by: Getaz Yang


|      |         |        | Read   | Limit  | Over   |        |        |
|------|---------|--------|--------|--------|--------|--------|--------|
|      | Freq    | Level  | Level  | Line   | Limit  | Factor | Remark |
|      | MHz     | dBm    | dBm    | dBm    | dB     | dB     |        |
| 1    | 41.64   | -55.33 | -54.92 | -13.00 | -42.33 | -0.41  | Peak   |
| 2    | 46.49   | -65.31 | -62.31 | -13.00 | -52.31 | -3.00  | Peak   |
| 3    | 114.39  | -61.02 | -50.91 | -13.00 | -48.02 | -10.11 | Peak   |
| 4    | 221.09  | -45.01 | -37.85 | -13.00 | -32.01 | -7.16  | Peak   |
| 5    | 269.59  | -49.60 | -43.21 | -13.00 | -36.60 | -6.39  | Peak   |
| 6    | 444.19  | -62.55 | -56.95 | -13.00 | -49.55 | -5.60  | Peak   |
| 7 pp | 5190.00 | -50.22 | -47.36 | -25.00 | -25.22 | -2.86  | Peak   |



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 8



Site : 966 Chamber 5

Condition: PART 27(B38) VERTICAL

Remak : LTE Band 38 QPSK\_20M\_M-CH Link

Tested by: Getaz Yang

|      | Freq    | Level  | Read Level | Limit Line | Over Limit | Factor | Remark |
|------|---------|--------|------------|------------|------------|--------|--------|
|      | MHz     | dBm    | dBm        | dBm        | dB         | dB     |        |
| 1    | 46.49   | -41.41 | -38.41     | -13.00     | -28.41     | -3.00  | Peak   |
| 2    | 206.54  | -44.74 | -36.99     | -13.00     | -31.74     | -7.75  | Peak   |
| 3    | 215.27  | -44.38 | -36.98     | -13.00     | -31.38     | -7.40  | Peak   |
| 4    | 271.53  | -54.99 | -48.56     | -13.00     | -41.99     | -6.43  | Peak   |
| 5    | 402.48  | -57.27 | -51.34     | -13.00     | -44.27     | -5.93  | Peak   |
| 6    | 733.25  | -60.36 | -60.91     | -13.00     | -47.36     | 0.55   | Peak   |
| 7 pp | 5190.00 | -49.43 | -46.57     | -25.00     | -24.43     | -2.86  | Peak   |


# High Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5



Site : 966 Chamber 5  
Condition: PART 27(B38) HORIZONTAL  
Remak : LTE Band 38 QPSK\_20M\_H-CH Link  
Tested by: Getaz Yang


|              |        | Read   | Limit  | Over   |        |        |
|--------------|--------|--------|--------|--------|--------|--------|
| Freq         | Level  | Level  | Line   | Limit  | Factor | Remark |
| MHz          | dBm    | dBm    | dBm    | dB     | dB     |        |
| 1 pp 5220.00 | -50.76 | -48.00 | -25.00 | -25.76 | -2.76  | Peak   |



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 6



Site : 966 Chamber 5

Condition: PART 27(B38) VERTICAL

Remak : LTE Band 38 QPSK\_20M\_H-CH Link

Tested by: Getaz Yang

|              |        | Read   | Limit  | Over   |        |        |
|--------------|--------|--------|--------|--------|--------|--------|
| Freq         | Level  | Level  | Line   | Limit  | Factor | Remark |
| MHz          | dBm    | dBm    | dBm    | dB     | dB     |        |
| 1 pp 5220.00 | -49.88 | -47.12 | -25.00 | -24.88 | -2.76  | Peak   |


LTE Band 41  
Channel Bandwidth: 20 MHz / QPSK  
Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5



Site : 966 Chamber 5  
Condition: PART 27(B41) HORIZONTAL  
Remak : LTE Band 41 QPSK\_20M\_L-CH Link  
Tested by: Getaz Yang


|      |          |        | Read   | Limit  | Over   |        |        |
|------|----------|--------|--------|--------|--------|--------|--------|
|      | Freq     | Level  | Level  | Line   | Limit  | Factor | Remark |
|      | MHz      | dBm    | dBm    | dBm    | dB     | dB     |        |
| 1    | 5012.00  | -50.71 | -47.48 | -25.00 | -25.71 | -3.23  | Peak   |
| 2    | 7518.00  | -41.73 | -47.32 | -25.00 | -16.73 | 5.59   | Peak   |
| 3 pp | 10024.00 | -34.20 | -43.13 | -25.00 | -9.20  | 8.93   | Peak   |



# Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 6



Site : 966 Chamber 5

Condition: PART 27(B41) VERTICAL

Remak : LTE Band 41 QPSK\_20M\_L-CH Link

Tested by: Getaz Yang

|      | Freq     | Level  | Read Level | Limit Line | Over Limit | Factor | Remark |
|------|----------|--------|------------|------------|------------|--------|--------|
|      | MHz      | dBm    | dBm        | dBm        | dB         | dB     |        |
| 1    | 5012.00  | -49.47 | -46.24     | -25.00     | -24.47     | -3.23  | Peak   |
| 2 pp | 7518.00  | -35.84 | -41.43     | -25.00     | -10.84     | 5.59   | Peak   |
| 3    | 10024.00 | -37.77 | -46.70     | -25.00     | -12.77     | 8.93   | Peak   |


## Middle Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5



Site : 966 Chamber 5

Condition: PART 27(B41) HORIZONTAL

Remak : LTE Band 41 QPSK\_20M\_M-CH Link

Tested by: Getaz Yang

|      |          |        | Read   | Limit  | Over   |        |        |
|------|----------|--------|--------|--------|--------|--------|--------|
|      | Freq     | Level  | Level  | Line   | Limit  | Factor | Remark |
|      | MHz      | dBm    | dBm    | dBm    | dB     | dB     |        |
| 1    | 5186.00  | -50.79 | -47.93 | -25.00 | -25.79 | -2.86  | Peak   |
| 2 pp | 7779.00  | -37.82 | -42.94 | -25.00 | -12.82 | 5.12   | Peak   |
| 3    | 10372.00 | -40.84 | -49.17 | -25.00 | -15.84 | 8.33   | Peak   |




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 6

Date: 2017-01-17



Site : 966 Chamber 5

Condition: PART 27(B41) VERTICAL

Remak : LTE Band 41 QPSK\_20M\_M-CH Link

Tested by: Getaz Yang

|      | Freq     | Level  | Read Level | Limit Line | Over Limit | Factor | Remark |
|------|----------|--------|------------|------------|------------|--------|--------|
|      | MHz      | dBm    | dBm        | dBm        | dB         | dB     |        |
| 1    | 5186.00  | -47.95 | -45.09     | -25.00     | -22.95     | -2.86  | Peak   |
| 2 pp | 7779.00  | -33.08 | -38.20     | -25.00     | -8.08      | 5.12   | Peak   |
| 3    | 10372.00 | -39.99 | -48.32     | -25.00     | -14.99     | 8.33   | Peak   |


## High Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 9



Site : 966 Chamber 5  
Condition: PART 27(B41) HORIZONTAL  
Remak : LTE Band 41 QPSK\_20M\_H-CH Link  
Tested by: Getaz Yang


|      |          |        | Read   | Limit  | Over   |        |        |
|------|----------|--------|--------|--------|--------|--------|--------|
|      | Freq     | Level  | Level  | Line   | Limit  | Factor | Remark |
|      | MHz      | dBm    | dBm    | dBm    | dB     | dB     |        |
| 1    | 40.80    | -59.65 | -59.77 | -25.00 | -34.65 | 0.12   | Peak   |
| 2    | 206.58   | -46.97 | -39.22 | -25.00 | -21.97 | -7.75  | Peak   |
| 3    | 234.12   | -46.55 | -39.89 | -25.00 | -21.55 | -6.66  | Peak   |
| 4    | 304.20   | -58.73 | -51.79 | -25.00 | -33.73 | -6.94  | Peak   |
| 5    | 400.10   | -61.78 | -55.84 | -25.00 | -36.78 | -5.94  | Peak   |
| 6    | 707.40   | -60.96 | -61.00 | -25.00 | -35.96 | 0.04   | Peak   |
| 7    | 5360.00  | -50.19 | -48.19 | -25.00 | -25.19 | -2.00  | Peak   |
| 8 pp | 8040.00  | -36.46 | -42.36 | -25.00 | -11.46 | 5.90   | Peak   |
| 9    | 10720.00 | -40.46 | -48.64 | -25.00 | -15.46 | 8.18   | Peak   |



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 10



Site : 966 Chamber 5

Condition: PART 27(B41) VERTICAL

Remak : LTE Band 41 QPSK\_20M\_H-CH Link

Tested by: Getaz Yang

|      | Freq     | Level  | Read Level | Limit Line | Over Limit | Factor | Remark |
|------|----------|--------|------------|------------|------------|--------|--------|
|      | MHz      | dBm    | dBm        | dBm        | dB         | dB     |        |
| 1    | 41.34    | -50.10 | -49.69     | -25.00     | -25.10     | -0.41  | Peak   |
| 2    | 206.85   | -51.92 | -44.17     | -25.00     | -26.92     | -7.75  | Peak   |
| 3    | 265.44   | -59.07 | -52.76     | -25.00     | -34.07     | -6.31  | Peak   |
| 4    | 365.80   | -60.40 | -54.25     | -25.00     | -35.40     | -6.15  | Peak   |
| 5    | 455.40   | -59.63 | -54.19     | -25.00     | -34.63     | -5.44  | Peak   |
| 6    | 554.80   | -60.30 | -57.65     | -25.00     | -35.30     | -2.65  | Peak   |
| 7    | 5360.00  | -45.88 | -43.88     | -25.00     | -20.88     | -2.00  | Peak   |
| 8 pp | 8040.00  | -30.68 | -36.58     | -25.00     | -5.68      | 5.90   | Peak   |
| 9    | 10720.00 | -39.56 | -47.74     | -25.00     | -14.56     | 8.18   | Peak   |

## 5 Pictures of Test Arrangements

Please refer to the attached file (Test Setup Photo).

## Appendix – Information on the Testing Laboratories

We, Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch, were founded in 1988 to provide our best service in EMC, Radio, Telecom and Safety consultation. Our laboratories are accredited and approved according to ISO/IEC 17025.

If you have any comments, please feel free to contact us at the following:

**Linko EMC/RF Lab**

Tel: 886-2-26052180

Fax: 886-2-26051924

**Hsin Chu EMC/RF/Telecom Lab**

Tel: 886-3-6668565

Fax: 886-3-6668323

**Hwa Ya EMC/RF/Safety**

Tel: 886-3-3183232

Fax: 886-3-3270892

**Email:** [service.adt@tw.bureauveritas.com](mailto:service.adt@tw.bureauveritas.com)

**Web Site:** [www.bureauveritas-adt.com](http://www.bureauveritas-adt.com)

The address and road map of all our labs can be found in our web site also.

--- END ---