


Annex F. Photographs

F.1 Test Samples



Sample Front 210825-03.S02




Sample Back 210825-03.S02



Sample Laptop 210825-03.S02




Sample Front 210825-03.S06  A photograph of the front of a silver laptop lid. A black ruler is placed horizontally above the lid. The lid features a black Intel logo, the handwritten text "#6", a green label with "HB", and a small white label with "RQA". A larger white label with technical specifications is in the top right corner.	Sample Back 210825-03.S06  A photograph of the back of a silver laptop lid. A black ruler is placed horizontally above the lid. The back features a large rectangular ventilation grille, a small Intel logo, and several yellow labels with handwritten text: "A1", "A2", "A3", "A4", "A5", "A6", "A7", "A8", "A9", "A10", "A11", "A12", "A13", "A14", "A15", "A16", "A17", "A18", "A19", "A20", "A21", "A22", "A23", "A24", "A25", "A26", "A27", "A28", "A29", "A30", "A31", "A32", "A33", "A34", "A35", "A36", "A37", "A38", "A39", "A40", "A41", "A42", "A43", "A44", "A45", "A46", "A47", "A48", "A49", "A50", "A51", "A52", "A53", "A54", "A55", "A56", "A57", "A58", "A59", "A60", "A61", "A62", "A63", "A64", "A65", "A66", "A67", "A68", "A69", "A70", "A71", "A72", "A73", "A74", "A75", "A76", "A77", "A78", "A79", "A80", "A81", "A82", "A83", "A84", "A85", "A86", "A87", "A88", "A89", "A90", "A91", "A92", "A93", "A94", "A95", "A96", "A97", "A98", "A99", "A100".
Sample Laptop 210825-03.S06  A photograph of an open silver laptop. A black ruler is placed horizontally to the left of the laptop. The laptop has a black keyboard, a silver trackpad, and a silver touchpad. A yellow label with handwritten text is on the bottom left of the keyboard area. A small white label with "RQA" is on the bottom right of the trackpad area.	

F.2 Test positions

Laptop




Laptop – Side view




F.3 Antenna host platform location and adjacent edge positions relative to the body

All information (diagrams, values and dimensions) in this section were provided by the manufacturer




F.4 Phantom liquid level during measurements

ELI phantom Body liquid SAR Dasy SPEAG MBL600-6000V6 Batch - 160603-01



ELI phantom Body liquid SAR Dasy SPEAG MBL600-6000V6 Batch - 160630-01



End of the report

This page is intentionally left blank and marks the last page of the test report.