

Ant5 Dimensioned Drawing:


Technical drawing of a cable assembly with dimensions and labels:

- YELLOW TRANSPARENT TUBE**
LENGTH: 10+4
單邊封口
- RED LABEL 12*4**
對貼 (3) (3)
- 1.13-H1.4**
I-pex NGFF
- 10±2**
- *430±2**
(*429±2)
- LENGTH: 435.5±2**
DIAMETER: Ø1.13
COLOR: BLACK
LOW LOSS
限用 PE CABLE
- 13.1**
- 21.0**
- 23.5**
(3)
- 35.0**
- CU**
- PRINT OF INK**
- 7**
- 58.85**
- TAPE**
- PCB**
- A**
- 此處Hotbar 高度0.5Max**


Example




Ant7 Dimensioned Drawing:




Ant7 Photo:



Ant8 Dimensioned Drawing:




Ant8 Photo:



Section 4. Host Platform Information

OEM / ODM Host platform:


Rating Label Photo:



Section 5. Antenna Host Platform Location Information



Include a **dimensioned photo(s) or dimensioned drawing(s)** of Ant5,Ant6,Ant7,Ant8 placements (measurements are not required for receive-only antenna).

Any antenna that transmits must show dimensions to bottom of laptop. Provide a description of the materials that are used for supporting or surrounding transmit antennas; for example, non-conductive plastics vs. conductive coated plastic or metallic materials.



Section 6. Antenna dimensional information for SAR evaluation

Include a **dimensioned photo(s) or dimensioned drawing(s)** showing the distance (mm) between the transmit antennas and the user (excluding hands, wrist, feet, and ankle). For notebook/laptop hosts show lapheld position (example below). For tablet hosts show all orientations including lapheld, primary & secondary portrait, primary & secondary landscape positions. Include a description of any proximity sensors or power throttling implementations that limit or exclude use of any host orientation.



Section 7. Diagram Example of Co-Location Antenna Separation

Include a **dimensioned photo or dimensioned drawing** showing the distance (mm) between **all WLAN transmit antennas** and other co-located radiator transmit antenna such as Bluetooth, WWAN,..

