





LTE Band 48C / 20MHz+15MHz

QPSK

Lowest Channel / 1RB0 and 1RB74




Date: 7.DEC.2025 22:02:22




Date: 8.DEC.2025 03:35:49

Middle Channel / 1RB0 and 1RB74




Date: 7.DEC.2025 22:03:56




Date: 8.DEC.2025 03:37:23

Highest Channel / 1RB0 and 1RB74



Date: 7.DEC.2025 22:08:34





Date: 8.DEC.2025 03:42:02





LTE Band 48C / 20MHz+15MHz

QPSK



Lowest Channel / 1RB99 and 1RB0



Middle Channel / 1RB99 and 1RB0



Highest Channel / 1RB99 and 1RB0







LTE Band 48C / 20MHz+20MHz

QPSK

Lowest Channel / 1RB0 and 1RB99




Date: 5.DEC.2025 03:25:54




Date: 8.DEC.2025 03:43:36

MiddleChannel / 1RB0 and 1RB99




Date: 5.DEC.2025 03:27:32




Date: 8.DEC.2025 03:48:11

Highest Channel / 1RB0 and 1RB99



Date: 5.DEC.2025 03:32:22




Date: 8.DEC.2025 03:49:46




LTE Band 48C / 20MHz+20MHz

QPSK

Lowest Channel / 1RB99 and 1RB0




Date: 5.DEC.2025 03:24:21




Date: 8.DEC.2025 03:45:06

Middle Channel / 1RB99 and 1RB0




Date: 5.DEC.2025 03:29:09




Date: 8.DEC.2025 03:46:41

Highest Channel / 1RB99 and 1RB0



Date: 5.DEC.2025 03:30:50



Date: 8.DEC.2025 03:51:19



Appendix B. Radiated Spurious Emission Test Data

Test Engineer :	Tim Lee, Wilson Wu, and Gerry Wei	Relative Humidity(%):	50 ~ 60
		Temperature(°C):	20 ~ 25

B1. Summary of each worse mode

Mode	Part	Band	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	AmplCbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
1	Part 96	LTE B48	L	14204	-53.62	RMS	40.99	-47.99	0.05	-95.23	48.56	-40.00	-13.62	H	PIFA3_ANT0
2	Part 96	EN-DC B48 +N5	H	7362	-46.77	RMS	37.05	-53.19	0.42	-95.23	64.18	-40.00	-6.77	H	PIFA3+4_ANT2+0
3	Part 96	LTE CA 48B	M	14500	-53.44	RMS	40.80	-47.42	0.05	-95.23	48.35	-40.00	-13.44	H	PIFA3_ANT0
4	Part 96	LTE CA 48C	M	14496	-53.61	RMS	40.78	-47.43	0.05	-95.23	48.22	-40.00	-13.61	H	PIFA3_ANT0




Ant. PIFA3_ANT0

Part 96 Mode 1

LTE B48 20M Ch55340 1RB0 QPSK

L




Site : 03CH12-HY

Condition: PART 96 LIMIT -40 1m SHF_00994_250109 Horizontal

: LTE Band 48 20M Ch55340 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	7102.00	-56.18	RMS	36.61	-53.35	0.82	-95.23	54.97	-40.00	-16.18 Horizontal
2	10653.00	-57.25	RMS	39.20	-51.73	0.19	-95.23	50.32	-40.00	-17.25 Horizontal
3	14204.00	-53.62	RMS	40.99	-47.99	0.05	-95.23	48.56	-40.00	-13.62 Horizontal



Site : 03CH12-HY

Condition: PART 96 LIMIT -40 1m SHF_00994_250109 Vertical

: LTE Band 48 20M Ch55340 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	7102.00	-56.70	RMS	36.61	-53.35	0.82	-95.23	54.45	-40.00	-16.70 Vertical
2	10653.00	-57.45	RMS	39.20	-51.73	0.19	-95.23	50.12	-40.00	-17.45 Vertical
3	14204.00	-53.67	RMS	40.99	-47.99	0.05	-95.23	48.51	-40.00	-13.67 Vertical




Ant. PIFA3_ANT0

Part 96 Mode 1

LTE B48 20M Ch55990 1RB0 QPSK

M




Site : 03CH12-HY

Condition: PART 96 LIMIT -40 1m SHF_00994_250109 Horizontal

: LTE Band 48 20M Ch55990 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1						
1	7232.00	-58.91	RMS								
2	10848.00	-55.96	RMS								
3	14464.00	-53.90	RMS								



Site : 03CH12-HY

Condition: PART 96 LIMIT -40 1m SHF_00994_250109 Vertical

: LTE Band 48 20M Ch55990 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1						
1	7232.00	-58.31	RMS								
2	10848.00	-56.22	RMS								
3	14464.00	-53.85	RMS								




Ant. PIFA3_ANT0

Part 96 Mode 1

LTE B48 20M Ch56640 1RB0 QPSK

H




Site : 03CH12-HY

Condition: PART 96 LIMIT -40 1m SHF_00994_250109 Horizontal

: LTE Band 48 20M Ch56640 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7362.00	-57.62	RMS	37.05	-53.19	0.42	-95.23	53.33	-40.00	-17.62 Horizontal
2	11043.00	-56.77	RMS	38.99	-51.20	0.22	-95.23	50.45	-40.00	-16.77 Horizontal
3	14724.00	-54.19	RMS	40.45	-47.83	0.06	-95.23	48.36	-40.00	-14.19 Horizontal



Site : 03CH12-HY

Condition: PART 96 LIMIT -40 1m SHF_00994_250109 Vertical

: LTE Band 48 20M Ch56640 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7362.00	-57.31	RMS	37.05	-53.19	0.42	-95.23	53.64	-40.00	-17.31 Vertical
2	11043.00	-56.26	RMS	38.99	-51.20	0.22	-95.23	50.96	-40.00	-16.26 Vertical
3	14724.00	-54.59	RMS	40.45	-47.83	0.06	-95.23	47.96	-40.00	-14.59 Vertical




Ant. PIFA3_ANT0

Part 96 Mode 3

LTE CA 48B 10M + 10M Ch55290 1RB49 QPSK + Ch55389 1RB0 QPSK

L




Site : 03CH12-HY

Condition: PART 96 LIMIT -40 3m 9120D-02114-250702 Horizontal

: LTE Band 48 10M Ch55290 1RB49 QPSK

: LTE Band 48 10M Ch55389 1RB0 QPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB		dB	dB		dBuV	dBm	dB	
1	7119.00	-59.52	RMS		36.71	-53.34	0.80	-95.23		51.54	-40.00	-19.52	Horizontal	
2	10678.00	-57.25	RMS		39.20	-51.70	0.19	-95.23		50.29	-40.00	-17.25	Horizontal	
3	14237.00	-53.93	RMS		40.93	-47.92	0.05	-95.23		48.24	-40.00	-13.93	Horizontal	



Site : 03CH12-HY

Condition: PART 96 LIMIT -40 3m 9120D-02114-250702 Vertical

: LTE Band 48 10M Ch55290 1RB49 QPSK

: LTE Band 48 10M Ch55389 1RB0 QPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB		dB	dB		dBuV	dBm	dB	
1	7119.00	-59.39	RMS		36.71	-53.34	0.80	-95.23		51.67	-40.00	-19.39	Vertical	
2	10678.00	-56.69	RMS		39.20	-51.70	0.19	-95.23		50.85	-40.00	-16.69	Vertical	
3	14237.00	-53.91	RMS		40.93	-47.92	0.05	-95.23		48.26	-40.00	-13.91	Vertical	




Ant. PIFA3_ANT0

Part 96 Mode 3

LTE CA 48B 10M + 10M Ch55945 1RB49 QPSK + Ch56044 1RB0 QPSK

M




Site : 03CH12-HY

Condition: PART 96 LIMIT -40 3m 9120D-02114-250702 Horizontal

: LTE Band 48 10M Ch55945 1RB49 QPSK

: LTE Band 48 10M Ch56044 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	Amp\Cb		1						
	MHz	dBm											
1	7250.00	-59.24	RMS	37.10	-53.26	0.62	-95.23		51.53	-40.00	-19.24		Horizontal
2	10875.00	-56.19	RMS	39.00	-51.44	0.21	-95.23		51.27	-40.00	-16.19		Horizontal
3	14500.00	-53.44	RMS	40.80	-47.42	0.05	-95.23		48.35	-40.00	-13.44		Horizontal



Site : 03CH12-HY

Condition: PART 96 LIMIT -40 3m 9120D-02114-250702 Vertical

: LTE Band 48 10M Ch55945 1RB49 QPSK

: LTE Band 48 10M Ch56044 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	Amp\Cb		1						
	MHz	dBm											
1	7250.00	-59.49	RMS	37.10	-53.26	0.62	-95.23		51.28	-40.00	-19.49		Vertical
2	10875.00	-55.59	RMS	39.00	-51.44	0.21	-95.23		51.87	-40.00	-15.59		Vertical
3	14500.00	-53.80	RMS	40.80	-47.42	0.05	-95.23		47.99	-40.00	-13.80		Vertical




Ant. PIFA3_ANT0

Part 96 Mode 3

LTE CA 48B 10M + 10M Ch56591 1RB49 QPSK + Ch56690 1RB0 QPSK

H




Site : 03CH12-HY

Condition: PART 96 LIMIT -40 3m 9120D-02114-250702 Horizontal

: LTE Band 48 10M Ch56591 1RB49 QPSK

: LTE Band 48 10M Ch56690 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin Pol	
	MHz	dBm		Factor	dB	dB	dB	dBuV	dBm	dB	
1	7379.00	-58.60	RMS	36.98	-53.18	0.40	-95.23	52.43	-40.00	-18.60	Horizontal
2	11068.00	-56.84	RMS	39.04	-51.16	0.23	-95.23	50.28	-40.00	-16.84	Horizontal
3	14758.00	-54.57	RMS	40.43	-47.89	0.06	-95.23	48.06	-40.00	-14.57	Horizontal



Site : 03CH12-HY

Condition: PART 96 LIMIT -40 3m 9120D-02114-250702 Vertical

: LTE Band 48 10M Ch56591 1RB49 QPSK

: LTE Band 48 10M Ch56690 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin Pol	
	MHz	dBm		Factor	dB	dB	dB	dBuV	dBm	dB	
1	7379.00	-58.65	RMS	36.98	-53.18	0.40	-95.23	52.38	-40.00	-18.65	Vertical
2	11068.00	-56.84	RMS	39.04	-51.16	0.23	-95.23	50.28	-40.00	-16.84	Vertical
3	14758.00	-54.65	RMS	40.43	-47.89	0.06	-95.23	47.98	-40.00	-14.65	Vertical




Ant. PIFA3_ANT0

Part 96 Mode 4

LTE CA 48C 20M + 20M Ch55340 1RB99 QPSK + Ch55538 1RB0 QPSK

L




Site : 03CH12-HY

Condition: PART 96 LIMIT -40 3m 9120D-02114-250702 Horizontal

: LTE Band 48 20M Ch55340 1RB99 QPSK

: LTE Band 48 20M Ch55538 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin Pol	
	MHz	dBm		Factor	dB	dB	dB	dBuV	dBm	dB	
1	7138.00	-59.56	RMS	36.83	-53.33	0.77	-95.23	51.40	-40.00	-19.56	Horizontal
2	10707.00	-57.13	RMS	39.19	-51.66	0.19	-95.23	50.38	-40.00	-17.13	Horizontal
3	14276.00	-53.79	RMS	40.90	-47.85	0.05	-95.23	48.34	-40.00	-13.79	Horizontal



Site : 03CH12-HY

Condition: PART 96 LIMIT -40 3m 9120D-02114-250702 Vertical

: LTE Band 48 20M Ch55340 1RB99 QPSK

: LTE Band 48 20M Ch55538 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin Pol	
	MHz	dBm		Factor	dB	dB	dB	dBuV	dBm	dB	
1	7138.00	-59.57	RMS	36.83	-53.33	0.77	-95.23	51.39	-40.00	-19.57	Vertical
2	10707.00	-57.13	RMS	39.19	-51.66	0.19	-95.23	50.38	-40.00	-17.13	Vertical
3	14276.00	-54.02	RMS	40.90	-47.85	0.05	-95.23	48.11	-40.00	-14.02	Vertical




Ant. PIFA3_ANT0

Part 96 Mode 4

LTE CA 48C 20M + 20M Ch55891 1RB99 QPSK + Ch56089 1RB0 QPSK

M




Site : 03CH12-HY

Condition: PART 96 LIMIT -40 3m 9120D-02114-250702 Horizontal

: LTE Band 48 20M Ch55891 1RB99 QPSK

: LTE Band 48 20M Ch56089 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin Pol	
	MHz	dBm		Factor	dB	dB	dB	dBuV	dBm	dB	
1	7248.00	-59.14	RMS	37.10	-53.27	0.62	-95.23	51.64	-40.00	-19.14	Horizontal
2	10872.00	-55.77	RMS	39.00	-51.45	0.21	-95.23	51.70	-40.00	-15.77	Horizontal
3	14496.00	-53.61	RMS	40.78	-47.43	0.05	-95.23	48.22	-40.00	-13.61	Horizontal



Site : 03CH12-HY

Condition: PART 96 LIMIT -40 3m 9120D-02114-250702 Vertical

: LTE Band 48 20M Ch55891 1RB99 QPSK

: LTE Band 48 20M Ch56089 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin Pol	
	MHz	dBm		Factor	dB	dB	dB	dBuV	dBm	dB	
1	7248.00	-59.53	RMS	37.10	-53.27	0.62	-95.23	51.25	-40.00	-19.53	Vertical
2	10872.00	-56.17	RMS	39.00	-51.45	0.21	-95.23	51.30	-40.00	-16.17	Vertical
3	14496.00	-53.77	RMS	40.78	-47.43	0.05	-95.23	48.06	-40.00	-13.77	Vertical




Ant. PIFA3_ANT0

Part 96 Mode 4

LTE CA 48C 20M + 20M Ch56442 1RB99 QPSK + Ch56640 1RB0 QPSK

H




Site : 03CH12-HY

Condition: PART 96 LIMIT -40 3m 9120D-02114-250702 Horizontal

: LTE Band 48 20M Ch56442 1RB99 QPSK

: LTE Band 48 20M Ch56640 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin Pol	
	MHz	dBm		Factor	dB	dB	dB	dBuV	dBm	dB	
1	7358.00	-58.44	RMS	37.07	-53.19	0.43	-95.23	52.48	-40.00	-18.44	Horizontal
2	11037.00	-56.62	RMS	38.97	-51.21	0.22	-95.23	50.63	-40.00	-16.62	Horizontal
3	14716.00	-54.47	RMS	40.47	-47.82	0.06	-95.23	48.05	-40.00	-14.47	Horizontal



Site : 03CH12-HY

Condition: PART 96 LIMIT -40 3m 9120D-02114-250702 Vertical

: LTE Band 48 20M Ch56442 1RB99 QPSK

: LTE Band 48 20M Ch56640 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin Pol	
	MHz	dBm		Factor	dB	dB	dB	dBuV	dBm	dB	
1	7358.00	-58.63	RMS	37.07	-53.19	0.43	-95.23	52.29	-40.00	-18.63	Vertical
2	11037.00	-56.62	RMS	38.97	-51.21	0.22	-95.23	50.63	-40.00	-16.62	Vertical
3	14716.00	-54.58	RMS	40.47	-47.82	0.06	-95.23	47.94	-40.00	-14.58	Vertical




Ant. PIFA3+4_ANT2+0

Part 96 Mode 2

EN-DC B48 +N5 20M + 10M Ch55340 1RB0 QPSK + Ch167300 1RB1 BPSK

L




Site : 03CH12-HY

Condition: PART 96 LIMIT -40 3m 9120D-02114-250702 Horizontal

: LTE Band 48 20M Ch55340 1RB0 QPSK

: SA n5 10M Ch167300 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin Pol	
	MHz	dBm		Factor	dB	dB	dB	dBuV	dBm	dB	
1	7102.00	-52.91	RMS	36.61	-53.35	0.82	-95.23	-58.32	-40.00	-12.91	Horizontal
2	10653.00	-56.45	RMS	39.20	-51.73	0.19	-95.23	51.12	-40.00	-16.45	Horizontal
3	14204.00	-53.41	RMS	40.99	-47.99	0.05	-95.23	48.77	-40.00	-13.41	Horizontal



Site : 03CH12-HY

Condition: PART 96 LIMIT -40 3m 9120D-02114-250702 Vertical

: LTE Band 48 20M Ch55340 1RB0 QPSK

: SA n5 10M Ch167300 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin Pol	
	MHz	dBm		Factor	dB	dB	dB	dBuV	dBm	dB	
1	7102.00	-54.16	RMS	36.61	-53.35	0.82	-95.23	56.99	-40.00	-14.16	Vertical
2	10653.00	-56.58	RMS	39.20	-51.73	0.19	-95.23	50.99	-40.00	-16.58	Vertical
3	14204.00	-53.45	RMS	40.99	-47.99	0.05	-95.23	48.73	-40.00	-13.45	Vertical




Ant. PIFA3+4_ANT2+0

Part 96 Mode 2

EN-DC B48 +N5 20M + 10M Ch55990 1RB0 QPSK + Ch167300 1RB1 BPSK

M




Site : 03CH12-HY

Condition: PART 96 LIMIT -40 3m 9120D-02114-250702 Horizontal

: LTE Band 48 20M Ch55990 1RB0 QPSK

: SA n5 10M Ch167300 1RB1 BPSK

	Freq Level		Detector	Ant Factor		Amp\Cb		Filter	EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB		dB	dB		dBuV	dBm	dB	
1	7232.00	-52.29	RMS	37.10	-53.28	0.65	-95.23	58.47	-40.00	-12.29	Horizontal				
2	10848.00	-56.32	RMS	39.00	-51.48	0.20	-95.23	51.19	-40.00	-16.32	Horizontal				
3	14464.00	-54.01	RMS	40.58	-47.49	0.05	-95.23	48.08	-40.00	-14.01	Horizontal				



Site : 03CH12-HY

Condition: PART 96 LIMIT -40 3m 9120D-02114-250702 Vertical

: LTE Band 48 20M Ch55990 1RB0 QPSK

: SA n5 10M Ch167300 1RB1 BPSK

	Freq Level		Detector	Ant Factor		Amp\Cb		Filter	EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB		dB	dB		dBuV	dBm	dB	
1	7232.00	-52.75	RMS	37.10	-53.28	0.65	-95.23	58.01	-40.00	-12.75	Vertical				
2	10848.00	-56.35	RMS	39.00	-51.48	0.20	-95.23	51.16	-40.00	-16.35	Vertical				
3	14464.00	-54.16	RMS	40.58	-47.49	0.05	-95.23	47.93	-40.00	-14.16	Vertical				




Ant. PIFA3+4_ANT2+0

Part 96 Mode 2

EN-DC B48 +N5 20M + 10M Ch56640 1RB0 QPSK + Ch167300 1RB1 BPSK

H




Site : 03CH12-HY

Condition: PART 96 LIMIT -40 3m 9120D-02114-250702 Horizontal

: LTE Band 48 20M Ch56640 1RB0 QPSK

: SA n5 10M Ch167300 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7362.00	-46.77	RMS		37.05	-53.19	0.42	-95.23	64.18	-40.00	-6.77	Horizontal
2	11043.00	-56.09	RMS		38.99	-51.20	0.22	-95.23	51.13	-40.00	-16.09	Horizontal
3	14724.00	-53.93	RMS		40.45	-47.83	0.06	-95.23	48.62	-40.00	-13.93	Horizontal



Site : 03CH12-HY

Condition: PART 96 LIMIT -40 3m 9120D-02114-250702 Vertical

: LTE Band 48 20M Ch56640 1RB0 QPSK

: SA n5 10M Ch167300 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7362.00	-47.72	RMS		37.05	-53.19	0.42	-95.23	63.23	-40.00	-7.72	Vertical
2	11043.00	-55.86	RMS		38.99	-51.20	0.22	-95.23	51.36	-40.00	-15.86	Vertical
3	14724.00	-54.16	RMS		40.45	-47.83	0.06	-95.23	48.39	-40.00	-14.16	Vertical




Ant. PIFA3+4_ANT2+0

Part 96 Mode 2

EN-DC B48 +N5 20M + 10M Ch56640 1RB0 QPSK + Ch167300 1RB1 BPSK

H



Site : 03CH12-HY

Condition: PART 96 LIMIT -40 3m 9120D-02114-250702 Horizontal


: LTE Band 48 20M Ch56640 1RB0 QPSK

: SA n5 10M Ch167300 1RB1 BPSK

: #1 is fundamental signal which can be ignored.

: #2 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	832.19	-2.92	RMS	28.56	3.84	0.00	-95.23	59.91	-40.00	37.08	Horizontal
2	3684.00	-28.58	RMS	29.84	-57.58	0.60	-95.23	93.79	-40.00	11.42	Horizontal



Site : 03CH12-HY

Condition: PART 96 LIMIT -40 3m 9120D-02114-250702 Vertical

: LTE Band 48 20M Ch56640 1RB0 QPSK

: SA n5 10M Ch167300 1RB1 BPSK

: #1 is fundamental signal which can be ignored.

: #2 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	832.19	-5.88	RMS	28.56	3.84	0.00	-95.23	56.95	-40.00	34.12	Vertical
2	3684.00	-35.99	RMS	29.84	-57.58	0.60	-95.23	86.38	-40.00	4.01	Vertical