

**ELECTROMAGNETIC EMISSIONS
COMPLIANCE REPORT**

EUT Description: Notebook Computer
Applicant: HP Inc.
1501 PAGE MILL ROAD PALO ALTO, CA 94304 USA
Manufacturer: HP Inc.
1501 PAGE MILL ROAD PALO ALTO, CA 94304 USA
Brand Name: HP
Model No. HSN-I70C
Report Number: TERF2605001803ER
FCC ID B94HNI70CBVN
Date of EUT Received: May 21, 2026
Date of Test: May 25, 2026 ~ July 13, 2026
Issue Date: July 20, 2026

Approved By

Marcus Tseng

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Central RF Lab The test data, data evaluation, test procedures, And equipment configurations shown In this report were made In accordance With the procedures given In ANSI C63.26:2015 And the energy emitted by the sample EUT comply With FCC Part2, 22H, 24E, 27C, 90S. The results of this report relate only to the sample identified in this report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Revision History

Report Number	Revision	Description	Issue Date	Revised By	Remark
TERF2605001803ER	00	Original	July 20, 2026	Candice Li	

Note:

- 1、The remark "" indicates modification of the report upon requests from certification body.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Contents

1	GENERAL PRODUCT INFORMATION	4
1.1	Equipment Under Test (EUT)	4
1.2	Antenna Designation	5
1.3	Operating Frequencies	6
1.4	Type of Emission & Max ERP/EIRP Power Measurement Result	8
1.5	EUT Availability and The Worst Test Modes	10
2	SUMMARY OF TEST RESULTS	14
2.1	Test Methodology of Applied Standards	15
2.2	Measurement Uncertainty	15
2.3	Test Facility	16
3	CONTROL UNIT(S) AND PERIPHERAL(S)	17
3.1	EUT Exercise	17
3.2	Diagrams	17
3.3	List	17
4	MEASUREMENT EQUIPMENT USED	18
4.1	Conducted Measurement	18
4.2	Radiated Measurement	18
5	REGULATORY REQUIREMENTS	19
5.1	Maximum Output Power	19
5.2	Field Strength Of Spurious Radiation	20
6	TEST CONFIGURATION	23
6.1	Maximum Output Power	23
6.2	Field Strength Of Spurious Radiation	23
7	TEST RESULTS	25
7.1	Maximum Output Power	25
7.2	Field Strength Of Spurious Radiation	41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

1 GENERAL PRODUCT INFORMATION

1.1 Equipment Under Test (EUT)

EUT Description	Notebook Computer
Brand Name	HP
Model No.	HSN-I70C
EUT Series No.	00067707Y1
Power Supply	11.7 Vdc from Battery 5 / 9 / 15 / 20 / 28 / 36 Vdc from AC/DC Adapter with 110~240V AC input.
Integrated WWAN Module:	Brand Name: COMPAL Model Name: RMM-G4
Test Software (Name/Version)	Connected with callbox

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

1.2 Antenna Designation

Antenna Type	Supplier	Antenna Model No.	NB / TB Mode	Antenna No.	Remark
PIFA	Vendor 1	6036B0402101 (260-23861)	NB	Ant5	Ant0
		6036B0402801 (260-23863)	NB	Ant8	Ant1
PIFA	Vendor 2	6036B0403001 (81EACC15.G65)	NB	Ant5	Ant2
		6036B0402501 (81EACC15.G67)	NB	Ant8	Ant3
Note: Transmission frequencies in this test report are only available by the above antenna(s).					

LTE Band	Frequency Range (MHz)	Ant0 Antenna Gain (dBi)	Ant1 Antenna Gain (dBi)	Ant2 Antenna Gain (dBi)	Ant3 Antenna Gain (dBi)
LTE Band 2	1850~1910	0.43	-0.08	0.57	0.96
LTE Band 4	1710~1755	1.39	1.14	1.74	-1.82
LTE Band 5	824~849	-0.52		-0.65	
LTE Band 7	2500~2570	2.38	1.45	0.74	-0.47
LTE Band 12	699~716	0.11		-1.48	
LTE Band 13	777~787	0.65		0.16	
LTE Band 14	788~798	-0.16		-0.32	
LTE Band 17	704~716	0.11		-1.48	
LTE Band 25	1850~1915	0.19	-0.8	0.57	0.96
LTE Band 26_P90s	814~824	-0.52		-0.65	
LTE Band 26	824~849	-0.52		-0.65	
LTE Band 30	2305~2315	0.98	0.98	0.82	-1.14
LTE Band 38	2570~2620	2.38	1.13	0.25	-0.47
LTE Band 41	2496~2690	-1.27	-1.25	0.74	-0.47
LTE Band 66	1710~1780	1.39	-1.9	1.85	-1.4
LTE Band 71	663~698	0.33		-2.5	

Note: The antenna information is provided by the applicant, and the laboratory shall not be held liable for the accuracy, completeness, or reliability of any applicant-supplied data.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

1.3 Operating Frequencies

Part22

Band	Bandwidth(MHz)	Low Frequency (MHz)	Upper Frequency (MHz)
LTE BAND 5	10.0	829.00	844.00
Band	Bandwidth(MHz)	Low Frequency (MHz)	Upper Frequency (MHz)
LTE BAND 26	15.0	831.50	841.50

Part24

Band	Bandwidth(MHz)	Low Frequency (MHz)	Upper Frequency (MHz)
LTE BAND 2	10.0	1855.00	1905.00
Band	Bandwidth(MHz)	Low Frequency (MHz)	Upper Frequency (MHz)
LTE BAND 25	3.0	1851.50	1913.50

Part27

Band	Bandwidth(MHz)	Low Frequency (MHz)	Upper Frequency (MHz)
LTE BAND 4	10.0	1715.00	1750.00
Band	Bandwidth(MHz)	Low Frequency (MHz)	Upper Frequency (MHz)
LTE BAND 7	10.0	2505.00	2565.00
Band	Bandwidth(MHz)	Low Frequency (MHz)	Upper Frequency (MHz)
LTE BAND 12	5.0	701.50	713.50
Band	Bandwidth(MHz)	Low Frequency (MHz)	Upper Frequency (MHz)
LTE BAND 13	5.0	779.50	784.50
Band	Bandwidth(MHz)	Low Frequency (MHz)	Upper Frequency (MHz)
LTE BAND 17	10.0	709.00	711.00
Band	Bandwidth(MHz)	Low Frequency (MHz)	Upper Frequency (MHz)
LTE BAND 30	5.0	2307.50	2312.50
Band	Bandwidth(MHz)	Low Frequency (MHz)	Upper Frequency (MHz)
LTE BAND 38	10.0	2575.00	2615.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Band	Bandwidth(MHz)	Low Frequency (MHz)	Upper Frequency (MHz)
LTE BAND 41	10.0	2501.00	2685.00
Band	Bandwidth(MHz)	Low Frequency (MHz)	Upper Frequency (MHz)
LTE BAND 66	10.0	1715.00	1775.00
Band	Bandwidth(MHz)	Low Frequency (MHz)	Upper Frequency (MHz)
LTE BAND 71	10.0	668.00	693.00

Part90

Band	Bandwidth(MHz)	Low Frequency (MHz)	Upper Frequency (MHz)
LTE BAND 14	10.0	793.00	793.00
Band	Bandwidth(MHz)	Low Frequency (MHz)	Upper Frequency (MHz)
LTE BAND 26-90	3.0	815.50	822.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

1.4 Type of Emission & Max ERP/EIRP Power Measurement Result

Part22

Band	Technology (GSM, CDMA, etc...)	Frequency		Conducted Power (dBm)	Conducted Power (W)	ERP/EIRP (dBm)	ERP/EIRP (W)	Optional
		Min (MHz)	Max (MHz)					
LTE B5	QPSK	829.0	844.0	23.27	0.212	20.60	0.115	Part22
LTE B5	16QAM	829.0	844.0	22.50	0.178	19.83	0.096	Part22
LTE B26	QPSK	831.5	841.5	23.11	0.205	20.44	0.111	Part22
LTE B26	16QAM	831.5	841.5	22.09	0.162	19.42	0.087	Part22

Part24

Band	Technology (GSM, CDMA, etc...)	Frequency		Conducted Power (dBm)	Conducted Power (W)	ERP/EIRP (dBm)	ERP/EIRP (W)	Optional
		Min (MHz)	Max (MHz)					
LTE B2	QPSK	1855.0	1905.0	21.64	0.146	22.60	0.182	Part24
LTE B2	16QAM	1855.0	1905.0	20.67	0.117	21.63	0.146	Part24
LTE B25	QPSK	1851.5	1913.5	21.65	0.146	22.22	0.167	Part24
LTE B25	16QAM	1851.5	1913.5	20.75	0.119	21.32	0.136	Part24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Part27

Band	Technology (GSM, CDMA, etc...)	Frequency		Conducted Power (dBm)	Conducted Power (W)	ERP/EIRP (dBm)	ERP/EIRP (W)	Optional
		Min (MHz)	Max (MHz)					
LTE B4	QPSK	1715.0	1750.0	20.69	0.117	22.08	0.161	Part27
LTE B4	16QAM	1715.0	1750.0	19.70	0.093	21.09	0.129	Part27
LTE B7	QPSK	2505.0	2565.0	20.20	0.105	22.58	0.181	Part27
LTE B7	16QAM	2505.0	2565.0	19.15	0.082	21.53	0.142	Part27
LTE B12	QPSK	701.5	713.5	21.20	0.132	19.16	0.082	Part27
LTE B12	16QAM	701.5	713.5	20.24	0.106	18.20	0.066	Part27
LTE B13	QPSK	779.5	784.5	22.18	0.165	20.68	0.117	Part27
LTE B13	16QAM	779.5	784.5	21.15	0.130	19.65	0.092	Part27
LTE B17	QPSK	709.0	711.0	22.27	0.169	20.23	0.105	Part27
LTE B17	16QAM	709.0	711.0	21.25	0.133	19.21	0.083	Part27
LTE B30	QPSK	2307.5	2312.5	21.66	0.147	22.64	0.184	Part27
LTE B30	16QAM	2307.5	2312.5	20.55	0.114	21.53	0.142	Part27
LTE B38	QPSK	2575.0	2615.0	23.21	0.209	25.59	0.362	Part27
LTE B38	16QAM	2575.0	2615.0	22.75	0.188	25.13	0.326	Part27
LTE B41	QPSK	2501.0	2685.0	21.61	0.145	22.35	0.172	Part27
LTE B41	16QAM	2501.0	2685.0	20.64	0.116	21.38	0.137	Part27
LTE B66	QPSK	1715.0	1775.0	20.52	0.113	22.37	0.173	Part27
LTE B66	16QAM	1715.0	1775.0	19.49	0.089	21.34	0.136	Part27
LTE B71	QPSK	668.0	693.0	22.16	0.164	20.34	0.108	Part27
LTE B71	16QAM	668.0	693.0	21.31	0.135	19.49	0.089	Part27

Part90

Band	Technology (GSM, CDMA, etc...)	Frequency		Conducted Power (dBm)	Conducted Power (W)	ERP/EIRP (dBm)	ERP/EIRP (W)	Optional
		Min (MHz)	Max (MHz)					
LTE B14	QPSK	793.0	793.0	23.20	0.209	20.89	0.123	Part90
LTE B14	16QAM	793.0	793.0	22.18	0.165	19.87	0.097	Part90
LTE B26-90	QPSK	815.5	822.5	23.07	0.203	20.40	0.110	Part90
LTE B26-90	16QAM	815.5	822.5	22.05	0.160	19.38	0.087	Part90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

1.5 EUT Availability and The Worst Test Modes

1. Pre-Scan has been conducted to determine the worst-case scenario from all possible combinations among available modulations, data rates and antenna ports, the worst case configurations listed below for the final test.
2. The field strength of radiated emission was measured as the EUT positioned in different orthogonal planes (E1/E2/H) based on actual usage of the EUT to pre-scan the emissions for determining the worst case scenario.

Part22

LTE Band 5							
Test Item	Available Channel	Tested Channel	BW(MHz)	Modulation	RB Size 1RB	RB Size Half RB	RB Size Full RB
Max. OutPut Power	20450 to 20600	20450, 20525, 20600	10	QPSK, 16QAM, 64QAM, 256QAM	V	V	V
Radiated Spurious Emission	20450 to 20600	20450, 20525, 20600	10	QPSK	V	-	-

LTE Band 26							
Test Item	Available Channel	Tested Channel	BW(MHz)	Modulation	RB Size 1RB	RB Size Half RB	RB Size Full RB
Max. OutPut Power	26865 to 26965	26865, 26915, 26965	15	QPSK, 16QAM, 64QAM, 256QAM	V	V	V
	26865 to 26965	26865, 26915, 26965	15	QPSK, 16QAM, 64QAM, 256QAM	-	-	V
Radiated Spurious Emission	26865 to 26965	26865, 26915, 26965	15	QPSK	V	-	-

Part24

LTE Band 2							
Test Item	Available Channel	Tested Channel	BW(MHz)	Modulation	RB Size 1RB	RB Size Half RB	RB Size Full RB
Max. OutPut Power	18650 to 19150	18650, 18900, 19150	10	QPSK, 16QAM, 64QAM, 256QAM	V	V	V
Radiated Spurious Emission	18650 to 19150	18650, 18900, 19150	10	QPSK	V	-	-

LTE Band 25							
Test Item	Available Channel	Tested Channel	BW(MHz)	Modulation	RB Size 1RB	RB Size Half RB	RB Size Full RB
Max. OutPut Power	26055 to 26675	26055, 26365, 26675	3	QPSK, 16QAM, 64QAM, 256QAM	V	V	V
	26055 to 26675	26055, 26365, 26675	3	QPSK, 16QAM, 64QAM, 256QAM	-	-	V
Radiated Spurious Emission	26055 to 26675	26055, 26365, 26675	3	QPSK	V	-	-

Part27

LTE Band 4							
Test Item	Available Channel	Tested Channel	BW(MHz)	Modulation	RB Size 1RB	RB Size Half RB	RB Size Full RB
Max. OutPut Power	20000 to 20350	20000, 20175, 20350	10	QPSK, 16QAM, 64QAM, 256QAM	V	V	V
Radiated Spurious Emission	20000 to 20350	20000, 20175, 20350	10	QPSK	V	-	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions>, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

LTE Band 7							
Test Item	Available Channel	Tested Channel	BW(MHz)	Modulation	RB Size 1RB	RB Size Half RB	RB Size Full RB
Max. OutPut Pow er	20800 to 21400	20800, 21100, 21400	10	QPSK, 16QAM, 64QAM, 256QAM	V	V	V
Radiated Spurious Emission	20800 to 21400	20800, 21100, 21400	10	QPSK	V	-	-
LTE Band 12							
Test Item	Available Channel	Tested Channel	BW(MHz)	Modulation	RB Size 1RB	RB Size Half RB	RB Size Full RB
Max. OutPut Pow er	23035 to 23155	23035, 23095, 23155	5	QPSK, 16QAM, 64QAM, 256QAM	V	V	V
	23035 to 23155	23035, 23095, 23155	5		-	-	V
Radiated Spurious Emission	23035 to 23155	23035, 23095, 23155	5	QPSK	V	-	-
LTE Band 13							
Test Item	Available Channel	Tested Channel	BW(MHz)	Modulation	RB Size 1RB	RB Size Half RB	RB Size Full RB
Max. OutPut Pow er	23205 to 23255	23205, 23230, 23255	5	QPSK, 16QAM, 64QAM, 256QAM	V	V	V
	23205 to 23255	23205, 23230, 23255	5		-	-	V
Radiated Spurious Emission	23205 to 23255	23205, 23230, 23255	5	QPSK	V	-	-
LTE Band 17							
Test Item	Available Channel	Tested Channel	BW(MHz)	Modulation	RB Size 1RB	RB Size Half RB	RB Size Full RB
Max. OutPut Pow er	23780 to 23800	23780, 23790, 23800	10	QPSK, 16QAM, 64QAM, 256QAM	V	V	V
Radiated Spurious Emission	23780 to 23800	23780, 23790, 23800	10	QPSK	V	-	-
LTE Band 30							
Test Item	Available Channel	Tested Channel	BW(MHz)	Modulation	RB Size 1RB	RB Size Half RB	RB Size Full RB
Max. OutPut Pow er	27685 to 27735	27685, 27710, 27735	5	QPSK, 16QAM, 64QAM, 256QAM	V	V	V
	27685 to 27735	27685, 27710, 27735	5		-	-	V
Radiated Spurious Emission	27685 to 27735	27685, 27710, 27735	5	QPSK	V	-	-
LTE Band 38							
Test Item	Available Channel	Tested Channel	BW(MHz)	Modulation	RB Size 1RB	RB Size Half RB	RB Size Full RB
Max. OutPut Pow er	37800 to 38200	37800, 38000, 38200	10	QPSK, 16QAM, 64QAM, 256QAM	V	V	V
Radiated Spurious Emission	37800 to 38200	37800, 38000, 38200	10	QPSK	V	-	-
LTE Band 41							
Test Item	Available Channel	Tested Channel	BW(MHz)	Modulation	RB Size 1RB	RB Size Half RB	RB Size Full RB
Max. OutPut Pow er	39700 to 41540	39700, 40620, 41540	10	QPSK, 16QAM, 64QAM, 256QAM	V	V	V
Radiated Spurious Emission	39700 to 41540	39700, 40620, 41540	10	QPSK	V	-	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions>, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

LTE Band 66							
Test Item	Available Channel	Tested Channel	BW(MHz)	Modulation	RB Size 1RB	RB Size Half RB	RB Size Full RB
Max. OutPut Pow er	132022 to 132622	132022, 132322, 132622	10	QPSK, 16QAM, 64Q AM, 256QAM	V	V	V
Radiated Spurious Emission	132022 to 132622	132022, 132322, 132622	10	QPSK	V	-	-

LTE Band 71							
Test Item	Available Channel	Tested Channel	BW(MHz)	Modulation	RB Size 1RB	RB Size Half RB	RB Size Full RB
Max. OutPut Pow er	133172 to 133422	133172, 133297, 133422	10	QPSK, 16QAM, 64Q AM, 256QAM	V	V	V
Radiated Spurious Emission	133172 to 133422	133172, 133297, 133422	10	QPSK	V	-	-

Part90

LTE Band 14							
Test Item	Available Channel	Tested Channel	BW(MHz)	Modulation	RB Size 1RB	RB Size Half RB	RB Size Full RB
Max. OutPut Pow er	23330	23330	10	QPSK, 16QAM, 64Q AM, 256QAM	V	V	V
Radiated Spurious Emission	23330	23330	10	QPSK	V	-	-

LTE Band 26							
Test Item	Available Channel	Tested Channel	BW(MHz)	Modulation	RB Size 1RB	RB Size Half RB	RB Size Full RB
Max. OutPut Pow er	26705 to 26775	26705, 26740, 26775	3	QPSK, 16QAM, 64Q	V	V	V
	26705 to 26775	26705, 26740, 26775	3	AM, 256QAM	-	-	V
Radiated Spurious Emission	26705 to 26775	26705, 26740, 26775	3	QPSK	V	-	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions>, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

E-UTRA Band	Test Channel	Channel Bandwidth (MHz)	Modulation	Resource Block Allocation	
				RBs allocated	RB Offset
2	18650	10	QPSK	1	0
2	18900	10	QPSK	1	0
2	19150	10	QPSK	1	0
4	20000	10	QPSK	1	0
4	20175	10	QPSK	1	0
4	20350	10	QPSK	1	0
5	20450	10	QPSK	1	0
5	20525	10	QPSK	1	0
5	20600	10	QPSK	1	0
7	20800	10	QPSK	1	0
7	21100	10	QPSK	1	0
7	21400	10	QPSK	1	0
12	23035	5	QPSK	1	0
12	23095	5	QPSK	1	0
12	23155	5	QPSK	1	0
13	23205	5	QPSK	1	0
13	23230	5	QPSK	1	0
13	23255	5	QPSK	1	0
14	23330	10	QPSK	1	0
17	23780	10	QPSK	1	0
17	23790	10	QPSK	1	0
17	23800	10	QPSK	1	0
25	26055	3	QPSK	1	0
25	26365	3	QPSK	1	0
25	26675	3	QPSK	1	0
26(part90)	26705	3	QPSK	1	0
26(part90)	26740	3	QPSK	1	0
26(part90)	26775	3	QPSK	1	0
26	26865	15	QPSK	1	0
26	26915	15	QPSK	1	0
26	26965	15	QPSK	1	0
30	27685	5	QPSK	1	0
30	27710	5	QPSK	1	0
30	27735	5	QPSK	1	0
38	37800	10	QPSK	1	0
38	38000	10	QPSK	1	0
38	38200	10	QPSK	1	0
41	39700	10	QPSK	1	0
41	40620	10	QPSK	1	0
41	41540	10	QPSK	1	0
66	132022	10	QPSK	1	0
66	132322	10	QPSK	1	0
66	132622	10	QPSK	1	0
71	133172	10	QPSK	1	0
71	133297	10	QPSK	1	0
71	133422	10	QPSK	1	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

2 SUMMARY OF TEST RESULTS

FCC Rules	Description Of Test	Result
§2.1046(a)	RF Power Output	Compliant
§22.913(a)(5) §24.232(c) §27.50(a)(3)(i) §27.50(b)(10) §27.50(c)(10) §27.50(d)(4) §27.50(h)(2) §90.542(a)(7) §90.635(b)	ERP/ EIRP measurement	Compliant
§2.1049(h)	99% & 26dB Occupied Bandwidth	Note 1
§22.917(a) §24.238(a) §27.53(a)(4) §27.53(c)(2) §27.53(g) §27.53(h)(1) §27.53(m)(4) §90.543(e)(2) §90.543(e)(3) §90.691(a)	Out of Band Emissions at Antenna Terminals and Band Edge / Emission mask requirements	Note 1
§22.917(a) §24.238(a) §27.53(a)(4) §27.53(c)(2) §27.53(g) §27.53(h)(1) §27.53(m)(4) §90.543(e)(2) §90.543(e)(3) §90.691(a)	Field Strength of Spurious Radiation	Compliant
§22.913(d) §24.232(d) §27.50 (k)(4) §27.50(a)(1)(B) §27.50(d)(5) §27.50(j)(4)	Peak to Average Ratio	Note 1
§2.1055(a)(1) §22.355 §24.235 §27.54	Frequency Stability	Compliant

Note

1. This report is a supplementary report, RF module (FCC ID: GKRRMMG4) installed to the EUT, the module RF conducted port test results will be submitted as a part of the report for device certification, for more details please refer to declaration letter exhibit.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

2.1 Test Methodology of Applied Standards

1. FCC 47 CFR Part 2, 22H
2. FCC 47 CFR Part 2, 24E
3. FCC 47 CFR Part 2, 27C
4. FCC 47 CFR Part 2, Part 90
5. ANSI C63.26:2015
6. FCC KDB 971168 D01 Power Meas License Digital System v03r01
7. FCC KDB 412172 D01 Determining ERP and EIRP v01r01

2.2 Measurement Uncertainty

Test Items	Uncertainty
Power Density	+/- 0.61 dB
Output Power measurement	+/- 0.97 dB
ERP/ EIRP measurement	+/- 2.15 dB
Emission Bandwidth	+/- 1.38 Hz
Out of Band Emissions at Antenna Terminals and Band Edge	+/- 0.77 dB
Peak to Average Ratio	+/- 0.97 dB
Frequency Stability vs. Temperature	+/- 1.48 Hz
Frequency Stability vs. Voltage	+/- 1.48 Hz
Temperature	+/- 0.60 °C
Humidity	+/- 3.00 %
DC / AC Power Source	+/- 1.00 %

Radiated Spurious Emission Measurement Uncertainty		
Polarization: Vertical	+/- 1.89 dB	9kHz - 30MHz
	+/- 4.10 dB	30MHz - 1000MHz
	+/- 3.41 dB	1GHz - 18GHz
	+/- 3.89 dB	18GHz - 40GHz
Polarization: Horizontal	+/- 1.89 dB	9kHz - 30MHz
	+/- 4.10 dB	30MHz - 1000MHz
	+/- 3.41 dB	1GHz - 18GHz
	+/- 3.89 dB	18GHz - 40GHz
Radiated Spurious Emission	+/- 2.00 dB	33GHz - 50GHz
	+/- 1.59 dB	50GHz - 60GHz
	+/- 1.71 dB	60GHz - 90GHz
	+/- 1.64 dB	90GHz - 140GHz
	+/- 3.84 dB	140GHz - 220GHz

Note

1. This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.
2. The conformity assessment statement in this report is based solely on the test results, measurement uncertainty is excluded.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

2.3 Test Facility

Laboratory	Test Site Address	Test Site Name	FCC Designation number / Registration Number	IC CAB identifier / Company Number
SGS Taiwan Ltd. Central RF Lab. (TAF code 3702)	No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803	SAC 1 / SAC 2 / SAC 3 Conduction 1 / Conducted 1 Conducted 2 / Conducted 3 Conducted 4 / Conducted 5 Conducted 6 / FAC 1	TW0027 / 891563	TW3702 / 4620A
SGS Taiwan Ltd. Central RF Lab. (TAF code 3702)	No.2, Keji 1st Rd, Guishan District, Taoyuan City, Taiwan 333	SAC C / SAC D / SAC G Conduction C/ Conducted A Conducted B / Conducted C Conducted D / Conducted E Conducted F / Conducted G FAC A	TW0028 / 200037	TW3702 / 4620E

Measurement	Test Site Name	Test Engineer	EUT S/N	Test Environment	Test Date
Conducted	Conducted 3	Edward Chen	00067707Y1	25~28°C / 55~57%	2026/06/04 ~ 2026/07/13
Radiated	SAC 1	WJ Lin	00067707Y1	23.8~28.1°C / 59~66%	2026/06/24 ~ 2026/07/06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw


Member of SGS Group

3 CONTROL UNIT(S) AND PERIPHERAL(S)

3.1 EUT Exercise

1. The EUT (Transmitter) was operated in the continuous transmission mode employed with the simulator of the Base Station that fixates at test default channels to fix the Tx frequency which was for the purpose of the measurements.
2. The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level. The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

3.2 Diagrams



3.3 List

3.3.1 Conducted Setup

Conducted Emission Test Site: Conducted 3					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL. (mm/dd/yyyy)	CAL DUE. (mm/dd/yyyy)
AC Adapter	HP	TPN-OA13	P84998-009	N/A	N/A

3.3.2 Radiated Setup

N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

4 MEASUREMENT EQUIPMENT USED

4.1 Conducted Measurement

Conducted Emission Test Site: Conducted 3					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL. (mm/dd/yyyy)	CAL DUE. (mm/dd/yyyy)
Radio Communication Analyzer	Anritsu	MT8821C	6262044751	11/14/2025	11/13/2026

4.2 Radiated Measurement

Radiated Emission Test Site: SAC 1					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL. (mm/dd/yyyy)	CAL DUE. (mm/dd/yyyy)
1.3G High Pass Filter	Woken	WHKX10-1066	20	12/07/2025	12/06/2026
3.2G High Pass Filter	Woken	WHKX10-2624	3	12/07/2025	12/06/2026
4G High Pass Filter	WI	WHKX4.0	22	12/07/2025	12/06/2026
Band Reject Filter 1700-2000	EWT	EWT-54-0038	M1	12/07/2025	12/06/2026
Band Reject Filter 2240-2700	WI	WRCJV2300/2700-2240/2760-40/12SS	1	12/07/2025	12/06/2026
Band Reject Filter 635-920	Titan	T04N63592050S01	23040703-4	12/07/2025	12/06/2026
Bi-log Antenna	SCHWARZBECK	VULB9168	1208	07/22/2025	07/21/2026
Bi-log Antenna	TESEO	CBL 6112D	35242 & AT-N0555	12/23/2025	12/22/2026
Coaxial Cable	EMCI	EMC104-SM-SM-8000+EMC106-SM-SM-7600	RX Cable 9K-18G(160125+150817)	07/14/2025	07/13/2026
Coaxial Cables	Huber Suhner	SUCOFLEX 102	RX Cable 18G-40G MY2630/2+805062/2	07/14/2025	07/13/2026
Coaxial Cables	Huber Suhner	SUCOFLEX 102	TX Cable 25M-40G 805068/2	07/14/2025	07/13/2026
EXA Spectrum Analyzer	KEYSIGHT	N9010B	MY60242081	10/29/2025	10/28/2026
Horn Antenna	RF SPIN	DRH0844	LE2D05A0844	08/07/2025	08/06/2026
Horn Antenna	SCHWARZBECK	BBHA9120D	603	05/19/2026	05/18/2027
Horn Antenna	SCHWARZBECK	BBHA9120D	D803	01/23/2026	01/22/2027
Horn Antenna	SCHWARZBECK	BBHA9170	184	12/31/2025	12/30/2026
Network Analyzer	Anritsu	MS4644A	1216312	01/06/2026	01/05/2027
Pre-Amplifier	EMCI	EMC118A45SEE	980933	07/14/2025	07/13/2026
Pre-Amplifier	EMCI	EMC184045SEE	980939	07/14/2025	07/13/2026
Pre-Amplifier	HP	8447D	2944A09469	07/14/2025	07/13/2026
Radio Communication Analyzer	Anritsu	MT8821C	6262044670	08/18/2025	08/17/2026
Site Cal	SGS	SAC 1	N/A	07/14/2025	07/13/2026
Test Software	Audix	e3	Ver. 9.210616	N.C.R	N.C.R

NOTE: N.C.R refers to Not Calibrated Required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5 REGULATORY REQUIREMENTS

5.1 Maximum Output Power

§22.913(a)(5)

The ERP of mobile transmitters and auxiliary test transmitters must not exceed 7 watts

§24.232(c)

Mobile and portable stations are limited to 2 watts EIRP and the equipment must employ a means for limiting power to the minimum necessary for successful communications

§27.50(a)(3)(i)

For mobile and portable stations transmitting in the 2305-2315 MHz band or the 2350-2360 MHz band, the average EIRP must not exceed 50 milliwatts within any 1 megahertz of authorized bandwidth, except that for mobile and portable stations compliant with 3GPP LTE standards or another advanced mobile broadband protocol that avoids concentrating energy at the edge of the operating band the average EIRP must not exceed 250 milliwatts within any 5 megahertz of authorized bandwidth but may exceed 50 milliwatts within any 1 megahertz of authorized bandwidth. For mobile and portable stations using time division duplexing (TDD) technology, the duty cycle must not exceed 38 percent in the 2305-2315 MHz and 2350-2360 MHz bands. Mobile and portable stations using FDD technology are restricted to transmitting in the 2305-2315 MHz band. Power averaging shall not include intervals in which the transmitter is off

§27.50(b)(10)

Portable stations (hand-held devices) transmitting in the 746-757 MHz, 776-788 MHz, and 805-806 MHz bands are limited to 3 watts ERP

§27.50(c)(10)

Portable stations (hand-held devices) in the 600 MHz uplink band and the 698-746 MHz band, and fixed and mobile stations in the 600 MHz uplink band are limited to 3 watts ERP

§27.50(d)(4)

Fixed, mobile, and portable (hand-held) stations operating in the 1710-1755 MHz band and mobile and portable stations operating in the 1695-1710 MHz and 1755-1780 MHz bands are limited to 1 watt EIRP. Fixed stations operating in the 1710-1755 MHz band are limited to a maximum antenna height of 10 meters above ground. Mobile and portable stations operating in these bands must employ a means for limiting power to the minimum necessary for successful communications

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

§27.50(h)(2)

Mobile and other user stations. Mobile stations are limited to 2.0 watts EIRP. All user stations are limited to 2.0 watts transmitter output power

§90.542(a)(7)

Portable stations (hand-held devices) transmitting in the 758-768 MHz band and the 788-798 MHz band are limited to 3 watts ERP

§90.635(b)

The maximum output power of the transmitter for mobile stations is 100 watts (20 dBw)

Table—Equivalent Power and Antenna Heights for Base Stations in the 851-869 MHz and 935-940 MHz Bands Which Have a Requirement for a 32 km (20 mi) Service Area Radius

5.2 Field Strength Of Spurious Radiation

§22.917(a)

Out of band emissions. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB

§24.238(a)

Out of band emissions. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB

§27.53(a)(4)

For mobile and portable stations operating in the 2305-2315 MHz and 2350-2360 MHz bands:

(i) By a factor of not less than: $43 + 10 \log(P)$ dB on all frequencies between 2305 and 2320 MHz and on all frequencies between 2345 and 2360 MHz that are outside the licensed band(s) of operation, not less than $55 + 10 \log(P)$ dB on all frequencies between 2320 and 2324 MHz and on all frequencies between 2341 and 2345 MHz, not less than $61 + 10 \log(P)$ dB on all frequencies between 2324 and 2328 MHz and on all frequencies between 2337 and 2341 MHz, and not less than $67 + 10 \log(P)$ dB on all frequencies between 2328 and 2337 MHz;

(ii) By a factor of not less than $43 + 10 \log(P)$ dB on all frequencies between 2300 and 2305 MHz, $55 + 10 \log(P)$ dB on all frequencies between 2296 and 2300 MHz, $61 + 10 \log(P)$ dB on all frequencies between 2292 and 2296 MHz, $67 + 10 \log(P)$ dB on all frequencies between 2288 and 2292 MHz, and $70 + 10 \log(P)$ dB below 2288 MHz;

(iii) By a factor of not less than $43 + 10 \log(P)$ dB on all frequencies between 2360 and 2365 MHz, and not less than $70 + 10 \log(P)$ dB above 2365 MHz.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

§27.53(c)(2)

On any frequency outside the 776-788 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least $43 + 10 \log (P)$ dB;

§27.53(g)

For operations in the 600 MHz band and the 698-746 MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least $43 + 10 \log (P)$ dB. Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed

§27.53(h)(1)

General protection levels. Except as otherwise specified below, for operations in the 1695-1710 MHz, 1710-1755 MHz, 1755-1780 MHz, 1915-1920 MHz, 1995-2000 MHz, 2000-2020 MHz, 2110-2155 MHz, 2155-2180 MHz, and 2180-2200 bands, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least $43 + 10 \log_{10} (P)$ dB

§27.53(m)(4)

For mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log (P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log (P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log (P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less than $43 + 10 \log (P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log (P)$ dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees

§90.543(e)(2)

On all frequencies between 769-775 MHz and 799-805 MHz, by a factor not less than $65 + 10 \log (P)$ dB in a 6.25 kHz band segment, for mobile and portable stations

§90.543(e)(3)

On any frequency between 775-788 MHz, above 805 MHz, and below 758 MHz, by at least $43 + 10 \log (P)$ dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

§90.691(a)

Out-of-band emission requirement shall apply only to the “outer” channels included in an EA license and to spectrum adjacent to interior channels used by incumbent licensees. The emission limits are as follows:

(1) For any frequency removed from the EA licensee's frequency block by up to and including 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least $116 \log_{10}(f/6.1)$ decibels or $50 + 10 \log_{10}(P)$ decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 12.5 kHz.

(2) For any frequency removed from the EA licensee's frequency block greater than 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least $43 + 10 \log_{10}(P)$ decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 37.5 kHz.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

6 TEST CONFIGURATION

6.1 Maximum Output Power



The transmitter output was connected to a calibrated attenuator, the other end of which was connected to a power meter. Transmitter output was read off the power meter in dBm. The power output at the transmitter antenna port was determined by adding the value of the attenuator to the power meter reading.

KDB 971168 D01 Power Meas License Digital System as the supplemental test methodology to adjust the proper setting obtaining the measurement results.


6.2 Field Strength Of Spurious Radiation

For Measurements From 9 kHz To 30 MHz

Radiated emission below 30MHz is measured in a 9m*6m*6m semi-anechoic chamber, the measurements correspond to those obtained at an open-field test site.

There is a comparison data of both open-field test site and semi-Anechoic chamber, and the result came out very similar.


Radiated Emission Test Set-Up, Frequency From 30MHz to 1000MHz.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Emission Test Set-Up, Frequency Above 1GHz.



The Equipment Under Test (EUT) was positioned on a non-conductive turntable that rotates 360 degrees. The receiving antenna was placed 3 meters from the EUT, with height varied between 1-4 meters to maximize emission detection.

To identify maximum emission levels, the following parameters were optimized:

EUT azimuth angle through 360-degree rotation

EUT orientation in three orthogonal axes

Antenna height (1-4 meters)

Antenna polarization (horizontal and vertical)

For frequencies above 1 GHz, measurements were conducted with the antenna maintained within the 3dB illumination bandwidth and pointed toward the EUT in both azimuth and elevation angles.

The frequency range extending to the tenth harmonic was investigated for three fundamental frequencies (low, middle, and high channels). Spurious emissions were identified and their power levels determined using the substitution method. The spurious emission attenuation was calculated as the difference between the radiated power at the fundamental frequency and the spurious emission frequency.

ERP (dBm) = SG Level(dBm) + Antenna Gain(dBd) + Cable Loss(dB)

EIRP (dBm) = SG Level(dBm) + Antenna Gain(dBi) + Cable Loss(dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

7 TEST RESULTS

7.1 Maximum Output Power

7.1.1 ERP/EIRP

Part22

Antenna gain (dBi)		-0.52								
LTE Band 5_Uplink frequency band : 824 to 849 MHz										
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
10	20450	829.0	QPSK	1	0	23.10	22.58	20.43	38.45	-18.02
				1	49	23.14	22.62	20.47	38.45	-17.98
				25	12	22.03	21.51	19.36	38.45	-19.09
				50	0	22.02	21.50	19.35	38.45	-19.10
	20525	836.5	QPSK	1	0	23.27	22.75	20.60	38.45	-17.85
				1	49	23.03	22.51	20.36	38.45	-18.09
				25	12	22.06	21.54	19.39	38.45	-19.06
				50	0	22.06	21.54	19.39	38.45	-19.06
	20600	844.0	QPSK	1	0	23.18	22.66	20.51	38.45	-17.94
				1	49	22.89	22.37	20.22	38.45	-18.23
				25	12	22.00	21.48	19.33	38.45	-19.12
				50	0	22.01	21.49	19.34	38.45	-19.11
10	20450	829.0	16QAM	1	0	22.43	21.91	19.76	38.45	-18.69
				1	49	22.37	21.85	19.70	38.45	-18.75
				25	12	21.04	20.52	18.37	38.45	-20.08
				50	0	21.04	20.52	18.37	38.45	-20.08
	20525	836.5	16QAM	1	0	22.50	21.98	19.83	38.45	-18.62
				1	49	22.36	21.84	19.69	38.45	-18.76
				25	12	21.05	20.53	18.38	38.45	-20.07
				50	0	21.01	20.49	18.34	38.45	-20.11
	20600	844.0	16QAM	1	0	22.39	21.87	19.72	38.45	-18.73
				1	49	22.19	21.67	19.52	38.45	-18.93
				25	12	21.05	20.53	18.38	38.45	-20.07
				50	0	21.00	20.48	18.33	38.45	-20.12
10	20450	829.0	64QAM	1	0	21.41	20.89	18.74	38.45	-19.71
				1	49	21.31	20.79	18.64	38.45	-19.81
				25	12	20.05	19.53	17.38	38.45	-21.07
				50	0	20.10	19.58	17.43	38.45	-21.02
	20525	836.5	64QAM	1	0	21.22	20.70	18.55	38.45	-19.90
				1	49	21.28	20.76	18.61	38.45	-19.84
				25	12	20.04	19.52	17.37	38.45	-21.08
				50	0	20.07	19.55	17.40	38.45	-21.05
	20600	844.0	64QAM	1	0	21.40	20.88	18.73	38.45	-19.72
				1	49	21.29	20.77	18.62	38.45	-19.83
				25	12	20.02	19.50	17.35	38.45	-21.10
				50	0	20.08	19.56	17.41	38.45	-21.04
10	20450	829.0	256QAM	1	0	18.35	17.83	15.68	38.45	-22.77
				1	49	18.21	17.69	15.54	38.45	-22.91
				25	12	18.10	17.58	15.43	38.45	-23.02
				50	0	18.12	17.60	15.45	38.45	-23.00
	20525	836.5	256QAM	1	0	18.23	17.71	15.56	38.45	-22.89
				1	49	18.10	17.58	15.43	38.45	-23.02
				25	12	18.10	17.58	15.43	38.45	-23.02
				50	0	18.11	17.59	15.44	38.45	-23.01
	20600	844.0	256QAM	1	0	18.42	17.90	15.75	38.45	-22.70
				1	49	18.00	17.48	15.33	38.45	-23.12
				25	12	18.04	17.52	15.37	38.45	-23.08
				50	0	18.07	17.55	15.40	38.45	-23.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Antenna gain (dBi)		-0.52								
LTE Band 26_Uplink frequency band : 824 to 849 MHz										
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
15	26865	831.5	QPSK	1	0	23.10	22.58	20.43	38.45	-18.02
				1	74	23.07	22.55	20.40	38.45	-18.05
				36	18	22.01	21.49	19.34	38.45	-19.11
				75	0	22.00	21.48	19.33	38.45	-19.12
	26915	836.5	QPSK	1	0	23.07	22.55	20.40	38.45	-18.05
				1	74	23.05	22.53	20.38	38.45	-18.07
				36	18	22.00	21.48	19.33	38.45	-19.12
				75	0	22.01	21.49	19.34	38.45	-19.11
	26965	841.5	QPSK	1	0	23.11	22.59	20.44	38.45	-18.01
				1	74	22.91	22.39	20.24	38.45	-18.21
				36	18	22.01	21.49	19.34	38.45	-19.11
				75	0	22.03	21.51	19.36	38.45	-19.09
15	26865	831.5	16QAM	1	0	22.09	21.57	19.42	38.45	-19.03
				1	74	22.00	21.48	19.33	38.45	-19.12
				36	18	21.95	21.43	19.28	38.45	-19.17
				75	0	21.00	20.48	18.33	38.45	-20.12
	26915	836.5	16QAM	1	0	22.06	21.54	19.39	38.45	-19.06
				1	74	22.02	21.50	19.35	38.45	-19.10
				36	18	21.12	20.60	18.45	38.45	-20.00
				75	0	21.11	20.59	18.44	38.45	-20.01
	26965	841.5	16QAM	1	0	21.89	21.37	19.22	38.45	-19.23
				1	74	21.92	21.40	19.25	38.45	-19.20
				36	18	21.00	20.48	18.33	38.45	-20.12
				75	0	20.96	20.44	18.29	38.45	-20.16
15	26865	831.5	64QAM	1	0	21.00	20.48	18.33	38.45	-20.12
				1	74	21.01	20.49	18.34	38.45	-20.11
				36	18	19.89	19.37	17.22	38.45	-21.23
				75	0	19.92	19.40	17.25	38.45	-21.20
	26915	836.5	64QAM	1	0	21.04	20.52	18.37	38.45	-20.08
				1	74	21.07	20.55	18.40	38.45	-20.05
				36	18	20.02	19.50	17.35	38.45	-21.10
				75	0	20.09	19.57	17.42	38.45	-21.03
	26965	841.5	64QAM	1	0	20.91	20.39	18.24	38.45	-20.21
				1	74	20.95	20.43	18.28	38.45	-20.17
				36	18	19.90	19.38	17.23	38.45	-21.22
				75	0	19.85	19.33	17.18	38.45	-21.27
15	26865	831.5	256QAM	1	0	19.44	18.92	16.77	38.45	-21.68
				1	74	19.41	18.89	16.74	38.45	-21.71
				36	18	18.80	18.28	16.13	38.45	-22.32
				75	0	19.92	19.40	17.25	38.45	-21.20
	26915	836.5	256QAM	1	0	19.85	19.33	17.18	38.45	-21.27
				1	74	19.88	19.36	17.21	38.45	-21.24
				36	18	19.01	18.49	16.34	38.45	-22.11
				75	0	19.00	18.48	16.33	38.45	-22.12
	26965	841.5	256QAM	1	0	20.00	19.48	17.33	38.45	-21.12
				1	74	19.94	19.42	17.27	38.45	-21.18
				36	18	18.86	18.34	16.19	38.45	-22.26
				75	0	18.90	18.38	16.23	38.45	-22.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Part24

Antenna gain (dBi)		0.96							
LTE Band 2_Uplink frequency band : 1850 to 1910 MHz									
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
10	18650	1855.0	QPSK	1	0	21.58	22.54	33	-10.46
				1	49	21.41	22.37	33	-10.63
				25	12	20.84	21.80	33	-11.20
				50	0	20.99	21.95	33	-11.05
	18900	1880.0	QPSK	1	0	21.64	22.60	33	-10.40
				1	49	21.24	22.20	33	-10.80
				25	12	20.88	21.84	33	-11.16
				50	0	20.97	21.93	33	-11.07
	19150	1905.0	QPSK	1	0	21.48	22.44	33	-10.56
				1	49	21.22	22.18	33	-10.82
				25	12	20.77	21.73	33	-11.27
				50	0	20.82	21.78	33	-11.22
10	18650	1855.0	16QAM	1	0	20.28	21.24	33	-11.76
				1	49	20.24	21.20	33	-11.80
				25	12	19.54	20.50	33	-12.50
				50	0	19.42	20.38	33	-12.62
	18900	1880.0	16QAM	1	0	20.59	21.55	33	-11.45
				1	49	20.42	21.38	33	-11.62
				25	12	19.70	20.66	33	-12.34
				50	0	19.78	20.74	33	-12.26
	19150	1905.0	16QAM	1	0	20.67	21.63	33	-11.37
				1	49	20.52	21.48	33	-11.52
				25	12	19.86	20.82	33	-12.18
				50	0	19.77	20.73	33	-12.27
10	18650	1855.0	64QAM	1	0	19.64	20.60	33	-12.40
				1	49	19.42	20.38	33	-12.62
				25	12	18.67	19.63	33	-13.37
				50	0	18.59	19.55	33	-13.45
	18900	1880.0	64QAM	1	0	19.57	20.53	33	-12.47
				1	49	19.51	20.47	33	-12.53
				25	12	18.49	19.45	33	-13.55
				50	0	18.70	19.66	33	-13.34
	19150	1905.0	64QAM	1	0	19.69	20.65	33	-12.35
				1	49	19.53	20.49	33	-12.51
				25	12	18.54	19.50	33	-13.50
				50	0	18.65	19.61	33	-13.39
10	18650	1855.0	256QAM	1	0	18.69	19.65	33	-13.35
				1	49	18.53	19.49	33	-13.51
				25	12	17.45	18.41	33	-14.59
				50	0	17.50	18.46	33	-14.54
	18900	1880.0	256QAM	1	0	18.71	19.67	33	-13.33
				1	49	18.65	19.61	33	-13.39
				25	12	17.68	18.64	33	-14.36
				50	0	17.72	18.68	33	-14.32
	19150	1905.0	256QAM	1	0	18.69	19.65	33	-13.35
				1	49	18.52	19.48	33	-13.52
				25	12	17.59	18.55	33	-14.45
				50	0	17.53	18.49	33	-14.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Antenna gain (dBi)		0.57							
LTE Band 25_Uplink frequency band : 1850 to 1915 MHz									
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
3	26055	1851.5	QPSK	1	0	21.00	21.57	33	-11.43
				1	14	21.12	21.69	33	-11.31
				8	4	20.02	20.59	33	-12.41
				15	0	20.01	20.58	33	-12.42
	26365	1882.5	QPSK	1	0	21.65	22.22	33	-10.78
				1	14	21.59	22.16	33	-10.84
				8	4	20.74	21.31	33	-11.69
				15	0	20.64	21.21	33	-11.79
	26675	1913.5	QPSK	1	0	21.58	22.15	33	-10.85
				1	14	21.54	22.11	33	-10.89
				8	4	20.65	21.22	33	-11.78
				15	0	20.59	21.16	33	-11.84
3	26055	1851.5	16QAM	1	0	20.00	20.57	33	-12.43
				1	14	19.97	20.54	33	-12.46
				8	4	19.15	19.72	33	-13.28
				15	0	19.11	19.68	33	-13.32
	26365	1882.5	16QAM	1	0	20.75	21.32	33	-11.68
				1	14	20.69	21.26	33	-11.74
				8	4	19.64	20.21	33	-12.79
				15	0	19.55	20.12	33	-12.88
	26675	1913.5	16QAM	1	0	20.68	21.25	33	-11.75
				1	14	20.57	21.14	33	-11.86
				8	4	19.49	20.06	33	-12.94
				15	0	19.68	20.25	33	-12.75
3	26055	1851.5	64QAM	1	0	19.02	19.59	33	-13.41
				1	14	19.04	19.61	33	-13.39
				8	4	18.15	18.72	33	-14.28
				15	0	18.19	18.76	33	-14.24
	26365	1882.5	64QAM	1	0	19.75	20.32	33	-12.68
				1	14	19.64	20.21	33	-12.79
				8	4	18.54	19.11	33	-13.89
				15	0	18.63	19.20	33	-13.80
	26675	1913.5	64QAM	1	0	19.69	20.26	33	-12.74
				1	14	19.58	20.15	33	-12.85
				8	4	18.66	19.23	33	-13.77
				15	0	18.69	19.26	33	-13.74
3	26055	1851.5	256QAM	1	0	17.95	18.52	33	-14.48
				1	14	17.98	18.55	33	-14.45
				8	4	16.99	17.56	33	-15.44
				15	0	17.01	17.58	33	-15.42
	26365	1882.5	256QAM	1	0	18.60	19.17	33	-13.83
				1	14	18.44	19.01	33	-13.99
				8	4	17.60	18.17	33	-14.83
				15	0	17.59	18.16	33	-14.84
	26675	1913.5	256QAM	1	0	18.59	19.16	33	-13.84
				1	14	18.61	19.18	33	-13.82
				8	4	17.64	18.21	33	-14.79
				15	0	17.65	18.22	33	-14.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Part27

Antenna gain (dBi)		1.39							
LTE Band 4_Uplink frequency band : 1710 to 1755 MHz									
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
10	20000	1715.0	QPSK	1	0	20.68	22.07	30	-7.93
				1	49	20.64	22.03	30	-7.97
				25	12	19.52	20.91	30	-9.09
				50	0	19.57	20.96	30	-9.04
	20175	1732.5	QPSK	1	0	20.57	21.96	30	-8.04
				1	49	20.60	21.99	30	-8.01
				25	12	19.52	20.91	30	-9.09
				50	0	19.53	20.92	30	-9.08
	20350	1750.0	QPSK	1	0	20.69	22.08	30	-7.92
				1	49	20.41	21.80	30	-8.20
				25	12	19.59	20.98	30	-9.02
				50	0	19.50	20.89	30	-9.11
10	20000	1715.0	16QAM	1	0	19.64	21.03	30	-8.97
				1	49	19.38	20.77	30	-9.23
				25	12	18.53	19.92	30	-10.08
				50	0	18.51	19.90	30	-10.10
	20175	1732.5	16QAM	1	0	19.61	21.00	30	-9.00
				1	49	19.52	20.91	30	-9.09
				25	12	18.56	19.95	30	-10.05
				50	0	18.59	19.98	30	-10.02
	20350	1750.0	16QAM	1	0	19.70	21.09	30	-8.91
				1	49	19.64	21.03	30	-8.97
				25	12	18.62	20.01	30	-9.99
				50	0	18.60	19.99	30	-10.01
10	20000	1715.0	64QAM	1	0	18.63	20.02	30	-9.98
				1	49	18.52	19.91	30	-10.09
				25	12	17.53	18.92	30	-11.08
				50	0	17.49	18.88	30	-11.12
	20175	1732.5	64QAM	1	0	18.54	19.93	30	-10.07
				1	49	18.50	19.89	30	-10.11
				25	12	17.42	18.81	30	-11.19
				50	0	17.45	18.84	30	-11.16
	20350	1750.0	64QAM	1	0	18.49	19.88	30	-10.12
				1	49	18.46	19.85	30	-10.15
				25	12	17.56	18.95	30	-11.05
				50	0	17.50	18.89	30	-11.11
10	20000	1715.0	256QAM	1	0	17.58	18.97	30	-11.03
				1	49	17.52	18.91	30	-11.09
				25	12	16.69	18.08	30	-11.92
				50	0	16.55	17.94	30	-12.06
	20175	1732.5	256QAM	1	0	17.52	18.91	30	-11.09
				1	49	17.45	18.84	30	-11.16
				25	12	16.70	18.09	30	-11.91
				50	0	16.59	17.98	30	-12.02
	20350	1750.0	256QAM	1	0	17.74	19.13	30	-10.87
				1	49	17.62	19.01	30	-10.99
				25	12	16.64	18.03	30	-11.97
				50	0	16.70	18.09	30	-11.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Antenna gain (dBi)		2.38							
LTE Band 7_Uplink frequency band : 2500 to 2570 MHz									
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
10	20800	2505.0	QPSK	1	0	20.20	22.58	33	-10.42
				1	49	20.11	22.49	33	-10.51
				25	12	19.15	21.53	33	-11.47
				50	0	19.08	21.46	33	-11.54
	21100	2535.0	QPSK	1	0	20.19	22.57	33	-10.43
				1	49	20.08	22.46	33	-10.54
				25	12	19.11	21.49	33	-11.51
				50	0	19.18	21.56	33	-11.44
	21400	2565.0	QPSK	1	0	20.15	22.53	33	-10.47
				1	49	20.09	22.47	33	-10.53
				25	12	19.09	21.47	33	-11.53
				50	0	19.15	21.53	33	-11.47
10	20800	2505.0	16QAM	1	0	19.05	21.43	33	-11.57
				1	49	19.12	21.50	33	-11.50
				25	12	18.29	20.67	33	-12.33
				50	0	18.22	20.60	33	-12.40
	21100	2535.0	16QAM	1	0	19.15	21.53	33	-11.47
				1	49	19.02	21.40	33	-11.60
				25	12	18.24	20.62	33	-12.38
				50	0	18.20	20.58	33	-12.42
	21400	2565.0	16QAM	1	0	19.03	21.41	33	-11.59
				1	49	19.11	21.49	33	-11.51
				25	12	18.20	20.58	33	-12.42
				50	0	18.19	20.57	33	-12.43
10	20800	2505.0	64QAM	1	0	18.10	20.48	33	-12.52
				1	49	18.02	20.40	33	-12.60
				25	12	17.30	19.68	33	-13.32
				50	0	17.25	19.63	33	-13.37
	21100	2535.0	64QAM	1	0	18.12	20.50	33	-12.50
				1	49	18.06	20.44	33	-12.56
				25	12	17.29	19.67	33	-13.33
				50	0	17.21	19.59	33	-13.41
	21400	2565.0	64QAM	1	0	18.14	20.52	33	-12.48
				1	49	18.04	20.42	33	-12.58
				25	12	17.25	19.63	33	-13.37
				50	0	17.23	19.61	33	-13.39
10	20800	2505.0	256QAM	1	0	17.21	19.59	33	-13.41
				1	49	17.20	19.58	33	-13.42
				25	12	16.15	18.53	33	-14.47
				50	0	16.21	18.59	33	-14.41
	21100	2535.0	256QAM	1	0	17.12	19.50	33	-13.50
				1	49	17.19	19.57	33	-13.43
				25	12	16.10	18.48	33	-14.52
				50	0	16.20	18.58	33	-14.42
	21400	2565.0	256QAM	1	0	17.20	19.58	33	-13.42
				1	49	17.23	19.61	33	-13.40
				25	12	16.05	18.43	33	-14.57
				50	0	16.01	18.39	33	-14.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Antenna gain (dBi)		0.11								
LTE Band 12_Uplink frequency band : 699 to 716 MHz										
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
5	23035	701.5	QPSK	1	0	21.20	21.31	19.16	34.77	-15.61
				1	24	21.04	21.15	19.00	34.77	-15.77
				12	6	20.12	20.23	18.08	34.77	-16.69
				25	0	20.00	20.11	17.96	34.77	-16.81
	23095	707.5	QPSK	1	0	21.19	21.30	19.15	34.77	-15.62
				1	24	21.03	21.14	18.99	34.77	-15.78
				12	6	20.07	20.18	18.03	34.77	-16.74
				25	0	20.01	20.12	17.97	34.77	-16.80
	23155	713.5	QPSK	1	0	21.17	21.28	19.13	34.77	-15.64
				1	24	21.01	21.12	18.97	34.77	-15.80
				12	6	20.13	20.24	18.09	34.77	-16.68
				25	0	20.08	20.19	18.04	34.77	-16.73
5	23035	701.5	16QAM	1	0	20.11	20.22	18.07	34.77	-16.70
				1	24	20.17	20.28	18.13	34.77	-16.64
				12	6	19.02	19.13	16.98	34.77	-17.79
				25	0	19.13	19.24	17.09	34.77	-17.68
	23095	707.5	16QAM	1	0	20.24	20.35	18.20	34.77	-16.57
				1	24	20.18	20.29	18.14	34.77	-16.63
				12	6	19.12	19.23	17.08	34.77	-17.69
				25	0	19.08	19.19	17.04	34.77	-17.73
	23155	713.5	16QAM	1	0	20.18	20.29	18.14	34.77	-16.63
				1	24	20.14	20.25	18.10	34.77	-16.67
				12	6	19.11	19.22	17.07	34.77	-17.70
				25	0	19.15	19.26	17.11	34.77	-17.66
5	23035	701.5	64QAM	1	0	19.26	19.37	17.22	34.77	-17.55
				1	24	19.22	19.33	17.18	34.77	-17.59
				12	6	18.20	18.31	16.16	34.77	-18.61
				25	0	18.16	18.27	16.12	34.77	-18.65
	23095	707.5	64QAM	1	0	19.20	19.31	17.16	34.77	-17.61
				1	24	19.25	19.36	17.21	34.77	-17.56
				12	6	18.24	18.35	16.20	34.77	-18.57
				25	0	18.19	18.30	16.15	34.77	-18.62
	23155	713.5	64QAM	1	0	19.21	19.32	17.17	34.77	-17.60
				1	24	19.25	19.36	17.21	34.77	-17.56
				12	6	18.26	18.37	16.22	34.77	-18.55
				25	0	18.21	18.32	16.17	34.77	-18.60
5	23035	701.5	256QAM	1	0	18.12	18.23	16.08	34.77	-18.69
				1	24	18.01	18.12	15.97	34.77	-18.80
				12	6	17.24	17.35	15.20	34.77	-19.57
				25	0	17.28	17.39	15.24	34.77	-19.53
	23095	707.5	256QAM	1	0	18.13	18.24	16.09	34.77	-18.68
				1	24	18.08	18.19	16.04	34.77	-18.73
				12	6	17.26	17.37	15.22	34.77	-19.55
				25	0	17.11	17.22	15.07	34.77	-19.70
	23155	713.5	256QAM	1	0	18.24	18.35	16.20	34.77	-18.57
				1	24	18.21	18.32	16.17	34.77	-18.60
				12	6	17.18	17.29	15.14	34.77	-19.63
				25	0	17.26	17.37	15.22	34.77	-19.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Antenna gain (dBi)		0.65								
LTE Band 13_Uplink frequency band : 777 to 787 MHz										
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
5	23205	779.5	QPSK	1	0	22.15	22.80	20.65	34.77	-14.12
				1	24	22.04	22.69	20.54	34.77	-14.23
				12	6	21.03	21.68	19.53	34.77	-15.24
				25	0	21.08	21.73	19.58	34.77	-15.19
	23230	782.0	QPSK	1	0	22.18	22.83	20.68	34.77	-14.09
				1	24	22.06	22.71	20.56	34.77	-14.21
				12	6	21.05	21.70	19.55	34.77	-15.22
				25	0	21.10	21.75	19.60	34.77	-15.17
	23255	784.5	QPSK	1	0	22.13	22.78	20.63	34.77	-14.14
				1	24	22.07	22.72	20.57	34.77	-14.20
				12	6	21.00	21.65	19.50	34.77	-15.27
				25	0	21.09	21.74	19.59	34.77	-15.18
5	23205	779.5	16QAM	1	0	21.15	21.80	19.65	34.77	-15.12
				1	24	21.12	21.77	19.62	34.77	-15.15
				12	6	20.06	20.71	18.56	34.77	-16.21
				25	0	20.09	20.74	18.59	34.77	-16.18
	23230	782.0	16QAM	1	0	21.09	21.74	19.59	34.77	-15.18
				1	24	21.01	21.66	19.51	34.77	-15.26
				12	6	19.99	20.64	18.49	34.77	-16.28
				25	0	20.00	20.65	18.50	34.77	-16.27
	23255	784.5	16QAM	1	0	21.11	21.76	19.61	34.77	-15.16
				1	24	21.02	21.67	19.52	34.77	-15.25
				12	6	20.07	20.72	18.57	34.77	-16.20
				25	0	20.01	20.66	18.51	34.77	-16.26
5	23205	779.5	64QAM	1	0	20.11	20.76	18.61	34.77	-16.16
				1	24	20.03	20.68	18.53	34.77	-16.24
				12	6	19.15	19.80	17.65	34.77	-17.12
				25	0	19.04	19.69	17.54	34.77	-17.23
	23230	782.0	64QAM	1	0	20.15	20.80	18.65	34.77	-16.12
				1	24	20.11	20.76	18.61	34.77	-16.16
				12	6	19.09	19.74	17.59	34.77	-17.18
				25	0	19.02	19.67	17.52	34.77	-17.25
	23255	784.5	64QAM	1	0	20.17	20.82	18.67	34.77	-16.10
				1	24	20.08	20.73	18.58	34.77	-16.19
				12	6	19.12	19.77	17.62	34.77	-17.15
				25	0	19.04	19.69	17.54	34.77	-17.23
5	23205	779.5	256QAM	1	0	19.01	19.66	17.51	34.77	-17.26
				1	24	19.11	19.76	17.61	34.77	-17.16
				12	6	18.25	18.90	16.75	34.77	-18.02
				25	0	18.18	18.83	16.68	34.77	-18.09
	23230	782.0	256QAM	1	0	19.11	19.76	17.61	34.77	-17.16
				1	24	19.05	19.70	17.55	34.77	-17.22
				12	6	18.29	18.94	16.79	34.77	-17.98
				25	0	18.32	18.97	16.82	34.77	-17.95
	23255	784.5	256QAM	1	0	19.08	19.73	17.58	34.77	-17.19
				1	24	19.01	19.66	17.51	34.77	-17.26
				12	6	18.19	18.84	16.69	34.77	-18.08
				25	0	18.22	18.87	16.72	34.77	-18.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Antenna gain (dBi)		0.11								
LTE Band 17_Uplink frequency band : 704 to 716 MHz										
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
10	23780	709.0	QPSK	1	0	22.25	22.36	20.21	34.77	-14.56
				1	49	22.17	22.28	20.13	34.77	-14.64
				25	12	21.20	21.31	19.16	34.77	-15.61
				50	0	21.10	21.21	19.06	34.77	-15.71
	23790	710.0	QPSK	1	0	22.23	22.34	20.19	34.77	-14.58
				1	49	22.15	22.26	20.11	34.77	-14.66
				25	12	21.17	21.28	19.13	34.77	-15.64
				50	0	21.04	21.15	19.00	34.77	-15.77
	23800	711.0	QPSK	1	0	22.27	22.38	20.23	34.77	-14.54
				1	49	22.18	22.29	20.14	34.77	-14.63
				25	12	21.16	21.27	19.12	34.77	-15.65
				50	0	21.02	21.13	18.98	34.77	-15.79
10	23780	709.0	16QAM	1	0	21.21	21.32	19.17	34.77	-15.60
				1	49	21.11	21.22	19.07	34.77	-15.70
				25	12	20.15	20.26	18.11	34.77	-16.66
				50	0	20.04	20.15	18.00	34.77	-16.77
	23790	710.0	16QAM	1	0	21.18	21.29	19.14	34.77	-15.63
				1	49	21.07	21.18	19.03	34.77	-15.74
				25	12	20.11	20.22	18.07	34.77	-16.70
				50	0	20.01	20.12	17.97	34.77	-16.80
	23800	711.0	16QAM	1	0	21.25	21.36	19.21	34.77	-15.56
				1	49	21.17	21.28	19.13	34.77	-15.64
				25	12	20.04	20.15	18.00	34.77	-16.77
				50	0	20.00	20.11	17.96	34.77	-16.81
10	23780	709.0	64QAM	1	0	20.20	20.31	18.16	34.77	-16.61
				1	49	20.11	20.22	18.07	34.77	-16.70
				25	12	19.04	19.15	17.00	34.77	-17.77
				50	0	19.10	19.21	17.06	34.77	-17.71
	23790	710.0	64QAM	1	0	20.31	20.42	18.27	34.77	-16.50
				1	49	20.24	20.35	18.20	34.77	-16.57
				25	12	19.22	19.33	17.18	34.77	-17.59
				50	0	19.17	19.28	17.13	34.77	-17.64
	23800	711.0	64QAM	1	0	20.15	20.26	18.11	34.77	-16.66
				1	49	20.11	20.22	18.07	34.77	-16.70
				25	12	19.27	19.38	17.23	34.77	-17.54
				50	0	19.30	19.41	17.26	34.77	-17.51
10	23780	709.0	256QAM	1	0	19.20	19.31	17.16	34.77	-17.61
				1	49	19.27	19.38	17.23	34.77	-17.54
				25	12	18.15	18.26	16.11	34.77	-18.66
				50	0	18.04	18.15	16.00	34.77	-18.77
	23790	710.0	256QAM	1	0	19.12	19.23	17.08	34.77	-17.69
				1	49	19.17	19.28	17.13	34.77	-17.64
				25	12	18.06	18.17	16.02	34.77	-18.75
				50	0	18.01	18.12	15.97	34.77	-18.80
	23800	711.0	256QAM	1	0	19.11	19.22	17.07	34.77	-17.70
				1	49	19.20	19.31	17.16	34.77	-17.61
				25	12	18.09	18.20	16.05	34.77	-18.72
				50	0	18.12	18.23	16.08	34.77	-18.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Antenna gain (dBi)		0.98							
LTE Band 30_Uplink frequency band : 2305 to 2315 MHz									
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm/5MHz)	EIRP Average (dBm/5MHz)	EIRP Limit (dBm/5MHz)	Margin (dB)
5	27685	2307.5	QPSK	1	0	21.64	22.62	24	-1.38
				1	24	21.41	22.39	24	-1.61
				12	6	20.20	21.18	24	-2.82
				25	0	20.55	21.53	24	-2.47
	27710	2310.0	QPSK	1	0	21.57	22.55	24	-1.45
				1	24	21.64	22.62	24	-1.38
				12	6	20.10	21.08	24	-2.92
				25	0	20.05	21.03	24	-2.97
	27735	2312.5	QPSK	1	0	21.66	22.64	24	-1.36
				1	24	21.36	22.34	24	-1.66
				12	6	20.30	21.28	24	-2.72
				25	0	20.12	21.10	24	-2.90
5	27685	2307.5	16QAM	1	0	20.34	21.32	24	-2.68
				1	24	20.13	21.11	24	-2.89
				12	6	19.47	20.45	24	-3.55
				25	0	19.30	20.28	24	-3.72
	27710	2310.0	16QAM	1	0	20.33	21.31	24	-2.69
				1	24	20.14	21.12	24	-2.88
				12	6	19.46	20.44	24	-3.56
				25	0	19.29	20.27	24	-3.73
	27735	2312.5	16QAM	1	0	20.55	21.53	24	-2.47
				1	24	20.52	21.50	24	-2.50
				12	6	19.18	20.16	24	-3.84
				25	0	19.30	20.28	24	-3.72
5	27685	2307.5	64QAM	1	0	19.47	20.45	24	-3.55
				1	24	19.33	20.31	24	-3.69
				12	6	18.30	19.28	24	-4.72
				25	0	18.14	19.12	24	-4.88
	27710	2310.0	64QAM	1	0	19.32	20.30	24	-3.70
				1	24	19.15	20.13	24	-3.87
				12	6	18.09	19.07	24	-4.93
				25	0	18.31	19.29	24	-4.71
	27735	2312.5	64QAM	1	0	19.22	20.20	24	-3.80
				1	24	19.38	20.36	24	-3.64
				12	6	18.21	19.19	24	-4.81
				25	0	18.29	19.27	24	-4.73
5	27685	2307.5	256QAM	1	0	18.48	19.46	24	-4.54
				1	24	18.58	19.56	24	-4.44
				12	6	17.31	18.29	24	-5.71
				25	0	17.29	18.27	24	-5.73
	27710	2310.0	256QAM	1	0	18.68	19.66	24	-4.34
				1	24	18.45	19.43	24	-4.57
				12	6	17.49	18.47	24	-5.53
				25	0	17.37	18.35	24	-5.65
	27735	2312.5	256QAM	1	0	18.48	19.46	24	-4.54
				1	24	18.54	19.52	24	-4.48
				12	6	17.50	18.48	24	-5.52
				25	0	17.11	18.09	24	-5.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Antenna gain (dBi)		2.38							
LTE Band 38_Uplink frequency band : 2570 to 2620 MHz									
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
10	37800	2575.0	QPSK	1	0	23.20	25.58	33	-7.42
				1	49	23.02	25.40	33	-7.60
				25	12	22.64	25.02	33	-7.98
				50	0	22.55	24.93	33	-8.07
	38000	2595.0	QPSK	1	0	23.15	25.53	33	-7.47
				1	49	23.01	25.39	33	-7.61
				25	12	22.54	24.92	33	-8.08
				50	0	22.62	25.00	33	-8.00
	38200	2615.0	QPSK	1	0	23.21	25.59	33	-7.41
				1	49	23.04	25.42	33	-7.58
				25	12	22.67	25.05	33	-7.95
				50	0	22.30	24.68	33	-8.32
10	37800	2575.0	16QAM	1	0	22.75	25.13	33	-7.87
				1	49	22.54	24.92	33	-8.08
				25	12	21.63	24.01	33	-8.99
				50	0	21.55	23.93	33	-9.07
	38000	2595.0	16QAM	1	0	22.69	25.07	33	-7.93
				1	49	22.48	24.86	33	-8.14
				25	12	21.74	24.12	33	-8.88
				50	0	21.61	23.99	33	-9.01
	38200	2615.0	16QAM	1	0	22.66	25.04	33	-7.96
				1	49	22.51	24.89	33	-8.11
				25	12	21.68	24.06	33	-8.94
				50	0	21.59	23.97	33	-9.03
10	37800	2575.0	64QAM	1	0	21.64	24.02	33	-8.98
				1	49	21.57	23.95	33	-9.05
				25	12	20.68	23.06	33	-9.94
				50	0	20.73	23.11	33	-9.89
	38000	2595.0	64QAM	1	0	21.68	24.06	33	-8.94
				1	49	21.53	23.91	33	-9.09
				25	12	20.71	23.09	33	-9.91
				50	0	20.64	23.02	33	-9.98
	38200	2615.0	64QAM	1	0	21.67	24.05	33	-8.95
				1	49	21.66	24.04	33	-8.96
				25	12	20.78	23.16	33	-9.84
				50	0	20.69	23.07	33	-9.93
10	37800	2575.0	256QAM	1	0	20.58	22.96	33	-10.04
				1	49	20.50	22.88	33	-10.12
				25	12	19.64	22.02	33	-10.98
				50	0	19.56	21.94	33	-11.06
	38000	2595.0	256QAM	1	0	20.51	22.89	33	-10.11
				1	49	20.46	22.84	33	-10.16
				25	12	19.58	21.96	33	-11.04
				50	0	19.62	22.00	33	-11.00
	38200	2615.0	256QAM	1	0	20.60	22.98	33	-10.02
				1	49	20.62	23.00	33	-10.00
				25	12	19.62	22.00	33	-11.00
				50	0	19.54	21.92	33	-11.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Antenna gain (dBi)		0.74							
LTE Band 41_Uplink frequency band : 2496 to 2690 MHz									
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
10	39700	2501.0	QPSK	1	0	21.30	22.04	33	-10.96
				1	49	21.24	21.98	33	-11.02
				25	12	20.48	21.22	33	-11.78
				50	0	20.44	21.18	33	-11.82
	40620	2593.0	QPSK	1	0	21.61	22.35	33	-10.65
				1	49	21.55	22.29	33	-10.71
				25	12	20.74	21.48	33	-11.52
				50	0	20.66	21.40	33	-11.60
	41540	2685.0	QPSK	1	0	21.02	21.76	33	-11.24
				1	49	21.09	21.83	33	-11.17
				25	12	19.99	20.73	33	-12.27
				50	0	20.03	20.77	33	-12.23
10	39700	2501.0	16QAM	1	0	20.31	21.05	33	-11.95
				1	49	20.26	21.00	33	-12.00
				25	12	19.49	20.23	33	-12.77
				50	0	19.35	20.09	33	-12.92
	40620	2593.0	16QAM	1	0	20.64	21.38	33	-11.62
				1	49	20.50	21.24	33	-11.76
				25	12	19.52	20.26	33	-12.74
				50	0	19.42	20.16	33	-12.84
	41540	2685.0	16QAM	1	0	20.61	21.35	33	-11.65
				1	49	20.55	21.29	33	-11.71
				25	12	19.56	20.30	33	-12.70
				50	0	19.48	20.22	33	-12.78
10	39700	2501.0	64QAM	1	0	19.32	20.06	33	-12.94
				1	49	19.24	19.98	33	-13.02
				25	12	18.42	19.16	33	-13.84
				50	0	18.38	19.12	33	-13.88
	40620	2593.0	64QAM	1	0	19.52	20.26	33	-12.74
				1	49	19.41	20.15	33	-12.85
				25	12	18.62	19.36	33	-13.64
				50	0	18.59	19.33	33	-13.67
	41540	2685.0	64QAM	1	0	19.02	19.76	33	-13.24
				1	49	19.04	19.78	33	-13.22
				25	12	18.12	18.86	33	-14.14
				50	0	18.20	18.94	33	-14.06
10	39700	2501.0	256QAM	1	0	18.16	18.90	33	-14.10
				1	49	18.21	18.95	33	-14.05
				25	12	17.15	17.89	33	-15.11
				50	0	17.20	17.94	33	-15.06
	40620	2593.0	256QAM	1	0	18.54	19.28	33	-13.72
				1	49	18.60	19.34	33	-13.66
				25	12	17.67	18.41	33	-14.59
				50	0	17.53	18.27	33	-14.73
	41540	2685.0	256QAM	1	0	18.15	18.89	33	-14.11
				1	49	18.20	18.94	33	-14.06
				25	12	17.08	17.82	33	-15.18
				50	0	17.15	17.89	33	-15.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Antenna gain (dBi)		1.85							
LTE Band 66_Uplink frequency band : 1710 to 1780 MHz									
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
10	132022	1715.0	QPSK	1	0	20.52	22.37	30	-7.63
				1	49	20.20	22.05	30	-7.95
				25	12	19.62	21.47	30	-8.53
				50	0	19.58	21.43	30	-8.57
	132322	1745.0	QPSK	1	0	20.33	22.18	30	-7.82
				1	49	20.17	22.02	30	-7.98
				25	12	19.40	21.25	30	-8.75
				50	0	19.66	21.51	30	-8.49
	132622	1775.0	QPSK	1	0	20.48	22.33	30	-7.67
				1	49	20.29	22.14	30	-7.86
				25	12	19.59	21.44	30	-8.56
				50	0	19.18	21.03	30	-8.97
10	132022	1715.0	16QAM	1	0	19.16	21.01	30	-8.99
				1	49	19.45	21.30	30	-8.70
				25	12	18.17	20.02	30	-9.98
				50	0	18.48	20.33	30	-9.67
	132322	1745.0	16QAM	1	0	19.38	21.23	30	-8.77
				1	49	19.47	21.32	30	-8.68
				25	12	18.29	20.14	30	-9.86
				50	0	18.58	20.43	30	-9.57
	132622	1775.0	16QAM	1	0	19.49	21.34	30	-8.66
				1	49	19.31	21.16	30	-8.84
				25	12	18.28	20.13	30	-9.87
				50	0	18.22	20.07	30	-9.93
10	132022	1715.0	64QAM	1	0	18.49	20.34	30	-9.66
				1	49	18.29	20.14	30	-9.86
				25	12	17.63	19.48	30	-10.52
				50	0	17.24	19.09	30	-10.91
	132322	1745.0	64QAM	1	0	18.55	20.40	30	-9.60
				1	49	18.33	20.18	30	-9.82
				25	12	17.49	19.34	30	-10.66
				50	0	17.14	18.99	30	-11.01
	132622	1775.0	64QAM	1	0	18.65	20.50	30	-9.50
				1	49	18.38	20.23	30	-9.77
				25	12	17.27	19.12	30	-10.88
				50	0	17.33	19.18	30	-10.82
10	132022	1715.0	256QAM	1	0	17.55	19.40	30	-10.60
				1	49	17.34	19.19	30	-10.81
				25	12	16.32	18.17	30	-11.83
				50	0	16.42	18.27	30	-11.73
	132322	1745.0	256QAM	1	0	17.35	19.20	30	-10.80
				1	49	17.36	19.21	30	-10.79
				25	12	16.31	18.16	30	-11.84
				50	0	16.33	18.18	30	-11.82
	132622	1775.0	256QAM	1	0	17.16	19.01	30	-10.99
				1	49	17.51	19.36	30	-10.64
				25	12	16.55	18.40	30	-11.60
				50	0	16.43	18.28	30	-11.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Antenna gain (dBi)		0.33								
LTE Band 71_Uplink frequency band : 663 to 698 MHz										
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
10	133172	668.0	QPSK	1	0	22.16	22.49	20.34	34.77	-14.43
				1	49	22.08	22.41	20.26	34.77	-14.51
				25	12	21.00	21.33	19.18	34.77	-15.59
				50	0	21.04	21.37	19.22	34.77	-15.55
	133297	680.5	QPSK	1	0	22.14	22.47	20.32	34.77	-14.45
				1	49	22.13	22.46	20.31	34.77	-14.46
				25	12	21.08	21.41	19.26	34.77	-15.51
				50	0	21.09	21.42	19.27	34.77	-15.50
	133422	693.0	QPSK	1	0	22.13	22.46	20.31	34.77	-14.46
				1	49	22.07	22.40	20.25	34.77	-14.52
				25	12	21.10	21.43	19.28	34.77	-15.49
				50	0	21.18	21.51	19.36	34.77	-15.41
10	133172	668.0	16QAM	1	0	21.28	21.61	19.46	34.77	-15.31
				1	49	21.24	21.57	19.42	34.77	-15.35
				25	12	20.21	20.54	18.39	34.77	-16.38
				50	0	20.19	20.52	18.37	34.77	-16.40
	133297	680.5	16QAM	1	0	21.19	21.52	19.37	34.77	-15.40
				1	49	21.18	21.51	19.36	34.77	-15.41
				25	12	20.19	20.52	18.37	34.77	-16.40
				50	0	20.09	20.42	18.27	34.77	-16.50
	133422	693.0	16QAM	1	0	21.31	21.64	19.49	34.77	-15.28
				1	49	21.14	21.47	19.32	34.77	-15.45
				25	12	20.02	20.35	18.20	34.77	-16.57
				50	0	20.10	20.43	18.28	34.77	-16.49
10	133172	668.0	64QAM	1	0	20.19	20.52	18.37	34.77	-16.40
				1	49	20.20	20.53	18.38	34.77	-16.39
				25	12	19.26	19.59	17.44	34.77	-17.33
				50	0	19.29	19.62	17.47	34.77	-17.30
	133297	680.5	64QAM	1	0	20.25	20.58	18.43	34.77	-16.34
				1	49	20.18	20.51	18.36	34.77	-16.41
				25	12	19.07	19.40	17.25	34.77	-17.52
				50	0	19.16	19.49	17.34	34.77	-17.43
	133422	693.0	64QAM	1	0	20.30	20.63	18.48	34.77	-16.29
				1	49	20.21	20.54	18.39	34.77	-16.38
				25	12	19.45	19.78	17.63	34.77	-17.14
				50	0	19.55	19.88	17.73	34.77	-17.04
10	133172	668.0	256QAM	1	0	19.17	19.50	17.35	34.77	-17.42
				1	49	19.07	19.40	17.25	34.77	-17.52
				25	12	18.24	18.57	16.42	34.77	-18.35
				50	0	18.23	18.56	16.41	34.77	-18.36
	133297	680.5	256QAM	1	0	19.22	19.55	17.40	34.77	-17.37
				1	49	19.15	19.48	17.33	34.77	-17.44
				25	12	18.05	18.38	16.23	34.77	-18.54
				50	0	18.16	18.49	16.34	34.77	-18.43
	133422	693.0	256QAM	1	0	19.10	19.43	17.28	34.77	-17.49
				1	49	19.02	19.35	17.20	34.77	-17.57
				25	12	18.15	18.48	16.33	34.77	-18.44
				50	0	18.22	18.55	16.40	34.77	-18.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Part90

Antenna gain (dBi)		-0.16								
LTE Band 14_Uplink frequency band : 788 to 798 MHz										
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
10	23330	793.0	QPSK	1	0	23.20	23.04	20.89	34.77	-13.88
				1	49	23.01	22.85	20.70	34.77	-14.07
				25	12	22.12	21.96	19.81	34.77	-14.96
				50	0	22.12	21.96	19.81	34.77	-14.96
10	23330	793.0	16QAM	1	0	22.18	22.02	19.87	34.77	-14.9
				1	49	22.01	21.85	19.70	34.77	-15.07
				25	12	21.13	20.97	18.82	34.77	-15.95
				50	0	21.10	20.94	18.79	34.77	-15.98
10	23330	793.0	64QAM	1	0	21.20	21.04	18.89	34.77	-15.88
				1	49	21.18	21.02	18.87	34.77	-15.9
				25	12	20.10	19.94	17.79	34.77	-16.98
				50	0	20.11	19.95	17.80	34.77	-16.97
10	23330	793.0	256QAM	1	0	18.48	18.32	16.17	34.77	-18.6
				1	49	18.38	18.22	16.07	34.77	-18.7
				25	12	18.15	17.99	15.84	34.77	-18.93
				50	0	18.20	18.04	15.89	34.77	-18.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Antenna gain (dBi)		-0.52								
LTE Band 26_Uplink frequency band : 814 to 824 MHz										
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
3	26705	815.5	QPSK	1	0	22.99	22.47	20.32	50	-29.68
				1	14	23.02	22.50	20.35	50	-29.65
				8	4	23.04	22.52	20.37	50	-29.63
				15	0	23.06	22.54	20.39	50	-29.61
	26740	819.0	QPSK	1	0	23.07	22.55	20.40	50	-29.60
				1	14	22.91	22.39	20.24	50	-29.76
				8	4	22.91	22.39	20.24	50	-29.76
				15	0	22.94	22.42	20.27	50	-29.73
	26775	822.5	QPSK	1	0	23.00	22.48	20.33	50	-29.67
				1	14	22.89	22.37	20.22	50	-29.78
				8	4	21.91	21.39	19.24	50	-30.76
				15	0	21.90	21.38	19.23	50	-30.77
3	26705	815.5	16QAM	1	0	22.02	21.50	19.35	50	-30.65
				1	14	22.01	21.49	19.34	50	-30.66
				8	4	21.00	20.48	18.33	50	-31.67
				15	0	21.03	20.51	18.36	50	-31.64
	26740	819.0	16QAM	1	0	22.05	21.53	19.38	50	-30.62
				1	14	22.04	21.52	19.37	50	-30.63
				8	4	20.98	20.46	18.31	50	-31.69
				15	0	20.89	20.37	18.22	50	-31.78
	26775	822.5	16QAM	1	0	21.74	21.22	19.07	50	-30.93
				1	14	21.54	21.02	18.87	50	-31.13
				8	4	20.53	20.01	17.86	50	-32.14
				15	0	20.62	20.10	17.95	50	-32.05
3	26705	815.5	64QAM	1	0	21.12	20.60	18.45	50	-31.55
				1	14	21.11	20.59	18.44	50	-31.56
				8	4	20.16	19.64	17.49	50	-32.51
				15	0	20.14	19.62	17.47	50	-32.53
	26740	819.0	64QAM	1	0	20.85	20.33	18.18	50	-31.82
				1	14	20.91	20.39	18.24	50	-31.76
				8	4	19.98	19.46	17.31	50	-32.69
				15	0	19.99	19.47	17.32	50	-32.68
	26775	822.5	64QAM	1	0	20.94	20.42	18.27	50	-31.73
				1	14	20.91	20.39	18.24	50	-31.76
				8	4	19.94	19.42	17.27	50	-32.73
				15	0	19.92	19.40	17.25	50	-32.75
3	26705	815.5	256QAM	1	0	20.01	19.49	17.34	50	-32.66
				1	14	20.02	19.50	17.35	50	-32.65
				8	4	19.11	18.59	16.44	50	-33.56
				15	0	19.06	18.54	16.39	50	-33.61
	26740	819.0	256QAM	1	0	19.46	18.94	16.79	50	-33.21
				1	14	19.39	18.87	16.72	50	-33.28
				8	4	18.64	18.12	15.97	50	-34.03
				15	0	18.77	18.25	16.10	50	-33.90
	26775	822.5	256QAM	1	0	20.00	19.48	17.33	50	-32.67
				1	14	19.91	19.39	17.24	50	-32.76
				8	4	19.05	18.53	16.38	50	-33.62
				15	0	19.09	18.57	16.42	50	-33.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488


www.sgs.com.tw

Member of SGS Group

7.2 Field Strength Of Spurious Radiation

Report Number :TERF2605001803ER
 Operation Mode :LTE B2
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :1855 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-68.27	-57.02	-9.97	-1.28	-13.00	-55.27
161.92	-65.97	-64.85	1.21	-2.33	-13.00	-52.97
296.75	-55.18	-58.28	6.24	-3.14	-13.00	-42.18
371.44	-60.07	-63.21	6.67	-3.53	-13.00	-47.07
445.16	-69.81	-72.26	6.30	-3.85	-13.00	-56.81
519.85	-62.81	-65.20	6.55	-4.16	-13.00	-49.81
3710.00	-51.61	-52.65	12.34	-11.31	-13.00	-38.61
5565.00	-42.50	-41.28	12.73	-13.95	-13.00	-29.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2605001803ER
 Operation Mode :LTE B2
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :1855 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-65.86	-54.61	-9.97	-1.28	-13.00	-52.86
161.92	-62.60	-61.48	1.21	-2.33	-13.00	-49.60
264.74	-68.47	-71.90	6.39	-2.96	-13.00	-55.47
371.44	-68.29	-71.43	6.67	-3.53	-13.00	-55.29
445.16	-73.75	-76.20	6.30	-3.85	-13.00	-60.75
519.85	-69.02	-71.41	6.55	-4.16	-13.00	-56.02
3710.00	-52.28	-53.31	12.34	-11.31	-13.00	-39.28
5565.00	-44.84	-43.62	12.73	-13.95	-13.00	-31.84


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B2
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :1880 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-65.54	-54.29	-9.97	-1.28	-13.00	-52.54
161.92	-66.57	-65.45	1.21	-2.33	-13.00	-53.57
223.03	-51.34	-55.93	7.32	-2.73	-13.00	-38.34
296.75	-55.02	-58.12	6.24	-3.14	-13.00	-42.02
371.44	-60.55	-63.69	6.67	-3.53	-13.00	-47.55
519.85	-62.86	-65.24	6.55	-4.16	-13.00	-49.86
3760.00	-51.22	-52.30	12.46	-11.38	-13.00	-38.22
5640.00	-45.14	-44.14	13.04	-14.05	-13.00	-32.14


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B2
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :1880 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-66.10	-54.85	-9.97	-1.28	-13.00	-53.10
161.92	-62.83	-61.72	1.21	-2.33	-13.00	-49.83
264.74	-68.22	-71.65	6.39	-2.96	-13.00	-55.22
313.24	-69.60	-72.69	6.32	-3.23	-13.00	-56.60
371.44	-68.17	-71.31	6.67	-3.53	-13.00	-55.17
519.85	-69.04	-71.43	6.55	-4.16	-13.00	-56.04
3760.00	-51.07	-52.15	12.46	-11.38	-13.00	-38.07
5640.00	-45.81	-44.81	13.04	-14.05	-13.00	-32.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B2
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :1905 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-66.29	-55.04	-9.97	-1.28	-13.00	-53.29
95.96	-66.80	-66.68	1.68	-1.80	-13.00	-53.80
161.92	-66.63	-65.51	1.21	-2.33	-13.00	-53.63
296.75	-55.12	-58.22	6.24	-3.14	-13.00	-42.12
371.44	-60.16	-63.30	6.67	-3.53	-13.00	-47.16
519.85	-62.95	-65.34	6.55	-4.16	-13.00	-49.95
3810.00	-51.48	-52.30	12.28	-11.46	-13.00	-38.48
5715.00	-43.66	-42.34	12.83	-14.15	-13.00	-30.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B2
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :1905 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-66.05	-54.80	-9.97	-1.28	-13.00	-53.05
161.92	-62.90	-61.78	1.21	-2.33	-13.00	-49.90
264.74	-68.27	-71.70	6.39	-2.96	-13.00	-55.27
371.44	-68.75	-71.89	6.67	-3.53	-13.00	-55.75
427.70	-72.03	-74.75	6.50	-3.78	-13.00	-59.03
519.85	-69.23	-71.61	6.55	-4.16	-13.00	-56.23
3810.00	-51.61	-52.43	12.28	-11.46	-13.00	-38.61
5715.00	-44.80	-43.48	12.83	-14.15	-13.00	-31.80


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B4
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :1715 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-66.87	-55.62	-9.97	-1.28	-13.00	-53.87
161.92	-66.72	-65.60	1.21	-2.33	-13.00	-53.72
223.03	-51.68	-56.27	7.32	-2.73	-13.00	-38.68
296.75	-55.40	-58.50	6.24	-3.14	-13.00	-42.40
371.44	-60.28	-63.42	6.67	-3.53	-13.00	-47.28
445.16	-70.63	-73.08	6.30	-3.85	-13.00	-57.63
3430.00	-52.06	-53.51	12.30	-10.85	-13.00	-39.06
5145.00	-45.57	-44.17	12.00	-13.40	-13.00	-32.57


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B4
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :1715 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-67.03	-55.78	-9.97	-1.28	-13.00	-54.03
95.96	-69.57	-69.45	1.68	-1.80	-13.00	-56.57
161.92	-62.97	-61.85	1.21	-2.33	-13.00	-49.97
296.75	-69.63	-72.73	6.24	-3.14	-13.00	-56.63
371.44	-68.01	-71.16	6.67	-3.53	-13.00	-55.01
519.85	-69.20	-71.59	6.55	-4.16	-13.00	-56.20
3430.00	-52.19	-53.64	12.30	-10.85	-13.00	-39.19
5145.00	-46.72	-45.32	12.00	-13.40	-13.00	-33.72


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B4
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :1732.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
95.96	-66.91	-66.79	1.68	-1.80	-13.00	-53.91
161.92	-67.11	-65.99	1.21	-2.33	-13.00	-54.11
223.03	-51.57	-56.16	7.32	-2.73	-13.00	-38.57
296.75	-54.87	-57.97	6.24	-3.14	-13.00	-41.87
371.44	-60.45	-63.59	6.67	-3.53	-13.00	-47.45
519.85	-62.88	-65.27	6.55	-4.16	-13.00	-49.88
3465.00	-51.65	-53.01	12.27	-10.91	-13.00	-38.65
5197.50	-46.38	-45.20	12.28	-13.47	-13.00	-33.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER

Operation Mode :LTE B4

Test Mode :Tx

EUT Pol :NB Mode

Test Frequency :1732.5 MHz


Test Site :SAC 1

Test Date :2026-07-06

Temp./Humi. :28.1°C/59%

Antenna Pol. :Horizontal

Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
95.96	-69.82	-69.71	1.68	-1.80	-13.00	-56.82
161.92	-63.02	-61.91	1.21	-2.33	-13.00	-50.02
296.75	-69.55	-72.65	6.24	-3.14	-13.00	-56.55
371.44	-69.21	-72.35	6.67	-3.53	-13.00	-56.21
445.16	-74.37	-76.82	6.30	-3.85	-13.00	-61.37
519.85	-69.28	-71.67	6.55	-4.16	-13.00	-56.28
3465.00	-51.72	-53.08	12.27	-10.91	-13.00	-38.72
5197.50	-46.95	-45.76	12.28	-13.47	-13.00	-33.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2605001803ER
 Operation Mode :LTE B4
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :1750 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
95.96	-67.47	-67.35	1.68	-1.80	-13.00	-54.47
161.92	-66.71	-65.59	1.21	-2.33	-13.00	-53.71
296.75	-55.22	-58.32	6.24	-3.14	-13.00	-42.22
371.44	-60.75	-63.89	6.67	-3.53	-13.00	-47.75
445.16	-70.25	-72.70	6.30	-3.85	-13.00	-57.25
519.85	-62.50	-64.89	6.55	-4.16	-13.00	-49.50
3500.00	-51.30	-52.53	12.20	-10.97	-13.00	-38.30
5250.00	-45.19	-44.46	12.80	-13.53	-13.00	-32.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER

Operation Mode :LTE B4

Test Mode :Tx

EUT Pol :NB Mode

Test Frequency :1750 MHz


Test Site :SAC 1

Test Date :2026-07-06

Temp./Humi. :28.1°C/59%

Antenna Pol. :Horizontal

Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
95.96	-70.39	-70.28	1.68	-1.80	-13.00	-57.39
161.92	-63.24	-62.12	1.21	-2.33	-13.00	-50.24
223.03	-66.96	-71.55	7.32	-2.73	-13.00	-53.96
313.24	-70.46	-73.55	6.32	-3.23	-13.00	-57.46
371.44	-68.60	-71.74	6.67	-3.53	-13.00	-55.60
445.16	-72.40	-74.85	6.30	-3.85	-13.00	-59.40
3500.00	-52.01	-53.24	12.20	-10.97	-13.00	-39.01
5250.00	-47.45	-46.72	12.80	-13.53	-13.00	-34.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2605001803ER
 Operation Mode :LTE B5
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :829 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
72.68	-73.54	-68.47	-3.50	-1.57	-13.00	-60.54
161.92	-66.97	-65.86	1.21	-2.33	-13.00	-53.97
223.03	-52.00	-56.59	7.32	-2.73	-13.00	-39.00
296.75	-55.51	-58.61	6.24	-3.14	-13.00	-42.51
371.44	-60.65	-63.79	6.67	-3.53	-13.00	-47.65
519.85	-62.31	-64.70	6.55	-4.16	-13.00	-49.31
1658.00	-54.32	-55.98	9.10	-7.44	-13.00	-41.32
2487.00	-38.42	-39.79	10.54	-9.17	-13.00	-25.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B5
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :829 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
161.92	-63.69	-62.58	1.21	-2.33	-13.00	-50.69
223.03	-68.62	-73.21	7.32	-2.73	-13.00	-55.62
296.75	-68.04	-71.14	6.24	-3.14	-13.00	-55.04
371.44	-69.35	-72.49	6.67	-3.53	-13.00	-56.35
423.82	-70.13	-72.86	6.50	-3.76	-13.00	-57.13
519.85	-69.09	-71.48	6.55	-4.16	-13.00	-56.09
1658.00	-56.21	-57.87	9.10	-7.44	-13.00	-43.21
2487.00	-38.68	-40.05	10.54	-9.17	-13.00	-25.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B5
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :836.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
72.68	-73.60	-68.54	-3.50	-1.57	-13.00	-60.60
161.92	-66.73	-65.61	1.21	-2.33	-13.00	-53.73
223.03	-51.98	-56.57	7.32	-2.73	-13.00	-38.98
313.24	-65.82	-68.91	6.32	-3.23	-13.00	-52.82
371.44	-60.27	-63.42	6.67	-3.53	-13.00	-47.27
519.85	-62.17	-64.55	6.55	-4.16	-13.00	-49.17
1673.00	-53.28	-55.00	9.20	-7.48	-13.00	-40.28
2509.50	-38.11	-39.31	10.41	-9.21	-13.00	-25.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B5
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :836.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
168.71	-69.97	-69.51	1.92	-2.38	-13.00	-56.97
223.03	-67.91	-72.50	7.32	-2.73	-13.00	-54.91
296.75	-68.87	-71.97	6.24	-3.14	-13.00	-55.87
371.44	-68.82	-71.96	6.67	-3.53	-13.00	-55.82
441.28	-73.13	-75.60	6.30	-3.84	-13.00	-60.13
519.85	-68.60	-70.99	6.55	-4.16	-13.00	-55.60
1673.00	-53.85	-55.57	9.20	-7.48	-13.00	-40.85
2509.50	-41.41	-42.61	10.41	-9.21	-13.00	-28.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B5
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :844 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
95.96	-75.36	-75.24	1.68	-1.80	-13.00	-62.36
161.92	-66.67	-65.55	1.21	-2.33	-13.00	-53.67
223.03	-51.79	-56.38	7.32	-2.73	-13.00	-38.79
296.75	-55.81	-58.91	6.24	-3.14	-13.00	-42.81
371.44	-60.74	-63.88	6.67	-3.53	-13.00	-47.74
519.85	-62.40	-64.78	6.55	-4.16	-13.00	-49.40
1688.00	-54.61	-56.30	9.20	-7.51	-13.00	-41.61
2532.00	-40.51	-41.83	10.58	-9.25	-13.00	-27.51


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B5
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :844 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
161.92	-63.41	-62.29	1.21	-2.33	-13.00	-50.41
264.74	-69.76	-73.19	6.39	-2.96	-13.00	-56.76
313.24	-68.78	-71.88	6.32	-3.23	-13.00	-55.78
371.44	-68.88	-72.02	6.67	-3.53	-13.00	-55.88
445.16	-73.71	-76.16	6.30	-3.85	-13.00	-60.71
1688.00	-55.95	-57.63	9.20	-7.51	-13.00	-42.95
2532.00	-41.80	-43.13	10.58	-9.25	-13.00	-28.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B7
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2505 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-66.59	-55.34	-9.97	-1.28	-25.00	-41.59
95.96	-66.85	-66.73	1.68	-1.80	-25.00	-41.85
161.92	-66.77	-65.66	1.21	-2.33	-25.00	-41.77
296.75	-55.24	-58.34	6.24	-3.14	-25.00	-30.24
371.44	-60.50	-63.64	6.67	-3.53	-25.00	-35.50
519.85	-62.74	-65.13	6.55	-4.16	-25.00	-37.74
5010.00	-46.63	-45.80	12.38	-13.21	-25.00	-21.63
7515.00	-36.37	-30.76	10.73	-16.34	-25.00	-11.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2605001803ER
 Operation Mode :LTE B7
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2505 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-65.89	-54.64	-9.97	-1.28	-25.00	-40.89
161.92	-63.16	-62.04	1.21	-2.33	-25.00	-38.16
264.74	-69.52	-72.95	6.39	-2.96	-25.00	-44.52
371.44	-68.73	-71.87	6.67	-3.53	-25.00	-43.73
443.22	-70.37	-72.82	6.30	-3.84	-25.00	-45.37
519.85	-68.92	-71.30	6.55	-4.16	-25.00	-43.92
5010.00	-47.22	-46.39	12.38	-13.21	-25.00	-22.22
7515.00	-37.91	-32.29	10.73	-16.34	-25.00	-12.91


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B7
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2535 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-65.79	-54.54	-9.97	-1.28	-25.00	-40.79
161.92	-66.99	-65.88	1.21	-2.33	-25.00	-41.99
296.75	-55.28	-58.39	6.24	-3.14	-25.00	-30.28
371.44	-60.72	-63.86	6.67	-3.53	-25.00	-35.72
452.92	-68.77	-71.18	6.29	-3.88	-25.00	-43.77
519.85	-63.08	-65.47	6.55	-4.16	-25.00	-38.08
5070.00	-44.26	-43.14	12.18	-13.30	-25.00	-19.26
7605.00	-31.13	-25.69	11.03	-16.47	-25.00	-6.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER

Operation Mode :LTE B7

Test Mode :Tx

EUT Pol :NB Mode

Test Frequency :2535 MHz


Test Site :SAC 1

Test Date :2026-07-06

Temp./Humi. :28.1°C/59%

Antenna Pol. :Horizontal

Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
95.96	-69.60	-69.48	1.68	-1.80	-25.00	-44.60
161.92	-63.08	-61.96	1.21	-2.33	-25.00	-38.08
217.21	-66.43	-70.71	6.97	-2.69	-25.00	-41.43
264.74	-69.36	-72.79	6.39	-2.96	-25.00	-44.36
371.44	-68.68	-71.83	6.67	-3.53	-25.00	-43.68
519.85	-69.52	-71.91	6.55	-4.16	-25.00	-44.52
5070.00	-44.92	-43.81	12.18	-13.30	-25.00	-19.92
7605.00	-37.38	-31.93	11.03	-16.47	-25.00	-12.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2605001803ER
 Operation Mode :LTE B7
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2565 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
95.96	-67.14	-67.03	1.68	-1.80	-25.00	-42.14
161.92	-66.98	-65.86	1.21	-2.33	-25.00	-41.98
223.03	-52.08	-56.67	7.32	-2.73	-25.00	-27.08
313.24	-67.25	-70.34	6.32	-3.23	-25.00	-42.25
371.44	-60.51	-63.65	6.67	-3.53	-25.00	-35.51
519.85	-62.65	-65.04	6.55	-4.16	-25.00	-37.65
5130.00	-44.69	-43.31	12.00	-13.38	-25.00	-19.69
7695.00	-37.43	-32.27	11.39	-16.55	-25.00	-12.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B7
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2565 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
95.96	-70.41	-70.30	1.68	-1.80	-25.00	-45.41
161.92	-63.46	-62.34	1.21	-2.33	-25.00	-38.46
217.21	-66.18	-70.45	6.97	-2.69	-25.00	-41.18
296.75	-69.26	-72.36	6.24	-3.14	-25.00	-44.26
425.76	-70.48	-73.21	6.50	-3.77	-25.00	-45.48
519.85	-69.85	-72.24	6.55	-4.16	-25.00	-44.85
5130.00	-46.73	-45.35	12.00	-13.38	-25.00	-21.73
7695.00	-38.14	-32.99	11.39	-16.55	-25.00	-13.14


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B12
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :701.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
80.44	-73.37	-71.24	-0.49	-1.64	-13.00	-60.37
161.92	-66.68	-65.56	1.21	-2.33	-13.00	-53.68
223.03	-51.68	-56.27	7.32	-2.73	-13.00	-38.68
296.75	-55.66	-58.76	6.24	-3.14	-13.00	-42.66
371.44	-60.91	-64.05	6.67	-3.53	-13.00	-47.91
519.85	-62.29	-64.67	6.55	-4.16	-13.00	-49.29
1403.00	-54.76	-55.32	7.40	-6.84	-13.00	-41.76
2104.50	-53.45	-54.70	9.65	-8.41	-13.00	-40.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B12
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :701.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
161.92	-63.39	-62.28	1.21	-2.33	-13.00	-50.39
217.21	-69.49	-73.77	6.97	-2.69	-13.00	-56.49
296.75	-69.25	-72.35	6.24	-3.14	-13.00	-56.25
371.44	-69.24	-72.38	6.67	-3.53	-13.00	-56.24
439.34	-72.69	-75.18	6.31	-3.83	-13.00	-59.69
549.92	-70.56	-72.92	6.64	-4.28	-13.00	-57.56
1403.00	-55.25	-55.81	7.40	-6.84	-13.00	-42.25
2104.50	-55.06	-56.31	9.65	-8.41	-13.00	-42.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B12
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :707.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
161.92	-66.50	-65.38	1.21	-2.33	-13.00	-53.50
223.03	-52.07	-56.66	7.32	-2.73	-13.00	-39.07
296.75	-55.31	-58.41	6.24	-3.14	-13.00	-42.31
371.44	-60.32	-63.46	6.67	-3.53	-13.00	-47.32
445.16	-69.46	-71.91	6.30	-3.85	-13.00	-56.46
519.85	-62.66	-65.05	6.55	-4.16	-13.00	-49.66
1415.00	-55.94	-56.52	7.45	-6.87	-13.00	-42.94
2122.50	-50.99	-52.02	9.48	-8.45	-13.00	-37.99


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B12
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :707.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
161.92	-63.77	-62.65	1.21	-2.33	-13.00	-50.77
253.10	-69.70	-73.24	6.43	-2.90	-13.00	-56.70
313.24	-69.98	-73.08	6.32	-3.23	-13.00	-56.98
371.44	-69.53	-72.67	6.67	-3.53	-13.00	-56.53
437.40	-73.25	-75.79	6.35	-3.82	-13.00	-60.25
550.89	-71.83	-74.20	6.65	-4.28	-13.00	-58.83
1415.00	-55.91	-56.49	7.45	-6.87	-13.00	-42.91
2122.50	-54.18	-55.21	9.48	-8.45	-13.00	-41.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B12
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :713.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
72.68	-73.10	-68.03	-3.50	-1.57	-13.00	-60.10
161.92	-67.14	-66.02	1.21	-2.33	-13.00	-54.14
223.03	-51.58	-56.17	7.32	-2.73	-13.00	-38.58
296.75	-55.63	-58.73	6.24	-3.14	-13.00	-42.63
371.44	-60.72	-63.86	6.67	-3.53	-13.00	-47.72
519.85	-62.39	-64.77	6.55	-4.16	-13.00	-49.39
1427.00	-55.35	-55.96	7.50	-6.90	-13.00	-42.35
2140.50	-52.65	-53.55	9.39	-8.49	-13.00	-39.65


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B12
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :713.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
161.92	-63.71	-62.59	1.21	-2.33	-13.00	-50.71
223.03	-69.23	-73.82	7.32	-2.73	-13.00	-56.23
296.75	-68.83	-71.93	6.24	-3.14	-13.00	-55.83
371.44	-68.61	-71.75	6.67	-3.53	-13.00	-55.61
482.99	-74.11	-76.64	6.54	-4.01	-13.00	-61.11
519.85	-68.76	-71.15	6.55	-4.16	-13.00	-55.76
1427.00	-55.33	-55.93	7.50	-6.90	-13.00	-42.33
2140.50	-54.66	-55.56	9.39	-8.49	-13.00	-41.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B13
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :779.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
161.92	-67.18	-66.06	1.21	-2.33	-13.00	-54.18
223.03	-51.86	-56.45	7.32	-2.73	-13.00	-38.86
296.75	-55.58	-58.68	6.24	-3.14	-13.00	-42.58
371.44	-60.59	-63.73	6.67	-3.53	-13.00	-47.59
437.40	-68.80	-71.33	6.35	-3.82	-13.00	-55.80
519.85	-62.77	-65.16	6.55	-4.16	-13.00	-49.77
1559.00	-54.74	-56.22	8.70	-7.22	-40.00	-14.74
2338.50	-49.53	-50.31	9.67	-8.88	-13.00	-36.53


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B13
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :779.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
161.92	-63.57	-62.46	1.21	-2.33	-13.00	-50.57
264.74	-69.23	-72.66	6.39	-2.96	-13.00	-56.23
313.24	-68.85	-71.94	6.32	-3.23	-13.00	-55.85
371.44	-68.63	-71.77	6.67	-3.53	-13.00	-55.63
435.46	-72.84	-75.42	6.39	-3.81	-13.00	-59.84
519.85	-68.54	-70.92	6.55	-4.16	-13.00	-55.54
1559.00	-56.02	-57.51	8.70	-7.22	-40.00	-16.02
2338.50	-46.02	-46.81	9.67	-8.88	-13.00	-33.02


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :TERF2605001803ER
Operation Mode :LTE B13
Test Mode :Tx
EUT Pol :NB Mode
Test Frequency :779.5 MHz

Test Site :SAC 1
Test Date :2026-07-06
Temp./Humi. :28.1°C/59%
Antenna Pol. :Vertical
Engineer :WJ Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
768.59	-82.58	-83.37	5.84	-5.06	-35.00	-47.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B13
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :779.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
797.51	-84.55	-85.46	6.07	-5.16	-35.00	-49.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488


www.sgs.com.tw

Member of SGS Group



Report Number :TERF2605001803ER
Operation Mode :LTE B13
Test Mode :Tx
EUT Pol :NB Mode
Test Frequency :779.5 MHz

Test Site :SAC 1
Test Date :2026-07-06
Temp./Humi. :28.1°C/59%
Antenna Pol. :Horizontal
Engineer :WJ Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
764.26	-85.00	-85.76	5.81	-5.04	-35.00	-50.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
Operation Mode :LTE B13
Test Mode :Tx
EUT Pol :NB Mode
Test Frequency :779.5 MHz

Test Site :SAC 1
Test Date :2026-07-06
Temp./Humi. :28.1°C/59%
Antenna Pol. :Horizontal
Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level	Gain	Loss	dBm	dB
		dBm	dBi/dBd	dB		
801.38	-85.19	-86.12	6.11	-5.17	-35.00	-50.19


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B13
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :782 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
72.68	-72.99	-67.93	-3.50	-1.57	-13.00	-59.99
161.92	-67.00	-65.88	1.21	-2.33	-13.00	-54.00
223.03	-52.22	-56.81	7.32	-2.73	-13.00	-39.22
296.75	-55.57	-58.67	6.24	-3.14	-13.00	-42.57
371.44	-60.26	-63.40	6.67	-3.53	-13.00	-47.26
519.85	-62.76	-65.14	6.55	-4.16	-13.00	-49.76
1564.00	-54.27	-55.71	8.66	-7.23	-40.00	-14.27
2346.00	-48.78	-49.64	9.76	-8.90	-13.00	-35.78


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B13
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :782 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
161.92	-63.51	-62.40	1.21	-2.33	-13.00	-50.51
223.03	-68.35	-72.94	7.32	-2.73	-13.00	-55.35
296.75	-69.64	-72.74	6.24	-3.14	-13.00	-56.64
371.44	-68.93	-72.07	6.67	-3.53	-13.00	-55.93
421.88	-70.72	-73.47	6.49	-3.75	-13.00	-57.72
519.85	-68.65	-71.04	6.55	-4.16	-13.00	-55.65
1564.00	-55.35	-56.79	8.66	-7.23	-40.00	-15.35
2346.00	-47.83	-48.70	9.76	-8.90	-13.00	-34.83


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :TERF2605001803ER
Operation Mode :LTE B13
Test Mode :Tx
EUT Pol :NB Mode
Test Frequency :782 MHz

Test Site :SAC 1
Test Date :2026-07-06
Temp./Humi. :28.1°C/59%
Antenna Pol. :Vertical
Engineer :WJ Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
764.28	-83.37	-84.14	5.81	-5.04	-35.00	-48.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B13
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :782 MHz
 BW :

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin
 Settong :




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
795.40	-83.66	-84.55	6.04	-5.15	-35.00	-48.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B13
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :782 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
768.33	-84.20	-84.98	5.84	-5.05	-35.00	-49.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B13
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :782 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
799.72	-85.13	-86.05	6.09	-5.17	-35.00	-50.13


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B13
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :784.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
72.68	-73.19	-68.13	-3.50	-1.57	-13.00	-60.19
161.92	-66.86	-65.74	1.21	-2.33	-13.00	-53.86
223.03	-51.80	-56.39	7.32	-2.73	-13.00	-38.80
296.75	-55.55	-58.65	6.24	-3.14	-13.00	-42.55
432.55	-66.59	-69.24	6.45	-3.80	-13.00	-53.59
519.85	-61.96	-64.35	6.55	-4.16	-13.00	-48.96
1569.00	-52.68	-54.05	8.61	-7.24	-40.00	-12.68
2353.50	-41.69	-42.61	9.84	-8.91	-13.00	-28.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B13
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :784.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
161.92	-63.64	-62.52	1.21	-2.33	-13.00	-50.64
217.21	-69.15	-73.43	6.97	-2.69	-13.00	-56.15
264.74	-69.80	-73.23	6.39	-2.96	-13.00	-56.80
313.24	-68.73	-71.83	6.32	-3.23	-13.00	-55.73
371.44	-69.12	-72.26	6.67	-3.53	-13.00	-56.12
434.49	-70.82	-73.42	6.41	-3.81	-13.00	-57.82
1569.00	-54.97	-56.35	8.61	-7.24	-40.00	-14.97
2353.50	-47.18	-48.11	9.84	-8.91	-13.00	-34.18


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
Operation Mode :LTE B13
Test Mode :Tx
EUT Pol :NB Mode
Test Frequency :784.5 MHz

Test Site :SAC 1
Test Date :2026-07-06
Temp./Humi. :28.1°C/59%
Antenna Pol. :Vertical
Engineer :WJ Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
766.76	-83.33	-84.10	5.82	-5.05	-35.00	-48.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B13
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :784.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
799.53	-84.39	-85.31	6.09	-5.17	-35.00	-49.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2605001803ER
 Operation Mode :LTE B13
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :784.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
766.92	-84.72	-85.49	5.82	-5.05	-35.00	-49.72


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
Operation Mode :LTE B13
Test Mode :Tx
EUT Pol :NB Mode
Test Frequency :784.5 MHz

Test Site :SAC 1
Test Date :2026-07-06
Temp./Humi. :28.1°C/59%
Antenna Pol. :Horizontal
Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level	Gain	Loss	dBm	dB
		dBm	dBi/dBd	dB		
799.34	-84.98	-85.90	6.08	-5.17	-35.00	-49.98


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B14
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :793 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
72.68	-72.42	-67.36	-3.50	-1.57	-13.00	-59.42
161.92	-66.90	-65.79	1.21	-2.33	-13.00	-53.90
223.03	-52.00	-56.59	7.32	-2.73	-13.00	-39.00
313.24	-66.04	-69.13	6.32	-3.23	-13.00	-53.04
371.44	-60.69	-63.83	6.67	-3.53	-13.00	-47.69
519.85	-61.81	-64.20	6.55	-4.16	-13.00	-48.81
1586.00	-54.02	-55.34	8.60	-7.28	-40.00	-14.02
2379.00	-48.14	-49.18	10.00	-8.96	-13.00	-35.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B14
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :793 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
161.92	-63.87	-62.75	1.21	-2.33	-13.00	-50.87
217.21	-68.90	-73.18	6.97	-2.69	-13.00	-55.90
313.24	-68.83	-71.92	6.32	-3.23	-13.00	-55.83
371.44	-69.10	-72.24	6.67	-3.53	-13.00	-56.10
445.16	-73.18	-75.63	6.30	-3.85	-13.00	-60.18
519.85	-69.06	-71.45	6.55	-4.16	-13.00	-56.06
1586.00	-55.08	-56.40	8.60	-7.28	-40.00	-15.08
2379.00	-48.42	-49.46	10.00	-8.96	-13.00	-35.42


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B17
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :709 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
72.68	-73.00	-67.93	-3.50	-1.57	-13.00	-60.00
161.92	-66.30	-65.18	1.21	-2.33	-13.00	-53.30
223.03	-51.97	-56.56	7.32	-2.73	-13.00	-38.97
296.75	-55.63	-58.73	6.24	-3.14	-13.00	-42.63
371.44	-60.30	-63.44	6.67	-3.53	-13.00	-47.30
519.85	-62.40	-64.78	6.55	-4.16	-13.00	-49.40
1418.00	-52.02	-52.62	7.48	-6.88	-13.00	-39.02
2127.00	-41.50	-42.48	9.43	-8.46	-13.00	-28.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B17
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :709 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
161.92	-63.95	-62.83	1.21	-2.33	-13.00	-50.95
223.03	-68.70	-73.29	7.32	-2.73	-13.00	-55.70
264.74	-69.28	-72.71	6.39	-2.96	-13.00	-56.28
371.44	-68.63	-71.78	6.67	-3.53	-13.00	-55.63
432.55	-71.49	-74.14	6.45	-3.80	-13.00	-58.49
519.85	-68.97	-71.36	6.55	-4.16	-13.00	-55.97
1418.00	-53.11	-53.71	7.48	-6.88	-13.00	-40.11
2127.00	-42.68	-43.65	9.43	-8.46	-13.00	-29.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B17
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :710 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
72.68	-73.19	-68.12	-3.50	-1.57	-13.00	-60.19
161.92	-67.15	-66.03	1.21	-2.33	-13.00	-54.15
223.03	-52.01	-56.60	7.32	-2.73	-13.00	-39.01
313.24	-65.66	-68.75	6.32	-3.23	-13.00	-52.66
371.44	-60.30	-63.45	6.67	-3.53	-13.00	-47.30
519.85	-62.27	-64.66	6.55	-4.16	-13.00	-49.27
1420.00	-49.27	-49.89	7.50	-6.88	-13.00	-36.27
2130.00	-37.13	-38.07	9.40	-8.46	-13.00	-24.13


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B17
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :710 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
161.92	-63.85	-62.73	1.21	-2.33	-13.00	-50.85
217.21	-67.98	-72.26	6.97	-2.69	-13.00	-54.98
296.75	-69.13	-72.23	6.24	-3.14	-13.00	-56.13
371.44	-68.96	-72.10	6.67	-3.53	-13.00	-55.96
445.16	-73.37	-75.82	6.30	-3.85	-13.00	-60.37
519.85	-69.17	-71.56	6.55	-4.16	-13.00	-56.17
1420.00	-50.23	-50.85	7.50	-6.88	-13.00	-37.23
2130.00	-42.64	-43.58	9.40	-8.46	-13.00	-29.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B17
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :711 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
72.68	-73.14	-68.08	-3.50	-1.57	-13.00	-60.14
161.92	-67.03	-65.91	1.21	-2.33	-13.00	-54.03
223.03	-52.19	-56.78	7.32	-2.73	-13.00	-39.19
296.75	-55.65	-58.75	6.24	-3.14	-13.00	-42.65
371.44	-60.41	-63.55	6.67	-3.53	-13.00	-47.41
519.85	-62.01	-64.40	6.55	-4.16	-13.00	-49.01
1422.00	-50.56	-51.18	7.50	-6.88	-13.00	-37.56
2133.00	-38.86	-39.80	9.40	-8.47	-13.00	-25.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
Operation Mode :LTE B17
Test Mode :Tx
EUT Pol :NB Mode
Test Frequency :711 MHz

Test Site :SAC 1
Test Date :2026-07-06
Temp./Humi. :28.1°C/59%
Antenna Pol. :Horizontal
Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
57.16	-71.21	-61.63	-8.19	-1.39	-13.00	-58.21
161.92	-63.98	-62.87	1.21	-2.33	-13.00	-50.98
223.03	-68.65	-73.24	7.32	-2.73	-13.00	-55.65
313.24	-69.47	-72.56	6.32	-3.23	-13.00	-56.47
413.15	-71.05	-73.93	6.59	-3.71	-13.00	-58.05
549.92	-71.53	-73.89	6.64	-4.28	-13.00	-58.53
1422.00	-51.18	-51.79	7.50	-6.88	-13.00	-38.18
2133.00	-43.75	-44.68	9.40	-8.47	-13.00	-30.75


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B25
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :1851.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-66.40	-55.15	-9.97	-1.28	-13.00	-53.40
161.92	-67.17	-66.06	1.21	-2.33	-13.00	-54.17
223.03	-51.57	-56.17	7.32	-2.73	-13.00	-38.57
313.24	-66.65	-69.74	6.32	-3.23	-13.00	-53.65
371.44	-60.60	-63.74	6.67	-3.53	-13.00	-47.60
445.16	-70.48	-72.93	6.30	-3.85	-13.00	-57.48
3703.00	-50.75	-51.76	12.31	-11.29	-13.00	-37.75
5554.50	-46.92	-45.69	12.71	-13.94	-13.00	-33.92


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B25
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :1851.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
95.96	-70.17	-70.05	1.68	-1.80	-13.00	-57.17
161.92	-63.28	-62.17	1.21	-2.33	-13.00	-50.28
264.74	-68.37	-71.80	6.39	-2.96	-13.00	-55.37
371.44	-68.89	-72.03	6.67	-3.53	-13.00	-55.89
450.01	-70.90	-73.32	6.29	-3.87	-13.00	-57.90
519.85	-69.17	-71.56	6.55	-4.16	-13.00	-56.17
3703.00	-51.25	-52.27	12.31	-11.29	-13.00	-38.25
5554.50	-47.82	-46.59	12.71	-13.94	-13.00	-34.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B25
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :1882.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
95.96	-67.12	-67.00	1.68	-1.80	-13.00	-54.12
223.03	-51.91	-56.50	7.32	-2.73	-13.00	-38.91
296.75	-55.39	-58.49	6.24	-3.14	-13.00	-42.39
371.44	-60.43	-63.57	6.67	-3.53	-13.00	-47.43
519.85	-63.13	-65.52	6.55	-4.16	-13.00	-50.13
602.30	-70.51	-72.22	6.18	-4.48	-13.00	-57.51
3765.00	-50.42	-51.47	12.44	-11.39	-13.00	-37.42
5647.50	-46.92	-45.95	13.09	-14.06	-13.00	-33.92


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B25
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :1882.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-66.94	-55.69	-9.97	-1.28	-13.00	-53.94
96.93	-70.15	-69.92	1.58	-1.81	-13.00	-57.15
161.92	-63.31	-62.19	1.21	-2.33	-13.00	-50.31
264.74	-68.39	-71.82	6.39	-2.96	-13.00	-55.39
371.44	-68.36	-71.50	6.67	-3.53	-13.00	-55.36
519.85	-69.80	-72.19	6.55	-4.16	-13.00	-56.80
3765.00	-51.52	-52.58	12.44	-11.39	-13.00	-38.52
5647.50	-47.64	-46.67	13.09	-14.06	-13.00	-34.64


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B25
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :1913.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-66.58	-55.33	-9.97	-1.28	-13.00	-53.58
161.92	-67.03	-65.91	1.21	-2.33	-13.00	-54.03
296.75	-55.15	-58.25	6.24	-3.14	-13.00	-42.15
371.44	-60.41	-63.55	6.67	-3.53	-13.00	-47.41
445.16	-69.96	-72.41	6.30	-3.85	-13.00	-56.96
519.85	-63.05	-65.44	6.55	-4.16	-13.00	-50.05
3827.00	-51.07	-51.83	12.25	-11.48	-13.00	-38.07
5740.50	-45.48	-44.18	12.88	-14.19	-13.00	-32.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B25
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :1913.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
96.93	-70.48	-70.24	1.58	-1.81	-13.00	-57.48
161.92	-63.18	-62.07	1.21	-2.33	-13.00	-50.18
264.74	-69.08	-72.51	6.39	-2.96	-13.00	-56.08
371.44	-68.82	-71.96	6.67	-3.53	-13.00	-55.82
438.37	-72.07	-74.58	6.33	-3.82	-13.00	-59.07
519.85	-69.40	-71.79	6.55	-4.16	-13.00	-56.40
3827.00	-51.79	-52.55	12.25	-11.48	-13.00	-38.79
5740.50	-46.40	-45.09	12.88	-14.19	-13.00	-33.40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
Operation Mode :LTE B26(Part 90)
Test Mode :Tx
EUT Pol :NB Mode
Test Frequency :815.5 MHz

Test Site :SAC 1
Test Date :2026-07-06
Temp./Humi. :28.1°C/59%
Antenna Pol. :Vertical
Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
72.68	-72.80	-67.73	-3.50	-1.57	-13.00	-59.80
161.92	-67.04	-65.93	1.21	-2.33	-13.00	-54.04
296.75	-55.66	-58.76	6.24	-3.14	-13.00	-42.66
371.44	-60.13	-63.28	6.67	-3.53	-13.00	-47.13
427.70	-68.32	-71.05	6.50	-3.78	-13.00	-55.32
519.85	-62.34	-64.73	6.55	-4.16	-13.00	-49.34
1631.00	-54.14	-55.87	9.11	-7.38	-13.00	-41.14
2446.50	-47.02	-48.30	10.36	-9.09	-13.00	-34.02


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B26(Part 90)
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :815.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.25	-77.54	-67.36	-8.83	-1.35	-13.00	-64.54
168.71	-70.18	-69.71	1.92	-2.38	-13.00	-57.18
223.03	-68.90	-73.49	7.32	-2.73	-13.00	-55.90
264.74	-69.28	-72.71	6.39	-2.96	-13.00	-56.28
371.44	-69.38	-72.52	6.67	-3.53	-13.00	-56.38
519.85	-68.49	-70.88	6.55	-4.16	-13.00	-55.49
1631.00	-54.90	-56.63	9.11	-7.38	-13.00	-41.90
2446.50	-48.42	-49.70	10.36	-9.09	-13.00	-35.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
Operation Mode :LTE B26(Part 90)
Test Mode :Tx
EUT Pol :NB Mode
Test Frequency :819 MHz

Test Site :SAC 1
Test Date :2026-07-06
Temp./Humi. :28.1°C/59%
Antenna Pol. :Vertical
Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
72.68	-72.81	-67.74	-3.50	-1.57	-13.00	-59.81
161.92	-66.97	-65.85	1.21	-2.33	-13.00	-53.97
296.75	-55.41	-58.52	6.24	-3.14	-13.00	-42.41
371.44	-60.73	-63.87	6.67	-3.53	-13.00	-47.73
445.16	-69.96	-72.41	6.30	-3.85	-13.00	-56.96
519.85	-62.57	-64.96	6.55	-4.16	-13.00	-49.57
1638.00	-51.16	-52.94	9.18	-7.40	-13.00	-38.16
2457.00	-43.32	-44.68	10.47	-9.11	-13.00	-30.32


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B26(Part 90)
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :819 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
94.99	-76.91	-76.90	1.78	-1.79	-13.00	-63.91
168.71	-69.53	-69.07	1.92	-2.38	-13.00	-56.53
223.03	-68.67	-73.27	7.32	-2.73	-13.00	-55.67
313.24	-70.25	-73.34	6.32	-3.23	-13.00	-57.25
404.42	-72.50	-75.40	6.58	-3.68	-13.00	-59.50
437.40	-72.60	-75.13	6.35	-3.82	-13.00	-59.60
519.85	-68.59	-70.98	6.55	-4.16	-13.00	-55.59
1638.00	-53.53	-55.31	9.18	-7.40	-13.00	-40.53
2457.00	-42.94	-44.31	10.47	-9.11	-13.00	-29.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B26(Part 90)
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :822.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
72.68	-72.68	-67.62	-3.50	-1.57	-13.00	-59.68
161.92	-67.11	-65.99	1.21	-2.33	-13.00	-54.11
223.03	-52.21	-56.80	7.32	-2.73	-13.00	-39.21
296.75	-55.99	-59.09	6.24	-3.14	-13.00	-42.99
371.44	-60.91	-64.06	6.67	-3.53	-13.00	-47.91
548.95	-67.45	-69.80	6.62	-4.28	-13.00	-54.45
1645.00	-51.33	-53.06	9.15	-7.41	-13.00	-38.33
2467.50	-46.36	-47.65	10.42	-9.13	-13.00	-33.36


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B26(Part 90)
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :822.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
116.33	-75.11	-74.39	1.24	-1.97	-13.00	-62.11
168.71	-69.90	-69.44	1.92	-2.38	-13.00	-56.90
223.03	-68.80	-73.39	7.32	-2.73	-13.00	-55.80
264.74	-68.94	-72.37	6.39	-2.96	-13.00	-55.94
371.44	-69.35	-72.49	6.67	-3.53	-13.00	-56.35
519.85	-68.84	-71.23	6.55	-4.16	-13.00	-55.84
1645.00	-55.07	-56.80	9.15	-7.41	-13.00	-42.07
2467.50	-45.88	-47.18	10.42	-9.13	-13.00	-32.88


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B26
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :831.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
72.68	-73.07	-68.00	-3.50	-1.57	-13.00	-60.07
161.92	-67.32	-66.20	1.21	-2.33	-13.00	-54.32
223.03	-51.93	-56.53	7.32	-2.73	-13.00	-38.93
313.24	-66.44	-69.53	6.32	-3.23	-13.00	-53.44
371.44	-60.21	-63.35	6.67	-3.53	-13.00	-47.21
519.85	-62.63	-65.02	6.55	-4.16	-13.00	-49.63
1663.00	-52.89	-54.57	9.13	-7.45	-13.00	-39.89
2494.50	-47.28	-48.70	10.60	-9.18	-13.00	-34.28


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B26
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :831.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.25	-76.89	-66.71	-8.83	-1.35	-13.00	-63.89
161.92	-63.71	-62.60	1.21	-2.33	-13.00	-50.71
217.21	-68.58	-72.85	6.97	-2.69	-13.00	-55.58
264.74	-69.36	-72.79	6.39	-2.96	-13.00	-56.36
411.21	-70.88	-73.77	6.59	-3.70	-13.00	-57.88
519.85	-68.45	-70.84	6.55	-4.16	-13.00	-55.45
1663.00	-54.94	-56.61	9.13	-7.45	-13.00	-41.94
2494.50	-47.85	-49.27	10.60	-9.18	-13.00	-34.85


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B26
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :836.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
72.68	-72.75	-67.68	-3.50	-1.57	-13.00	-59.75
161.92	-67.20	-66.09	1.21	-2.33	-13.00	-54.20
223.03	-51.51	-56.11	7.32	-2.73	-13.00	-38.51
269.59	-61.56	-64.84	6.27	-3.00	-13.00	-48.56
371.44	-60.14	-63.28	6.67	-3.53	-13.00	-47.14
519.85	-62.42	-64.80	6.55	-4.16	-13.00	-49.42
1673.00	-50.86	-52.58	9.20	-7.48	-13.00	-37.86
2509.50	-45.18	-46.38	10.41	-9.21	-13.00	-32.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B26
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :836.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.25	-78.01	-67.83	-8.83	-1.35	-13.00	-65.01
161.92	-63.90	-62.78	1.21	-2.33	-13.00	-50.90
223.03	-67.73	-72.32	7.32	-2.73	-13.00	-54.73
264.74	-69.06	-72.49	6.39	-2.96	-13.00	-56.06
371.44	-68.87	-72.02	6.67	-3.53	-13.00	-55.87
519.85	-68.73	-71.12	6.55	-4.16	-13.00	-55.73
1673.00	-53.81	-55.53	9.20	-7.48	-13.00	-40.81
2509.50	-45.42	-46.62	10.41	-9.21	-13.00	-32.42


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
Operation Mode :LTE B26
Test Mode :Tx
EUT Pol :NB Mode
Test Frequency :841.5 MHz

Test Site :SAC 1
Test Date :2026-07-06
Temp./Humi. :28.1°C/59%
Antenna Pol. :Vertical
Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-77.18	-65.92	-9.97	-1.28	-13.00	-64.18
161.92	-67.05	-65.94	1.21	-2.33	-13.00	-54.05
223.03	-51.38	-55.97	7.32	-2.73	-13.00	-38.38
313.24	-65.96	-69.05	6.32	-3.23	-13.00	-52.96
371.44	-60.28	-63.42	6.67	-3.53	-13.00	-47.28
519.85	-62.12	-64.50	6.55	-4.16	-13.00	-49.12
1683.00	-53.86	-55.56	9.20	-7.50	-13.00	-40.86
2524.50	-42.64	-43.94	10.55	-9.24	-13.00	-29.64


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B26
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :841.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
161.92	-63.74	-62.62	1.21	-2.33	-13.00	-50.74
223.03	-68.34	-72.93	7.32	-2.73	-13.00	-55.34
264.74	-69.97	-73.40	6.39	-2.96	-13.00	-56.97
313.24	-70.05	-73.15	6.32	-3.23	-13.00	-57.05
371.44	-68.30	-71.44	6.67	-3.53	-13.00	-55.30
519.85	-68.52	-70.91	6.55	-4.16	-13.00	-55.52
1683.00	-54.14	-55.84	9.20	-7.50	-13.00	-41.14
2524.50	-42.74	-44.05	10.55	-9.24	-13.00	-29.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2605001803ER
 Operation Mode :LTE B30
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2307.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



aaFreq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-66.59	-55.33	-9.97	-1.28	-40.00	-26.59
96.93	-66.78	-66.55	1.58	-1.81	-40.00	-26.78
161.92	-66.72	-65.60	1.21	-2.33	-40.00	-26.72
296.75	-54.93	-58.03	6.24	-3.14	-40.00	-14.93
371.44	-60.40	-63.54	6.67	-3.53	-40.00	-20.40
519.85	-62.21	-64.59	6.55	-4.16	-40.00	-22.21
4615.00	-43.79	-43.47	12.34	-12.66	-40.00	-3.79
6922.50	-41.33	-37.39	11.71	-15.65	-40.00	-1.33


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B30
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2307.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
96.93	-68.94	-68.71	1.58	-1.81	-40.00	-28.94
161.92	-63.26	-62.15	1.21	-2.33	-40.00	-23.26
296.75	-69.82	-72.92	6.24	-3.14	-40.00	-29.82
371.44	-68.49	-71.63	6.67	-3.53	-40.00	-28.49
423.82	-69.82	-72.56	6.50	-3.76	-40.00	-29.82
519.85	-69.17	-71.56	6.55	-4.16	-40.00	-29.17
4615.00	-49.33	-49.00	12.34	-12.66	-40.00	-9.33
6922.50	-44.31	-40.37	11.71	-15.65	-40.00	-4.31


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B30
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2310 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
95.96	-65.75	-65.63	1.68	-1.80	-40.00	-25.75
161.92	-66.31	-65.19	1.21	-2.33	-40.00	-26.31
296.75	-55.29	-58.39	6.24	-3.14	-40.00	-15.29
371.44	-60.37	-63.51	6.67	-3.53	-40.00	-20.37
429.64	-66.59	-69.30	6.50	-3.79	-40.00	-26.59
519.85	-63.21	-65.60	6.55	-4.16	-40.00	-23.21
4620.00	-49.49	-49.14	12.32	-12.67	-40.00	-9.49
6930.00	-44.91	-40.93	11.68	-15.66	-40.00	-4.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B30
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2310 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-66.15	-54.90	-9.97	-1.28	-40.00	-26.15
217.21	-68.68	-72.96	6.97	-2.69	-40.00	-28.68
313.24	-71.84	-74.93	6.32	-3.23	-40.00	-31.84
371.44	-68.37	-71.51	6.67	-3.53	-40.00	-28.37
433.52	-69.11	-71.73	6.43	-3.80	-40.00	-29.11
519.85	-69.70	-72.09	6.55	-4.16	-40.00	-29.70
4620.00	-51.97	-51.62	12.32	-12.67	-40.00	-11.97
6930.00	-45.20	-41.23	11.68	-15.66	-40.00	-5.20


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B30
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2312.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-66.03	-54.78	-9.97	-1.28	-40.00	-26.03
223.03	-51.84	-56.43	7.32	-2.73	-40.00	-11.84
296.75	-55.22	-58.32	6.24	-3.14	-40.00	-15.22
371.44	-59.99	-63.13	6.67	-3.53	-40.00	-19.99
482.02	-71.59	-74.12	6.55	-4.01	-40.00	-31.59
519.85	-62.73	-65.12	6.55	-4.16	-40.00	-22.73
4625.00	-49.70	-49.32	12.30	-12.68	-40.00	-9.70
6937.50	-45.08	-41.06	11.65	-15.66	-40.00	-5.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B30
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2312.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
95.96	-70.37	-70.26	1.68	-1.80	-40.00	-30.37
161.92	-63.35	-62.23	1.21	-2.33	-40.00	-23.35
264.74	-68.91	-72.33	6.39	-2.96	-40.00	-28.91
371.44	-68.83	-71.98	6.67	-3.53	-40.00	-28.83
448.07	-73.01	-75.44	6.29	-3.86	-40.00	-33.01
519.85	-68.92	-71.31	6.55	-4.16	-40.00	-28.92
4625.00	-52.03	-51.65	12.30	-12.68	-40.00	-12.03
6937.50	-44.53	-40.52	11.65	-15.66	-40.00	-4.53


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B38
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2575 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-66.28	-55.03	-9.97	-1.28	-25.00	-41.28
161.92	-66.45	-65.33	1.21	-2.33	-25.00	-41.45
296.75	-55.40	-58.50	6.24	-3.14	-25.00	-30.40
371.44	-60.66	-63.80	6.67	-3.53	-25.00	-35.66
437.40	-68.31	-70.84	6.35	-3.82	-25.00	-43.31
519.85	-62.89	-65.28	6.55	-4.16	-25.00	-37.89
5150.00	-47.72	-46.31	12.00	-13.41	-25.00	-22.72
7725.00	-34.46	-29.23	11.35	-16.58	-25.00	-9.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2605001803ER
 Operation Mode :LTE B38
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2575 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-66.38	-55.13	-9.97	-1.28	-25.00	-41.38
95.96	-68.52	-68.41	1.68	-1.80	-25.00	-43.52
161.92	-63.35	-62.24	1.21	-2.33	-25.00	-38.35
296.75	-70.32	-73.42	6.24	-3.14	-25.00	-45.32
371.44	-68.05	-71.19	6.67	-3.53	-25.00	-43.05
519.85	-70.16	-72.55	6.55	-4.16	-25.00	-45.16
5150.00	-50.01	-48.61	12.00	-13.41	-25.00	-25.01
7725.00	-37.11	-31.88	11.35	-16.58	-25.00	-12.11


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B38
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2595 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
95.96	-65.79	-65.67	1.68	-1.80	-25.00	-40.79
223.03	-51.72	-56.31	7.32	-2.73	-25.00	-26.72
296.75	-55.25	-58.35	6.24	-3.14	-25.00	-30.25
371.44	-60.64	-63.78	6.67	-3.53	-25.00	-35.64
435.46	-67.01	-69.59	6.39	-3.81	-25.00	-42.01
519.85	-62.92	-65.30	6.55	-4.16	-25.00	-37.92
5190.00	-48.38	-47.16	12.24	-13.46	-25.00	-23.38
7785.00	-39.28	-33.86	11.23	-16.64	-25.00	-14.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B38
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2595 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
95.96	-69.64	-69.53	1.68	-1.80	-25.00	-44.64
217.21	-66.30	-70.58	6.97	-2.69	-25.00	-41.30
264.74	-69.91	-73.33	6.39	-2.96	-25.00	-44.91
371.44	-68.81	-71.95	6.67	-3.53	-25.00	-43.81
445.16	-71.56	-74.01	6.30	-3.85	-25.00	-46.56
519.85	-69.50	-71.89	6.55	-4.16	-25.00	-44.50
5190.00	-50.55	-49.33	12.24	-13.46	-25.00	-25.55
7785.00	-40.69	-35.28	11.23	-16.64	-25.00	-15.69


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B38
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2615 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-66.22	-54.97	-9.97	-1.28	-25.00	-41.22
223.03	-51.77	-56.36	7.32	-2.73	-25.00	-26.77
296.75	-55.41	-58.51	6.24	-3.14	-25.00	-30.41
371.44	-60.60	-63.74	6.67	-3.53	-25.00	-35.60
421.88	-67.40	-70.14	6.49	-3.75	-25.00	-42.40
519.85	-62.64	-65.02	6.55	-4.16	-25.00	-37.64
5230.00	-50.26	-49.35	12.60	-13.51	-25.00	-25.26
7845.00	-38.12	-32.33	10.93	-16.72	-25.00	-13.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B38
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2615 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
95.96	-69.04	-68.92	1.68	-1.80	-25.00	-44.04
161.92	-63.44	-62.32	1.21	-2.33	-25.00	-38.44
236.61	-69.19	-72.93	6.55	-2.81	-25.00	-44.19
371.44	-68.62	-71.76	6.67	-3.53	-25.00	-43.62
477.17	-70.77	-73.28	6.50	-3.99	-25.00	-45.77
519.85	-68.52	-70.91	6.55	-4.16	-25.00	-43.52
5230.00	-49.95	-49.04	12.60	-13.51	-25.00	-24.95
7845.00	-41.54	-35.75	10.93	-16.72	-25.00	-16.54


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B41
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2501 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
95.96	-66.22	-66.10	1.68	-1.80	-25.00	-41.22
161.92	-66.49	-65.37	1.21	-2.33	-25.00	-41.49
223.03	-51.96	-56.55	7.32	-2.73	-25.00	-26.96
371.44	-60.41	-63.55	6.67	-3.53	-25.00	-35.41
436.43	-67.31	-69.86	6.37	-3.82	-25.00	-42.31
519.85	-62.78	-65.16	6.55	-4.16	-25.00	-37.78
5002.00	-48.06	-47.25	12.40	-13.20	-25.00	-23.06
7503.00	-38.33	-32.71	10.71	-16.32	-25.00	-13.33


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B41
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2501 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-66.28	-55.03	-9.97	-1.28	-25.00	-41.28
161.92	-63.39	-62.27	1.21	-2.33	-25.00	-38.39
264.74	-69.61	-73.04	6.39	-2.96	-25.00	-44.61
371.44	-68.25	-71.39	6.67	-3.53	-25.00	-43.25
424.79	-69.76	-72.50	6.50	-3.76	-25.00	-44.76
519.85	-69.33	-71.72	6.55	-4.16	-25.00	-44.33
5002.00	-50.21	-49.40	12.40	-13.20	-25.00	-25.21
7503.00	-38.49	-32.87	10.71	-16.32	-25.00	-13.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B41
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2593 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
95.96	-65.81	-65.69	1.68	-1.80	-25.00	-40.81
161.92	-66.60	-65.49	1.21	-2.33	-25.00	-41.60
223.03	-51.42	-56.01	7.32	-2.73	-25.00	-26.42
296.75	-55.32	-58.42	6.24	-3.14	-25.00	-30.32
371.44	-60.53	-63.67	6.67	-3.53	-25.00	-35.53
519.85	-62.80	-65.19	6.55	-4.16	-25.00	-37.80
5186.00	-48.47	-47.23	12.22	-13.45	-25.00	-23.47
7779.00	-36.56	-31.17	11.24	-16.64	-25.00	-11.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B41
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2593 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
95.96	-68.04	-67.93	1.68	-1.80	-25.00	-43.04
161.92	-63.17	-62.06	1.21	-2.33	-25.00	-38.17
296.75	-70.31	-73.41	6.24	-3.14	-25.00	-45.31
371.44	-68.61	-71.75	6.67	-3.53	-25.00	-43.61
433.52	-70.92	-73.55	6.43	-3.80	-25.00	-45.92
519.85	-69.87	-72.25	6.55	-4.16	-25.00	-44.87
5186.00	-49.76	-48.53	12.22	-13.45	-25.00	-24.76
7779.00	-38.54	-33.15	11.24	-16.64	-25.00	-13.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B41
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2685 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
95.96	-65.11	-64.99	1.68	-1.80	-25.00	-40.11
161.92	-66.52	-65.40	1.21	-2.33	-25.00	-41.52
223.03	-51.81	-56.40	7.32	-2.73	-25.00	-26.81
313.24	-67.92	-71.01	6.32	-3.23	-25.00	-42.92
371.44	-60.71	-63.85	6.67	-3.53	-25.00	-35.71
519.85	-62.36	-64.74	6.55	-4.16	-25.00	-37.36
5370.00	-48.83	-48.09	12.96	-13.70	-25.00	-23.83
8055.00	-35.21	-28.99	10.72	-16.94	-25.00	-10.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B41
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2685 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
95.96	-68.92	-68.81	1.68	-1.80	-25.00	-43.92
168.71	-69.56	-69.10	1.92	-2.38	-25.00	-44.56
242.43	-70.21	-73.64	6.27	-2.84	-25.00	-45.21
398.60	-71.70	-74.59	6.54	-3.65	-25.00	-46.70
494.63	-73.58	-76.13	6.61	-4.06	-25.00	-48.58
519.85	-69.45	-71.84	6.55	-4.16	-25.00	-44.45
5370.00	-50.45	-49.71	12.96	-13.70	-25.00	-25.45
8055.00	-39.77	-33.55	10.72	-16.94	-25.00	-14.77


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B66
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :1715 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
95.96	-66.02	-65.91	1.68	-1.80	-13.00	-53.02
161.92	-66.98	-65.86	1.21	-2.33	-13.00	-53.98
223.03	-52.08	-56.67	7.32	-2.73	-13.00	-39.08
296.75	-55.20	-58.30	6.24	-3.14	-13.00	-42.20
371.44	-60.84	-63.98	6.67	-3.53	-13.00	-47.84
519.85	-63.24	-65.63	6.55	-4.16	-13.00	-50.24
3430.00	-52.04	-53.49	12.30	-10.85	-13.00	-39.04
5145.00	-43.15	-41.75	12.00	-13.40	-13.00	-30.15


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B66
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :1715 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
95.96	-69.99	-69.87	1.68	-1.80	-13.00	-56.99
161.92	-63.22	-62.10	1.21	-2.33	-13.00	-50.22
264.74	-68.75	-72.18	6.39	-2.96	-13.00	-55.75
371.44	-68.69	-71.83	6.67	-3.53	-13.00	-55.69
430.61	-73.27	-75.97	6.49	-3.79	-13.00	-60.27
519.85	-69.92	-72.31	6.55	-4.16	-13.00	-56.92
3430.00	-52.46	-53.91	12.30	-10.85	-13.00	-39.46
5145.00	-47.31	-45.91	12.00	-13.40	-13.00	-34.31


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B66
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :1745 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-65.98	-54.73	-9.97	-1.28	-13.00	-52.98
161.92	-67.10	-65.99	1.21	-2.33	-13.00	-54.10
223.03	-52.08	-56.67	7.32	-2.73	-13.00	-39.08
296.75	-55.00	-58.10	6.24	-3.14	-13.00	-42.00
371.44	-60.52	-63.67	6.67	-3.53	-13.00	-47.52
519.85	-63.01	-65.40	6.55	-4.16	-13.00	-50.01
3490.00	-51.84	-53.10	12.22	-10.95	-13.00	-38.84
5235.00	-43.99	-43.12	12.65	-13.52	-13.00	-30.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B66
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :1745 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-66.69	-55.44	-9.97	-1.28	-13.00	-53.69
161.92	-63.34	-62.22	1.21	-2.33	-13.00	-50.34
223.03	-67.60	-72.19	7.32	-2.73	-13.00	-54.60
296.75	-70.27	-73.37	6.24	-3.14	-13.00	-57.27
371.44	-69.14	-72.28	6.67	-3.53	-13.00	-56.14
445.16	-72.33	-74.78	6.30	-3.85	-13.00	-59.33
3490.00	-51.81	-53.08	12.22	-10.95	-13.00	-38.81
5235.00	-48.61	-47.74	12.65	-13.52	-13.00	-35.61


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B66
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :1775 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-66.31	-55.06	-9.97	-1.28	-13.00	-53.31
161.92	-66.96	-65.84	1.21	-2.33	-13.00	-53.96
223.03	-51.39	-55.98	7.32	-2.73	-13.00	-38.39
296.75	-55.44	-58.54	6.24	-3.14	-13.00	-42.44
371.44	-60.71	-63.85	6.67	-3.53	-13.00	-47.71
519.85	-62.85	-65.24	6.55	-4.16	-13.00	-49.85
3550.00	-50.78	-51.83	12.10	-11.05	-13.00	-37.78
5325.00	-44.30	-43.61	12.95	-13.64	-13.00	-31.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B66
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :1775 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-66.61	-55.36	-9.97	-1.28	-13.00	-53.61
161.92	-63.29	-62.18	1.21	-2.33	-13.00	-50.29
217.21	-67.48	-71.76	6.97	-2.69	-13.00	-54.48
264.74	-68.61	-72.04	6.39	-2.96	-13.00	-55.61
371.44	-69.11	-72.25	6.67	-3.53	-13.00	-56.11
519.85	-69.74	-72.12	6.55	-4.16	-13.00	-56.74
3550.00	-51.78	-52.83	12.10	-11.05	-13.00	-38.78
5325.00	-45.76	-45.07	12.95	-13.64	-13.00	-32.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B71
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :668 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
161.92	-66.83	-65.71	1.21	-2.33	-13.00	-53.83
223.03	-51.38	-55.97	7.32	-2.73	-13.00	-38.38
313.24	-65.52	-68.61	6.32	-3.23	-13.00	-52.52
371.44	-60.21	-63.35	6.67	-3.53	-13.00	-47.21
445.16	-70.23	-72.68	6.30	-3.85	-13.00	-57.23
519.85	-61.92	-64.30	6.55	-4.16	-13.00	-48.92
1336.00	-50.64	-50.79	6.82	-6.67	-13.00	-37.64
2004.00	-43.51	-45.47	10.16	-8.20	-13.00	-30.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2605001803ER
Operation Mode :LTE B71
Test Mode :Tx
EUT Pol :NB Mode
Test Frequency :668 MHz

Test Site :SAC 1
Test Date :2026-07-06
Temp./Humi. :28.1°C/59%
Antenna Pol. :Horizontal
Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
92.08	-77.09	-77.02	1.69	-1.76	-13.00	-64.09
148.34	-71.08	-69.41	0.56	-2.23	-13.00	-58.08
217.21	-69.73	-74.01	6.97	-2.69	-13.00	-56.73
313.24	-69.19	-72.29	6.32	-3.23	-13.00	-56.19
361.74	-73.58	-76.94	6.83	-3.47	-13.00	-60.58
443.22	-73.61	-76.07	6.30	-3.84	-13.00	-60.61
1336.00	-50.75	-50.90	6.82	-6.67	-13.00	-37.75
2004.00	-45.07	-47.03	10.16	-8.20	-13.00	-32.07


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B71
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :680.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
72.68	-73.72	-68.65	-3.50	-1.57	-13.00	-60.72
168.71	-72.22	-71.76	1.92	-2.38	-13.00	-59.22
223.03	-51.71	-56.30	7.32	-2.73	-13.00	-38.71
313.24	-66.82	-69.92	6.32	-3.23	-13.00	-53.82
371.44	-60.29	-63.43	6.67	-3.53	-13.00	-47.29
519.85	-61.69	-64.08	6.55	-4.16	-13.00	-48.69
1361.00	-51.54	-51.81	7.01	-6.73	-13.00	-38.54
2041.50	-42.58	-44.39	10.09	-8.28	-13.00	-29.58


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
Operation Mode :LTE B71
Test Mode :Tx
EUT Pol :NB Mode
Test Frequency :680.5 MHz

Test Site :SAC 1
Test Date :2026-07-06
Temp./Humi. :28.1°C/59%
Antenna Pol. :Horizontal
Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
161.92	-63.85	-62.74	1.21	-2.33	-13.00	-50.85
217.21	-67.08	-71.36	6.97	-2.69	-13.00	-54.08
264.74	-70.55	-73.98	6.39	-2.96	-13.00	-57.55
371.44	-68.33	-71.47	6.67	-3.53	-13.00	-55.33
519.85	-68.36	-70.75	6.55	-4.16	-13.00	-55.36
547.98	-71.71	-74.05	6.61	-4.27	-13.00	-58.71
1361.00	-52.49	-52.76	7.01	-6.73	-13.00	-39.49
2041.50	-44.15	-45.96	10.09	-8.28	-13.00	-31.15


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B71
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :693 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
95.96	-74.94	-74.82	1.68	-1.80	-13.00	-61.94
161.92	-67.23	-66.11	1.21	-2.33	-13.00	-54.23
217.21	-66.02	-70.29	6.97	-2.69	-13.00	-53.02
269.59	-61.70	-64.97	6.27	-3.00	-13.00	-48.70
361.74	-71.42	-74.78	6.83	-3.47	-13.00	-58.42
519.85	-62.32	-64.71	6.55	-4.16	-13.00	-49.32
1386.00	-51.40	-51.90	7.30	-6.80	-13.00	-38.40
2079.00	-40.28	-41.64	9.72	-8.36	-13.00	-27.28


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001803ER
 Operation Mode :LTE B71
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :693 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.25	-77.30	-67.11	-8.83	-1.35	-13.00	-64.30
168.71	-68.70	-68.24	1.92	-2.38	-13.00	-55.70
223.03	-68.27	-72.86	7.32	-2.73	-13.00	-55.27
264.74	-69.77	-73.19	6.39	-2.96	-13.00	-56.77
361.74	-72.76	-76.12	6.83	-3.47	-13.00	-59.76
547.98	-71.95	-74.29	6.61	-4.27	-13.00	-58.95
1386.00	-52.57	-53.07	7.30	-6.80	-13.00	-39.57
2079.00	-42.77	-44.13	9.72	-8.36	-13.00	-29.77

End of Report

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.