

**ELECTROMAGNETIC EMISSIONS
COMPLIANCE REPORT**

EUT Description: Notebook Computer
Applicant: HP Inc.
1501 PAGE MILL ROAD PALO ALTO, CA 94304 USA
Manufacturer: HP Inc.
1501 PAGE MILL ROAD PALO ALTO, CA 94304 USA
Brand Name: HP
Model No. HSN-I70C
Report Number: TERF2605001805ER
FCC ID B94HNI70CBVN
Date of EUT Received: May 21, 2026
Date of Test: May 25, 2026 ~ July 9, 2026
Issue Date: July 20, 2026

Approved By

Marcus Tseng

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Central RF Lab The test data, data evaluation, test procedures, And equipment configurations shown In this report were made In accordance With the procedures given In ANSI C63.26:2015 And the energy emitted by the sample EUT comply With FCC Part2, 22H, 24E, 27C, 90S. The results of this report relate only to the sample identified in this report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Revision History

Report Number	Revision	Description	Issue Date	Revised By	Remark
TERF2605001805ER	00	Original	July 20, 2026	Candice Li	

Note:

- 1、The remark "" indicates modification of the report upon requests from certification body.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Contents

1	GENERAL PRODUCT INFORMATION	4
1.1	Equipment Under Test (EUT)	4
1.2	Antenna Designation	5
1.3	Operating Frequencies	6
1.4	Type of Emission & Max ERP/EIRP Power Measurement Result	8
1.5	EUT Availability and The Worst Test Modes	10
2	SUMMARY OF TEST RESULTS	16
2.1	Test Methodology of Applied Standards	17
2.2	Measurement Uncertainty	18
2.3	Test Facility	19
3	CONTROL UNIT(S) AND PERIPHERAL(S)	20
3.1	EUT Exercise	20
3.2	Diagrams	20
3.3	List	20
4	MEASUREMENT EQUIPMENT USED	21
4.1	Conducted Measurement	21
4.2	Radiated Measurement	21
5	REGULATORY REQUIREMENTS	22
5.1	Maximum Output Power	22
5.2	Field Strength Of Spurious Radiation	23
6	TEST CONFIGURATION	26
6.1	Maximum Output Power	26
6.2	Field Strength Of Spurious Radiation	26
7	TEST RESULTS	28
7.1	Maximum Output Power	28
7.2	Field Strength Of Spurious Radiation	39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

1 GENERAL PRODUCT INFORMATION

1.1 Equipment Under Test (EUT)

EUT Description	Notebook Computer
Brand Name	HP
Model No.	HSN-I70C
EUT Series No.	00067707Y1
Power Supply	11.7 Vdc from Battery 5 / 9 / 15 / 20 / 28 / 36 Vdc from AC/DC Adapter with 110~240V AC input.
Integrated WWAN Module:	Brand Name: COMPAL Model Name: RMM-G4
Test Software (Name/Version)	Connected with Callbox

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

1.2 Antenna Designation

Antenna Type	Supplier	Antenna Model No.	NB / TB Mode	Antenna No.	Remark
PIFA	Vendor 1	6036B0402101 (260-23861)	NB	Ant5	Ant0
		6036B0402801 (260-23863)	NB	Ant8	Ant1
PIFA	Vendor 2	6036B0403001 (81EACC15.G65)	NB	Ant5	Ant2
		6036B0402501 (81EACC15.G67)	NB	Ant8	Ant3
Note: Transmission frequencies in this test report are only available by the above antenna(s).					

5G NR Band	Frequency Range (MHz)	Ant0 Antenna Gain (dBi)	Ant1 Antenna Gain (dBi)	Ant2 Antenna Gain (dBi)	Ant3 Antenna Gain (dBi)
n2	1850 ~ 1910	0.43	-0.08	0.57	0.96
n3	1710 ~ 1780	1.39	2.46	1.85	-1.4
n5	824 ~ 849	-0.52		-0.65	
n7	2500 ~ 2570	2.38	1.45	0.74	-0.47
n12	699 ~ 716	0.11		-1.48	
n13	777~787	0.65			
n14	788~798	-0.16		-0.32	
n25	1850 ~ 1915	0.19	-0.8	0.57	0.96
n26 Part 90s	814 ~ 824	-0.52		-0.65	
n26	824 ~ 849	-0.52		-0.65	
n30	2570 ~ 2620	0.98	0.98	0.82	-1.14
n38	2570 ~ 2620	2.38	1.13	0.25	-0.47
n40	2300 ~ 2400	2.91	2.05	1.12	0.1
n41	2496 ~ 2690	-1.27	-1.25	0.74	-0.47
n66	1710 ~ 1780	1.39	-1.9	1.85	-1.4
n71	663 ~ 698	0.33		-2.5	
n77	3450 ~ 3980	2.91	1.2	-1.61	0.84

Note: The antenna information is provided by the applicant, and the laboratory shall not be held liable for the accuracy, completeness, or reliability of any applicant-supplied data.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

1.3 Operating Frequencies

FR1

Part22

Band	Bandwidth(MHz)	Low Frequency (MHz)	Upper Frequency (MHz)
5G NR n5	5.0	826.50	846.50
Band	Bandwidth(MHz)	Low Frequency (MHz)	Upper Frequency (MHz)
5G NR n26	5.0	826.50	846.50

Part24

Band	Bandwidth(MHz)	Low Frequency (MHz)	Upper Frequency (MHz)
5G NR n2	30.0	1865.00	1895.00
Band	Bandwidth(MHz)	Low Frequency (MHz)	Upper Frequency (MHz)
5G NR n25	15.0	1857.50	1907.50

Part27

Band	Bandwidth(MHz)	Low Frequency (MHz)	Upper Frequency (MHz)
5G NR n7	10.0	2505.00	2565.00
Band	Bandwidth(MHz)	Low Frequency (MHz)	Upper Frequency (MHz)
5G NR n12	10.0	704.00	711.00
Band	Bandwidth(MHz)	Low Frequency (MHz)	Upper Frequency (MHz)
5G NR n13	5.0	779.50	784.50
Band	Bandwidth(MHz)	Low Frequency (MHz)	Upper Frequency (MHz)
5G NR n30	10.0	2310.00	2310.00
Band	Bandwidth(MHz)	Low Frequency (MHz)	Upper Frequency (MHz)
5G NR n38	20.0	2580.00	2610.00
Band	Bandwidth(MHz)	Low Frequency (MHz)	Upper Frequency (MHz)
5G NR n41	40.0	2516.01	2670.00
Band	Bandwidth(MHz)	Low Frequency (MHz)	Upper Frequency (MHz)
5G NR n66	10.0	1715.00	1775.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band	Bandwidth(MHz)	Low Frequency (MHz)	Upper Frequency (MHz)
5G NR n71	20.0	673.00	688.00
Band	Bandwidth(MHz)	Low Frequency (MHz)	Upper Frequency (MHz)
5G NR n77	20.0	3460.02	3540.00
Band	Bandwidth(MHz)	Low Frequency (MHz)	Upper Frequency (MHz)
5G NR n77	10.0	3705.00	3975.00

Part90

Band	Bandwidth(MHz)	Low Frequency (MHz)	Upper Frequency (MHz)
5G NR n14	5.0	790.50	795.50
Band	Bandwidth(MHz)	Low Frequency (MHz)	Upper Frequency (MHz)
5G NR n26	10.0	819.00	819.00

FR1 2TX**Part27**

Band	Bandwidth(MHz)	Low Frequency (MHz)	Upper Frequency (MHz)
5G NR n77	40.0	3470.01	3529.98
Band	Bandwidth(MHz)	Low Frequency (MHz)	Upper Frequency (MHz)
5G NR n41	25.0	2508.51	2677.50
Band	Bandwidth(MHz)	Low Frequency (MHz)	Upper Frequency (MHz)
5G NR n77	20.0	3710.01	3969.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.4 Type of Emission & Max ERP/EIRP Power Measurement Result

FR1

Part22

Band	Technology (GSM, CDMA, etc...)	Frequency		Conducted Pow er (dBm)	Conducted Pow er (W)	ERP/EIRP (dBm)	ERP/EIRP (W)	Optional
		Min (MHz)	Max (MHz)					
n5	DFT-s PI/2 BPSK	826.5	846.5	22.11	0.163	19.44	0.088	Part22
n5	DFT-s 16QAM	826.5	846.5	21.72	0.149	19.05	0.08	Part22
n26	DFT-s PI/2 BPSK	826.5	846.5	23.06	0.202	20.39	0.109	Part22
n26	DFT-s 16QAM	826.5	846.5	22.17	0.165	19.50	0.089	Part22

Part24

Band	Technology (GSM, CDMA, etc...)	Frequency		Conducted Pow er (dBm)	Conducted Pow er (W)	ERP/EIRP (dBm)	ERP/EIRP (W)	Optional
		Min (MHz)	Max (MHz)					
n2	DFT-s PI/2 BPSK	1865.0	1895.0	21.09	0.129	22.05	0.16	Part24
n2	DFT-s 16QAM	1865.0	1895.0	19.99	0.1	20.95	0.124	Part24
n25	DFT-s PI/2 BPSK	1857.5	1907.5	21.13	0.13	22.09	0.162	Part24
n25	DFT-s 16QAM	1857.5	1907.5	20.88	0.122	21.84	0.153	Part24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Part27

Band	Technology (GSM, CDMA, etc...)	Frequency		Conducted Power (dBm)	Conducted Power (W)	ERP/EIRP (dBm)	ERP/EIRP (W)	Optional
		Min (MHz)	Max (MHz)					
n7	DFT-s PI/2 BPSK	2505.0	2565.0	19.39	0.087	21.77	0.15	Part27
n7	DFT-s 16QAM	2505.0	2565.0	18.67	0.074	21.05	0.127	Part27
n12	DFT-s PI/2 BPSK	704.0	711.0	21.42	0.139	19.38	0.087	Part27
n12	DFT-s 16QAM	704.0	711.0	20.44	0.111	18.40	0.069	Part27
n13	DFT-s PI/2 BPSK	779.5	784.5	21.61	0.145	20.11	0.103	Part27
n13	DFT-s 16QAM	779.5	784.5	20.78	0.12	19.28	0.085	Part27
n30	DFT-s PI/2 BPSK	2310.0	2310.0	21.63	0.146	22.61	0.182	Part27
n30	DFT-s 16QAM	2310.0	2310.0	20.92	0.124	21.90	0.155	Part27
n38	DFT-s PI/2 BPSK	2580.0	2610.0	23.30	0.214	25.68	0.37	Part27
n38	DFT-s 16QAM	2580.0	2610.0	22.26	0.168	24.64	0.291	Part27
n41	DFT-s PI/2 BPSK	2516.0	2670.0	21.65	0.146	22.39	0.173	Part27
n41	DFT-s 16QAM	2516.0	2670.0	21.12	0.129	21.86	0.153	Part27
n66	DFT-s PI/2 BPSK	1715.0	1775.0	20.01	0.1	21.86	0.153	Part27
n66	DFT-s 16QAM	1715.0	1775.0	19.27	0.085	21.12	0.129	Part27
n71	DFT-s PI/2 BPSK	673.0	688.0	21.56	0.143	19.74	0.094	Part27
n71	DFT-s 16QAM	673.0	688.0	20.61	0.115	18.79	0.076	Part27
n77_1	DFT-s PI/2 BPSK	3460.0	3540.0	20.01	0.1	22.92	0.196	Part27
n77_1	DFT-s 16QAM	3460.0	3540.0	19.43	0.088	22.34	0.171	Part27
n77_3	DFT-s PI/2 BPSK	3705.0	3975.0	22.05	0.16	24.96	0.313	Part27
n77_3	DFT-s 16QAM	3705.0	3975.0	21.25	0.133	24.16	0.261	Part27

Part90

Band	Technology (GSM, CDMA, etc...)	Frequency		Conducted Power (dBm)	Conducted Power (W)	ERP/EIRP (dBm)	ERP/EIRP (W)	Optional
		Min (MHz)	Max (MHz)					
n14	DFT-s PI/2 BPSK	790.5	795.5	22.77	0.189	20.46	0.111	Part90
n14	DFT-s 16QAM	790.5	795.5	22.11	0.163	19.80	0.095	Part90
n26	DFT-s PI/2 BPSK	819.0	819.0	22.95	0.197	20.28	0.107	Part90
n26	DFT-s 16QAM	819.0	819.0	22.12	0.163	19.45	0.088	Part90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FR1 2TX

Part27

Band	Technology (GSM, CDMA, etc...)	Frequency		Conducted Power (dBm)	Conducted Power (W)	ERP/ERP (dBm)	ERP/ERP (W)	Optional
		Min (MHz)	Max (MHz)					
n41	CP QPSK	2508.5	2677.5	20.28	0.107	23.45	0.221	Part27
n41	CP 16QAM	2508.5	2677.5	19.64	0.092	22.81	0.191	Part27
n77_1	CP QPSK	3470.0	3530.0	22.49	0.177	27.60	0.575	Part27
n77_1	CP 16QAM	3470.0	3530.0	22.02	0.159	27.13	0.516	Part27
n77_3	CP QPSK	3710.0	3970.0	23.64	0.231	28.75	0.75	Part27
n77_3	CP 16QAM	3710.0	3970.0	23.20	0.209	28.31	0.678	Part27

1.5 EUT Availability and The Worst Test Modes

1. Pre-Scan has been conducted to determine the worst-case scenario from all possible combinations among available modulations, data rates and antenna ports, the worst case configurations listed below for the final test.
2. The field strength of radiated emission was measured as the EUT positioned in different orthogonal planes (E1/E2/H) based on actual usage of the EUT to pre-scan the emissions for determining the worst case scenario.

FR1

Part22

5G NR Band n5	Test Channel			BW(MHz)	Modulation	RB allocation			
Test Item	Low	Mid	High			Edge 1RB	Inner 1RB	Inner Full RB	Outer Full RB
Max. OutPutPower	V	V	V	5	DFT-s-OFDM BPSK, QPSK, 16QAM, 64QAM, 256QAM	-	V	V	V
Radiated Spurious Emission	V	V	V	5	DFT-s-OFDM BPSK	-	V	-	-
5G NR Band n26	Test Channel			BW(MHz)	Modulation	RB allocation			
Test Item	Low	Mid	High			Edge 1RB	Inner 1RB	Inner Full RB	Outer Full RB
Max. OutPutPower	V	V	V	5	DFT-s-OFDM BPSK, QPSK, 16QAM, 64QAM, 256QAM	-	V	V	V
Radiated Spurious Emission	V	V	V	5	DFT-s-OFDM BPSK	-	V	-	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Part24

5G NR Band n2	Test Channel			BW(MHz)	Modulation	RB allocation			
Test Item	Low	Mid	High			Edge 1RB	Inner 1RB	Inner Full RB	Outer Full RB
Max. OutPutPower	V	V	V	30	DFT-s-OFDM BPSK,QPSK,16QAM,64QAM, 256QAM	-	V	V	V
Radiated Spurious Emission	V	V	V	30	DFT-s-OFDM BPSK	-	V	-	-
5G NR Band n25	Test Channel			BW(MHz)	Modulation	RB allocation			
Test Item	Low	Mid	High			Edge 1RB	Inner 1RB	Inner Full RB	Outer Full RB
Max. OutPutPower	V	V	V	15	DFT-s-OFDM BPSK,QPSK,16QAM,64QAM, 256QAM	-	V	V	V
Radiated Spurious Emission	V	V	V	15	DFT-s-OFDM BPSK	-	V	-	-

Part27

5G NR Band n7	Test Channel			BW(MHz)	Modulation	RB allocation			
Test Item	Low	Mid	High			Edge 1RB	Inner 1RB	Inner Full RB	Outer Full RB
Max. OutPutPower	V	V	V	10	DFT-s-OFDM BPSK,QPSK,16QAM,64QAM, 256QAM	-	V	V	V
Radiated Spurious Emission	V	V	V	10	DFT-s-OFDM BPSK	-	V	-	-
5G NR Band n12	Test Channel			BW(MHz)	Modulation	RB allocation			
Test Item	Low	Mid	High			Edge 1RB	Inner 1RB	Inner Full RB	Outer Full RB
Max. OutPutPower	V	V	V	10	DFT-s-OFDM BPSK,QPSK,16QAM,64QAM, 256QAM	-	V	V	V
Radiated Spurious Emission	V	V	V	10	DFT-s-OFDM BPSK	-	V	-	-
5G NR Band n13	Test Channel			BW(MHz)	Modulation	RB allocation			
Test Item	Low	Mid	High			Edge 1RB	Inner 1RB	Inner Full RB	Outer Full RB
Max. OutPutPower	V	V	V	5	DFT-s-OFDM BPSK,QPSK,16QAM,64QAM, 256QAM	-	V	V	V
Radiated Spurious Emission	V	V	V	5	DFT-s-OFDM BPSK	-	V	-	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions>, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR Band n30	Test Channel			BW(MHz)	Modulation	RB allocation			
Test Item	Low	Mid	High			Edge 1RB	Inner 1RB	Inner Full RB	Outer Full RB
Max. OutPutPower	V	V	V	10	DFT-s-OFDM BPSK, QPSK, 16QAM, 64QAM, 256QAM	-	V	V	V
Radiated Spurious Emission	-	V	-	10	DFT-s-OFDM BPSK	-	V	-	-
5G NR Band n38	Test Channel			BW(MHz)	Modulation	RB allocation			
Test Item	Low	Mid	High			Edge 1RB	Inner 1RB	Inner Full RB	Outer Full RB
Max. OutPutPower	V	V	V	20	DFT-s-OFDM BPSK, QPSK, 16QAM, 64QAM, 256QAM	-	V	V	V
Radiated Spurious Emission	V	V	V	20	DFT-s-OFDM BPSK	-	V	-	-
5G NR Band n41	Test Channel			BW(MHz)	Modulation	RB allocation			
Test Item	Low	Mid	High			Edge 1RB	Inner 1RB	Inner Full RB	Outer Full RB
Max. OutPutPower	V	V	V	40	DFT-s-OFDM BPSK, QPSK, 16QAM, 64QAM, 256QAM	-	V	V	V
Radiated Spurious Emission	V	V	V	40	DFT-s-OFDM BPSK	-	V	-	-
5G NR Band n66	Test Channel			BW(MHz)	Modulation	RB allocation			
Test Item	Low	Mid	High			Edge 1RB	Inner 1RB	Inner Full RB	Outer Full RB
Max. OutPutPower	V	V	V	10	DFT-s-OFDM BPSK, QPSK, 16QAM, 64QAM, 256QAM	-	V	V	V
Radiated Spurious Emission	V	V	V	10	DFT-s-OFDM BPSK	-	V	-	-
5G NR Band n71	Test Channel			BW(MHz)	Modulation	RB allocation			
Test Item	Low	Mid	High			Edge 1RB	Inner 1RB	Inner Full RB	Outer Full RB
Max. OutPutPower	V	V	V	20	DFT-s-OFDM BPSK, QPSK, 16QAM, 64QAM, 256QAM	-	V	V	V
Radiated Spurious Emission	V	V	V	20	DFT-s-OFDM BPSK	-	V	-	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions>, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR Band n77	Test Channel			BW(MHz)	Modulation	RB allocation			
Test Item	Low	Mid	High			Edge 1RB	Inner 1RB	Inner Full RB	Outer Full RB
Max. OutPutPower	V	V	V	20	DFT-s-OFDM BPSK, QPSK, 16QAM, 64QAM, 256QAM	-	V	V	V
Radiated Spurious Emission	V	V	V	20	DFT-s-OFDM BPSK	-	-	-	-
5G NR Band n77	Test Channel			BW(MHz)	Modulation	RB allocation			
Test Item	Low	Mid	High			Edge 1RB	Inner 1RB	Inner Full RB	Outer Full RB
Max. OutPutPower	V	V	V	10	DFT-s-OFDM BPSK, QPSK, 16QAM, 64QAM, 256QAM	-	V	V	V
Radiated Spurious Emission	V	V	V	10	DFT-s-OFDM BPSK	-	V	-	-

Part90

5G NR Band n14	Test Channel			BW(MHz)	Modulation	RB allocation			
Test Item	Low	Mid	High			Edge 1RB	Inner 1RB	Inner Full RB	Outer Full RB
Max. OutPutPower	V	V	V	5	DFT-s-OFDM BPSK, QPSK, 16QAM, 64QAM, 256QAM	-	V	V	V
Radiated Spurious Emission	V	V	V	5	DFT-s-OFDM BPSK	-	V	-	-
5G NR Band n26	Test Channel			BW(MHz)	Modulation	RB allocation			
Test Item	Low	Mid	High			Edge 1RB	Inner 1RB	Inner Full RB	Outer Full RB
Max. OutPutPower	V	V	V	10	DFT-s-OFDM BPSK, QPSK, 16QAM, 64QAM, 256QAM	-	V	V	V
Radiated Spurious Emission	-	V	-	10	DFT-s-OFDM BPSK	-	V	-	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR Band	SCS	Test Channel	Channel Bandwidth (MHz)	Modulation	Resource Block Allocation	
					RBs allocated	RB Offset
n2	15K	373000	30	DFT-s PI/2 BPSK	1	1
n2	15K	376000	30	DFT-s PI/2 BPSK	1	1
n2	15K	379000	30	DFT-s PI/2 BPSK	1	1
n5	15K	165300	5	DFT-s PI/2 BPSK	1	1
n5	15K	167300	5	DFT-s PI/2 BPSK	1	1
n5	15K	169300	5	DFT-s PI/2 BPSK	1	1
n7	15K	501000	10	DFT-s PI/2 BPSK	1	1
n7	15K	507000	10	DFT-s PI/2 BPSK	1	1
n7	15K	513000	10	DFT-s PI/2 BPSK	1	1
n12	15K	140800	10	DFT-s PI/2 BPSK	1	1
n12	15K	141500	10	DFT-s PI/2 BPSK	1	1
n12	15K	142200	10	DFT-s PI/2 BPSK	1	1
n13	15K	155900	5	DFT-s PI/2 BPSK	1	1
n13	15K	156400	5	DFT-s PI/2 BPSK	1	1
n13	15K	156900	5	DFT-s PI/2 BPSK	1	1
n14	15K	158100	5	DFT-s PI/2 BPSK	1	1
n14	15K	158600	5	DFT-s PI/2 BPSK	1	1
n14	15K	159100	5	DFT-s PI/2 BPSK	1	1
n25	15K	371500	15	DFT-s PI/2 BPSK	1	1
n25	15K	376500	15	DFT-s PI/2 BPSK	1	1
n25	15K	381500	15	DFT-s PI/2 BPSK	1	1
n26 part 90	15K	163800	10	DFT-s PI/2 BPSK	1	1
n26	15K	165300	5	DFT-s PI/2 BPSK	1	1
n26	15K	167300	5	DFT-s PI/2 BPSK	1	1
n26	15K	169300	5	DFT-s PI/2 BPSK	1	1
n30	15K	462000	10	DFT-s PI/2 BPSK	1	1
n66	15K	343000	10	DFT-s PI/2 BPSK	1	1
n66	15K	349000	10	DFT-s PI/2 BPSK	1	1
n66	15K	355000	10	DFT-s PI/2 BPSK	1	1
n71	15K	134600	20	DFT-s PI/2 BPSK	1	1
n71	15K	136100	20	DFT-s PI/2 BPSK	1	1
n71	15K	137600	20	DFT-s PI/2 BPSK	1	1
n38	30K	516000	20	DFT-s PI/2 BPSK	1	1
n38	30K	519000	20	DFT-s PI/2 BPSK	1	1
n38	30K	522000	20	DFT-s PI/2 BPSK	1	1
n41	30K	503202	40	DFT-s PI/2 BPSK	1	1
n41	30K	518604	40	DFT-s PI/2 BPSK	1	1
n41	30K	534000	40	DFT-s PI/2 BPSK	1	1
n77	30K	647000	10	DFT-s PI/2 BPSK	1	1
n77	30K	656000	10	DFT-s PI/2 BPSK	1	1
n77	30K	665000	10	DFT-s PI/2 BPSK	1	1
n77	30K	630668	20	DFT-s PI/2 BPSK	1	1
n77	30K	633334	20	DFT-s PI/2 BPSK	1	1
n77	30K	636000	20	DFT-s PI/2 BPSK	1	1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FR1 2TX

Part27

5G NR Band n41	Test Channel			BW(MHz)	Modulation	RB allocation			
Test Item	Low	Mid	High			Edge 1RB	Inner 1RB	Inner Full RB	Outer Full RB
Max . OutPut Power	V	V	V	25	CP-OFDM QPSK,16QAM, 64QAM,256QAM	-	V	V	V
Radiated Spurious Emission	V	V	V	25	CP-OFDM QPSK	-	V	-	-
5G NR Band n77	Test Channel			BW(MHz)	Modulation	RB allocation			
Test Item	Low	Mid	High			Edge 1RB	Inner 1RB	Inner Full RB	Outer Full RB
Max . OutPut Power	V	V	V	40	CP-OFDM QPSK,16QAM, 64QAM,256QAM	-	V	V	V
Radiated Spurious Emission	V	V	V	40	CP-OFDM QPSK	-	V	-	-
5G NR Band n77	Test Channel			BW(MHz)	Modulation	RB allocation			
Test Item	Low	Mid	High			Edge 1RB	Inner 1RB	Inner Full RB	Outer Full RB
Max . OutPut Power	V	V	V	20	CP-OFDM QPSK,16QAM, 64QAM,256QAM	-	V	V	V
Radiated Spurious Emission	V	V	V	20	CP-OFDM QPSK	-	V	-	-

5G NR Band	SCS	Test Channel	Channel Bandwidth (MHz)	Modulation	Resource Block Allocation	
					RBs allocated	RB Offset
n41	30K	501702	40	DFT-s PI/2 BPSK	1	1
n41	30K	518598	40	DFT-s PI/2 BPSK	1	1
n41	30K	535500	40	DFT-s PI/2 BPSK	1	1
n77	30K	647334	20	DFT-s PI/2 BPSK	1	1
n77	30K	656000	20	DFT-s PI/2 BPSK	1	1
n77	30K	664666	20	DFT-s PI/2 BPSK	1	1
n77	30K	631334	40	DFT-s PI/2 BPSK	1	1
n77	30K	633334	40	DFT-s PI/2 BPSK	1	1
n77	30K	635332	40	DFT-s PI/2 BPSK	1	1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

2 SUMMARY OF TEST RESULTS

FCC Rules	Description Of Test	Result
§2.1046(a)	RF Power Output	Compliant
§22.913(a)(5) §24.232(c) §27.50(a)(3)(i) §27.50(b)(10) §27.50(c)(10) §27.50(d)(4) §27.50(h)(2) §27.50(j)(3) §27.50(k)(3) §90.542(a)(7)	ERP/ EIRP measurement	Compliant
§2.1049(h)	99% & 26dB Occupied Bandwidth	Note 1
§22.917(a) §24.238(a) §27.53(a)(4) §27.53(c)(2) §27.53(g) §27.53(h)(1) §27.53(l)(2) §27.53(m)(4) §27.53(n)(2) §90.543(e)(2) §90.543(e)(3)	Out of Band Emissions at Antenna Terminals and Band Edge / Emission mask requirements	Note 1
§22.917(a) §24.238(a) §27.53(a)(4) §27.53(c)(2) §27.53(g) §27.53(h)(1) §27.53(l)(2) §27.53(m)(4) §27.53(n)(2) §90.543(e)(2) §90.543(e)(3)	Field Strength of Spurious Radiation	Compliant
§22.913(d) §24.232(d) §27.50 (k)(4) §27.50(a)(1)(B) §27.50(d)(5) §27.50(j)(4)	Peak to Average Ratio	Note 1
§2.1055(a)(1) §22.355 §24.235 §27.54	Frequency Stability	Note 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Note

1. This report is a supplementary report, RF module (FCC ID: GKRRMMG4) installed to the EUT, the module RF conducted port test results will be submitted as a part of the report for device certification, for more details please refer to declaration letter exhibit

2.1 Test Methodology of Applied Standards

1. FCC 47 CFR Part 2, 22H
2. FCC 47 CFR Part 2, 24E
3. FCC 47 CFR Part 2, 27C
4. FCC 47 CFR Part 2, Part 90
5. ANSI C63.26:2015
6. FCC KDB 971168 D01 Power Meas License Digital System v03r01
7. FCC KDB 412172 D01 Determining ERP and EIRP v01r01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

2.2 Measurement Uncertainty

Test Items	Uncertainty
Power Density	+/- 0.61 dB
Output Power measurement	+/- 0.97 dB
ERP/ EIRP measurement	+/- 2.15 dB
Emission Bandwidth	+/- 1.38 Hz
Out of Band Emissions at Antenna Terminals and Band Edge	+/- 0.77 dB
Peak to Average Ratio	+/- 0.97 dB
Frequency Stability vs. Temperature	+/- 1.48 Hz
Frequency Stability vs. Voltage	+/- 1.48 Hz
Temperature	+/- 0.60 °C
Humidity	+/- 3.00 %
DC / AC Power Source	+/- 1.00 %

Radiated Spurious Emission Measurement Uncertainty		
Polarization: Vertical	+/- 1.89 dB	9kHz - 30MHz
	+/- 4.10 dB	30MHz - 1000MHz
	+/- 3.41 dB	1GHz - 18GHz
	+/- 3.89 dB	18GHz - 40GHz
Polarization: Horizontal	+/- 1.89 dB	9kHz - 30MHz
	+/- 4.10 dB	30MHz - 1000MHz
	+/- 3.41 dB	1GHz - 18GHz
	+/- 3.89 dB	18GHz - 40GHz
Radiated Spurious Emission	+/- 2.00 dB	33GHz - 50GHz
	+/- 1.59 dB	50GHz - 60GHz
	+/- 1.71 dB	60GHz - 90GHz
	+/- 1.64 dB	90GHz - 140GHz
	+/- 3.84 dB	140GHz - 220GHz

Note

1. This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.
2. The conformity assessment statement in this report is based solely on the test results, measurement uncertainty is excluded.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

2.3 Test Facility

Laboratory	Test Site Address	Test Site Name	FCC Designation number / Registration Number	IC CAB identifier / Company Number
SGS Taiwan Ltd. Central RF Lab. (TAF code 3702)	No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803	SAC 1 / SAC 2 / SAC 3 Conduction 1 / Conducted 1 Conducted 2 / Conducted 3 Conducted 4 / Conducted 5 Conducted 6 / FAC 1	TW0027 / 891563	TW3702 / 4620A
SGS Taiwan Ltd. Central RF Lab. (TAF code 3702)	No.2, Keji 1st Rd, Guishan District, Taoyuan City, Taiwan 333	SAC C / SAC D / SAC G Conduction C/ Conducted A Conducted B / Conducted C Conducted D / Conducted E Conducted F / Conducted G FAC A	TW0028 / 200037	TW3702 / 4620E

Measurement	Test Site Name	Test Engineer	EUT S/N	Test Environment	Test Date
Conducted	Conducted 4	Thomas Wei	00067707Y1	20~25°C / 51~56%	2026/06/04 ~ 2026/07/09
Radiated	SAC 1	WJ Lin	00067707Y1	25.8~28.1°C / 58~66%	2026/07/03 ~ 2026/07/09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw


Member of SGS Group

3 CONTROL UNIT(S) AND PERIPHERAL(S)

3.1 EUT Exercise

1. The EUT (Transmitter) was operated in the continuous transmission mode employed with the simulator of the Base Station that fixates at test default channels to fix the Tx frequency which was for the purpose of the measurements.
2. The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level. The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

3.2 Diagrams



3.3 List

3.3.1 Conducted Setup

Conducted Emission Test Site: Conducted 4					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL. (mm/dd/yyyy)	CAL DUE. (mm/dd/yyyy)
AC Adapter	HP	TPN-OA13	P84998-009	N/A	N/A

3.3.2 Radiated Setup

N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

4 MEASUREMENT EQUIPMENT USED

4.1 Conducted Measurement

Conducted Emission Test Site: Conducted 4					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL. (mm/dd/yyyy)	CAL DUE. (mm/dd/yyyy)
Radio Communication Analyzer	KEYSIGHT	E7515B	MY59321566	03/03/2026	03/02/2027

4.2 Radiated Measurement

Radiated Emission Test Site: SAC 1					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL. (mm/dd/yyyy)	CAL DUE. (mm/dd/yyyy)
1.3G High Pass Filter	Woken	WHKX10-1066	20	12/07/2025	12/06/2026
3.2G High Pass Filter	Woken	WHKX10-2624	3	12/07/2025	12/06/2026
4G High Pass Filter	WI	WHKX4.0	22	12/07/2025	12/06/2026
Band Reject Filter 1700-2000	EWT	EWT-54-0038	M1	12/07/2025	12/06/2026
Band Reject Filter 2240-2700	WI	WRCJV2300/2700-2240/2760-40/12SS	1	12/07/2025	12/06/2026
Band Reject Filter 3300-3800	Titan	T04N3300380050S01	23040703-14	12/07/2025	12/06/2026
Band Reject Filter 635-920	Titan	T04N63592050S01	23040703-4	12/07/2025	12/06/2026
Bi-log Antenna	SCHWARZBECK	VULB9168	1208	07/22/2025	07/21/2026
Bi-log Antenna	TESEO	CBL 6112D	35242 & AT-N0555	12/23/2025	12/22/2026
Coaxial Cable	EMCI	EMC104-SM-SM-8000+EMC106-SM-SM-7600	RX Cable 9K-18G(160125+150817)	07/14/2025	07/13/2026
Coaxial Cables	Huber Suhner	SUCOFLEX 102	RX Cable 18G-40G MY2630/2+805062/2	07/14/2025	07/13/2026
Coaxial Cables	Huber Suhner	SUCOFLEX 102	TX Cable 25M-40G 805068/2	07/14/2025	07/13/2026
EXA Spectrum Analyzer	KEYSIGHT	N9010B	MY60242081	10/29/2025	10/28/2026
Horn Antenna	RF SPIN	DRH0844	LE2D05A0844	08/07/2025	08/06/2026
Horn Antenna	SCHWARZBECK	BBHA9120D	603	05/19/2026	05/18/2027
Horn Antenna	SCHWARZBECK	BBHA9120D	D803	01/23/2026	01/22/2027
Horn Antenna	SCHWARZBECK	BBHA9170	184	12/31/2025	12/30/2026
Network Analyzer	Anritsu	MS4644A	1216312	01/06/2026	01/05/2027
Pre-Amplifier	EMCI	EMC118A45SEE	980933	07/14/2025	07/13/2026
Pre-Amplifier	EMCI	EMC184045SEE	980939	07/14/2025	07/13/2026
Pre-Amplifier	HP	8447D	2944A09469	07/14/2025	07/13/2026
Radio Communication Analyzer	KEYSIGHT	E7515B	MY59321566	03/03/2026	03/02/2027
Site Cal	SGS	SAC 1	N/A	07/14/2025	07/13/2026
Test Software	Audix	e3	Ver. 9.210616	N.C.R	N.C.R

NOTE: N.C.R refers to Not Calibrated Required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5 REGULATORY REQUIREMENTS

5.1 Maximum Output Power

§22.913(a)(5)

The ERP of mobile transmitters and auxiliary test transmitters must not exceed 7 watts

§24.232(c)

Mobile and portable stations are limited to 2 watts EIRP and the equipment must employ a means for limiting power to the minimum necessary for successful communications

§27.50(a)(3)(i)

For mobile and portable stations transmitting in the 2305-2315 MHz band or the 2350-2360 MHz band, the average EIRP must not exceed 50 milliwatts within any 1 megahertz of authorized bandwidth, except that for mobile and portable stations compliant with 3GPP LTE standards or another advanced mobile broadband protocol that avoids concentrating energy at the edge of the operating band the average EIRP must not exceed 250 milliwatts within any 5 megahertz of authorized bandwidth but may exceed 50 milliwatts within any 1 megahertz of authorized bandwidth. For mobile and portable stations using time division duplexing (TDD) technology, the duty cycle must not exceed 38 percent in the 2305-2315 MHz and 2350-2360 MHz bands. Mobile and portable stations using FDD technology are restricted to transmitting in the 2305-2315 MHz band. Power averaging shall not include intervals in which the transmitter is off

§27.50(b)(10)

Portable stations (hand-held devices) transmitting in the 746-757 MHz, 776-788 MHz, and 805-806 MHz bands are limited to 3 watts ERP

§27.50(c)(10)

Portable stations (hand-held devices) in the 600 MHz uplink band and the 698-746 MHz band, and fixed and mobile stations in the 600 MHz uplink band are limited to 3 watts ERP

§27.50(d)(4)

Fixed, mobile, and portable (hand-held) stations operating in the 1710-1755 MHz band and mobile and portable stations operating in the 1695-1710 MHz and 1755-1780 MHz bands are limited to 1 watt EIRP. Fixed stations operating in the 1710-1755 MHz band are limited to a maximum antenna height of 10 meters above ground. Mobile and portable stations operating in these bands must employ a means for limiting power to the minimum necessary for successful communications

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

§27.50(h)(2)

Mobile and other user stations. Mobile stations are limited to 2.0 watts EIRP. All user stations are limited to 2.0 watts transmitter output power

§27.50(j)(3)

Mobile and portable stations are limited to 1 Watt EIRP. Mobile and portable stations operating in these bands must employ a means for limiting power to the minimum necessary for successful communications

§27.50(k)(3)

Mobile devices are limited to 1Watt (30 dBm) EIRP. Mobile devices operating in these bands must employ a means for limiting power to the minimum necessary for successful communications

§90.542(a)(7)

Portable stations (hand-held devices) transmitting in the 758-768 MHz band and the 788-798 MHz band are limited to 3 watts ERP

5.2 Field Strength Of Spurious Radiation

§22.917(a)

Out of band emissions. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB

§24.238(a)

Out of band emissions. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB

§27.53(a)(4)

For mobile and portable stations operating in the 2305-2315 MHz and 2350-2360 MHz bands:

(i) By a factor of not less than: $43 + 10 \log(P)$ dB on all frequencies between 2305 and 2320 MHz and on all frequencies between 2345 and 2360 MHz that are outside the licensed band(s) of operation, not less than $55 + 10 \log(P)$ dB on all frequencies between 2320 and 2324 MHz and on all frequencies between 2341 and 2345 MHz, not less than $61 + 10 \log(P)$ dB on all frequencies between 2324 and 2328 MHz and on all frequencies between 2337 and 2341 MHz, and not less than $67 + 10 \log(P)$ dB on all frequencies between 2328 and 2337 MHz;

(ii) By a factor of not less than $43 + 10 \log(P)$ dB on all frequencies between 2300 and 2305 MHz, $55 + 10 \log(P)$ dB on all frequencies between 2296 and 2300 MHz, $61 + 10 \log(P)$ dB on all frequencies between 2292 and 2296 MHz, $67 + 10 \log(P)$ dB on all frequencies between 2288 and 2292 MHz, and $70 + 10 \log(P)$ dB below 2288 MHz;

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

(iii) By a factor of not less than $43 + 10 \log (P)$ dB on all frequencies between 2360 and 2365 MHz, and not less than $70 + 10 \log (P)$ dB above 2365 MHz.

§27.53(c)(2)

On any frequency outside the 776-788 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least $43 + 10 \log (P)$ dB;

§27.53(g)

For operations in the 600 MHz band and the 698-746 MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least $43 + 10 \log (P)$ dB. Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed

§27.53(h)(1)

General protection levels. Except as otherwise specified below, for operations in the 1695-1710 MHz, 1710-1755 MHz, 1755-1780 MHz, 1915-1920 MHz, 1995-2000 MHz, 2000-2020 MHz, 2110-2155 MHz, 2155-2180 MHz, and 2180-2200 bands, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least $43 + 10 \log_{10} (P)$ dB

§27.53(l)(2)

For mobile operations in the 3700-3980 MHz band, the conducted power of any emission outside the licensee's authorized bandwidth shall not exceed -13 dBm/MHz. Compliance with this paragraph (l)(2) is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 megahertz bands immediately outside and adjacent to the licensee's frequency block, the minimum resolution bandwidth for the measurement shall be either one percent of the emission bandwidth of the fundamental emission of the transmitter or 350 kHz. In the bands between 1 and 5 MHz removed from the licensee's frequency block, the minimum resolution bandwidth for the measurement shall be 500 kHz. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

§27.53(m)(4)

For mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log (P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log (P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log (P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less than $43 + 10 \log (P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log (P)$ dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees

§27.53(n)(2)

For mobile operations in the 3450-3550 MHz band, the conducted power of any emission outside the licensee's authorized bandwidth shall not exceed -13 dBm/MHz. Compliance with this paragraph (n)(2) is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 megahertz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed, but limited to a maximum of 200 kHz. In the bands between 1 and 5 MHz removed from the licensee's frequency block, the minimum resolution bandwidth for the measurement shall be 500 kHz. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power

§90.543(e)(2)

On all frequencies between 769-775 MHz and 799-805 MHz, by a factor not less than $65 + 10 \log (P)$ dB in a 6.25 kHz band segment, for mobile and portable stations

§90.543(e)(3)

On any frequency between 775-788 MHz, above 805 MHz, and below 758 MHz, by at least $43 + 10 \log (P)$ dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

6 TEST CONFIGURATION

6.1 Maximum Output Power



The transmitter output was connected to a calibrated attenuator, the other end of which was connected to a power meter. Transmitter output was read off the power meter in dBm. The power output at the transmitter antenna port was determined by adding the value of the attenuator to the power meter reading.

KDB 971168 D01 Power Meas License Digital System as the supplemental test methodology to adjust the proper setting obtaining the measurement results.


6.2 Field Strength Of Spurious Radiation

For Measurements From 9 kHz To 30 MHz

Radiated emission below 30MHz is measured in a 9m*6m*6m semi-anechoic chamber, the measurements correspond to those obtained at an open-field test site.

There is a comparison data of both open-field test site and semi-Anechoic chamber, and the result came out very similar.


Radiated Emission Test Set-Up, Frequency From 30MHz to 1000MHz.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Emission Test Set-Up, Frequency Above 1GHz.



The Equipment Under Test (EUT) was positioned on a non-conductive turntable that rotates 360 degrees. The receiving antenna was placed 3 meters from the EUT, with height varied between 1-4 meters to maximize emission detection.

To identify maximum emission levels, the following parameters were optimized:

EUT azimuth angle through 360-degree rotation

EUT orientation in three orthogonal axes

Antenna height (1-4 meters)

Antenna polarization (horizontal and vertical)

For frequencies above 1 GHz, measurements were conducted with the antenna maintained within the 3dB illumination bandwidth and pointed toward the EUT in both azimuth and elevation angles.

The frequency range extending to the tenth harmonic was investigated for three fundamental frequencies (low, middle, and high channels). Spurious emissions were identified and their power levels determined using the substitution method. The spurious emission attenuation was calculated as the difference between the radiated power at the fundamental frequency and the spurious emission frequency.

ERP (dBm) = SG Level(dBm) + Antenna Gain(dBd) + Cable Loss(dB)

EIRP (dBm) = SG Level(dBm) + Antenna Gain(dBi) + Cable Loss(dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

7 TEST RESULTS

7.1 Maximum Output Power

7.1.1 ERP/EIRP

FR1

Part22

5G NR Band n5 : 824 to 849 MHz					Conducted Average (dBm)			ERP (dBm)		
Antenna Gain(dBi)		-0.52			Channel (ARFCH)/ Frequency(MHz)			Channel (ARFCH)/ Frequency(MHz)		
ERP Limit (W)		7			Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	165300	167300	169300	165300	167300	169300
					826.50	836.50	846.50	826.50	836.50	846.50
5	15	DFT-s PI/2 BPSK	1	1	22.11	21.78	21.83	19.44	19.11	19.16
			1	23	21.90	22.06	22.07	19.09	19.39	19.40
			12	6	21.76	21.74	22.08	18.99	19.07	19.41
			25	0	21.66	21.60	21.90	18.99	18.93	19.23
		DFT-s QPSK	1	1	21.67	21.70	21.83	19.00	19.03	19.16
			1	23	22.09	21.87	21.77	19.42	19.20	19.10
			12	6	22.09	21.91	21.87	19.42	19.24	19.20
			25	0	21.88	21.71	21.80	19.21	19.04	19.13
		DFT-s 16QAM	1	1	21.72	21.69	21.50	19.05	19.02	18.83
		DFT-s 64QAM	1	1	21.14	21.24	21.30	18.47	18.57	18.63
		DFT-s 256QAM	1	1	19.28	18.93	19.20	16.61	16.26	16.53

5G NR Band n26 : 824 to 849 MHz					Conducted Average (dBm)			ERP (dBm)		
Antenna Gain(dBi)		-0.52			Channel (ARFCH)/ Frequency(MHz)			Channel (ARFCH)/ Frequency(MHz)		
ERP Limit (W)		7			Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	165300	167300	169300	165300	167300	169300
					826.50	836.50	846.50	826.50	836.50	846.50
5	15	DFT-s PI/2 BPSK	1	1	23.06	22.75	22.68	20.39	20.08	20.01
			1	23	23.00	22.93	22.83	20.33	20.26	20.16
			12	6	22.96	22.65	22.73	20.29	19.98	20.06
			25	0	22.79	22.72	22.95	20.12	20.05	20.28
		DFT-s QPSK	1	1	22.20	22.41	21.99	19.53	19.74	19.32
			1	23	22.32	22.45	22.21	19.65	19.78	19.54
			12	6	22.35	22.38	22.24	19.68	19.71	19.57
			25	0	22.00	22.36	22.12	19.33	19.69	19.45
		DFT-s 16QAM	1	1	22.17	21.84	21.70	19.50	19.17	19.03
		DFT-s 64QAM	1	1	20.97	20.82	21.09	18.30	18.15	18.42
		DFT-s 256QAM	1	1	19.28	19.17	19.09	16.61	16.50	16.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Part24

5G NR Band n2 : 1850 to 1910 MHz					Conducted Average (dBm)			EIRP (dBm)		
Antenna Gain(dBi)		0.96			Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
EIRP Limit (W)		2			Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	373000	376000	379000	373000	376000	379000
					1865.00	1880.00	1895.00	1865.00	1880.00	1895.00
30	15	DFT-s PI/2 BPSK	1	1	20.71	21.05	21.09	21.67	22.01	22.05
			1	158	20.91	21.07	20.74	21.87	22.03	21.70
			80	40	20.97	21.02	20.85	21.93	21.98	21.81
			160	0	20.99	20.60	20.92	21.95	21.56	21.88
		DFT-s QPSK	1	1	20.10	19.95	20.32	21.06	20.91	21.28
			1	158	20.25	19.98	19.88	21.21	20.94	20.84
			80	40	20.17	20.12	19.91	21.13	21.08	20.87
			160	0	20.18	19.87	20.04	21.14	20.83	21.00
		DFT-s 16QAM	1	1	19.64	19.99	19.82	20.60	20.95	20.78
		DFT-s 64QAM	1	1	18.85	19.25	19.02	19.81	20.21	19.98
		DFT-s 256QAM	1	1	18.38	18.43	18.36	19.34	19.39	19.32

5G NR Band n25 : 1850 to 1915 MHz					Conducted Average (dBm)			EIRP (dBm)		
Antenna Gain(dBi)		0.96			Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
EIRP Limit (W)		2			Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	371500	376500	381500	371500	376500	381500
					1857.50	1882.50	1907.50	1857.50	1882.50	1907.50
15	15	DFT-s PI/2 BPSK	1	1	20.95	21.13	20.98	21.91	22.09	21.94
			1	77	20.93	21.12	20.74	21.89	22.08	21.70
			36	18	20.83	20.67	20.91	21.79	21.63	21.87
			75	0	20.93	20.76	20.66	21.89	21.72	21.62
		DFT-s QPSK	1	1	20.77	20.98	20.85	21.73	21.94	21.81
			1	77	21.05	20.88	20.87	22.01	21.84	21.83
			36	18	20.82	20.72	20.90	21.78	21.68	21.86
			75	0	20.64	20.86	20.90	21.60	21.82	21.86
		DFT-s 16QAM	1	1	20.88	20.73	20.56	21.84	21.69	21.52
		DFT-s 64QAM	1	1	19.42	19.72	19.54	20.38	20.68	20.50
		DFT-s 256QAM	1	1	17.44	17.32	17.60	18.40	18.28	18.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Part27

5G NR Band n7 : 2500 to 2570 MHz					Conducted Average (dBm)			EIRP (dBm)		
Antenna Gain(dBi)			2.38		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
EIRP Limit (W)			2		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	501000	507000	513000	501000	507000	513000
					2505.00	2535.00	2565.00	2505.00	2535.00	2565.00
10	15	DFT-s PI/2 BPSK	1	1	19.35	19.39	19.02	21.73	21.77	21.40
			1	50	18.98	19.21	19.08	21.36	21.59	21.46
			25	12	19.08	19.25	19.19	21.46	21.63	21.57
			50	0	19.03	19.22	18.89	21.41	21.60	21.27
		DFT-s QPSK	1	1	18.76	18.78	18.65	21.14	21.16	21.03
			1	50	19.10	18.83	18.77	21.48	21.21	21.15
			25	12	19.08	18.68	18.90	21.46	21.06	21.28
			50	0	18.54	18.88	18.96	20.92	21.26	21.34
		DFT-s 16QAM	1	1	18.46	18.67	18.37	20.84	21.05	20.75
		DFT-s 64QAM	1	0	17.61	17.45	17.67	19.99	19.83	20.05
		DFT-s 256QAM	1	1	15.28	15.61	15.67	17.66	17.99	18.05

5G NR Band n12 : 699 to 716 MHz					Conducted Average (dBm)			ERP (dBm)		
Antenna Gain(dBi)			0.11		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
ERP Limit (W)			3		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	140800	141500	142200	140800	141500	142200
					704.00	707.50	711.00	704.00	707.50	711.00
10	15	DFT-s PI/2 BPSK	1	1	21.15	21.26	21.42	19.11	19.22	19.38
			1	50	21.18	21.38	21.12	19.14	19.34	19.08
			25	12	21.18	21.08	21.24	19.14	19.04	19.20
			50	0	20.91	21.17	21.30	18.87	19.13	19.26
		DFT-s QPSK	1	1	20.72	20.66	20.98	18.68	18.62	18.94
			1	50	20.80	20.84	20.90	18.76	18.80	18.86
			25	12	20.66	20.74	20.68	18.62	18.70	18.64
			50	0	20.71	20.29	20.56	18.67	18.25	18.52
		DFT-s 16QAM	1	1	20.44	20.15	20.08	18.40	18.11	18.04
		DFT-s 64QAM	1	1	19.55	19.62	19.90	17.51	17.58	17.86
		DFT-s 256QAM	1	1	17.50	17.77	17.69	15.46	15.73	15.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR Band n13 : 777 to 787 MHz					Conducted Average (dBm)			ERP (dBm)		
Antenna Gain(dBi)			0.65		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
ERP Limit (W)			3		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	155900	156400	156900	155900	156400	156900
					779.50	782.00	784.50	779.50	782.00	784.50
5	15	DFT-s PI/2 BPSK	1	1	21.31	21.13	21.61	19.81	19.63	20.11
			1	23	21.58	21.19	21.17	20.08	19.69	19.67
			12	6	21.39	21.23	21.26	19.89	19.73	19.76
			25	0	21.30	21.38	21.19	19.80	19.88	19.69
		DFT-s QPSK	1	1	20.59	20.93	20.90	19.09	19.43	19.40
			1	23	20.52	20.84	20.81	19.02	19.34	19.31
			12	6	20.97	20.56	20.92	19.47	19.06	19.42
			25	0	20.62	20.68	20.59	19.12	19.18	19.09
		DFT-s 16QAM	1	1	20.78	20.53	20.73	19.28	19.03	19.23
		DFT-s 64QAM	1	1	19.58	19.69	19.86	18.08	18.19	18.36
		DFT-s 256QAM	1	1	17.60	17.64	17.91	16.10	16.14	16.41

5G NR Band n30 : 2305 to 2315 MHz					Conducted Average (dBm)			EIRP (dBm)		
Antenna Gain(dBi)			0.98		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
EIRP Limit (W)			0.25		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset		462000			462000	
						2310.00			2310.00	
10	15	DFT-s PI/2 BPSK	1	1		21.63			22.61	
			1	50		21.60			22.58	
			25	12		21.44			22.42	
			50	0		21.12			22.10	
		DFT-s QPSK	1	1		21.09			22.07	
			1	50		20.99			21.97	
			25	12		20.92			21.90	
			50	0		20.74			21.72	
		DFT-s 16QAM	1	1		20.92			21.90	
		DFT-s 64QAM	1	1		19.86			20.84	
		DFT-s 256QAM	1	1		17.86			18.84	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR Band n38: 2570 to 2620 MHz					Conducted Average (dBm)			EIRP (dBm)		
Antenna Gain(dBi)			2.38		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
EIRP Limit (W)			2		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	516000	519000	522000	516000	519000	522000
					2580.00	2595.00	2610.00	2580.00	2595.00	2610.00
20	30	DFT-s PI/2 BPSK	1	1	23.30	23.28	23.26	25.68	25.66	25.64
			1	49	23.16	23.15	23.16	25.54	25.53	25.54
			25	12	23.13	23.14	23.15	25.51	25.52	25.53
			50	0	22.72	22.78	22.71	25.10	25.16	25.09
		DFT-s QPSK	1	1	22.86	22.67	22.71	25.24	25.05	25.09
			1	49	22.79	22.52	22.65	25.17	24.90	25.03
			25	12	22.59	22.86	22.62	24.97	25.24	25.00
			50	0	22.30	22.07	22.04	24.68	24.45	24.42
		DFT-s 16QAM	1	1	22.26	22.02	21.82	24.64	24.40	24.20
		DFT-s 64QAM	1	1	20.83	20.90	20.58	23.21	23.28	22.96
		DFT-s 256QAM	1	1	18.92	18.62	18.39	21.30	21.00	20.77

5G NR Band n41 : 2496 to 2690 MHz					Conducted Average (dBm)			EIRP (dBm)		
Antenna Gain(dBi)			0.74		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
EIRP Limit (W)			2		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	503202	518604	534000	503202	518604	534000
					2516.01	2593.02	2670.00	2516.01	2593.02	2670.00
40	30	DFT-s PI/2 BPSK	1	1	21.41	21.65	21.39	22.15	22.39	22.13
			1	104	21.64	21.51	21.59	22.38	22.25	22.33
			50	25	21.64	21.53	21.37	22.38	22.27	22.11
			100	0	21.07	21.25	21.25	21.81	21.99	21.99
		DFT-s QPSK	1	1	20.36	20.61	20.71	21.10	21.35	21.45
			1	104	20.41	20.58	20.35	21.15	21.32	21.09
			50	25	20.78	20.48	20.81	21.52	21.22	21.55
			100	0	20.39	20.55	20.79	21.13	21.29	21.53
		DFT-s 16QAM	1	1	20.46	20.60	21.12	21.20	21.34	21.86
		DFT-s 64QAM	1	1	21.09	20.77	20.46	21.83	21.51	21.20
		DFT-s 256QAM	1	1	17.20	17.02	17.15	17.94	17.76	17.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR Band n66 : 1710 to 1780 MHz					Conducted Average (dBm)			EIRP (dBm)		
Antenna Gain(dBi)			1.85		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
EIRP Limit (W)			1		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	343000	349000	355000	343000	349000	355000
					1715.00	1745.00	1775.00	1715.00	1745.00	1775.00
10	15	DFT-s PI/2 BPSK	1	1	19.97	19.63	20.01	21.82	21.48	21.86
			1	50	19.97	19.56	19.98	21.82	21.41	21.83
			25	12	19.89	19.84	19.95	21.74	21.69	21.80
			50	0	19.55	19.62	19.42	21.40	21.47	21.27
		DFT-s QPSK	1	1	19.24	19.47	19.30	21.09	21.32	21.15
			1	50	19.43	19.47	19.49	21.28	21.32	21.34
			25	12	19.52	19.37	19.45	21.37	21.22	21.30
			50	0	19.36	19.02	19.48	21.21	20.87	21.33
		DFT-s 16QAM	1	1	19.09	18.84	19.27	20.94	20.69	21.12
		DFT-s 64QAM	1	1	18.04	18.08	17.86	19.89	19.93	19.71
		DFT-s 256QAM	1	1	16.09	15.95	16.02	17.94	17.80	17.87

5G NR Band n71 : 663 to 698 MHz					Conducted Average (dBm)			ERP (dBm)		
Antenna Gain(dBi)			0.33		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
ERP Limit (W)			3		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	134600	136100	137600	134600	136100	137600
					673.00	680.50	688.00	673.00	680.50	688.00
20	15	DFT-s PI/2 BPSK	1	1	21.14	21.56	21.31	19.32	19.74	19.49
			1	104	21.25	21.52	21.25	19.43	19.70	19.43
			50	25	21.36	21.24	21.16	19.54	19.42	19.34
			100	0	21.25	21.54	21.32	19.43	19.72	19.50
		DFT-s QPSK	1	1	20.71	20.78	20.60	18.89	18.96	18.78
			1	104	20.79	20.41	20.44	18.97	18.59	18.62
			50	25	20.72	20.90	20.70	18.90	19.08	18.88
			100	0	20.37	20.47	20.58	18.55	18.65	18.76
		DFT-s 16QAM	1	1	20.55	20.58	20.61	18.73	18.76	18.79
		DFT-s 64QAM	1	1	19.89	19.93	19.84	18.07	18.11	18.02
		DFT-s 256QAM	1	1	17.79	17.75	17.74	15.97	15.93	15.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR Band n77_Part27: 3450 to 3550 MHz					Conducted Average (dBm)			EIRP (dBm)		
Antenna Gain(dBi)		2.91			Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
EIRP Limit (W)		1			Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	630668	633334	636000	630668	633334	636000
					3460.02	3500.01	3540.00	3460.02	3500.01	3540.00
20	30	DFT-s PI/2 BPSK	1	1	19.91	19.51	19.87	22.82	22.42	22.78
			1	49	19.87	19.51	19.58	22.78	22.42	22.49
			25	12	19.85	19.60	19.99	22.76	22.51	22.90
			50	0	19.87	20.01	19.63	22.78	22.92	22.54
		DFT-s QPSK	1	1	19.32	19.11	19.11	22.23	22.02	22.02
			1	49	19.36	19.47	19.39	22.27	22.38	22.30
			25	12	19.20	19.48	19.09	22.11	22.39	22.00
			50	0	19.51	19.56	19.18	22.42	22.47	22.09
		DFT-s 16QAM	50	0	19.43	19.25	19.33	22.34	22.16	22.24
		DFT-s 64QAM	50	0	17.73	17.97	17.65	20.64	20.88	20.56
		DFT-s 256QAM	50	0	15.53	15.72	15.79	18.44	18.63	18.70

5G NR Band n77_Part27: 3700 to 3980 MHz					Conducted Average (dBm)			EIRP (dBm)		
Antenna Gain(dBi)		2.91			Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
EIRP Limit (W)		1			Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	647000	656000	665000	647000	656000	665000
					3705.00	3840.00	3975.00	3705.00	3840.00	3975.00
10	30	DFT-s PI/2 BPSK	1	1	22.05	21.71	21.75	24.96	24.62	24.66
			1	22	22.03	21.65	21.66	24.94	24.56	24.57
			12	6	21.78	21.85	21.59	24.69	24.76	24.50
			24	0	21.47	21.64	21.84	24.38	24.55	24.75
		DFT-s QPSK	1	1	21.45	21.37	21.06	24.36	24.28	23.97
			1	22	20.99	21.40	21.03	23.90	24.31	23.94
			12	6	21.34	20.96	21.44	24.25	23.87	24.35
			24	0	21.22	21.17	21.10	24.13	24.08	24.01
		DFT-s 16QAM	1	1	21.25	21.08	21.24	24.16	23.99	24.15
		DFT-s 64QAM	1	1	19.94	19.81	20.03	22.85	22.72	22.94
		DFT-s 256QAM	1	1	17.79	18.15	18.01	20.70	21.06	20.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Part90

5G NR Band n14 : 788 to 798 MHz					Conducted Average (dBm)			ERP (dBm)		
Antenna Gain(dBi)			-0.16		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
ERP Limit (W)			3		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	158100	158600	159100	158100	158600	159100
					790.50	793.00	795.50	790.50	793.00	795.50
5	15	DFT-s PI/2 BPSK	1	1	22.77	22.33	22.48	20.46	20.02	20.17
			1	23	22.31	22.58	22.63	20.00	20.27	20.32
			12	6	22.63	22.67	22.30	20.32	20.36	19.99
			25	0	22.35	22.28	22.17	20.04	19.97	19.86
		DFT-s QPSK	1	1	22.30	22.17	22.03	19.99	19.86	19.72
			1	23	22.15	22.26	22.13	19.84	19.95	19.82
			12	6	22.40	22.30	22.03	20.09	19.99	19.72
			25	0	22.05	22.23	22.10	19.74	19.92	19.79
		DFT-s 16QAM	1	1	22.09	22.02	22.11	19.78	19.71	19.80
		DFT-s 64QAM	1	1	21.17	21.24	21.00	18.86	18.93	18.69
		DFT-s 256QAM	1	1	18.95	19.06	19.26	16.64	16.75	16.95

5G NR Band n26 Part 90s: 814 to 824 MHz					Conducted Average (dBm)			ERP (dBm)		
Antenna Gain(dBi)			-0.52		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
ERP Limit (W)			100		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset		163800			163800	
						819.00			819.00	
10	15	DFT-s PI/2 BPSK	1	1		22.95			20.28	
			1	50		22.75			20.08	
			25	12		22.83			20.16	
			50	0		22.75			20.08	
		DFT-s QPSK	1	1		22.00			19.33	
			1	50		22.37			19.70	
			25	12		22.12			19.45	
			50	0		22.14			19.47	
		DFT-s 16QAM	1	1		22.12			19.45	
		DFT-s 64QAM	1	1		21.08			18.41	
		DFT-s 256QAM	1	1		19.24			16.57	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FR1 2TX

Part27

5G NR Band n41 : 2496 to 2690 MHz					Conducted Average (dBm)								
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	Channel (ARFCH)/ Frequency(MHz)								
					Low			Mid			High		
					501702			518598			535500		
					2508.51			2592.99			2677.50		
					TX1	TX2	Total	TX1	TX2	Total	TX1	TX2	Total
25	30	CP QPSK	1	1	17.00	16.87	19.95	16.92	17.14	20.04	16.98	17.01	20.01
			1	63	17.28	17.25	20.28	16.98	17.12	20.06	17.27	17.10	20.20
			33	16	16.90	17.33	20.13	16.98	17.09	20.05	16.85	17.09	19.98
			65	0	15.54	15.73	18.65	15.47	15.65	18.57	15.77	15.43	18.61
		CP 16QAM	1	63	16.69	16.54	19.63	16.68	16.57	19.64	16.41	16.75	19.59
		CP 64QAM	1	63	15.03	14.94	18.00	14.89	15.07	17.99	15.09	14.82	17.97
		CP 256QAM	1	63	12.08	12.35	15.23	12.17	12.05	15.12	11.97	12.32	15.16

5G NR Band n41 : 2496 to 2690 MHz					EIRP (dBm)								
Directional Gain(dBi)			3.17		Channel (ARFCH)/ Frequency(MHz)								
EIRP Limit (W)			2		Low			Mid			High		
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	501702			518598			535500		
					2508.51			2592.99			2677.50		
					Total			Total			Total		
25	30	CP QPSK	1	1	23.12			23.21			23.18		
			1	63	23.45			23.23			23.37		
			33	16	23.30			23.22			23.15		
			65	0	21.82			21.74			21.78		
		CP 16QAM	1	63	22.80			22.81			22.76		
		CP 64QAM	1	63	21.17			21.16			21.14		
		CP 256QAM	1	63	18.40			18.29			18.33		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR Band n77_Part27: 3450 to 3550 MHz					Conducted Average (dBm)								
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	Channel (ARFCH)/ Frequency(MHz)								
					Low			Mid			High		
					631334			633334			635332		
					3470.01			3500.01			3529.98		
					TX1	TX2	Total	TX1	TX2	Total	TX1	TX2	Total
40	30	CP QPSK	1	1	19.51	18.98	22.26	19.43	19.24	22.35	19.39	19.20	22.31
			1	104	19.43	19.24	22.35	19.25	19.34	22.31	19.46	19.07	22.28
			53	26	19.40	19.13	22.28	19.66	19.30	22.49	19.66	19.08	22.39
			106	0	17.80	17.59	20.71	17.74	17.54	20.65	17.99	17.67	20.84
		CP 16QAM	53	26	19.27	18.61	21.96	19.19	18.83	22.02	19.16	18.70	21.95
		CP 64QAM	53	26	17.31	17.11	20.22	17.66	17.45	20.57	17.39	17.54	20.48
		CP 256QAM	53	26	14.60	14.23	17.43	14.54	14.26	17.41	14.52	14.02	17.29

5G NR Band n77_Part27: 3450 to 3550 MHz					EIRP (dBm)								
Directional Gain(dBi)			5.11		Channel (ARFCH)/ Frequency(MHz)								
EIRP Limit (W)			1		Low			Mid			High		
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	631334			633334			635332		
					3470.01			3500.01			3529.98		
					Total			Total			Total		
40	30	CP QPSK	1	1	27.37			27.46			27.42		
			1	104	27.46			27.42			27.39		
			53	26	27.39			27.60			27.50		
			106	0	25.82			25.76			25.95		
		CP 16QAM	53	26	27.07			27.13			27.06		
		CP 64QAM	53	26	25.33			25.68			25.59		
		CP 256QAM	53	26	22.54			22.52			22.40		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR Band n77_Part27: 3700 to 3980 MHz					Conducted Average (dBm)								
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	Channel (ARFCH)/ Frequency(MHz)								
					Low			Mid			High		
					647334			656000			664666		
					3710.01			3840.00			3969.99		
					TX1	TX2	Total	TX1	TX2	Total	TX1	TX2	Total
20	30	CP QPSK	1	1	20.47	20.66	23.58	20.49	20.40	23.46	20.18	20.43	23.32
			1	49	20.23	20.48	23.37	20.51	20.61	23.57	20.23	20.52	23.39
			25	12	20.45	20.62	23.55	20.46	20.79	23.64	20.50	20.73	23.63
			51	0	18.84	18.97	21.92	18.75	19.16	21.97	19.01	19.21	22.12
		CP 16QAM	25	12	20.08	20.15	23.13	20.13	20.24	23.20	19.82	19.96	22.90
		CP 64QAM	25	12	18.24	18.78	21.53	18.67	18.79	21.74	18.55	18.66	21.62
		CP 256QAM	25	12	15.32	15.69	18.52	15.36	15.42	18.40	15.21	15.55	18.39

5G NR Band n77_Part27: 3700 to 3980 MHz					EIRP (dBm)								
Directional Gain(dBi)			5.11		Channel (ARFCH)/ Frequency(MHz)								
EIRP Limit (W)			1		Low			Mid			High		
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	647334			656000			664666		
					3710.01			3840.00			3969.99		
					Total			Total			Total		
20	30	CP QPSK	1	1	28.69			28.57			28.43		
			1	49	28.48			28.68			28.50		
			25	12	28.66			28.75			28.74		
			51	0	27.03			27.08			27.23		
		CP 16QAM	25	12	28.24			28.31			28.01		
		CP 64QAM	25	12	26.64			26.85			26.73		
		CP 256QAM	25	12	23.63			23.51			23.50		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw


Member of SGS Group

7.2 Field Strength Of Spurious Radiation

FR1

Report Number :TERF2605001805ER
 Operation Mode :NR n2
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :1865 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
95.96	-66.78	-66.67	1.68	-1.80	-13.00	-53.78
161.92	-66.96	-65.84	1.21	-2.33	-13.00	-53.96
223.03	-51.98	-56.57	7.32	-2.73	-13.00	-38.98
296.75	-55.32	-58.42	6.24	-3.14	-13.00	-42.32
371.44	-60.85	-63.99	6.67	-3.53	-13.00	-47.85
519.85	-63.41	-65.80	6.55	-4.16	-13.00	-50.41
3730.00	-51.31	-52.39	12.42	-11.34	-13.00	-38.31
5595.00	-48.52	-47.33	12.79	-13.98	-13.00	-35.52


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n2
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :1865 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
95.96	-70.06	-69.95	1.68	-1.80	-13.00	-57.06
161.92	-63.24	-62.12	1.21	-2.33	-13.00	-50.24
264.74	-68.66	-72.08	6.39	-2.96	-13.00	-55.66
371.44	-68.96	-72.10	6.67	-3.53	-13.00	-55.96
474.26	-71.70	-74.17	6.45	-3.98	-13.00	-58.70
519.85	-69.47	-71.86	6.55	-4.16	-13.00	-56.47
3730.00	-51.84	-52.92	12.42	-11.34	-13.00	-38.84
5595.00	-48.54	-47.35	12.79	-13.98	-13.00	-35.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n2
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :1880 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-66.02	-54.77	-9.97	-1.28	-13.00	-53.02
161.92	-66.71	-65.59	1.21	-2.33	-13.00	-53.71
223.03	-51.67	-56.26	7.32	-2.73	-13.00	-38.67
296.75	-55.16	-58.26	6.24	-3.14	-13.00	-42.16
371.44	-60.98	-64.12	6.67	-3.53	-13.00	-47.98
519.85	-63.22	-65.60	6.55	-4.16	-13.00	-50.22
3760.00	-51.27	-52.35	12.46	-11.38	-13.00	-38.27
5640.00	-48.80	-47.80	13.04	-14.05	-13.00	-35.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n2
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :1880 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-65.98	-54.72	-9.97	-1.28	-13.00	-52.98
161.92	-63.08	-61.97	1.21	-2.33	-13.00	-50.08
217.21	-67.53	-71.81	6.97	-2.69	-13.00	-54.53
296.75	-69.75	-72.85	6.24	-3.14	-13.00	-56.75
371.44	-68.07	-71.21	6.67	-3.53	-13.00	-55.07
519.85	-69.42	-71.81	6.55	-4.16	-13.00	-56.42
3760.00	-51.49	-52.57	12.46	-11.38	-13.00	-38.49
5640.00	-48.65	-47.65	13.04	-14.05	-13.00	-35.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n2
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :1895 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
72.68	-73.99	-68.92	-3.50	-1.57	-13.00	-60.99
161.92	-66.83	-65.71	1.21	-2.33	-13.00	-53.83
313.24	-65.87	-68.97	6.32	-3.23	-13.00	-52.87
371.44	-60.14	-63.28	6.67	-3.53	-13.00	-47.14
444.19	-69.13	-71.58	6.30	-3.85	-13.00	-56.13
519.85	-61.62	-64.00	6.55	-4.16	-13.00	-48.62
3790.00	-51.57	-52.48	12.34	-11.42	-13.00	-38.57
5685.00	-46.39	-45.17	12.89	-14.11	-13.00	-33.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n2
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :1895 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
161.92	-63.56	-62.44	1.21	-2.33	-13.00	-50.56
217.21	-67.92	-72.19	6.97	-2.69	-13.00	-54.92
313.24	-70.16	-73.26	6.32	-3.23	-13.00	-57.16
361.74	-72.74	-76.10	6.83	-3.47	-13.00	-59.74
430.61	-71.89	-74.59	6.49	-3.79	-13.00	-58.89
519.85	-68.93	-71.32	6.55	-4.16	-13.00	-55.93
3790.00	-51.46	-52.38	12.34	-11.42	-13.00	-38.46
5685.00	-48.71	-47.49	12.89	-14.11	-13.00	-35.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n5
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :826.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
95.96	-76.15	-76.04	1.68	-1.80	-13.00	-63.15
161.92	-66.70	-65.59	1.21	-2.33	-13.00	-53.70
223.03	-51.86	-56.46	7.32	-2.73	-13.00	-38.86
313.24	-66.50	-69.59	6.32	-3.23	-13.00	-53.50
403.45	-69.53	-72.43	6.58	-3.67	-13.00	-56.53
519.85	-62.30	-64.69	6.55	-4.16	-13.00	-49.30
1653.00	-58.61	-60.28	9.10	-7.43	-13.00	-45.61
2479.50	-54.26	-55.51	10.40	-9.15	-13.00	-41.26


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n5
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :826.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.25	-78.40	-68.21	-8.83	-1.35	-13.00	-65.40
168.71	-69.83	-69.37	1.92	-2.38	-13.00	-56.83
223.03	-68.41	-73.00	7.32	-2.73	-13.00	-55.41
313.24	-70.39	-73.49	6.32	-3.23	-13.00	-57.39
361.74	-73.16	-76.52	6.83	-3.47	-13.00	-60.16
445.16	-73.52	-75.96	6.30	-3.85	-13.00	-60.52
1653.00	-58.73	-60.40	9.10	-7.43	-13.00	-45.73
2479.50	-55.00	-56.25	10.40	-9.15	-13.00	-42.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n5
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :836.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
95.96	-74.71	-74.59	1.68	-1.80	-13.00	-61.71
161.92	-67.29	-66.18	1.21	-2.33	-13.00	-54.29
223.03	-51.97	-56.56	7.32	-2.73	-13.00	-38.97
313.24	-66.68	-69.78	6.32	-3.23	-13.00	-53.68
371.44	-60.24	-63.38	6.67	-3.53	-13.00	-47.24
481.05	-70.83	-73.37	6.55	-4.00	-13.00	-57.83
1673.00	-58.87	-60.59	9.20	-7.48	-13.00	-45.87
2509.50	-54.54	-55.74	10.41	-9.21	-13.00	-41.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2605001805ER
 Operation Mode :NR n5
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :836.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.25	-78.02	-67.84	-8.83	-1.35	-13.00	-65.02
168.71	-68.38	-67.92	1.92	-2.38	-13.00	-55.38
217.21	-66.94	-71.22	6.97	-2.69	-13.00	-53.94
296.75	-68.40	-71.50	6.24	-3.14	-13.00	-55.40
401.51	-73.39	-76.30	6.57	-3.67	-13.00	-60.39
519.85	-68.35	-70.73	6.55	-4.16	-13.00	-55.35
1673.00	-58.42	-60.14	9.20	-7.48	-13.00	-45.42
2509.50	-54.60	-55.80	10.41	-9.21	-13.00	-41.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n5
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :846.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
51.34	-75.72	-64.91	-9.49	-1.32	-13.00	-62.72
161.92	-66.76	-65.64	1.21	-2.33	-13.00	-53.76
296.75	-55.32	-58.42	6.24	-3.14	-13.00	-42.32
371.44	-60.50	-63.64	6.67	-3.53	-13.00	-47.50
454.86	-70.52	-72.92	6.29	-3.89	-13.00	-57.52
519.85	-62.40	-64.79	6.55	-4.16	-13.00	-49.40
1693.00	-58.91	-60.56	9.17	-7.52	-13.00	-45.91
2539.50	-53.99	-55.22	10.51	-9.27	-13.00	-40.99


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n5
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :846.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
161.92	-63.75	-62.63	1.21	-2.33	-13.00	-50.75
217.21	-67.04	-71.31	6.97	-2.69	-13.00	-54.04
264.74	-69.46	-72.89	6.39	-2.96	-13.00	-56.46
361.74	-73.04	-76.40	6.83	-3.47	-13.00	-60.04
433.52	-71.89	-74.51	6.43	-3.80	-13.00	-58.89
519.85	-68.67	-71.06	6.55	-4.16	-13.00	-55.67
1693.00	-58.83	-60.47	9.17	-7.52	-13.00	-45.83
2539.50	-54.89	-56.13	10.51	-9.27	-13.00	-41.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n7
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2505 MHz

Test Site :SAC 1
 Test Date :2026-07-03
 Temp./Humi. :25.8°C/66%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.64	-67.66	-57.61	-8.69	-1.36	-25.00	-42.66
72.29	-68.27	-62.97	-3.74	-1.56	-25.00	-43.27
149.12	-64.97	-63.32	0.59	-2.23	-25.00	-39.97
216.82	-62.49	-66.76	6.95	-2.69	-25.00	-37.49
265.03	-68.18	-71.60	6.39	-2.97	-25.00	-43.18
395.11	-67.84	-70.67	6.46	-3.63	-25.00	-42.84
5010.00	-49.88	-49.05	12.38	-13.21	-25.00	-24.88
7515.00	-44.97	-39.36	10.73	-16.34	-25.00	-19.97


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n7
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2505 MHz

Test Site :SAC 1
 Test Date :2026-07-03
 Temp./Humi. :25.8°C/66%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.24	-68.83	-57.54	-10.01	-1.28	-25.00	-43.83
148.83	-66.14	-64.49	0.58	-2.23	-25.00	-41.14
216.92	-60.82	-65.09	6.96	-2.69	-25.00	-35.82
265.03	-66.13	-69.56	6.39	-2.97	-25.00	-41.13
313.24	-68.36	-71.46	6.32	-3.23	-25.00	-43.36
650.80	-73.99	-75.42	6.08	-4.65	-25.00	-48.99
5010.00	-49.90	-49.07	12.38	-13.21	-25.00	-24.90
7515.00	-45.98	-40.36	10.73	-16.34	-25.00	-20.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n7
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2535 MHz

Test Site :SAC 1
 Test Date :2026-07-03
 Temp./Humi. :25.8°C/66%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.24	-71.08	-59.80	-10.01	-1.28	-25.00	-46.08
73.36	-66.75	-62.06	-3.12	-1.57	-25.00	-41.75
149.31	-64.92	-63.26	0.58	-2.24	-25.00	-39.92
216.82	-61.98	-66.24	6.95	-2.69	-25.00	-36.98
265.03	-68.08	-71.50	6.39	-2.97	-25.00	-43.08
735.38	-65.06	-65.97	5.86	-4.95	-25.00	-40.06
5070.00	-48.52	-47.41	12.18	-13.30	-25.00	-23.52
7605.00	-43.94	-38.50	11.03	-16.47	-25.00	-18.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n7
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2535 MHz

Test Site :SAC 1
 Test Date :2026-07-03
 Temp./Humi. :25.8°C/66%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.24	-69.05	-57.77	-10.01	-1.28	-25.00	-44.05
147.37	-66.81	-65.02	0.44	-2.22	-25.00	-41.81
216.92	-64.81	-69.08	6.96	-2.69	-25.00	-39.81
265.03	-64.74	-68.17	6.39	-2.97	-25.00	-39.74
313.24	-68.71	-71.80	6.32	-3.23	-25.00	-43.71
361.55	-72.92	-76.29	6.84	-3.47	-25.00	-47.92
5070.00	-49.62	-48.51	12.18	-13.30	-25.00	-24.62
7605.00	-45.23	-39.78	11.03	-16.47	-25.00	-20.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER

Operation Mode :NR n7

Test Mode :Tx

EUT Pol :NB Mode

Test Frequency :2565 MHz


Test Site :SAC 1

Test Date :2026-07-03

Temp./Humi. :25.8°C/66%

Antenna Pol. :Vertical

Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.24	-71.44	-60.16	-10.01	-1.28	-25.00	-46.44
72.29	-67.53	-62.23	-3.74	-1.56	-25.00	-42.53
149.50	-65.96	-64.29	0.57	-2.24	-25.00	-40.96
216.82	-62.38	-66.64	6.95	-2.69	-25.00	-37.38
264.93	-68.86	-72.29	6.39	-2.96	-25.00	-43.86
730.34	-63.42	-64.39	5.90	-4.93	-25.00	-38.42
5130.00	-49.51	-48.13	12.00	-13.38	-25.00	-24.51
7695.00	-44.42	-39.26	11.39	-16.55	-25.00	-19.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2605001805ER
 Operation Mode :NR n7
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2565 MHz

Test Site :SAC 1
 Test Date :2026-07-03
 Temp./Humi. :25.8°C/66%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.24	-68.36	-57.08	-10.01	-1.28	-25.00	-43.36
72.29	-73.46	-68.16	-3.74	-1.56	-25.00	-48.46
147.18	-66.33	-64.52	0.41	-2.22	-25.00	-41.33
216.82	-63.12	-67.38	6.95	-2.69	-25.00	-38.12
265.13	-64.70	-68.12	6.39	-2.97	-25.00	-39.70
730.44	-58.91	-59.88	5.90	-4.93	-25.00	-33.91
5130.00	-50.00	-48.62	12.00	-13.38	-25.00	-25.00
7695.00	-45.12	-39.97	11.39	-16.55	-25.00	-20.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n12
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :704 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
72.68	-74.31	-69.24	-3.50	-1.57	-13.00	-61.31
161.92	-66.99	-65.87	1.21	-2.33	-13.00	-53.99
223.03	-51.80	-56.39	7.32	-2.73	-13.00	-38.80
296.75	-55.28	-58.38	6.24	-3.14	-13.00	-42.28
371.44	-60.29	-63.43	6.67	-3.53	-13.00	-47.29
519.85	-61.91	-64.30	6.55	-4.16	-13.00	-48.91
1408.00	-55.94	-56.49	7.40	-6.85	-13.00	-42.94
2112.00	-55.00	-56.15	9.58	-8.43	-13.00	-42.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n12
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :704 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
161.92	-63.72	-62.61	1.21	-2.33	-13.00	-50.72
217.21	-67.61	-71.88	6.97	-2.69	-13.00	-54.61
264.74	-69.12	-72.55	6.39	-2.96	-13.00	-56.12
313.24	-69.41	-72.50	6.32	-3.23	-13.00	-56.41
413.15	-72.39	-75.26	6.59	-3.71	-13.00	-59.39
519.85	-68.04	-70.42	6.55	-4.16	-13.00	-55.04
1408.00	-55.68	-56.23	7.40	-6.85	-13.00	-42.68
2112.00	-54.65	-55.81	9.58	-8.43	-13.00	-41.65


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n12
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :707.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
95.96	-75.22	-75.11	1.68	-1.80	-13.00	-62.22
168.71	-72.38	-71.92	1.92	-2.38	-13.00	-59.38
223.03	-51.79	-56.38	7.32	-2.73	-13.00	-38.79
269.59	-62.43	-65.70	6.27	-3.00	-13.00	-49.43
360.77	-72.58	-75.96	6.85	-3.46	-13.00	-59.58
519.85	-61.52	-63.91	6.55	-4.16	-13.00	-48.52
1415.00	-56.00	-56.58	7.45	-6.87	-13.00	-43.00
2122.50	-55.02	-56.05	9.48	-8.45	-13.00	-42.02


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n12
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :707.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
74.62	-78.37	-74.07	-2.72	-1.59	-13.00	-65.37
168.71	-70.31	-69.84	1.92	-2.38	-13.00	-57.31
223.03	-68.59	-73.18	7.32	-2.73	-13.00	-55.59
264.74	-67.58	-71.01	6.39	-2.96	-13.00	-54.58
414.12	-73.48	-76.35	6.59	-3.72	-13.00	-60.48
549.92	-70.94	-73.30	6.64	-4.28	-13.00	-57.94
1415.00	-55.61	-56.19	7.45	-6.87	-13.00	-42.61
2122.50	-55.33	-56.36	9.48	-8.45	-13.00	-42.33


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n12
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :711 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
55.22	-78.11	-68.19	-8.55	-1.36	-13.00	-65.11
161.92	-66.88	-65.76	1.21	-2.33	-13.00	-53.88
223.03	-51.92	-56.51	7.32	-2.73	-13.00	-38.92
313.24	-65.75	-68.85	6.32	-3.23	-13.00	-52.75
371.44	-60.27	-63.41	6.67	-3.53	-13.00	-47.27
445.16	-67.83	-70.28	6.30	-3.85	-13.00	-54.83
1422.00	-55.27	-55.89	7.50	-6.88	-13.00	-42.27
2133.00	-54.17	-55.10	9.40	-8.47	-13.00	-41.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n12
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :711 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
161.92	-63.69	-62.58	1.21	-2.33	-13.00	-50.69
223.03	-67.26	-71.85	7.32	-2.73	-13.00	-54.26
264.74	-69.22	-72.65	6.39	-2.96	-13.00	-56.22
371.44	-68.11	-71.25	6.67	-3.53	-13.00	-55.11
445.16	-74.19	-76.63	6.30	-3.85	-13.00	-61.19
519.85	-67.85	-70.24	6.55	-4.16	-13.00	-54.85
1422.00	-55.80	-56.41	7.50	-6.88	-13.00	-42.80
2133.00	-55.50	-56.43	9.40	-8.47	-13.00	-42.50


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n13
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :779.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
72.68	-73.97	-68.91	-3.50	-1.57	-13.00	-60.97
161.92	-66.84	-65.73	1.21	-2.33	-13.00	-53.84
269.59	-62.22	-65.49	6.27	-3.00	-13.00	-49.22
296.75	-55.20	-58.30	6.24	-3.14	-13.00	-42.20
430.61	-67.95	-70.65	6.49	-3.79	-13.00	-54.95
519.85	-61.97	-64.36	6.55	-4.16	-13.00	-48.97
1559.00	-57.18	-58.66	8.70	-7.22	-40.00	-17.18
2338.50	-53.83	-54.61	9.67	-8.88	-13.00	-40.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n13
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :779.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
95.96	-75.93	-75.81	1.68	-1.80	-13.00	-62.93
168.71	-69.78	-69.32	1.92	-2.38	-13.00	-56.78
264.74	-69.21	-72.64	6.39	-2.96	-13.00	-56.21
371.44	-67.82	-70.96	6.67	-3.53	-13.00	-54.82
409.27	-71.14	-74.03	6.59	-3.70	-13.00	-58.14
519.85	-68.52	-70.91	6.55	-4.16	-13.00	-55.52
1559.00	-57.07	-58.56	8.70	-7.22	-40.00	-17.07
2338.50	-54.71	-55.50	9.67	-8.88	-13.00	-41.71


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :TERF2605001805ER
Operation Mode :NR n13
Test Mode :Tx
EUT Pol :NB Mode
Test Frequency :779.5 MHz

Test Site :SAC 1
Test Date :2026-07-06
Temp./Humi. :28.1°C/59%
Antenna Pol. :Vertical
Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level	Gain	Loss	dBm	dB
		dBm	dBi/dBd	dB		
767.32	-83.07	-83.85	5.83	-5.05	-35.00	-48.07


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :TERF2605001805ER
Operation Mode :NR n13
Test Mode :Tx
EUT Pol :NB Mode
Test Frequency :779.5 MHz

Test Site :SAC 1
Test Date :2026-07-06
Temp./Humi. :28.1°C/59%
Antenna Pol. :Vertical
Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
794.02	-84.31	-85.19	6.03	-5.15	-35.00	-49.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :TERF2605001805ER
Operation Mode :NR n13
Test Mode :Tx
EUT Pol :NB Mode
Test Frequency :779.5 MHz

Test Site :SAC 1
Test Date :2026-07-06
Temp./Humi. :28.1°C/59%
Antenna Pol. :Horizontal
Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
766.00	-84.85	-85.62	5.81	-5.05	-35.00	-49.85


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n13
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :779.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
796.12	-85.57	-86.47	6.05	-5.15	-35.00	-50.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n13
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :782 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
72.68	-74.39	-69.32	-3.50	-1.57	-13.00	-61.39
161.92	-67.17	-66.05	1.21	-2.33	-13.00	-54.17
223.03	-51.41	-56.00	7.32	-2.73	-13.00	-38.41
296.75	-55.35	-58.45	6.24	-3.14	-13.00	-42.35
407.33	-67.84	-70.74	6.58	-3.69	-13.00	-54.84
519.85	-61.95	-64.33	6.55	-4.16	-13.00	-48.95
1564.00	-57.17	-58.61	8.66	-7.23	-40.00	-17.17
2346.00	-53.30	-54.16	9.76	-8.90	-13.00	-40.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n13
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :782 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
161.92	-64.45	-63.33	1.21	-2.33	-13.00	-51.45
223.03	-73.40	-77.99	7.32	-2.73	-13.00	-60.40
296.75	-72.29	-75.39	6.24	-3.14	-13.00	-59.29
371.44	-71.62	-74.76	6.67	-3.53	-13.00	-58.62
421.88	-73.25	-75.99	6.49	-3.75	-13.00	-60.25
519.85	-69.95	-72.34	6.55	-4.16	-13.00	-56.95
1564.00	-57.35	-58.79	8.66	-7.23	-40.00	-17.35
2346.00	-54.08	-54.94	9.76	-8.90	-13.00	-41.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n13
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :782 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
765.60	-83.42	-84.18	5.81	-5.05	-35.00	-48.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER

Operation Mode :NR n13

Test Mode :Tx

EUT Pol :NB Mode

Test Frequency :782 MHz


Test Site :SAC 1

Test Date :2026-07-06

Temp./Humi. :28.1°C/59%

Antenna Pol. :Vertical

Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
793.88	-84.61	-85.49	6.03	-5.15	-35.00	-49.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
Operation Mode :NR n13
Test Mode :Tx
EUT Pol :NB Mode
Test Frequency :782 MHz

Test Site :SAC 1
Test Date :2026-07-06
Temp./Humi. :28.1°C/59%
Antenna Pol. :Horizontal
Engineer :WJ Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level	Gain	Loss	dBm	dB
		dBm	dBi/dBd	dB		
764.99	-83.97	-84.72	5.80	-5.04	-35.00	-48.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
Operation Mode :NR n13
Test Mode :Tx
EUT Pol :NB Mode
Test Frequency :782 MHz

Test Site :SAC 1
Test Date :2026-07-07
Temp./Humi. :28.1°C/59%
Antenna Pol. :Horizontal
Engineer :WJ Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
802.25	-85.35	-86.29	6.12	-5.18	-35.00	-50.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n13
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :784.5 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
72.68	-74.05	-68.99	-3.50	-1.57	-13.00	-61.05
161.92	-66.69	-65.57	1.21	-2.33	-13.00	-53.69
269.59	-61.93	-65.20	6.27	-3.00	-13.00	-48.93
313.24	-67.38	-70.47	6.32	-3.23	-13.00	-54.38
371.44	-60.18	-63.32	6.67	-3.53	-13.00	-47.18
445.16	-69.71	-72.16	6.30	-3.85	-13.00	-56.71
1569.00	-57.30	-58.67	8.61	-7.24	-40.00	-17.30
2353.50	-54.19	-55.11	9.84	-8.91	-13.00	-41.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n13
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :784.5 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.25	-77.52	-67.34	-8.83	-1.35	-13.00	-64.52
168.71	-69.69	-69.23	1.92	-2.38	-13.00	-56.69
217.21	-68.41	-72.68	6.97	-2.69	-13.00	-55.41
246.31	-70.38	-73.78	6.26	-2.86	-13.00	-57.38
371.44	-68.23	-71.37	6.67	-3.53	-13.00	-55.23
549.92	-71.63	-73.99	6.64	-4.28	-13.00	-58.63
1569.00	-57.81	-59.19	8.61	-7.24	-40.00	-17.81
2353.50	-54.07	-55.00	9.84	-8.91	-13.00	-41.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :TERF2605001805ER
Operation Mode :NR n13
Test Mode :Tx
EUT Pol :NB Mode
Test Frequency :784.5 MHz

Test Site :SAC 1
Test Date :2026-07-07
Temp./Humi. :28.1°C/59%
Antenna Pol. :Vertical
Engineer :WJ Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
774.77	-83.46	-84.20	5.82	-5.08	-35.00	-48.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n13
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :784.5 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
797.81	-84.48	-85.38	6.07	-5.16	-35.00	-49.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488


www.sgs.com.tw

Member of SGS Group



Report Number :TERF2605001805ER
Operation Mode :NR n13
Test Mode :Tx
EUT Pol :NB Mode
Test Frequency :784.5 MHz

Test Site :SAC 1
Test Date :2026-07-07
Temp./Humi. :28.1°C/59%
Antenna Pol. :Horizontal
Engineer :WJ Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level	Gain	Loss	dBm	dB
		dBm	dBi/dBd	dB		
767.87	-84.72	-85.50	5.83	-5.05	-35.00	-49.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n13
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :784.5 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
802.64	-85.57	-86.51	6.12	-5.18	-35.00	-50.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER

Test Site :SAC 1

Operation Mode :NR n14

Test Date :2026-07-07

Test Mode :Tx


Temp./Humi. :28.1°C/59%

EUT Pol :NB Mode

Antenna Pol. :Vertical

Test Frequency :790.5 MHz

Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
95.96	-75.26	-75.15	1.68	-1.80	-13.00	-62.26
161.92	-66.94	-65.82	1.21	-2.33	-13.00	-53.94
217.21	-65.84	-70.12	6.97	-2.69	-13.00	-52.84
269.59	-62.16	-65.43	6.27	-3.00	-13.00	-49.16
371.44	-60.66	-63.81	6.67	-3.53	-13.00	-47.66
445.16	-69.15	-71.60	6.30	-3.85	-13.00	-56.15
1581.00	-57.72	-59.05	8.60	-7.27	-40.00	-17.72
2371.50	-53.71	-54.76	10.00	-8.95	-13.00	-40.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n14
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :790.5 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
114.39	-75.38	-74.53	1.10	-1.96	-13.00	-62.38
168.71	-68.87	-68.41	1.92	-2.38	-13.00	-55.87
223.03	-68.56	-73.15	7.32	-2.73	-13.00	-55.56
296.75	-70.32	-73.42	6.24	-3.14	-13.00	-57.32
361.74	-73.70	-77.06	6.83	-3.47	-13.00	-60.70
444.19	-72.36	-74.81	6.30	-3.85	-13.00	-59.36
1581.00	-58.03	-59.36	8.60	-7.27	-40.00	-18.03
2371.50	-52.85	-53.91	10.00	-8.95	-13.00	-39.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2605001805ER
 Operation Mode :NR n14
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :793 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
72.68	-74.62	-69.55	-3.50	-1.57	-13.00	-61.62
161.92	-66.40	-65.28	1.21	-2.33	-13.00	-53.40
269.59	-61.79	-65.07	6.27	-3.00	-13.00	-48.79
313.24	-66.05	-69.14	6.32	-3.23	-13.00	-53.05
371.44	-60.34	-63.48	6.67	-3.53	-13.00	-47.34
519.85	-61.92	-64.31	6.55	-4.16	-13.00	-48.92
1586.00	-57.96	-59.28	8.60	-7.28	-40.00	-17.96
2379.00	-54.36	-55.40	10.00	-8.96	-13.00	-41.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER

Test Site :SAC 1

Operation Mode :NR n14

Test Date :2026-07-07

Test Mode :Tx


Temp./Humi. :28.1°C/59%

EUT Pol :NB Mode

Antenna Pol. :Horizontal

Test Frequency :793 MHz

Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
74.62	-78.99	-74.69	-2.72	-1.59	-13.00	-65.99
168.71	-69.89	-69.43	1.92	-2.38	-13.00	-56.89
248.25	-71.73	-75.18	6.33	-2.87	-13.00	-58.73
296.75	-70.39	-73.49	6.24	-3.14	-13.00	-57.39
420.91	-71.41	-74.16	6.49	-3.74	-13.00	-58.41
519.85	-67.79	-70.18	6.55	-4.16	-13.00	-54.79
1586.00	-58.05	-59.37	8.60	-7.28	-40.00	-18.05
2379.00	-54.54	-55.58	10.00	-8.96	-13.00	-41.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n14
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :795.5 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
95.96	-75.01	-74.90	1.68	-1.80	-13.00	-62.01
161.92	-66.80	-65.69	1.21	-2.33	-13.00	-53.80
223.03	-51.57	-56.16	7.32	-2.73	-13.00	-38.57
269.59	-62.17	-65.44	6.27	-3.00	-13.00	-49.17
371.44	-60.09	-63.23	6.67	-3.53	-13.00	-47.09
470.38	-71.04	-73.46	6.38	-3.96	-13.00	-58.04
1591.00	-57.61	-58.94	8.62	-7.29	-40.00	-17.61
2386.50	-54.29	-55.38	10.07	-8.97	-13.00	-41.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n14
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :795.5 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.25	-78.27	-68.09	-8.83	-1.35	-13.00	-65.27
192.96	-76.15	-79.44	5.83	-2.54	-13.00	-63.15
251.16	-71.90	-75.42	6.41	-2.89	-13.00	-58.90
371.44	-68.80	-71.94	6.67	-3.53	-13.00	-55.80
425.76	-71.62	-74.35	6.50	-3.77	-13.00	-58.62
548.95	-71.09	-73.43	6.62	-4.28	-13.00	-58.09
1591.00	-58.28	-59.61	8.62	-7.29	-40.00	-18.28
2386.50	-54.14	-55.23	10.07	-8.97	-13.00	-41.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER

Test Site :SAC 1

Operation Mode :NR n25

Test Date :2026-07-07

Test Mode :Tx


Temp./Humi. :28.1°C/59%

EUT Pol :NB Mode

Antenna Pol. :Vertical

Test Frequency :1857.5 MHz

Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
95.96	-75.86	-75.74	1.68	-1.80	-13.00	-62.86
161.92	-66.93	-65.81	1.21	-2.33	-13.00	-53.93
223.03	-51.25	-55.84	7.32	-2.73	-13.00	-38.25
269.59	-62.29	-65.56	6.27	-3.00	-13.00	-49.29
371.44	-60.43	-63.57	6.67	-3.53	-13.00	-47.43
453.89	-72.31	-74.71	6.29	-3.89	-13.00	-59.31
3715.00	-51.19	-52.24	12.36	-11.31	-13.00	-38.19
5572.50	-49.11	-47.90	12.74	-13.96	-13.00	-36.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER

Operation Mode :NR n25

Test Mode :Tx

EUT Pol :NB Mode

Test Frequency :1857.5 MHz


Test Site :SAC 1

Test Date :2026-07-07

Temp./Humi. :28.1°C/59%


Antenna Pol. :Horizontal

Engineer :WJ Lin



Report Number :TERF2605001805ER
 Operation Mode :NR n25
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :1882.5 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-78.07	-66.82	-9.97	-1.28	-13.00	-65.07
161.92	-67.07	-65.95	1.21	-2.33	-13.00	-54.07
269.59	-62.01	-65.28	6.27	-3.00	-13.00	-49.01
371.44	-60.23	-63.37	6.67	-3.53	-13.00	-47.23
445.16	-68.92	-71.37	6.30	-3.85	-13.00	-55.92
519.85	-62.31	-64.70	6.55	-4.16	-13.00	-49.31
3765.00	-50.73	-51.78	12.44	-11.39	-13.00	-37.73
5647.50	-48.30	-47.33	13.09	-14.06	-13.00	-35.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n25
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :1882.5 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
161.92	-63.64	-62.52	1.21	-2.33	-13.00	-50.64
223.03	-69.01	-73.60	7.32	-2.73	-13.00	-56.01
296.75	-69.49	-72.59	6.24	-3.14	-13.00	-56.49
371.44	-68.71	-71.85	6.67	-3.53	-13.00	-55.71
411.21	-70.13	-73.02	6.59	-3.70	-13.00	-57.13
519.85	-68.96	-71.35	6.55	-4.16	-13.00	-55.96
3765.00	-51.27	-52.33	12.44	-11.39	-13.00	-38.27
5647.50	-48.13	-47.16	13.09	-14.06	-13.00	-35.13


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n25
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :1907.5 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
56.19	-78.13	-68.30	-8.46	-1.37	-13.00	-65.13
161.92	-66.75	-65.63	1.21	-2.33	-13.00	-53.75
296.75	-55.18	-58.28	6.24	-3.14	-13.00	-42.18
371.44	-60.46	-63.60	6.67	-3.53	-13.00	-47.46
458.74	-70.83	-73.21	6.29	-3.91	-13.00	-57.83
519.85	-62.22	-64.61	6.55	-4.16	-13.00	-49.22
3815.00	-51.74	-52.54	12.27	-11.46	-13.00	-38.74
5722.50	-48.27	-46.95	12.85	-14.16	-13.00	-35.27


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n25
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :1907.5 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
83.35	-74.77	-73.52	0.42	-1.67	-13.00	-61.77
168.71	-69.41	-68.95	1.92	-2.38	-13.00	-56.41
217.21	-69.01	-73.28	6.97	-2.69	-13.00	-56.01
264.74	-70.25	-73.68	6.39	-2.96	-13.00	-57.25
371.44	-68.92	-72.06	6.67	-3.53	-13.00	-55.92
445.16	-73.18	-75.63	6.30	-3.85	-13.00	-60.18
3815.00	-51.61	-52.41	12.27	-11.46	-13.00	-38.61
5722.50	-47.77	-46.45	12.85	-14.16	-13.00	-34.77


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n26(part 90)
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :819 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
56.19	-78.52	-68.69	-8.46	-1.37	-13.00	-65.52
161.92	-67.21	-66.09	1.21	-2.33	-13.00	-54.21
223.03	-51.75	-56.34	7.32	-2.73	-13.00	-38.75
313.24	-66.34	-69.44	6.32	-3.23	-13.00	-53.34
416.06	-67.43	-70.27	6.57	-3.72	-13.00	-54.43
519.85	-62.34	-64.73	6.55	-4.16	-13.00	-49.34
1638.00	-57.71	-59.49	9.18	-7.40	-13.00	-44.71
2457.00	-53.63	-54.99	10.47	-9.11	-13.00	-40.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n26(part 90)
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :819 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.25	-77.79	-67.61	-8.83	-1.35	-13.00	-64.79
217.21	-68.76	-73.04	6.97	-2.69	-13.00	-55.76
264.74	-69.34	-72.77	6.39	-2.96	-13.00	-56.34
371.44	-69.19	-72.34	6.67	-3.53	-13.00	-56.19
436.43	-72.83	-75.38	6.37	-3.82	-13.00	-59.83
549.92	-71.73	-74.09	6.64	-4.28	-13.00	-58.73
1638.00	-57.79	-59.57	9.18	-7.40	-13.00	-44.79
2457.00	-53.66	-55.03	10.47	-9.11	-13.00	-40.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n26
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :826.5 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
95.96	-75.47	-75.36	1.68	-1.80	-13.00	-62.47
168.71	-72.66	-72.20	1.92	-2.38	-13.00	-59.66
217.21	-65.89	-70.16	6.97	-2.69	-13.00	-52.89
269.59	-62.00	-65.27	6.27	-3.00	-13.00	-49.00
371.44	-60.22	-63.36	6.67	-3.53	-13.00	-47.22
445.16	-66.86	-69.31	6.30	-3.85	-13.00	-53.86
1653.00	-58.11	-59.78	9.10	-7.43	-13.00	-45.11
2479.50	-53.38	-54.63	10.40	-9.15	-13.00	-40.38


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n26
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :826.5 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
95.96	-76.02	-75.90	1.68	-1.80	-13.00	-63.02
168.71	-68.96	-68.50	1.92	-2.38	-13.00	-55.96
217.21	-69.39	-73.67	6.97	-2.69	-13.00	-56.39
313.24	-69.70	-72.79	6.32	-3.23	-13.00	-56.70
430.61	-71.95	-74.65	6.49	-3.79	-13.00	-58.95
549.92	-70.73	-73.08	6.64	-4.28	-13.00	-57.73
1653.00	-58.49	-60.16	9.10	-7.43	-13.00	-45.49
2479.50	-54.22	-55.47	10.40	-9.15	-13.00	-41.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n26
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :836.5 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
72.68	-73.95	-68.89	-3.50	-1.57	-13.00	-60.95
161.92	-67.02	-65.90	1.21	-2.33	-13.00	-54.02
223.03	-51.71	-56.30	7.32	-2.73	-13.00	-38.71
269.59	-62.18	-65.45	6.27	-3.00	-13.00	-49.18
371.44	-60.44	-63.58	6.67	-3.53	-13.00	-47.44
432.55	-66.21	-68.86	6.45	-3.80	-13.00	-53.21
1673.00	-57.96	-59.68	9.20	-7.48	-13.00	-44.96
2509.50	-54.02	-55.22	10.41	-9.21	-13.00	-41.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n26
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :836.5 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
168.71	-70.18	-69.72	1.92	-2.38	-13.00	-57.18
223.03	-69.81	-74.40	7.32	-2.73	-13.00	-56.81
264.74	-69.46	-72.89	6.39	-2.96	-13.00	-56.46
361.74	-73.11	-76.47	6.83	-3.47	-13.00	-60.11
430.61	-72.59	-75.28	6.49	-3.79	-13.00	-59.59
549.92	-72.13	-74.49	6.64	-4.28	-13.00	-59.13
1673.00	-58.39	-60.11	9.20	-7.48	-13.00	-45.39
2509.50	-55.52	-56.72	10.41	-9.21	-13.00	-42.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n26
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :846.5 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
72.68	-73.47	-68.40	-3.50	-1.57	-13.00	-60.47
161.92	-66.86	-65.74	1.21	-2.33	-13.00	-53.86
223.03	-51.80	-56.39	7.32	-2.73	-13.00	-38.80
313.24	-66.84	-69.93	6.32	-3.23	-13.00	-53.84
419.94	-66.38	-69.13	6.49	-3.74	-13.00	-53.38
552.83	-68.51	-70.90	6.69	-4.29	-13.00	-55.51
1693.00	-58.18	-59.83	9.17	-7.52	-13.00	-45.18
2539.50	-54.29	-55.52	10.51	-9.27	-13.00	-41.29


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
Operation Mode :NR n26
Test Mode :Tx
EUT Pol :NB Mode
Test Frequency :846.5 MHz

Test Site :SAC 1
Test Date :2026-07-07
Temp./Humi. :28.1°C/59%
Antenna Pol. :Horizontal
Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
72.68	-78.18	-73.11	-3.50	-1.57	-13.00	-65.18
168.71	-71.38	-70.91	1.92	-2.38	-13.00	-58.38
217.21	-68.11	-72.39	6.97	-2.69	-13.00	-55.11
313.24	-71.31	-74.40	6.32	-3.23	-13.00	-58.31
411.21	-71.66	-74.55	6.59	-3.70	-13.00	-58.66
549.92	-71.66	-74.02	6.64	-4.28	-13.00	-58.66
1693.00	-58.00	-59.64	9.17	-7.52	-13.00	-45.00
2539.50	-55.31	-56.55	10.51	-9.27	-13.00	-42.31


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n30
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2310 MHz

Test Site :SAC 1
 Test Date :2026-07-03
 Temp./Humi. :25.8°C/66%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.24	-71.28	-60.00	-10.01	-1.28	-40.00	-31.28
72.29	-67.56	-62.26	-3.74	-1.56	-40.00	-27.56
148.92	-65.11	-63.46	0.59	-2.23	-40.00	-25.11
216.92	-61.91	-66.17	6.96	-2.69	-40.00	-21.91
265.13	-68.06	-71.48	6.39	-2.97	-40.00	-28.06
306.06	-71.10	-74.24	6.33	-3.19	-40.00	-31.10
4620.00	-50.91	-50.56	12.32	-12.67	-40.00	-10.91
6930.00	-45.35	-41.37	11.68	-15.66	-40.00	-5.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n30
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2310 MHz

Test Site :SAC 1
 Test Date :2026-07-03
 Temp./Humi. :25.8°C/66%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.24	-67.79	-56.51	-10.01	-1.28	-40.00	-27.79
97.80	-73.76	-73.58	1.63	-1.82	-40.00	-33.76
147.47	-68.01	-66.24	0.45	-2.22	-40.00	-28.01
216.92	-65.02	-69.29	6.96	-2.69	-40.00	-25.02
265.23	-64.35	-67.77	6.38	-2.97	-40.00	-24.35
313.43	-69.11	-72.20	6.32	-3.23	-40.00	-29.11
361.55	-72.89	-76.26	6.84	-3.47	-40.00	-32.89
4620.00	-50.97	-50.62	12.32	-12.67	-40.00	-10.97
6930.00	-45.01	-41.04	11.68	-15.66	-40.00	-5.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n38
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2580 MHz

Test Site :SAC 1
 Test Date :2026-07-03
 Temp./Humi. :25.8°C/66%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
55.51	-71.11	-61.21	-8.53	-1.37	-25.00	-46.11
74.04	-63.66	-59.29	-2.79	-1.58	-25.00	-38.66
150.77	-66.97	-65.32	0.60	-2.25	-25.00	-41.97
217.02	-60.73	-65.00	6.96	-2.69	-25.00	-35.73
297.72	-67.19	-70.29	6.25	-3.15	-25.00	-42.19
600.36	-59.78	-61.50	6.19	-4.47	-25.00	-34.78
5160.00	-48.48	-47.12	12.06	-13.42	-25.00	-23.48
7740.00	-43.97	-38.70	11.32	-16.59	-25.00	-18.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n38
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2580 MHz

Test Site :SAC 1
 Test Date :2026-07-03
 Temp./Humi. :25.8°C/66%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
37.57	-69.29	-57.28	-10.89	-1.12	-25.00	-44.29
74.91	-72.17	-67.90	-2.68	-1.59	-25.00	-47.17
154.45	-68.27	-66.66	0.66	-2.27	-25.00	-43.27
217.02	-62.48	-66.75	6.96	-2.69	-25.00	-37.48
265.13	-65.83	-69.25	6.39	-2.97	-25.00	-40.83
745.96	-68.39	-69.39	5.98	-4.99	-25.00	-43.39
5160.00	-50.32	-48.96	12.06	-13.42	-25.00	-25.32
7740.00	-44.80	-39.53	11.32	-16.59	-25.00	-19.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n38
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2595 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :27.2°C/58%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-61.87	-50.62	-9.97	-1.28	-25.00	-36.87
86.26	-67.05	-66.59	1.25	-1.70	-25.00	-42.05
137.67	-60.18	-58.71	0.67	-2.15	-25.00	-35.18
223.03	-54.93	-59.53	7.32	-2.73	-25.00	-29.93
296.75	-55.13	-58.23	6.24	-3.14	-25.00	-30.13
371.44	-55.90	-59.04	6.67	-3.53	-25.00	-30.90
5190.00	-50.17	-48.95	12.24	-13.46	-25.00	-25.17
7785.00	-43.97	-38.55	11.23	-16.64	-25.00	-18.97


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n38
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2595 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :27.2°C/58%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-63.87	-52.62	-9.97	-1.28	-25.00	-38.87
161.92	-61.02	-59.90	1.21	-2.33	-25.00	-36.02
223.03	-62.77	-67.36	7.32	-2.73	-25.00	-37.77
313.24	-65.00	-68.10	6.32	-3.23	-25.00	-40.00
368.53	-67.63	-70.83	6.72	-3.51	-25.00	-42.63
519.85	-70.11	-72.50	6.55	-4.16	-25.00	-45.11
5190.00	-50.47	-49.25	12.24	-13.46	-25.00	-25.47
7785.00	-44.53	-39.11	11.23	-16.64	-25.00	-19.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n38
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2610 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :27.2°C/58%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-61.03	-49.78	-9.97	-1.28	-25.00	-36.03
136.70	-58.21	-56.80	0.74	-2.14	-25.00	-33.21
223.03	-54.44	-59.03	7.32	-2.73	-25.00	-29.44
296.75	-54.71	-57.81	6.24	-3.14	-25.00	-29.71
371.44	-56.25	-59.39	6.67	-3.53	-25.00	-31.25
519.85	-63.49	-65.88	6.55	-4.16	-25.00	-38.49
5220.00	-50.12	-49.13	12.50	-13.50	-25.00	-25.12
7830.00	-44.05	-38.37	11.02	-16.70	-25.00	-19.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n38
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2610 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :27.2°C/58%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-63.09	-51.84	-9.97	-1.28	-25.00	-38.09
95.96	-68.47	-68.35	1.68	-1.80	-25.00	-43.47
161.92	-61.28	-60.17	1.21	-2.33	-25.00	-36.28
223.03	-63.39	-67.98	7.32	-2.73	-25.00	-38.39
264.74	-66.43	-69.86	6.39	-2.96	-25.00	-41.43
313.24	-64.93	-68.03	6.32	-3.23	-25.00	-39.93
5220.00	-50.94	-49.95	12.50	-13.50	-25.00	-25.94
7830.00	-44.32	-38.64	11.02	-16.70	-25.00	-19.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n41
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2516.01 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :27.2°C/58%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-59.71	-48.46	-9.97	-1.28	-25.00	-34.71
139.61	-58.76	-57.18	0.59	-2.17	-25.00	-33.76
223.03	-54.60	-59.19	7.32	-2.73	-25.00	-29.60
296.75	-54.65	-57.75	6.24	-3.14	-25.00	-29.65
371.44	-56.19	-59.34	6.67	-3.53	-25.00	-31.19
463.59	-65.12	-67.47	6.28	-3.93	-25.00	-40.12
5032.02	-49.53	-48.62	12.34	-13.24	-25.00	-24.53
7548.03	-45.96	-40.37	10.80	-16.39	-25.00	-20.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n41
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2516.01 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :27.2°C/58%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-63.69	-52.44	-9.97	-1.28	-25.00	-38.69
95.96	-69.43	-69.32	1.68	-1.80	-25.00	-44.43
161.92	-61.28	-60.16	1.21	-2.33	-25.00	-36.28
223.03	-62.89	-67.49	7.32	-2.73	-25.00	-37.89
264.74	-68.33	-71.76	6.39	-2.96	-25.00	-43.33
313.24	-66.31	-69.40	6.32	-3.23	-25.00	-41.31
5032.02	-49.23	-48.33	12.34	-13.24	-25.00	-24.23
7548.03	-46.21	-40.61	10.80	-16.39	-25.00	-21.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2605001805ER
 Operation Mode :NR n41
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2593.02 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :27.2°C/58%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-60.05	-48.80	-9.97	-1.28	-25.00	-35.05
140.58	-59.61	-58.06	0.63	-2.17	-25.00	-34.61
223.03	-54.65	-59.24	7.32	-2.73	-25.00	-29.65
296.75	-54.89	-57.99	6.24	-3.14	-25.00	-29.89
371.44	-55.98	-59.12	6.67	-3.53	-25.00	-30.98
519.85	-63.94	-66.32	6.55	-4.16	-25.00	-38.94
5186.04	-50.40	-49.16	12.22	-13.45	-25.00	-25.40
7779.06	-43.15	-37.76	11.24	-16.64	-25.00	-18.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2605001805ER
 Operation Mode :NR n41
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2593.02 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :27.2°C/58%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-62.48	-51.23	-9.97	-1.28	-25.00	-37.48
95.96	-69.31	-69.20	1.68	-1.80	-25.00	-44.31
161.92	-61.40	-60.28	1.21	-2.33	-25.00	-36.40
223.03	-63.72	-68.31	7.32	-2.73	-25.00	-38.72
313.24	-65.32	-68.42	6.32	-3.23	-25.00	-40.32
378.23	-69.41	-72.42	6.56	-3.55	-25.00	-44.41
5186.04	-50.45	-49.22	12.22	-13.45	-25.00	-25.45
7779.06	-44.60	-39.21	11.24	-16.64	-25.00	-19.60


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n41
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2670 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :27.2°C/58%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-59.71	-48.46	-9.97	-1.28	-25.00	-34.71
95.96	-68.43	-68.31	1.68	-1.80	-25.00	-43.43
137.67	-61.12	-59.64	0.67	-2.15	-25.00	-36.12
223.03	-55.08	-59.68	7.32	-2.73	-25.00	-30.08
296.75	-54.74	-57.84	6.24	-3.14	-25.00	-29.74
371.44	-56.03	-59.17	6.67	-3.53	-25.00	-31.03
5340.00	-50.68	-50.01	12.98	-13.66	-25.00	-25.68
8010.00	-43.94	-37.74	10.70	-16.90	-25.00	-18.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2605001805ER
 Operation Mode :NR n41
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2670 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :27.2°C/58%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-63.07	-51.82	-9.97	-1.28	-25.00	-38.07
95.96	-69.18	-69.06	1.68	-1.80	-25.00	-44.18
161.92	-61.28	-60.16	1.21	-2.33	-25.00	-36.28
223.03	-64.32	-68.91	7.32	-2.73	-25.00	-39.32
313.24	-65.41	-68.50	6.32	-3.23	-25.00	-40.41
375.32	-67.55	-70.61	6.60	-3.54	-25.00	-42.55
5340.00	-50.59	-49.92	12.98	-13.66	-25.00	-25.59
8010.00	-44.53	-38.33	10.70	-16.90	-25.00	-19.53


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n66
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :1715 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
95.96	-76.00	-75.88	1.68	-1.80	-13.00	-63.00
161.92	-66.93	-65.82	1.21	-2.33	-13.00	-53.93
223.03	-51.77	-56.36	7.32	-2.73	-13.00	-38.77
296.75	-55.05	-58.15	6.24	-3.14	-13.00	-42.05
360.77	-71.78	-75.17	6.85	-3.46	-13.00	-58.78
445.16	-69.83	-72.28	6.30	-3.85	-13.00	-56.83
3430.00	-51.62	-53.07	12.30	-10.85	-13.00	-38.62
5145.00	-48.77	-47.37	12.00	-13.40	-13.00	-35.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n66
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :1715 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.25	-77.37	-67.19	-8.83	-1.35	-13.00	-64.37
168.71	-70.00	-69.54	1.92	-2.38	-13.00	-57.00
223.03	-68.53	-73.12	7.32	-2.73	-13.00	-55.53
313.24	-69.72	-72.82	6.32	-3.23	-13.00	-56.72
361.74	-73.42	-76.79	6.83	-3.47	-13.00	-60.42
437.40	-71.18	-73.71	6.35	-3.82	-13.00	-58.18
3430.00	-51.77	-53.22	12.30	-10.85	-13.00	-38.77
5145.00	-49.01	-47.61	12.00	-13.40	-13.00	-36.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n66
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :1745 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
72.68	-73.87	-68.81	-3.50	-1.57	-13.00	-60.87
161.92	-66.56	-65.44	1.21	-2.33	-13.00	-53.56
223.03	-51.83	-56.42	7.32	-2.73	-13.00	-38.83
296.75	-55.17	-58.27	6.24	-3.14	-13.00	-42.17
371.44	-60.13	-63.27	6.67	-3.53	-13.00	-47.13
445.16	-69.23	-71.68	6.30	-3.85	-13.00	-56.23
3490.00	-50.94	-52.20	12.22	-10.95	-13.00	-37.94
5235.00	-48.68	-47.81	12.65	-13.52	-13.00	-35.68


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n66
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :1745 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.25	-77.16	-66.98	-8.83	-1.35	-13.00	-64.16
192.96	-73.84	-77.13	5.83	-2.54	-13.00	-60.84
264.74	-68.89	-72.32	6.39	-2.96	-13.00	-55.89
361.74	-74.30	-77.66	6.83	-3.47	-13.00	-61.30
406.36	-71.36	-74.26	6.58	-3.69	-13.00	-58.36
519.85	-68.79	-71.18	6.55	-4.16	-13.00	-55.79
3490.00	-51.29	-52.56	12.22	-10.95	-13.00	-38.29
5235.00	-49.28	-48.41	12.65	-13.52	-13.00	-36.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n66
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :1775 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
56.19	-78.04	-68.21	-8.46	-1.37	-13.00	-65.04
161.92	-66.41	-65.30	1.21	-2.33	-13.00	-53.41
313.24	-66.58	-69.67	6.32	-3.23	-13.00	-53.58
371.44	-60.32	-63.46	6.67	-3.53	-13.00	-47.32
445.16	-69.59	-72.04	6.30	-3.85	-13.00	-56.59
519.85	-62.11	-64.50	6.55	-4.16	-13.00	-49.11
3550.00	-51.31	-52.37	12.10	-11.05	-13.00	-38.31
5325.00	-49.42	-48.73	12.95	-13.64	-13.00	-36.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n66
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :1775 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.25	-77.26	-67.08	-8.83	-1.35	-13.00	-64.26
161.92	-63.54	-62.42	1.21	-2.33	-13.00	-50.54
217.21	-67.30	-71.58	6.97	-2.69	-13.00	-54.30
313.24	-69.82	-72.92	6.32	-3.23	-13.00	-56.82
430.61	-71.78	-74.48	6.49	-3.79	-13.00	-58.78
519.85	-68.90	-71.29	6.55	-4.16	-13.00	-55.90
3550.00	-51.44	-52.49	12.10	-11.05	-13.00	-38.44
5325.00	-49.58	-48.89	12.95	-13.64	-13.00	-36.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n71
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :673 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
72.68	-73.43	-68.36	-3.50	-1.57	-13.00	-60.43
161.92	-66.68	-65.57	1.21	-2.33	-13.00	-53.68
223.03	-51.78	-56.37	7.32	-2.73	-13.00	-38.78
269.59	-62.43	-65.70	6.27	-3.00	-13.00	-49.43
371.44	-60.33	-63.47	6.67	-3.53	-13.00	-47.33
445.16	-69.48	-71.93	6.30	-3.85	-13.00	-56.48
1346.00	-54.74	-55.00	6.96	-6.69	-13.00	-41.74
2019.00	-55.53	-57.40	10.10	-8.23	-13.00	-42.53


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n71
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :673 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
74.62	-78.66	-74.36	-2.72	-1.59	-13.00	-65.66
168.71	-70.23	-69.77	1.92	-2.38	-13.00	-57.23
217.21	-66.67	-70.95	6.97	-2.69	-13.00	-53.67
313.24	-70.67	-73.77	6.32	-3.23	-13.00	-57.67
361.74	-73.26	-76.62	6.83	-3.47	-13.00	-60.26
432.55	-72.52	-75.17	6.45	-3.80	-13.00	-59.52
1346.00	-55.47	-55.73	6.96	-6.69	-13.00	-42.47
2019.00	-55.79	-57.66	10.10	-8.23	-13.00	-42.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n71
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :680.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
72.68	-72.77	-67.71	-3.50	-1.57	-13.00	-59.77
161.92	-66.92	-65.81	1.21	-2.33	-13.00	-53.92
223.03	-51.75	-56.34	7.32	-2.73	-13.00	-38.75
269.59	-61.90	-65.18	6.27	-3.00	-13.00	-48.90
371.44	-60.30	-63.44	6.67	-3.53	-13.00	-47.30
450.98	-70.14	-72.55	6.29	-3.87	-13.00	-57.14
1361.00	-54.60	-54.87	7.01	-6.73	-13.00	-41.60
2041.50	-55.79	-57.60	10.09	-8.28	-13.00	-42.79


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n71
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :680.5 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
161.92	-63.93	-62.81	1.21	-2.33	-13.00	-50.93
217.21	-69.06	-73.34	6.97	-2.69	-13.00	-56.06
264.74	-70.06	-73.49	6.39	-2.96	-13.00	-57.06
361.74	-73.56	-76.92	6.83	-3.47	-13.00	-60.56
405.39	-71.76	-74.66	6.58	-3.68	-13.00	-58.76
549.92	-71.10	-73.46	6.64	-4.28	-13.00	-58.10
1361.00	-54.62	-54.89	7.01	-6.73	-13.00	-41.62
2041.50	-56.44	-58.25	10.09	-8.28	-13.00	-43.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n71
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :688 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
72.68	-73.39	-68.33	-3.50	-1.57	-13.00	-60.39
161.92	-67.14	-66.03	1.21	-2.33	-13.00	-54.14
223.03	-51.61	-56.20	7.32	-2.73	-13.00	-38.61
313.24	-66.43	-69.52	6.32	-3.23	-13.00	-53.43
371.44	-60.27	-63.41	6.67	-3.53	-13.00	-47.27
445.16	-69.63	-72.08	6.30	-3.85	-13.00	-56.63
1376.00	-53.28	-53.73	7.22	-6.77	-13.00	-40.28
2064.00	-55.62	-57.26	9.96	-8.32	-13.00	-42.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n71
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :688 MHz

Test Site :SAC 1
 Test Date :2026-07-06
 Temp./Humi. :28.1°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
161.92	-63.60	-62.49	1.21	-2.33	-13.00	-50.60
223.03	-68.47	-73.07	7.32	-2.73	-13.00	-55.47
296.75	-69.14	-72.24	6.24	-3.14	-13.00	-56.14
371.44	-69.00	-72.14	6.67	-3.53	-13.00	-56.00
445.16	-72.18	-74.63	6.30	-3.85	-13.00	-59.18
549.92	-71.07	-73.43	6.64	-4.28	-13.00	-58.07
1376.00	-53.58	-54.03	7.22	-6.77	-13.00	-40.58
2064.00	-55.99	-57.63	9.96	-8.32	-13.00	-42.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n77(10M)
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :3705 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :27.2°C/58%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-60.51	-49.26	-9.97	-1.28	-13.00	-47.51
85.29	-68.87	-68.11	0.94	-1.69	-13.00	-55.87
143.49	-62.20	-60.53	0.52	-2.19	-13.00	-49.20
223.03	-54.65	-59.24	7.32	-2.73	-13.00	-41.65
296.75	-54.69	-57.79	6.24	-3.14	-13.00	-41.69
371.44	-55.88	-59.02	6.67	-3.53	-13.00	-42.88
7410.00	-43.85	-38.33	10.68	-16.20	-13.00	-30.85
11115.00	-38.18	-29.29	11.16	-20.05	-13.00	-25.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n77(10M)
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :3705 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :27.2°C/58%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-63.95	-52.70	-9.97	-1.28	-13.00	-50.95
161.92	-61.44	-60.32	1.21	-2.33	-13.00	-48.44
223.03	-63.68	-68.27	7.32	-2.73	-13.00	-50.68
264.74	-67.34	-70.76	6.39	-2.96	-13.00	-54.34
313.24	-64.42	-67.51	6.32	-3.23	-13.00	-51.42
360.77	-68.80	-72.18	6.85	-3.46	-13.00	-55.80
7410.00	-44.38	-38.85	10.68	-16.20	-13.00	-31.38
11115.00	-39.25	-30.36	11.16	-20.05	-13.00	-26.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2605001805ER
 Operation Mode :NR n77(10M)
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :3840 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :27.2°C/58%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-61.49	-50.24	-9.97	-1.28	-13.00	-48.49
81.41	-66.54	-64.77	-0.11	-1.65	-13.00	-53.54
140.58	-62.09	-60.55	0.63	-2.17	-13.00	-49.09
223.03	-54.26	-58.85	7.32	-2.73	-13.00	-41.26
296.75	-54.84	-57.94	6.24	-3.14	-13.00	-41.84
371.44	-56.15	-59.29	6.67	-3.53	-13.00	-43.15
7680.00	-37.33	-32.16	11.36	-16.53	-13.00	-24.33
11520.00	-36.35	-27.07	11.16	-20.44	-13.00	-23.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n77(10M)
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :3840 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :27.2°C/58%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-64.01	-52.76	-9.97	-1.28	-13.00	-51.01
161.92	-61.23	-60.11	1.21	-2.33	-13.00	-48.23
223.03	-63.73	-68.32	7.32	-2.73	-13.00	-50.73
264.74	-66.65	-70.08	6.39	-2.96	-13.00	-53.65
313.24	-65.31	-68.41	6.32	-3.23	-13.00	-52.31
375.32	-68.41	-71.47	6.60	-3.54	-13.00	-55.41
7680.00	-42.48	-37.31	11.36	-16.53	-13.00	-29.48
11520.00	-36.42	-27.14	11.16	-20.44	-13.00	-23.42


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n77(10M)
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :3975 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :27.2°C/58%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-62.05	-50.80	-9.97	-1.28	-13.00	-49.05
81.41	-66.88	-65.11	-0.11	-1.65	-13.00	-53.88
140.58	-62.89	-61.34	0.63	-2.17	-13.00	-49.89
223.03	-55.08	-59.67	7.32	-2.73	-13.00	-42.08
296.75	-55.03	-58.13	6.24	-3.14	-13.00	-42.03
371.44	-55.78	-58.92	6.67	-3.53	-13.00	-42.78
7950.00	-17.75	-11.61	10.70	-16.84	-13.00	-4.75
11925.00	-32.94	-24.65	12.50	-20.79	-13.00	-19.94


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n77(10M)
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :3975 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :27.2°C/58%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-64.08	-52.83	-9.97	-1.28	-13.00	-51.08
161.92	-61.24	-60.12	1.21	-2.33	-13.00	-48.24
217.21	-64.00	-68.28	6.97	-2.69	-13.00	-51.00
264.74	-66.75	-70.18	6.39	-2.96	-13.00	-53.75
313.24	-65.11	-68.21	6.32	-3.23	-13.00	-52.11
450.98	-70.48	-72.89	6.29	-3.87	-13.00	-57.48
7950.00	-22.85	-16.70	10.70	-16.84	-13.00	-9.85
11925.00	-33.56	-25.27	12.50	-20.79	-13.00	-20.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n77(20M)
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :3460.02 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :27.2°C/58%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-60.18	-48.93	-9.97	-1.28	-13.00	-47.18
81.41	-67.96	-66.20	-0.11	-1.65	-13.00	-54.96
141.55	-62.65	-61.01	0.54	-2.18	-13.00	-49.65
223.03	-54.85	-59.44	7.32	-2.73	-13.00	-41.85
296.75	-54.46	-57.56	6.24	-3.14	-13.00	-41.46
371.44	-55.89	-59.03	6.67	-3.53	-13.00	-42.89
6920.04	-43.25	-39.33	11.72	-15.64	-13.00	-30.25
10380.06	-25.30	-17.14	11.18	-19.34	-13.00	-12.30


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n77(20M)
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :3460.02 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :27.2°C/58%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-62.36	-51.11	-9.97	-1.28	-13.00	-49.36
161.92	-61.40	-60.28	1.21	-2.33	-13.00	-48.40
223.03	-64.39	-68.98	7.32	-2.73	-13.00	-51.39
313.24	-65.88	-68.97	6.32	-3.23	-13.00	-52.88
425.76	-69.68	-72.41	6.50	-3.77	-13.00	-56.68
519.85	-70.94	-73.33	6.55	-4.16	-13.00	-57.94
6920.04	-44.14	-40.22	11.72	-15.64	-13.00	-31.14
10380.06	-29.07	-20.91	11.18	-19.34	-13.00	-16.07


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n77(20M)
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :3500.01 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :27.2°C/58%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-60.01	-48.76	-9.97	-1.28	-13.00	-47.01
132.82	-56.83	-55.55	0.83	-2.11	-13.00	-43.83
223.03	-54.50	-59.09	7.32	-2.73	-13.00	-41.50
296.75	-54.79	-57.89	6.24	-3.14	-13.00	-41.79
371.44	-56.27	-59.41	6.67	-3.53	-13.00	-43.27
519.85	-63.14	-65.53	6.55	-4.16	-13.00	-50.14
7000.02	-40.11	-35.67	11.30	-15.74	-13.00	-27.11
10500.03	-27.43	-19.17	11.20	-19.46	-13.00	-14.43


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n77(20M)
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :3500.01 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :27.2°C/58%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-63.08	-51.83	-9.97	-1.28	-13.00	-50.08
96.93	-70.97	-70.73	1.58	-1.81	-13.00	-57.97
161.92	-61.42	-60.31	1.21	-2.33	-13.00	-48.42
223.03	-64.06	-68.65	7.32	-2.73	-13.00	-51.06
313.24	-67.36	-70.45	6.32	-3.23	-13.00	-54.36
437.40	-71.42	-73.95	6.35	-3.82	-13.00	-58.42
7000.02	-43.26	-38.82	11.30	-15.74	-13.00	-30.26
10500.03	-27.30	-19.04	11.20	-19.46	-13.00	-14.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n77(20M)
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :3540 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :27.2°C/58%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-59.87	-48.62	-9.97	-1.28	-13.00	-46.87
131.85	-63.85	-62.66	0.92	-2.10	-13.00	-50.85
223.03	-54.78	-59.37	7.32	-2.73	-13.00	-41.78
296.75	-54.45	-57.55	6.24	-3.14	-13.00	-41.45
371.44	-55.96	-59.10	6.67	-3.53	-13.00	-42.96
519.85	-63.65	-66.03	6.55	-4.16	-13.00	-50.65
7080.00	-36.90	-32.10	11.04	-15.84	-13.00	-23.90
10620.00	-28.96	-20.54	11.16	-19.57	-13.00	-15.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n77(20M)
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :3540 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :27.2°C/58%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-64.49	-53.24	-9.97	-1.28	-13.00	-51.49
161.92	-61.28	-60.16	1.21	-2.33	-13.00	-48.28
223.03	-63.21	-67.80	7.32	-2.73	-13.00	-50.21
313.24	-65.88	-68.97	6.32	-3.23	-13.00	-52.88
374.35	-68.40	-71.48	6.62	-3.54	-13.00	-55.40
519.85	-70.09	-72.48	6.55	-4.16	-13.00	-57.09
7080.00	-43.60	-38.81	11.04	-15.84	-13.00	-30.60
10620.00	-32.89	-24.47	11.16	-19.57	-13.00	-19.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw


Member of SGS Group



FR1 2TX

Report Number :TERF2605001805ER
Operation Mode :NR n41(2Tx)
Test Mode :Tx
EUT Pol :NB Mode
Test Frequency :2508.51 MHz

Test Site :SAC 1
Test Date :2026-07-07
Temp./Humi. :27.2°C/58%
Antenna Pol. :Vertical
Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-60.27	-49.02	-9.97	-1.28	-25.00	-35.27
79.47	-53.57	-51.01	-0.93	-1.63	-25.00	-28.57
137.67	-62.87	-61.39	0.67	-2.15	-25.00	-37.87
223.03	-54.58	-59.17	7.32	-2.73	-25.00	-29.58
296.75	-54.81	-57.91	6.24	-3.14	-25.00	-29.81
371.44	-55.68	-58.82	6.67	-3.53	-25.00	-30.68
5017.02	-48.25	-47.40	12.37	-13.22	-25.00	-23.25
7525.53	-45.44	-39.83	10.75	-16.36	-25.00	-20.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode : NR n41(2Tx)
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2508.51 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :27.2°C/58%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-63.41	-52.16	-9.97	-1.28	-25.00	-38.41
89.17	-66.15	-65.95	1.54	-1.73	-25.00	-41.15
161.92	-61.37	-60.25	1.21	-2.33	-25.00	-36.37
223.03	-63.52	-68.11	7.32	-2.73	-25.00	-38.52
264.74	-67.14	-70.56	6.39	-2.96	-25.00	-42.14
313.24	-64.63	-67.72	6.32	-3.23	-25.00	-39.63
5017.02	-48.15	-47.30	12.37	-13.22	-25.00	-23.15
7525.53	-45.91	-40.31	10.75	-16.36	-25.00	-20.91


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode : NR n41(2Tx)
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2592.99 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :27.2°C/58%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-59.69	-48.44	-9.97	-1.28	-25.00	-34.69
79.47	-59.23	-56.66	-0.93	-1.63	-25.00	-34.23
142.52	-61.93	-60.26	0.51	-2.19	-25.00	-36.93
223.03	-54.18	-58.77	7.32	-2.73	-25.00	-29.18
296.75	-54.69	-57.79	6.24	-3.14	-25.00	-29.69
371.44	-56.10	-59.24	6.67	-3.53	-25.00	-31.10
5185.98	-49.35	-48.11	12.22	-13.45	-25.00	-24.35
7778.97	-44.10	-38.71	11.24	-16.64	-25.00	-19.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2605001805ER
 Operation Mode :NR n41(2Tx)
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2592.99 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :27.2°C/58%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-61.89	-50.64	-9.97	-1.28	-25.00	-36.89
86.26	-66.53	-66.07	1.25	-1.70	-25.00	-41.53
161.92	-61.40	-60.28	1.21	-2.33	-25.00	-36.40
223.03	-64.87	-69.47	7.32	-2.73	-25.00	-39.87
264.74	-67.21	-70.63	6.39	-2.96	-25.00	-42.21
313.24	-65.51	-68.61	6.32	-3.23	-25.00	-40.51
5185.98	-49.37	-48.13	12.22	-13.45	-25.00	-24.37
7778.97	-44.41	-39.02	11.24	-16.64	-25.00	-19.41


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n41(2Tx)
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2677.5 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :27.2°C/58%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-59.06	-47.81	-9.97	-1.28	-25.00	-34.06
83.35	-59.69	-58.43	0.42	-1.67	-25.00	-34.69
140.58	-62.26	-60.72	0.63	-2.17	-25.00	-37.26
223.03	-54.46	-59.05	7.32	-2.73	-25.00	-29.46
296.75	-54.59	-57.69	6.24	-3.14	-25.00	-29.59
371.44	-55.92	-59.06	6.67	-3.53	-25.00	-30.92
5355.00	-50.10	-49.42	12.99	-13.68	-25.00	-25.10
8032.50	-42.97	-36.75	10.70	-16.92	-25.00	-17.97


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n41(2Tx)
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :2677.5 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :27.2°C/58%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-61.23	-49.98	-9.97	-1.28	-25.00	-36.23
88.20	-65.46	-65.10	1.36	-1.72	-25.00	-40.46
161.92	-61.56	-60.44	1.21	-2.33	-25.00	-36.56
223.03	-62.53	-67.12	7.32	-2.73	-25.00	-37.53
264.74	-67.53	-70.96	6.39	-2.96	-25.00	-42.53
313.24	-65.44	-68.53	6.32	-3.23	-25.00	-40.44
5355.00	-49.74	-49.05	12.99	-13.68	-25.00	-24.74
8032.50	-44.30	-38.08	10.70	-16.92	-25.00	-19.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n77(20M) (2Tx)
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :3710.01 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :27.2°C/58%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-60.63	-49.38	-9.97	-1.28	-13.00	-47.63
83.35	-59.14	-57.89	0.42	-1.67	-13.00	-46.14
138.64	-62.18	-60.56	0.54	-2.16	-13.00	-49.18
223.03	-54.57	-59.16	7.32	-2.73	-13.00	-41.57
296.75	-54.43	-57.53	6.24	-3.14	-13.00	-41.43
371.44	-56.07	-59.21	6.67	-3.53	-13.00	-43.07
7420.02	-42.47	-36.91	10.66	-16.22	-13.00	-29.47
11130.03	-38.94	-30.10	11.22	-20.06	-13.00	-25.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n77(20M) (2Tx)
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :3710.01 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :27.2°C/58%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-63.24	-51.99	-9.97	-1.28	-13.00	-50.24
87.23	-66.85	-66.45	1.32	-1.71	-13.00	-53.85
161.92	-61.54	-60.42	1.21	-2.33	-13.00	-48.54
223.03	-64.48	-69.07	7.32	-2.73	-13.00	-51.48
264.74	-67.06	-70.49	6.39	-2.96	-13.00	-54.06
313.24	-65.73	-68.83	6.32	-3.23	-13.00	-52.73
7420.02	-44.44	-38.89	10.66	-16.22	-13.00	-31.44
11130.03	-40.01	-31.17	11.22	-20.06	-13.00	-27.01


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n77(20M) (2Tx)
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :3840 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :27.2°C/58%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-58.76	-47.51	-9.97	-1.28	-13.00	-45.76
82.38	-57.87	-56.33	0.12	-1.66	-13.00	-44.87
139.61	-62.70	-61.12	0.59	-2.17	-13.00	-49.70
223.03	-54.71	-59.30	7.32	-2.73	-13.00	-41.71
296.75	-54.66	-57.76	6.24	-3.14	-13.00	-41.66
371.44	-55.89	-59.03	6.67	-3.53	-13.00	-42.89
7680.00	-43.89	-38.72	11.36	-16.53	-13.00	-30.89
11520.00	-38.34	-29.06	11.16	-20.44	-13.00	-25.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n77(20M) (2Tx)
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :3840 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :27.2°C/58%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-63.19	-51.94	-9.97	-1.28	-13.00	-50.19
87.23	-65.33	-64.94	1.32	-1.71	-13.00	-52.33
161.92	-61.57	-60.46	1.21	-2.33	-13.00	-48.57
223.03	-64.07	-68.66	7.32	-2.73	-13.00	-51.07
264.74	-67.25	-70.68	6.39	-2.96	-13.00	-54.25
313.24	-64.80	-67.90	6.32	-3.23	-13.00	-51.80
7680.00	-44.71	-39.54	11.36	-16.53	-13.00	-31.71
11520.00	-37.37	-28.09	11.16	-20.44	-13.00	-24.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n77(20M) (2Tx)
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :3969.99 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :27.2°C/58%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-59.76	-48.51	-9.97	-1.28	-13.00	-46.76
81.41	-57.84	-56.07	-0.11	-1.65	-13.00	-44.84
140.58	-62.74	-61.19	0.63	-2.17	-13.00	-49.74
223.03	-54.52	-59.11	7.32	-2.73	-13.00	-41.52
296.75	-54.27	-57.37	6.24	-3.14	-13.00	-41.27
371.44	-55.93	-59.07	6.67	-3.53	-13.00	-42.93
7939.98	-34.23	-28.15	10.76	-16.84	-13.00	-21.23
11909.97	-39.14	-30.86	12.50	-20.78	-13.00	-26.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n77(20M) (2Tx)
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :3969.99 MHz

Test Site :SAC 1
 Test Date :2026-07-07
 Temp./Humi. :27.2°C/58%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-62.09	-50.84	-9.97	-1.28	-13.00	-49.09
89.17	-64.89	-64.70	1.54	-1.73	-13.00	-51.89
161.92	-61.50	-60.39	1.21	-2.33	-13.00	-48.50
223.03	-63.57	-68.16	7.32	-2.73	-13.00	-50.57
313.24	-66.34	-69.44	6.32	-3.23	-13.00	-53.34
375.32	-67.32	-70.38	6.60	-3.54	-13.00	-54.32
7939.98	-29.61	-23.54	10.76	-16.84	-13.00	-16.61
11909.97	-39.57	-31.29	12.50	-20.78	-13.00	-26.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n77(40M) (2Tx)
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :3470.01 MHz

Test Site :SAC 1
 Test Date :2026-07-08
 Temp./Humi. :28.2°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
36.79	-66.73	-54.73	-10.90	-1.11	-13.00	-53.73
86.26	-67.88	-67.43	1.25	-1.70	-13.00	-54.88
141.55	-69.96	-68.32	0.54	-2.18	-13.00	-56.96
216.24	-63.36	-67.61	6.93	-2.68	-13.00	-50.36
263.77	-63.92	-67.36	6.40	-2.96	-13.00	-50.92
363.68	-60.04	-63.36	6.80	-3.48	-13.00	-47.04
6940.02	-43.07	-39.05	11.64	-15.67	-13.00	-30.07
10410.03	-41.44	-33.19	11.12	-19.37	-13.00	-28.44


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n77(40M) (2Tx)
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :3470.01 MHz

Test Site :SAC 1
 Test Date :2026-07-08
 Temp./Humi. :28.2°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
31.94	-67.40	-54.59	-11.77	-1.03	-13.00	-54.40
85.29	-74.34	-73.59	0.94	-1.69	-13.00	-61.34
133.79	-70.45	-69.10	0.78	-2.12	-13.00	-57.45
202.66	-66.31	-70.18	6.47	-2.60	-13.00	-53.31
290.93	-63.69	-66.76	6.19	-3.11	-13.00	-50.69
358.83	-62.39	-65.79	6.85	-3.45	-13.00	-49.39
6920.02	-44.36	-40.33	11.64	-15.67	-13.00	-31.36
10380.03	-41.89	-33.64	11.12	-19.37	-13.00	-28.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n77(40M) (2Tx)
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :3500.01 MHz

Test Site :SAC 1
 Test Date :2026-07-08
 Temp./Humi. :28.2°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
36.79	-67.46	-55.45	-10.90	-1.11	-13.00	-54.46
62.98	-67.31	-59.36	-6.48	-1.46	-13.00	-54.31
85.29	-69.93	-69.17	0.94	-1.69	-13.00	-56.93
137.67	-70.09	-68.62	0.67	-2.15	-13.00	-57.09
204.60	-65.10	-69.04	6.55	-2.61	-13.00	-52.10
363.68	-60.70	-64.02	6.80	-3.48	-13.00	-47.70
7000.02	-44.12	-39.68	11.30	-15.74	-13.00	-31.12
10500.03	-40.49	-32.23	11.20	-19.46	-13.00	-27.49


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n77(40M) (2Tx)
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :3500.01 MHz

Test Site :SAC 1
 Test Date :2026-07-08
 Temp./Humi. :28.2°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
31.94	-65.75	-52.95	-11.77	-1.03	-13.00	-52.75
84.32	-74.75	-73.75	0.68	-1.68	-13.00	-61.75
134.76	-69.37	-67.91	0.67	-2.13	-13.00	-56.37
216.24	-64.14	-68.39	6.93	-2.68	-13.00	-51.14
286.08	-63.14	-66.19	6.14	-3.09	-13.00	-50.14
354.95	-62.28	-65.67	6.83	-3.43	-13.00	-49.28
7000.02	-44.48	-40.04	11.30	-15.74	-13.00	-31.48
10500.03	-40.77	-32.51	11.20	-19.46	-13.00	-27.77


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n77(40M) (2Tx)
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :3529.98 MHz

Test Site :SAC 1
 Test Date :2026-07-08
 Temp./Humi. :28.2°C/59%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
37.76	-67.66	-55.66	-10.88	-1.12	-13.00	-54.66
84.32	-69.71	-68.71	0.68	-1.68	-13.00	-56.71
143.49	-69.28	-67.61	0.52	-2.19	-13.00	-56.28
205.57	-64.47	-68.45	6.59	-2.61	-13.00	-51.47
288.99	-63.26	-66.33	6.17	-3.10	-13.00	-50.26
362.71	-61.16	-64.50	6.82	-3.48	-13.00	-48.16
7059.96	-44.57	-39.84	11.08	-15.81	-13.00	-31.57
10589.94	-41.90	-33.58	11.22	-19.54	-13.00	-28.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001805ER
 Operation Mode :NR n77(40M) (2Tx)
 Test Mode :Tx
 EUT Pol :NB Mode
 Test Frequency :3529.98 MHz

Test Site :SAC 1
 Test Date :2026-07-08
 Temp./Humi. :28.2°C/59%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
35.82	-68.23	-56.22	-10.92	-1.09	-13.00	-55.23
86.26	-74.98	-74.52	1.25	-1.70	-13.00	-61.98
134.76	-70.76	-69.31	0.67	-2.13	-13.00	-57.76
204.60	-66.53	-70.47	6.55	-2.61	-13.00	-53.53
288.99	-63.84	-66.91	6.17	-3.10	-13.00	-50.84
353.01	-61.44	-64.80	6.78	-3.43	-13.00	-48.44
7059.96	-45.01	-40.28	11.08	-15.81	-13.00	-32.01
10589.94	-41.09	-32.77	11.22	-19.54	-13.00	-28.09

End of Report

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.