



MPE/RF EXPOSURE EVALUATION REPORT

FCC CFR 47 Part 1.1310

HWPD93 FCC MPE Rev A

Company: HP Inc.

Model Name: 0960-4025, 0960-4034 and 0960-4745

MPE/RF EXPOSURE EVALUATION REPORT

Company: HP Inc

Model Name: 0960-4025, 0960-4034, 0960-4745

To: FCC CFR 47 Part 1.1310

Test Report Serial No.: HWPDP93 FCC MPE Rev A

This report supersedes: MARS11_FCC_MPE Rev B

Applicant: HP Inc.
1115 SE 164th Ave, Suite 210
Vancouver
Washington 98683
USA

Issue Date: 20th August 2020

This Test Report is Issued Under the Authority of:

MiCOM Labs, Inc.
575 Boulder Court
Pleasanton California 94566
USA
Phone: +1 (925) 462-0304
Fax: +1 (925) 462-0306
www.micomlabs.com



MiCOM Labs is an ISO 17025 Accredited Testing Laboratory

1. MAXIMUM PERMISSIBLE EXPOSURE

Calculations for Maximum Permissible Exposure Levels

Power Density = P_d (mW/cm^2) = $\text{EIRP}/(4*\pi*d^2)$

$\text{EIRP} = P * G$

P = Peak output power (mW)

G = Antenna numeric gain (numeric)

d = Separation distance (cm)

Numeric Gain = $10^{(G(\text{dBi})/10)}$

Because the EUT belongs to the General Population/Uncontrolled Exposure the limit of power density is $1\text{mW}/\text{cm}^2$.

These calculations represent worst case in terms of the exposure levels.

Freq. Band (MHz)	Total Gain (dBi)	Numeric Gain (numeric)	Peak Output Power (dBm)	Peak Output Power (mW)	Calculated Power Density (mW/cm^2) @ 20cm	Power Density Limit (mW/cm^2)	Min Calculated safe distance for Limit (cm)
2400.0 - 2483.5 (BLE DTS GFSK)	2.5	1.78	7.55	5.69	0.002	1	0.90
2400.0-2483.5 (BLE FHSS)	2.5	1.78	7.25	5.31	0.002	1	0.90
2400.0 - 2483.5 (WiFi)	2.5	1.78	18.47	70.31	0.025	1	3.15
5150.0-5250.0 (WiFi)	3.8	2.40	16.59	45.60	0.022	1	2.95
5250.0-5350.0 (WiFi)	3.8	2.40	16.23	41.98	0.020	1	2.83
5470.0-5725.0 (WiFi)	3.8	2.40	17.70	58.88	0.029	1	3.35
5725.0 - 5850.0 (WiFi)	3.8	2.40	17.55	56.89	0.028	1	3.30

Note: for mobile or fixed location transmitters the minimum separation distance is 20cm, even if calculations indicate the MPE distance to be less.

Specification - Maximum Permissible Exposure Limits

The Limit is defined in Table 1 of FCC §1.1310.



575 Boulder Court
Pleasanton, California 94566, USA
Tel: +1 (925) 462 0304
Fax: +1 (925) 462 0306
www.micomlabs.com