

APPENDIX REPORT

Project No.	SHT2005026001EW	Radio Specification	WIFI 5G
Test sample No.	YPHT20050260006	Model No.	SC100
Start test date	2020/5/28	Finish date	2020/5/28
Temperature	25°C	Humidity	50%
Test Engineer	Jiongsheng.Feng	Auditor	<i>William.wang</i>

Appendix clause	Test item	Result
A	Maximum Conducted Output Power	PASS
B	Maximum Power Spectral Density	PASS
C	26 dB Bandwidth	PASS
D	99% Occupy bandwidth	PASS
E	6 dB Bandwidth	PASS
F	Band edge	PASS
G	Frequency stability	PASS

Appendix A: Maximum Conducted Output Power

Band	Bandwidth (MHz)	Type	Channel	duty cycle (%)	duty cycle factor (dB)	Conducted Output Power (dBm)	Limit (dBm)	Result
I	20	802.11ac	CH _L	77	1.14	16.79	24.00	Pass
			CH _M	77	1.14	17.27		
			CH _H	77	1.14	17.10		
		802.11n	CH _L	61	2.15	16.14	24.00	Pass
			CH _M	61	2.15	16.50		
			CH _H	61	2.15	16.77		
		802.11a	CH _L	63	2.01	16.81	24.00	Pass
			CH _M	63	2.01	16.22		
			CH _H	63	2.01	16.52		
	40	802.11ac	CH _L	67	1.74	16.38	24.00	Pass
			CH _H	67	1.74	16.69		
		802.11n	CH _L	70	1.55	16.81	24.00	Pass
			CH _H	70	1.55	17.16		
	80	802.11ac	CH _M	38	4.20	17.00	24.00	Pass
II	20	802.11ac	CH _L	78	1.08	17.04	24.00	Pass
			CH _M	78	1.08	16.84		
			CH _H	78	1.08	16.85		
		802.11n	CH _L	60	2.22	18.18	24.00	Pass
			CH _M	60	2.22	18.04		
			CH _H	60	2.22	17.86		
		802.11a	CH _L	62	2.08	19.17	24.00	Pass
			CH _M	62	2.08	18.81		
			CH _H	62	2.08	18.83		
	40	802.11ac	CH _L	66	1.80	16.31	24.00	Pass
			CH _H	66	1.80	16.23		
		802.11n	CH _L	69	1.61	17.11	24.00	Pass
			CH _H	69	1.61	17.08		
	80	802.11ac	CH _M	38	4.20	16.55	24.00	Pass

Band	Bandwidth (MHz)	Type	Channel	duty cycle (%)	duty cycle factor (dB)	Conducted Output Power (dBm)	Limit (dBm)	Result
III	20	802.11ac	CH _L	77	1.14	17.03	24.00	Pass
			CH _M	77	1.14	16.02		
			CH _H	77	1.14	17.36		
		802.11n	CH _L	61	2.15	18.19	24.00	Pass
			CH _M	61	2.15	17.26		
			CH _H	61	2.15	18.40		
		802.11a	CH _L	63	2.01	19.47	24.00	Pass
			CH _M	63	2.01	18.42		
			CH _H	63	2.01	19.76		
	40	802.11ac	CH _L	70	1.55	16.88	24.00	Pass
			CH _M	70	1.55	15.49		
			CH _H	70	1.55	16.42		
		802.11n	CH _L	77	1.14	17.43	24.00	Pass
			CH _M	77	1.14	16.48		
			CH _H	77	1.14	17.28		
	80	802.11ac	CH _L	37	4.32	16.37	24.00	Pass
			CH _M	37	4.32	16.60		
			CH _H	37	4.32	17.48		
IV	20	802.11ac	CH _L	62	2.08	17.21	30.00	Pass
			CH _M	62	2.08	17.32		
			CH _H	62	2.08	16.62		
		802.11n	CH _L	63	2.01	18.30	30.00	Pass
			CH _M	63	2.01	18.36		
			CH _H	63	2.01	17.91		
		802.11a	CH _L	65	1.87	19.46	30.00	Pass
			CH _M	65	1.87	19.24		
			CH _H	65	1.87	18.62		
	40	802.11ac	CH _L	70	1.55	16.99	30.00	Pass
			CH _H	70	1.55	16.61		
		802.11n	CH _L	70	1.55	17.51	30.00	Pass
			CH _H	70	1.55	17.29		
	80	802.11ac	CH _M	37	4.32	17.43	30.00	Pass


NOTE: duty cycle factor =10LOG(1/ duty cycle)


Appendix B: Maximum Power Spectral Density




Band	Bandwidth (MHz)	Type	Channel	Power Spectral Density (dBm/MHz)	Limit (dBm/MHz)	Result
I	20	802.11ac	CH _L	7.06	11.00	Pass
			CH _M	7.72		
			CH _H	7.70		
		802.11n	CH _L	7.30	11.00	Pass
			CH _M	6.75		
			CH _H	7.33		
		802.11a	CH _L	7.34	11.00	Pass
			CH _M	6.74		
			CH _H	6.90		
	40	802.11ac	CH _L	5.13	11.00	Pass
			CH _H	4.70		
		802.11n	CH _L	4.86	11.00	Pass
			CH _H	5.18		
	80	802.11ac	CH _M	1.47	11.00	Pass
II	20	802.11ac	CH _L	7.58	11.00	Pass
			CH _M	6.54		
			CH _H	6.88		
		802.11n	CH _L	8.22	11.00	Pass
			CH _M	8.05		
			CH _H	8.11		
		802.11a	CH _L	9.13	11.00	Pass
			CH _M	8.77		
			CH _H	9.35		
	40	802.11ac	CH _L	3.73	11.00	Pass
			CH _H	4.05		
		802.11n	CH _L	4.27	11.00	Pass
			CH _H	3.73		
	80	802.11ac	CH _M	1.29	11.00	Pass


Band	Bandwidth (MHz)	Type	Channel	Power Spectral Density (dBm/MHz)	Limit (dBm/MHz)	Result
III	20	802.11ac	CH _L	7.52	11.00	Pass
			CH _M	6.61		
			CH _H	8.50		
		802.11n	CH _L	8.51	11.00	Pass
			CH _M	7.84		
			CH _H	9.62		
		802.11a	CH _L	9.89	11.00	Pass
			CH _M	9.04		
			CH _H	10.16		
	40	802.11ac	CH _L	3.58	11.00	Pass
			CH _M	3.80		
			CH _H	3.80		
		802.11n	CH _L	5.99	11.00	Pass
			CH _M	4.44		
			CH _H	5.03		
	80	802.11ac	CH _L	0.76	11.00	Pass
			CH _M	1.94		
			CH _H	1.89		
Band	Bandwidth (MHz)	Type	Channel	Power Spectral Density (dBm/500kHz)	Limit (dBm/500kHz)	Result
IV	20	802.11ac	CH _L	5.54	30.00	Pass
			CH _M	6.60		
			CH _H	5.24		
		802.11n	CH _L	7.04	30.00	Pass
			CH _M	7.39		
			CH _H	6.44		
		802.11a	CH _L	7.78	30.00	Pass
			CH _M	8.06		
			CH _H	7.31		
	40	802.11ac	CH _L	3.16	30.00	Pass
			CH _H	2.18		
		802.11n	CH _L	4.24	30.00	Pass
			CH _H	3.46		
	80	802.11ac	CH _M	1.04	30.00	Pass


Test plot as follows:














Band I	802.11a
CH _L	 The spectrum plot for CH_L shows a frequency sweep from 5.18 GHz to 5.24 GHz. The y-axis represents power in dBm, ranging from -70 to 20. The plot shows a flat signal level around 0 dBm across the channel. The settings at the top indicate a reference level of 20.00 dBm, an offset of 3.05 dB, a resolution bandwidth (RBW) of 1 MHz, a video bandwidth (VBW) of 3 MHz, and a sweep time of 1.01 ms. The date is 8 JUN 2020 09:18:06.
CH _M	 The spectrum plot for CH_M shows a frequency sweep from 5.22 GHz to 5.28 GHz. The y-axis represents power in dBm, ranging from -70 to 20. The plot shows a flat signal level around 0 dBm across the channel. The settings at the top indicate a reference level of 20.00 dBm, an offset of 3.05 dB, a resolution bandwidth (RBW) of 1 MHz, a video bandwidth (VBW) of 3 MHz, and a sweep time of 1.01 ms. The date is 8 JUN 2020 09:20:20.
CH _H	 The spectrum plot for CH_H shows a frequency sweep from 5.24 GHz to 5.30 GHz. The y-axis represents power in dBm, ranging from -70 to 20. The plot shows a flat signal level around 0 dBm across the channel. The settings at the top indicate a reference level of 20.00 dBm, an offset of 3.01 dB, a resolution bandwidth (RBW) of 1 MHz, a video bandwidth (VBW) of 3 MHz, and a sweep time of 1.01 ms. The date is 8 JUN 2020 09:21:52.











Band II	802.11ac (HT20)
CH _L	 Spectrum Ref Level 20.00 dBm Offset 2.10 dB RBW 1 MHz Att 30 dB SWT 1 ms VBW 3 MHz Mode Auto Sweep Count 100/100 IAV Max MI[1] 7.58 dBm 5.2592190 GHz CF 5.26 GHz 691 pts Span 30.0 MHz Date: 26 MAY 2020 15:16:38
CH _M	 Spectrum Ref Level 20.00 dBm Offset 2.12 dB RBW 1 MHz Att 30 dB SWT 1 ms VBW 3 MHz Mode Auto Sweep Count 100/100 IAV Max MI[1] 6.54 dBm 5.2774380 GHz CF 5.28 GHz 691 pts Span 30.0 MHz Date: 26 MAY 2020 15:19:51
CH _H	 Spectrum Ref Level 20.00 dBm Offset 2.10 dB RBW 1 MHz Att 30 dB SWT 1 ms VBW 3 MHz Mode Auto Sweep Count 100/100 IAV Max MI[1] 6.88 dBm 5.3208250 GHz CF 5.32 GHz 691 pts Span 30.0 MHz Date: 26 MAY 2020 15:22:07

Band II	802.11n (HT20)
CH _L	 Spectrum Ref Level 20.00 dBm Offset 3.17 dB RBW 1 MHz Att 30 dB SWT 1 ms VBW 3 MHz Mode Auto Sweep Count 100/100 CF 5.26 GHz 691 pts Span 30.0 MHz Date: 26 MAY 2020 14:59:30
CH _M	 Spectrum Ref Level 20.00 dBm Offset 3.14 dB RBW 1 MHz Att 30 dB SWT 1 ms VBW 3 MHz Mode Auto Sweep Count 100/100 CF 5.28 GHz 691 pts Span 30.0 MHz Date: 26 MAY 2020 15:01:20
CH _H	 Spectrum Ref Level 20.00 dBm Offset 3.16 dB RBW 1 MHz Att 30 dB SWT 1 ms VBW 3 MHz Mode Auto Sweep Count 100/100 CF 5.32 GHz 691 pts Span 30.0 MHz Date: 26 MAY 2020 15:03:17


Band II	802.11a
CH_L	 Spectrum Ref Level 20.00 dBm Offset 3.05 dB RBW 1 MHz Att 30 dB SWT 1 ms VBW 3 MHz Mode Auto Sweep Count 100/100 1Av Max M1 M1[1] 9.13 dBm 5.2594360 GHz CF 5.26 GHz 691 pts Span 30.0 MHz Date: 28 MAY 2020 14:42:35
CH_M	 Spectrum Ref Level 20.00 dBm Offset 3.01 dB RBW 1 MHz Att 30 dB SWT 1 ms VBW 3 MHz Mode Auto Sweep Count 100/100 1Av Max M1 M1[1] 8.77 dBm 5.2816930 GHz CF 5.28 GHz 691 pts Span 30.0 MHz Date: 28 MAY 2020 14:44:33
CH_H	 Spectrum Ref Level 20.00 dBm Offset 3.05 dB RBW 1 MHz Att 30 dB SWT 1 ms VBW 3 MHz Mode Auto Sweep Count 100/100 1Av Max M1 M1[1] 9.35 dBm 5.3214930 GHz CF 5.32 GHz 691 pts Span 30.0 MHz Date: 28 MAY 2020 14:47:54


Band II		802.11ac (HT40)
CH _L	Spectrum Ref Level 20.00 dBm Att 30 dB Offset 2.75 dB SWT 1 ms RBW 1 MHz VBW 3 MHz Mode Auto Sweep Count 100/100 IAV Max  CF 5.27 GHz691 ptsSpan 60.0 MHz Date: 28 MAY 2020 15:25:57	
CH _H	Spectrum Ref Level 20.00 dBm Att 30 dB Offset 2.72 dB SWT 1 ms RBW 1 MHz VBW 3 MHz Mode Auto Sweep Count 100/100 IAV Max  CF 5.31 GHz691 ptsSpan 60.0 MHz Date: 28 MAY 2020 15:27:49	







Band III	802.11ac (HT20)
CH _L	 Ref Level 20.00 dBm Offset 2.15 dB RBW 1 MHz Att 30 dB SWI 1.01 ms VBW 3 MHz Mode Auto Sweep Count 100/100 M1[1] 7.52 dBm 5.4972130 GHz CF 5.5 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 5 JUN 2020 16:49:47
CH _M	 Ref Level 20.00 dBm Offset 2.15 dB RBW 1 MHz Att 30 dB SWI 1.01 ms VBW 3 MHz Mode Auto Sweep Count 100/100 M1[1] 6.61 dBm 5.5987710 GHz CF 5.6 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 5 JUN 2020 16:52:41
CH _H	 Ref Level 20.00 dBm Offset 2.15 dB RBW 1 MHz Att 30 dB SWI 1.01 ms VBW 3 MHz Mode Auto Sweep Count 100/100 M1[1] 6.50 dBm 5.6989210 GHz CF 5.7 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 5 JUN 2020 16:55:26


Band III		802.11n (HT20)
CH _L		







Band III		802.11ac (HT80)
CH _L	Spectrum Ref Level 20.00 dBm Att 30 dB Count 100/100 Offset 5.21 dB SWT 1 ms RBW 1 MHz VBW 3 MHz Mode Auto Sweep 1Av Max M1 M1[1] 0.76 dBm 5.525480 GHz  CF 5.53 GHz691 ptsSpan 120.0 MHz Date: 28.MAY.2020 16:40:17	
CH _M	Spectrum Ref Level 20.00 dBm Att 30 dB Count 100/100 Offset 5.21 dB SWT 1 ms RBW 1 MHz VBW 3 MHz Mode Auto Sweep 1Av Max M1 M1[1] 1.94 dBm 5.608260 GHz  CF 5.61 GHz691 ptsSpan 120.0 MHz Date: 28.MAY.2020 16:42:38	
CH _H	Spectrum Ref Level 20.00 dBm Att 30 dB Count 100/100 Offset 5.17 dB SWT 1 ms RBW 1 MHz VBW 3 MHz Mode Auto Sweep 1Av Max M1 M1[1] 1.89 dBm 5.691390 GHz  CF 5.69 GHz691 ptsSpan 120.0 MHz Date: 28.MAY.2020 16:44:25	



Band IV

802.11n (HT20)

CH_L

Spectrum

Ref Level 20.00 dBm Offset 3.15 dB RBW 500 kHz
Att 30 dB SWT 1 ms VBW 3 MHz Mode Auto Sweep
Count 100/100
1Av Max

MI[1]

7.04 dBm

5.7462160 GHz

Spectrum plot for CH_L channel. The plot shows a signal centered around 5.745 GHz. The peak level is 7.04 dBm at 5.7462160 GHz. The span is 30.0 MHz. The plot includes a grid and a blue line representing the signal spectrum.

CF 5.745 GHz 691 pts Span 30.0 MHz

Date: 29 MAY 2020 09:31:26

CH_M

Spectrum

Ref Level 20.00 dBm Offset 3.16 dB RBW 500 kHz
Att 30 dB SWT 1 ms VBW 3 MHz Mode Auto Sweep
Count 100/100
1Av Max

MI[1]

7.39 dBm

5.7863460 GHz

Spectrum plot for CH_M channel. The plot shows a signal centered around 5.785 GHz. The peak level is 7.39 dBm at 5.7863460 GHz. The span is 30.0 MHz. The plot includes a grid and a blue line representing the signal spectrum.

CF 5.785 GHz 691 pts Span 30.0 MHz

Date: 29 MAY 2020 09:33:49

CH_H

Spectrum

Ref Level 20.00 dBm Offset 3.16 dB RBW 500 kHz
Att 30 dB SWT 1 ms VBW 3 MHz Mode Auto Sweep
Count 100/100
1Av Max

MI[1]


6.44 dBm


5.8233070 GHz

Spectrum plot for CH_H channel. The plot shows a signal centered around 5.825 GHz. The peak level is 6.44 dBm at 5.8233070 GHz. The span is 30.0 MHz. The plot includes a grid and a blue line representing the signal spectrum.

CF 5.825 GHz 691 pts Span 30.0 MHz

Date: 29 MAY 2020 09:35:42








Appendix C: 26dB bandwidth


Band	Bandwidth (MHz)	Type	Channel	26dB bandwidth (MHz)	Result
I	20	802.11ac	CH _L	21.30	Pass
			CH _M	21.06	
			CH _H	21.18	
		802.11n	CH _L	21.27	Pass
			CH _M	21.27	
			CH _H	21.48	
		802.11a	CH _L	21.57	Pass
			CH _M	21.24	
			CH _H	21.33	
	40	802.11ac	CH _L	40.14	Pass
			CH _H	39.84	
		802.11n	CH _L	40.02	Pass
			CH _H	39.60	
	80	802.11ac	CH _M	81.12	Pass
II	20	802.11ac	CH _L	21.48	Pass
			CH _M	21.57	
			CH _H	21.33	
		802.11n	CH _L	21.21	Pass
			CH _M	21.15	
			CH _H	21.00	
		802.11a	CH _L	21.24	Pass
			CH _M	21.24	
			CH _H	21.33	
	40	802.11ac	CH _L	39.78	Pass
			CH _H	40.02	
		802.11n	CH _L	39.96	Pass
			CH _H	39.84	
	80	802.11ac	CH _M	81.72	Pass

Band	Bandwidth (MHz)	Type	Channel	26dB bandwidth (MHz)	Result
III	20	802.11ac	CH _L	21.33	Pass
			CH _M	21.48	
			CH _H	21.27	
		802.11n	CH _L	21.30	Pass
			CH _M	21.03	
			CH _H	21.51	
		802.11a	CH _L	21.00	Pass
			CH _M	20.85	
			CH _H	20.76	
	40	802.11ac	CH _L	40.14	Pass
			CH _M	40.08	
			CH _H	39.96	
		802.11n	CH _L	39.72	Pass
			CH _M	39.72	
			CH _H	39.72	
	80	802.11ac	CH _L	81.48	Pass
			CH _M	80.64	
			CH _H	81.36	












Band I

802.11n (HT40)

CH_LCH_H

Band I

802.11ac (HT80)

CH_M

Band II

802.11ac (HT20)

CH_L

Spectrum

Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz
 Att 30 dB SWT 25.3 μs VBW 1 MHz Mode Auto FFT
 Count 500/500

● 1PK View

CF 5.26 GHz 1001 pts Span 30.0 MHz

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1	1		5.24911 GHz	-24.24 dBm		
M2	1		5.26105 GHz	2.09 dBm		
D3	M1	1	21.48 MHz	0.15 dB		

Date: 26 MAY 2020 15:15:43

CH_M

Spectrum

Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz
 Att 30 dB SWT 25.3 μs VBW 1 MHz Mode Auto FFT
 Count 500/500

● 1PK View

CF 5.28 GHz 1001 pts Span 30.0 MHz

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1	1		5.26911 GHz	-23.88 dBm		
M2	1		5.2791 GHz	2.39 dBm		
D3	M1	1	21.57 MHz	0.19 dB		

Date: 26 MAY 2020 15:19:00

CH_H

Spectrum


Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz
 Att 30 dB SWT 25.3 μs VBW 1 MHz Mode Auto FFT
 Count 500/500


● 1PK View

CF 5.32 GHz 1001 pts Span 30.0 MHz

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1	1		5.30914 GHz	-24.16 dBm		
M2	1		5.31868 GHz	2.21 dBm		
D3	M1	1	21.33 MHz	0.22 dB		

Date: 26 MAY 2020 15:21:04





Band II

802.11ac (HT40)

CH_L

Spectrum

Ref Level 20.50 dBm Offset 1.00 dB RBW 500 kHz
Att 30 dB SWT 1 ms VBW 2 MHz Mode Auto Sweep
Count 500/500
1Pk View

10 dBm
0 dBm
-10 dBm
-20 dBm
-30 dBm
-40 dBm
-50 dBm
-60 dBm
-70 dBm

M1[1] -22.88 dBm
M2[1] 3.26 dBm
D1 -22.741 dBm

CF 5.27 GHz 1001 pts Span 60.0 MHz

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	5.25008 GHz	-22.88 dBm		
M2		1	5.26868 GHz	3.26 dBm		
D3	M1	1	39.78 MHz	-0.16 dB		

Date: 28.MAY.2020 15:25:24

CH_H

Spectrum

Ref Level 20.50 dBm Offset 1.00 dB RBW 500 kHz
Att 30 dB SWT 1 ms VBW 2 MHz Mode Auto Sweep
Count 500/500
1Pk View


10 dBm
0 dBm
-10 dBm
-20 dBm
-30 dBm
-40 dBm
-50 dBm
-60 dBm
-70 dBm


M1[1] -24.06 dBm
M2[1] 2.12 dBm
D1 -23.677 dBm


CF 5.31 GHz 1001 pts Span 60.0 MHz


Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	5.28996 GHz	-24.06 dBm		
M2		1	5.31258 GHz	2.12 dBm		
D3	M1	1	40.02 MHz	-0.09 dB		

Date: 28.MAY.2020 15:27:16



Band III	802.11ac (HT20)																																
CH _L	 Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWT 25.3 μs VBW 1 MHz Mode Auto FFT Count 500/500 1Pk View CF 5.5 GHz 1001 pts Span 30.0 MHz <table> <tr> <th>Marker</th><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr> <tr> <td>M1</td><td></td><td>1</td><td></td><td>5.48926 GHz</td><td>-29.66 dBm</td><td></td><td></td></tr> <tr> <td>M2</td><td></td><td>1</td><td></td><td>5.5009 GHz</td><td>-3.40 dBm</td><td></td><td></td></tr> <tr> <td>D3</td><td>M1</td><td>1</td><td></td><td>21.33 MHz</td><td>0.07 dB</td><td></td><td></td></tr> </table> Date: 26 MAY 2020 16:23:53	Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1		5.48926 GHz	-29.66 dBm			M2		1		5.5009 GHz	-3.40 dBm			D3	M1	1		21.33 MHz	0.07 dB		
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																										
M1		1		5.48926 GHz	-29.66 dBm																												
M2		1		5.5009 GHz	-3.40 dBm																												
D3	M1	1		21.33 MHz	0.07 dB																												

CH _M	 Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWT 25.3 μs VBW 1 MHz Mode Auto FFT Count 500/500 1Pk View CF 5.6 GHz 1001 pts Span 30.0 MHz <table> <tr> <th>Marker</th><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr> <tr> <td>M1</td><td></td><td>1</td><td></td><td>5.5892 GHz</td><td>-27.28 dBm</td><td></td><td></td></tr> <tr> <td>M2</td><td></td><td>1</td><td></td><td>5.5988 GHz</td><td>-0.95 dBm</td><td></td><td></td></tr> <tr> <td>D3</td><td>M1</td><td>1</td><td></td><td>21.48 MHz</td><td>0.07 dB</td><td></td><td></td></tr> </table> Date: 26 MAY 2020 16:25:55	Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1		5.5892 GHz	-27.28 dBm			M2		1		5.5988 GHz	-0.95 dBm			D3	M1	1		21.48 MHz	0.07 dB		
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																										
M1		1		5.5892 GHz	-27.28 dBm																												
M2		1		5.5988 GHz	-0.95 dBm																												
D3	M1	1		21.48 MHz	0.07 dB																												

CH _H	 Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWT 25.3 μs VBW 1 MHz Mode Auto FFT Count 500/500 1Pk View CF 5.7 GHz 1001 pts Span 30.0 MHz <table> <tr> <th>Marker</th><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr> <tr> <td>M1</td><td></td><td>1</td><td></td><td>5.68932 GHz</td><td>-28.07 dBm</td><td></td><td></td></tr> <tr> <td>M2</td><td></td><td>1</td><td></td><td>5.70042 GHz</td><td>-2.01 dBm</td><td></td><td></td></tr> <tr> <td>D3</td><td>M1</td><td>1</td><td></td><td>21.27 MHz</td><td>-0.01 dB</td><td></td><td></td></tr> </table> Date: 26 MAY 2020 16:27:41	Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1		5.68932 GHz	-28.07 dBm			M2		1		5.70042 GHz	-2.01 dBm			D3	M1	1		21.27 MHz	-0.01 dB		
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																										
M1		1		5.68932 GHz	-28.07 dBm																												
M2		1		5.70042 GHz	-2.01 dBm																												
D3	M1	1		21.27 MHz	-0.01 dB																												