


Appendix B. Test Result of Master Data Traffic Plot


Modulation	Frequency (MHz)	Channel loading (%)	Requirement loading (%)	Result
802.11ax (160 MHz)	5250	18.66	> 17	Pass
802.11ax (160 MHz)	5570	18.90	> 17	Pass




Appendix C. Test Result of Channel Move Time and Channel Closing Transmission Time

Modulation	Frequency (MHz)	Channel Closing Transmission (Sec.)	Channel Move Time (Sec.)	Limit (sec.)		Result
				Channel Closing Transmission	Channel Move Time	
802.11ax (160 MHz)	5250	0.022	0.950	200 milliseconds + approx. 60 milliseconds over remaining 10 seconds period	10	PASS
	5570	0.020	0.838			PASS
The results showed that after radar signal injected the channel move time was less than 10 seconds and channel transmission closing time less than 200 milliseconds and an aggregate of no more than 60 milliseconds.						

Channel Move Time and Channel Closing Transmission Time - 802.11ax (160 MHz), 5250 MHz




Channel Move Time and Channel Closing Transmission Time - 802.11ax (160 MHz), 5570 MHz



Appendix D. Test Result of Non-Occupancy Period


Non-Occupancy Period				
Modulation	Frequency (MHz)	Test Result (Minutes)	Limit (Minutes)	Result
802.11ax (160 MHz)	5250	> 30	> 30	Pass
802.11ax (160 MHz)	5570	> 30	> 30	Pass
No EUT transmissions were observed on the test channel during 30 minutes observation time.				

Non-Occupancy Period - 802.11ax (160 MHz), 5250 MHz



Date: 12 MAR 2026 18:07:24

Non-Occupancy Period - 802.11ax (160 MHz), 5570 MHz



Date: 12 MAR 2026 17:24:26