


## TX\_ax20\_5745MHz\_H

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax20\_5745MHz  
Test BY :Ashton




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 2454.682  | 46.47  | 68.22  | -21.75 | 70.35 | -23.88 | Peak   |
| 2   | 11490.000 | 44.41  | 74.00  | -29.59 | 46.37 | -1.96  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax20\_5745MHz\_V

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax20\_5745MHz  
Test BY :Ashton




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 2396.880  | 52.02  | 68.22  | -16.20 | 75.78 | -23.76 | Peak   |
| 2   | 11490.000 | 45.20  | 74.00  | -28.80 | 47.16 | -1.96  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax20\_5785MHz\_H

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax20\_5785MHz  
Test BY :Ashton




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 2884.070  | 43.04  | 68.22  | -25.18 | 67.19 | -24.15 | Peak   |
| 2   | 11570.000 | 46.01  | 74.00  | -27.99 | 47.87 | -1.86  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax20\_5785MHz\_V

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax20\_5785MHz  
Test BY :Ashton




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 2390.646  | 51.29  | 68.22  | -16.93 | 75.04 | -23.75 | Peak   |
| 2   | 11570.000 | 43.86  | 74.00  | -30.14 | 45.72 | -1.86  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax20\_5825MHz\_H

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax20\_5825MHz  
Test BY :Ashton




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 2086.903  | 46.77  | 68.22  | -21.45 | 70.95 | -24.18 | Peak   |
| 2   | 11650.000 | 47.42  | 74.00  | -26.58 | 49.43 | -2.01  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax20\_5825MHz\_V

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax20\_5825MHz  
Test BY :Ashton




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 2390.646  | 50.50  | 68.22  | -17.72 | 74.25 | -23.75 | Peak   |
| 2   | 11650.000 | 44.35  | 74.00  | -29.65 | 46.36 | -2.01  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax40\_5190MHz\_H

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax40\_5190MHz  
Test BY :Ashton




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 2392.913  | 43.48  | 68.22  | -24.74 | 67.24 | -23.76 | Peak   |
| 2   | 10380.000 | 42.10  | 68.22  | -26.12 | 47.01 | -4.91  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax40\_5190MHz\_V

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax40\_5190MHz  
Test BY :Ashton




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 2398.580  | 51.46  | 68.22  | -16.76 | 75.22 | -23.76 | Peak   |
| 2   | 10380.000 | 42.27  | 68.22  | -25.95 | 47.18 | -4.91  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax40\_5230MHz\_H

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax40\_5230MHz  
Test BY :Ashton




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 2086.903  | 42.02  | 68.22  | -26.20 | 66.20 | -24.18 | Peak   |
| 2   | 10460.000 | 41.75  | 68.22  | -26.47 | 46.99 | -5.24  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax40\_5230MHz\_V

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax40\_5230MHz  
Test BY :Ashton




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 2393.480  | 51.84  | 68.22  | -16.38 | 75.60 | -23.76 | Peak   |
| 2   | 10460.000 | 47.57  | 68.22  | -20.65 | 52.81 | -5.24  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax40\_5270MHz\_H

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax40\_5270MHz  
Test BY :Ashton




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 1194.940  | 45.43  | 74.80  | -28.57 | 71.17 | -25.74 | Peak   |
| 2   | 10540.000 | 41.81  | 68.22  | -26.41 | 46.59 | -4.78  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax40\_5270MHz\_V

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax40\_5270MHz  
Test BY :Ashton




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 2396.880  | 51.63  | 68.22  | -16.59 | 75.39 | -23.76 | Peak   |
| 2   | 10540.000 | 47.30  | 68.22  | -20.92 | 52.08 | -4.78  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax40\_5310MHz\_H

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax40\_5310MHz  
Test BY :Ashton




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 2453.548  | 44.80  | 68.22  | -23.42 | 68.69 | -23.89 | Peak   |
| 2   | 10620.000 | 41.96  | 74.00  | -32.04 | 46.40 | -4.44  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax40\_5310MHz\_V

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax40\_5310MHz  
Test BY :Ashton




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 2394.613  | 52.32  | 68.22  | -15.90 | 76.08 | -23.76 | Peak   |
| 2   | 10620.000 | 43.56  | 74.00  | -30.44 | 48.00 | -4.44  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax40\_5510MHz\_H

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax40\_5510MHz  
Test BY :Ashton




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 1196.640  | 42.02  | 74.00  | -31.98 | 67.76 | -25.74 | Peak   |
| 2   | 11020.000 | 44.05  | 74.00  | -29.95 | 46.99 | -2.94  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax40\_5510MHz\_V

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax40\_5510MHz  
Test BY :Ashton




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 2397.447  | 52.39  | 68.22  | -15.83 | 76.15 | -23.76 | Peak   |
| 2   | 11020.000 | 45.00  | 74.00  | -29.00 | 47.94 | -2.94  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax40\_5550MHz\_H

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax40\_5550MHz  
Test BY :Ashton




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 2455.815  | 48.49  | 68.22  | -19.73 | 72.36 | -23.87 | Peak   |
| 2   | 11100.000 | 42.77  | 74.00  | -31.23 | 45.64 | -2.87  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax40\_5550MHz\_V

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax40\_5550MHz  
Test BY :Ashton




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 2392.346  | 52.77  | 68.22  | -15.45 | 76.52 | -23.75 | Peak   |
| 2   | 11100.000 | 44.00  | 74.00  | -30.00 | 46.87 | -2.87  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax40\_5670MHz\_H

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax40\_5670MHz  
Test BY :Ashton




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 2455.815  | 49.38  | 68.22  | -18.84 | 73.25 | -23.87 | Peak   |
| 2   | 11340.000 | 42.77  | 74.00  | -31.23 | 45.02 | -2.25  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax40\_5670MHz\_V

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax40\_5670MHz  
Test BY :Ashton




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 2388.946  | 51.72  | 74.00  | -22.28 | 75.47 | -23.75 | Peak   |
| 2   | 11340.000 | 44.43  | 74.00  | -29.57 | 46.68 | -2.25  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax40\_5710MHz\_H

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax40\_5710MHz  
Test BY :Ashton




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 2455.249  | 48.48  | 68.22  | -19.74 | 72.36 | -23.88 | Peak   |
| 2   | 11420.000 | 43.32  | 74.00  | -30.68 | 45.40 | -2.08  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax40\_5710MHz\_V

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax40\_5710MHz  
Test BY :Ashton




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 2393.400  | 51.62  | 68.22  | -16.60 | 75.38 | -23.76 | Peak   |
| 2   | 11420.000 | 43.71  | 74.00  | -30.29 | 45.79 | -2.08  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax40\_5755MHz\_H

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax40\_5755MHz  
Test BY :Ashton




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 2468.849  | 44.79  | 68.22  | -23.43 | 68.72 | -23.93 | Peak   |
| 2   | 11510.000 | 42.49  | 74.00  | -31.51 | 44.39 | -1.90  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax40\_5755MHz\_V

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax40\_5755MHz  
Test BY :Ashton




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 2394.046  | 52.25  | 68.22  | -15.97 | 76.01 | -23.76 | Peak   |
| 2   | 11510.000 | 43.44  | 74.00  | -30.56 | 45.34 | -1.90  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax40\_5795MHz\_H

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax40\_5795MHz  
Test BY :Ashton




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 2468.849  | 47.53  | 68.22  | -20.69 | 71.46 | -23.93 | Peak   |
| 2   | 11590.000 | 44.22  | 74.00  | -29.78 | 46.15 | -1.93  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax40\_5795MHz\_V

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax40\_5795MHz  
Test BY :Ashton




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 2397.447  | 52.62  | 68.22  | -15.60 | 76.38 | -23.76 | Peak   |
| 2   | 11590.000 | 44.91  | 74.00  | -29.09 | 46.84 | -1.93  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax80\_5210MHz\_H

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax80\_5210MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 2390.600  | 42.27  | 68.22  | -25.95 | 66.02 | -23.75 | Peak   |
| 2   | 6000.050  | 40.80  | 68.22  | -19.42 | 56.34 | -7.54  | Peak   |
| 3   | 10420.000 | 42.53  | 68.22  | -25.69 | 47.76 | -5.23  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax80\_5210MHz\_V

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax80\_5210MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 2393.150  | 49.24  | 68.22  | -18.98 | 73.00 | -23.76 | Peak   |
| 2   | 6000.350  | 48.48  | 68.22  | -19.74 | 56.00 | -7.52  | Peak   |
| 3   | 10420.000 | 42.58  | 68.22  | -25.64 | 47.81 | -5.23  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax80\_5290MHz\_H

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax80\_5290MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 2395.700  | 41.81  | 68.22  | -26.41 | 65.57 | -23.76 | Peak   |
| 2   | 6797.000  | 45.84  | 68.22  | -22.38 | 53.30 | -7.46  | Peak   |
| 3   | 10580.000 | 42.98  | 68.22  | -25.24 | 47.63 | -4.65  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax80\_5290MHz\_V

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax80\_5290MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 2396.550  | 50.00  | 68.22  | -18.22 | 73.76 | -23.76 | Peak   |
| 2   | 10580.000 | 42.49  | 68.22  | -25.73 | 47.14 | -4.65  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax80\_5530MHz\_H

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax80\_5530MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 2394.000  | 42.82  | 68.22  | -25.40 | 66.58 | -23.76 | Peak   |
| 2   | 11060.000 | 44.73  | 74.00  | -29.27 | 47.61 | -2.88  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax80\_5530MHz\_V

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax80\_5530MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 2394.000  | 47.57  | 68.22  | -20.65 | 71.33 | -23.76 | Peak   |
| 2   | 11060.000 | 44.36  | 74.00  | -29.64 | 47.24 | -2.88  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax80\_5610MHz\_H

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax80\_5610MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 2388.050  | 42.59  | 74.00  | -31.41 | 66.34 | -23.75 | Peak   |
| 2   | 11220.000 | 44.91  | 74.00  | -29.09 | 47.71 | -2.80  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax80\_5610MHz\_V

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax80\_5610MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 2396.550  | 49.91  | 68.22  | -18.31 | 73.67 | -23.76 | Peak   |
| 2   | 6788.500  | 48.64  | 68.22  | -19.58 | 56.06 | -7.42  | Peak   |
| 3   | 11220.000 | 43.91  | 74.00  | -30.09 | 46.71 | -2.80  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax80\_5690MHz\_H

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax80\_5690MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 2458.600  | 48.99  | 68.22  | -19.23 | 72.84 | -23.85 | Peak   |
| 2   | 6804.650  | 53.56  | 68.22  | -14.66 | 61.07 | -7.51  | Peak   |
| 3   | 11380.000 | 44.58  | 74.00  | -29.42 | 46.68 | -2.10  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax80\_5690MHz\_V

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax80\_5690MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 2392.300  | 49.19  | 68.22  | -19.03 | 72.94 | -23.75 | Peak   |
| 2   | 6808.900  | 52.30  | 68.22  | -15.92 | 59.84 | -7.54  | Peak   |
| 3   | 11380.000 | 43.68  | 74.00  | -30.32 | 45.78 | -2.10  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax80\_5775MHz\_H

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax80\_5775MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 2394.850  | 42.13  | 68.22  | -26.09 | 65.89 | -23.76 | Peak   |
| 2   | 6808.900  | 55.77  | 68.22  | -12.45 | 63.31 | -7.54  | Peak   |
| 3   | 11550.000 | 43.57  | 74.00  | -30.43 | 45.36 | -1.79  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax80\_5775MHz\_V

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax80\_5775MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 2395.700  | 49.07  | 68.22  | -19.15 | 72.83 | -23.76 | Peak   |
| 2   | 6809.750  | 54.22  | 68.22  | -14.00 | 61.77 | -7.55  | Peak   |
| 3   | 7715.000  | 50.57  | 74.00  | -23.43 | 58.33 | -7.76  | Peak   |
| 4   | 11550.000 | 44.78  | 74.00  | -29.22 | 46.57 | -1.79  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax160\_5250MHz\_H

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax160\_5250MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 2423.750  | 44.54  | 68.22  | -23.68 | 68.28 | -23.74 | Peak   |
| 2   | 10500.000 | 41.14  | 68.22  | -27.08 | 46.11 | -4.97  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax160\_5250MHz\_V

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax160\_5250MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 2388.050  | 48.61  | 74.00  | -25.39 | 72.36 | -23.75 | Peak   |
| 2   | 10500.000 | 41.61  | 68.22  | -26.61 | 46.58 | -4.97  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax160\_5570MHz\_H

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax160\_5570MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 1197.200  | 43.93  | 74.00  | -30.07 | 69.67 | -25.74 | Peak   |
| 2   | 6770.650  | 50.69  | 68.22  | -17.53 | 58.16 | -7.47  | Peak   |
| 3   | 11140.000 | 44.43  | 74.00  | -29.57 | 47.34 | -2.91  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax160\_5570MHz\_V

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax160\_5570MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 2388.900  | 48.17  | 74.00  | -25.83 | 71.92 | -23.75 | Peak   |
| 2   | 6769.800  | 49.71  | 68.22  | -18.51 | 57.18 | -7.47  | Peak   |
| 3   | 11140.000 | 44.45  | 74.00  | -29.55 | 47.36 | -2.91  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax160\_5570MHz\_H\_QP

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax160\_5570MHz  
Test BY :Ashton




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 40.525    | 19.09  | 40.00  | -20.91 | 43.21 | -24.12 | QP     |
| 2   | 210.720   | 28.66  | 43.50  | -14.84 | 55.21 | -26.55 | QP     |
| 3   | 273.482   | 38.86  | 46.00  | -7.14  | 62.79 | -23.93 | QP     |
| 4   | 345.460   | 33.50  | 46.00  | -12.50 | 55.48 | -21.98 | QP     |
| 5   | 801.916   | 25.51  | 46.00  | -20.49 | 38.02 | -12.51 | QP     |
| 6   | 994.374   | 28.65  | 54.00  | -25.35 | 39.13 | -18.48 | QP     |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission under 30MHz was not included since the emission levels are very low against the limit.

## TX\_ax160\_5570MHz\_V\_QP

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax160\_5570MHz  
Test BY :Ashton




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 66.668    | 26.60  | 40.00  | -13.40 | 52.36 | -25.76 | QP     |
| 2   | 148.491   | 23.29  | 43.50  | -20.21 | 47.24 | -23.95 | QP     |
| 3   | 275.277   | 33.70  | 46.00  | -12.30 | 57.56 | -23.86 | QP     |
| 4   | 394.641   | 26.75  | 46.00  | -19.25 | 47.29 | -20.54 | QP     |
| 5   | 547.909   | 22.67  | 46.00  | -23.33 | 40.04 | -17.37 | QP     |
| 6   | 991.318   | 29.83  | 54.00  | -24.17 | 40.26 | -18.43 | QP     |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission under 30MHz was not included since the emission levels are very low against the limit.

## TX\_a\_5180MHz\_H\_Average

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_a\_5180MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB/m   |         |
| 1   | 5150.000  | 43.23  | 54.00  | -10.77 | 27.47 | 15.76  | Average |
| 2   | 5178.800  | 95.06  | -----  | -----  | 79.24 | 15.82  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_a\_5180MHz\_H\_Peak

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_a\_5180MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB/m   |        |
| 1   | 5149.100  | 57.57  | 74.00  | -16.43 | 41.81 | 15.76  | Peak   |
| 2   | 5178.800  | 106.01 | -----  | -----  | 90.19 | 15.82  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_a\_5180MHz\_V\_Average

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_a\_5180MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | Limit | Level | dB/m   |         |
| 1   | 5150.000  | 47.03  | 54.00  | -6.97 | 31.27 | 15.76  | Average |
| 2   | 5179.100  | 102.03 | -----  | ----- | 86.21 | 15.82  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_a\_5180MHz\_V\_Peak

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_a\_5180MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB/m   |        |
| 1   | 5150.000  | 62.59  | 74.00  | -11.41 | 46.83 | 15.76  | Peak   |
| 2   | 5178.800  | 112.89 | -----  | -----  | 97.07 | 15.82  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_a\_5320MHz\_H\_Average

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_a\_5320MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |         |
| 1   | 5321.100  | 93.55  | -----  | -----  | 77.58 | 15.97  | Average |
| 2   | 5350.200  | 42.57  | 54.00  | -11.43 | 26.53 | 16.04  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_a\_5320MHz\_H\_Peak

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_a\_5320MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5321.100  | 104.56 | -----  | -----  | 88.59 | 15.97  | Peak   |
| 2   | 5350.500  | 55.92  | 74.00  | -18.08 | 39.88 | 16.04  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_a\_5320MHz\_V\_Average

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_a\_5320MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |         |
| 1   | 5321.400  | 101.41 | -----  | ----- | 85.44 | 15.97  | Average |
| 2   | 5350.200  | 50.53  | 54.00  | -3.47 | 34.49 | 16.04  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_a\_5320MHz\_V\_Peak

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_a\_5320MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark |
|-----|-----------|--------|--------|-------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |        |
| 1   | 5322.000  | 112.76 | -----  | ----- | 96.79 | 15.97  | Peak   |
| 2   | 5350.800  | 67.14  | 74.00  | -6.86 | 51.10 | 16.04  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_a\_5500MHz\_H\_Average

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_a\_5500MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB/m   |         |
| 1   | 5458.800  | 40.48  | 54.00  | -13.52 | 24.20 | 16.28  | Average |
| 2   | 5498.700  | 94.34  | -----  | -----  | 77.92 | 16.42  | Average |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_a\_5500MHz\_H\_Peak

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_a\_5500MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB/m   |        |
| 1   | 5438.150  | 54.95  | 74.00  | -19.05 | 38.75 | 16.20  | Peak   |
| 2   | 5464.400  | 54.48  | 68.22  | -13.74 | 38.17 | 16.31  | Peak   |
| 3   | 5498.350  | 105.76 | -----  | -----  | 89.34 | 16.42  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_a\_5500MHz\_V\_Average

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_a\_5500MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB/m   |         |
| 1   | 5459.850  | 42.15  | 54.00  | -11.85 | 25.86 | 16.29  | Average |
| 2   | 5498.700  | 102.03 | -----  | -----  | 85.61 | 16.42  | Average |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_a\_5500MHz\_V\_Peak

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_a\_5500MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB/m   |        |
| 1   | 5428.650  | 54.84  | 74.00  | -19.16 | 38.74 | 16.10  | Peak   |
| 2   | 5469.300  | 58.88  | 68.22  | -9.34  | 42.56 | 16.32  | Peak   |
| 3   | 5499.050  | 113.30 | -----  | -----  | 96.88 | 16.42  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_a\_5700MHz\_H\_Peak

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_a\_5700MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5697.150  | 106.70 | 68.22  | -11.47 | 89.15 | 17.55  | Peak   |
| 2   | 5725.850  | 56.75  | 68.22  | -11.47 | 39.09 | 17.66  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_a\_5700MHz\_V\_Peak

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_a\_5700MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark |
|-----|-----------|--------|--------|-------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |        |
| 1   | 5698.900  | 111.96 | 68.22  | -6.94 | 94.40 | 17.56  | Peak   |
| 2   | 5725.500  | 61.28  | 68.22  | -6.94 | 43.63 | 17.65  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_a\_5745MHz\_H\_Peak

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_a\_5745MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5607.500  | 54.30  | 68.20  | -13.90 | 37.21 | 17.09  | Peak   |
| 2   | 5650.000  | 53.69  | 68.21  | -14.52 | 36.38 | 17.31  | Peak   |
| 3   | 5725.000  | 70.03  | 122.20 | -52.17 | 52.38 | 17.65  | Peak   |
| 4   | 5743.500  | 108.01 | -----  | -----  | 90.30 | 17.71  | Peak   |
| 5   | 5923.500  | 56.19  | 69.32  | -13.13 | 38.06 | 18.13  | Peak   |
| 6   | 5925.000  | 54.69  | 68.21  | -13.52 | 36.55 | 18.14  | Peak   |
| 7   | 5990.000  | 56.95  | 68.20  | -11.25 | 38.82 | 18.13  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_a\_5745MHz\_V\_Peak

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_a\_5745MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5645.500  | 56.02  | 68.20  | -12.18 | 38.74 | 17.28  | Peak   |
| 2   | 5650.000  | 53.41  | 68.21  | -14.80 | 36.10 | 17.31  | Peak   |
| 3   | 5724.000  | 74.36  | 119.92 | -45.56 | 56.72 | 17.64  | Peak   |
| 4   | 5744.500  | 113.35 | -----  | -----  | 95.63 | 17.72  | Peak   |
| 5   | 5882.000  | 56.65  | 100.02 | -43.37 | 38.61 | 18.04  | Peak   |
| 6   | 5925.000  | 54.80  | 68.21  | -13.41 | 36.66 | 18.14  | Peak   |
| 7   | 5966.500  | 56.43  | 68.20  | -11.77 | 38.29 | 18.14  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_a\_5825MHz\_H\_Peak

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_a\_5825MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5607.500  | 54.45  | 68.20  | -13.75 | 37.36 | 17.09  | Peak   |
| 2   | 5650.000  | 52.83  | 68.21  | -15.38 | 35.52 | 17.31  | Peak   |
| 3   | 5650.500  | 55.72  | 74.50  | -18.78 | 38.36 | 17.36  | Peak   |
| 4   | 5824.000  | 108.61 | -----  | -----  | 90.69 | 17.92  | Peak   |
| 5   | 5850.000  | 58.58  | 122.20 | -63.62 | 40.59 | 17.99  | Peak   |
| 6   | 5925.000  | 54.01  | 68.21  | -14.20 | 35.87 | 18.14  | Peak   |
| 7   | 5985.500  | 55.98  | 68.20  | -12.22 | 37.85 | 18.13  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_a\_5825MHz\_V\_Peak

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_a\_5825MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5579.500  | 54.40  | 68.20  | -13.80 | 37.46 | 16.94  | Peak   |
| 2   | 5650.000  | 53.44  | 68.21  | -14.77 | 36.13 | 17.31  | Peak   |
| 3   | 5704.500  | 55.44  | 106.46 | -51.02 | 37.85 | 17.59  | Peak   |
| 4   | 5825.500  | 113.67 | -----  | -----  | 95.75 | 17.92  | Peak   |
| 5   | 5850.000  | 60.88  | 122.20 | -61.32 | 42.89 | 17.99  | Peak   |
| 6   | 5925.000  | 54.94  | 68.21  | -13.27 | 36.80 | 18.14  | Peak   |
| 7   | 5985.000  | 56.64  | 68.20  | -11.56 | 38.51 | 18.13  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac20\_5180MHz\_H\_Average

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ac20\_5180MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |         |
| 1   | 5150.000  | 43.11  | 54.00  | -10.89 | 27.35 | 15.76  | Average |
| 2   | 5178.000  | 94.58  | -----  | -----  | 78.76 | 15.82  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac20\_5180MHz\_H\_Peak

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ac20\_5180MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5150.000  | 57.93  | 74.00  | -16.07 | 42.17 | 15.76  | Peak   |
| 2   | 5178.000  | 105.54 | -----  | -----  | 89.72 | 15.82  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac20\_5180MHz\_V\_Average

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ac20\_5180MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |         |
| 1   | 5150.000  | 47.10  | 54.00  | -6.90 | 31.34 | 15.76  | Average |
| 2   | 5178.500  | 101.53 | -----  | ----- | 85.71 | 15.82  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac20\_5180MHz\_V\_Peak

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ac20\_5180MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5148.800  | 60.78  | 74.00  | -13.22 | 45.02 | 15.76  | Peak   |
| 2   | 5181.500  | 112.51 | -----  | -----  | 96.67 | 15.84  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac20\_5320MHz\_H\_Average

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ac20\_5320MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |         |
| 1   | 5321.100  | 93.94  | -----  | -----  | 77.97 | 15.97  | Average |
| 2   | 5350.200  | 43.77  | 54.00  | -10.23 | 27.73 | 16.04  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac20\_5320MHz\_H\_Peak

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ac20\_5320MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5321.400  | 104.96 | -----  | -----  | 88.99 | 15.97  | Peak   |
| 2   | 5350.200  | 58.20  | 74.00  | -15.80 | 42.16 | 16.04  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac20\_5320MHz\_V\_Average

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ac20\_5320MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |         |
| 1   | 5321.100  | 101.98 | -----  | ----- | 86.01 | 15.97  | Average |
| 2   | 5350.200  | 53.23  | 54.00  | -0.77 | 37.19 | 16.04  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac20\_5320MHz\_V\_Peak

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ac20\_5320MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark |
|-----|-----------|--------|--------|-------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |        |
| 1   | 5321.100  | 113.07 | -----  | ----- | 97.10 | 15.97  | Peak   |
| 2   | 5350.500  | 68.83  | 74.00  | -5.17 | 52.79 | 16.04  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac20\_5500MHz\_H\_Average

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ac20\_5500MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |         |
| 1   | 5449.350  | 40.47  | 54.00  | -13.53 | 24.21 | 16.26  | Average |
| 2   | 5498.350  | 93.36  | -----  | -----  | 76.94 | 16.42  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac20\_5500MHz\_H\_Peak

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ac20\_5500MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5405.950  | 54.02  | 74.00  | -19.98 | 37.99 | 16.03  | Peak   |
| 2   | 5460.900  | 54.25  | 68.22  | -13.97 | 37.96 | 16.29  | Peak   |
| 3   | 5498.700  | 104.32 | -----  | -----  | 87.90 | 16.42  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac20\_5500MHz\_V\_Average

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ac20\_5500MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB/m   |         |
| 1   | 5459.850  | 41.97  | 54.00  | -12.03 | 25.68 | 16.29  | Average |
| 2   | 5498.350  | 100.85 | -----  | -----  | 84.43 | 16.42  | Average |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac20\_5500MHz\_V\_Peak

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ac20\_5500MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB/m   |        |
| 1   | 5451.800  | 54.98  | 74.00  | -19.02 | 38.72 | 16.26  | Peak   |
| 2   | 5464.400  | 55.44  | 68.22  | -12.78 | 39.13 | 16.31  | Peak   |
| 3   | 5498.700  | 111.83 | -----  | -----  | 95.41 | 16.42  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac20\_5700MHz\_H\_Peak

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ac20\_5700MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB/m   |        |
| 1   | 5697.500  | 103.64 | -----  | -----  | 86.09 | 17.55  | Peak   |
| 2   | 5725.000  | 56.44  | 68.22  | -11.78 | 38.79 | 17.65  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac20\_5700MHz\_V\_Peak

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ac20\_5700MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark |
|-----|-----------|--------|--------|-------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | Limit | Level | dB/m   |        |
| 1   | 5698.550  | 108.56 | -----  | ----- | 90.99 | 17.57  | Peak   |
| 2   | 5725.000  | 59.40  | 68.22  | -8.82 | 41.75 | 17.65  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac20\_5745MHz\_H\_Peak

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ac20\_5745MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5645.500  | 54.69  | 68.20  | -13.51 | 37.41 | 17.28  | Peak   |
| 2   | 5650.000  | 53.57  | 68.21  | -14.64 | 36.26 | 17.31  | Peak   |
| 3   | 5724.500  | 69.76  | 121.06 | -51.30 | 52.11 | 17.65  | Peak   |
| 4   | 5744.000  | 107.36 | -----  | -----  | 89.65 | 17.71  | Peak   |
| 5   | 5922.500  | 56.02  | 70.06  | -14.04 | 37.89 | 18.13  | Peak   |
| 6   | 5925.000  | 54.40  | 68.21  | -13.81 | 36.26 | 18.14  | Peak   |
| 7   | 6033.500  | 57.52  | 68.20  | -10.68 | 39.34 | 18.18  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac20\_5745MHz\_V\_Peak

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ac20\_5745MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5586.500  | 55.41  | 68.20  | -12.79 | 38.43 | 16.98  | Peak   |
| 2   | 5650.000  | 52.83  | 68.21  | -15.38 | 35.52 | 17.31  | Peak   |
| 3   | 5725.000  | 72.40  | 122.20 | -49.80 | 54.75 | 17.65  | Peak   |
| 4   | 5744.000  | 112.42 | -----  | -----  | 94.71 | 17.71  | Peak   |
| 5   | 5920.000  | 56.00  | 71.91  | -15.91 | 37.89 | 18.11  | Peak   |
| 6   | 5925.000  | 54.23  | 68.21  | -13.98 | 36.09 | 18.14  | Peak   |
| 7   | 5973.500  | 56.53  | 68.20  | -11.67 | 38.40 | 18.13  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac20\_5825MHz\_H\_Peak

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ac20\_5825MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5568.000  | 54.15  | 68.20  | -14.05 | 37.29 | 16.86  | Peak   |
| 2   | 5650.000  | 53.80  | 68.21  | -14.33 | 36.57 | 17.31  | Peak   |
| 3   | 5690.500  | 55.32  | 98.17  | -42.85 | 37.79 | 17.53  | Peak   |
| 4   | 5826.500  | 107.84 | -----  | -----  | 89.92 | 17.92  | Peak   |
| 5   | 5850.000  | 63.22  | 122.20 | -58.98 | 45.23 | 17.99  | Peak   |
| 6   | 5925.000  | 54.01  | 68.21  | -14.20 | 35.87 | 18.14  | Peak   |
| 7   | 6003.500  | 56.53  | 68.20  | -11.65 | 38.41 | 18.14  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac20\_5825MHz\_V\_Peak

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ac20\_5825MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5628.500  | 55.34  | 68.20  | -12.86 | 38.15 | 17.19  | Peak   |
| 2   | 5650.000  | 53.15  | 68.21  | -15.06 | 35.84 | 17.31  | Peak   |
| 3   | 5721.500  | 55.84  | 114.22 | -58.38 | 38.20 | 17.64  | Peak   |
| 4   | 5824.000  | 112.91 | -----  | -----  | 94.99 | 17.92  | Peak   |
| 5   | 5850.000  | 66.59  | 122.20 | -55.61 | 48.60 | 17.99  | Peak   |
| 6   | 5925.000  | 54.59  | 68.21  | -13.62 | 36.45 | 18.14  | Peak   |
| 7   | 5980.500  | 57.17  | 68.20  | -11.03 | 39.03 | 18.14  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac40\_5190MHz\_H\_Average

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ac40\_5190MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |         |
| 1   | 5150.000  | 45.85  | 54.00  | -8.15 | 30.09 | 15.76  | Average |
| 2   | 5191.700  | 87.11  | -----  | ----- | 71.22 | 15.89  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac40\_5190MHz\_H\_Peak

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ac40\_5190MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5148.800  | 58.69  | 74.00  | -15.31 | 42.93 | 15.76  | Peak   |
| 2   | 5192.000  | 97.92  | -----  | -----  | 82.02 | 15.90  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac40\_5190MHz\_V\_Average

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ac40\_5190MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |         |
| 1   | 5150.000  | 50.90  | 54.00  | -3.10 | 35.14 | 15.76  | Average |
| 2   | 5191.400  | 94.91  | -----  | ----- | 79.03 | 15.88  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac40\_5190MHz\_V\_Peak

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ac40\_5190MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark |
|-----|-----------|--------|--------|-------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |        |
| 1   | 5149.400  | 65.58  | 74.00  | -8.42 | 49.82 | 15.76  | Peak   |
| 2   | 5187.200  | 105.63 | -----  | ----- | 89.76 | 15.87  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac40\_5310MHz\_H\_Average

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ac40\_5310MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |         |
| 1   | 5311.800  | 88.59  | -----  | ----- | 72.63 | 15.96  | Average |
| 2   | 5350.200  | 45.59  | 54.00  | -8.41 | 29.55 | 16.04  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac40\_5310MHz\_H\_Peak

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ac40\_5310MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5311.800  | 99.53  | -----  | -----  | 83.57 | 15.96  | Peak   |
| 2   | 5351.700  | 59.97  | 74.00  | -14.03 | 43.93 | 16.04  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac40\_5310MHz\_V\_Average

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ac40\_5310MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |         |
| 1   | 5311.800  | 96.32  | -----  | ----- | 80.36 | 15.96  | Average |
| 2   | 5350.200  | 51.44  | 54.00  | -2.56 | 35.40 | 16.04  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac40\_5310MHz\_V\_Peak

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ac40\_5310MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark |
|-----|-----------|--------|--------|-------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |        |
| 1   | 5313.300  | 107.38 | -----  | ----- | 91.41 | 15.97  | Peak   |
| 2   | 5350.200  | 68.09  | 74.00  | -5.91 | 52.05 | 16.04  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac40\_5510MHz\_H\_Average

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ac40\_5510MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB/m   |         |
| 1   | 5459.850  | 40.77  | 54.00  | -13.23 | 24.48 | 16.29  | Average |
| 2   | 5508.500  | 88.67  | -----  | -----  | 72.21 | 16.46  | Average |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac40\_5510MHz\_H\_Peak

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ac40\_5510MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB/m   |        |
| 1   | 5458.100  | 54.95  | 74.00  | -19.05 | 38.67 | 16.28  | Peak   |
| 2   | 5470.000  | 56.72  | 68.22  | -11.50 | 40.40 | 16.32  | Peak   |
| 3   | 5508.500  | 99.54  | -----  | -----  | 83.08 | 16.46  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac40\_5510MHz\_V\_Average

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ac40\_5510MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB/m   |         |
| 1   | 5459.850  | 42.35  | 54.00  | -11.65 | 26.06 | 16.29  | Average |
| 2   | 5507.800  | 95.93  | -----  | -----  | 79.47 | 16.46  | Average |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac40\_5510MHz\_V\_Peak

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ac40\_5510MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB/m   |        |
| 1   | 5459.150  | 55.58  | 74.00  | -18.42 | 39.30 | 16.28  | Peak   |
| 2   | 5460.850  | 61.46  | 68.22  | -6.76  | 45.15 | 16.31  | Peak   |
| 3   | 5507.800  | 107.04 | -----  | -----  | 90.58 | 16.46  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac40\_5670MHz\_H\_Peak

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ac40\_5670MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5667.050  | 103.97 | 68.22  | -13.45 | 86.54 | 17.43  | Peak   |
| 2   | 5725.150  | 54.77  | 68.22  | -13.45 | 37.12 | 17.65  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac40\_5670MHz\_V\_Peak

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ac40\_5670MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5666.700  | 109.78 | 68.22  | -12.12 | 92.35 | 17.43  | Peak   |
| 2   | 5734.950  | 56.10  | 68.22  | -12.12 | 38.41 | 17.69  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac40\_5755MHz\_H\_Peak

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ac40\_5755MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5622.000  | 54.19  | 68.20  | -14.01 | 37.02 | 17.17  | Peak   |
| 2   | 5650.000  | 53.40  | 68.21  | -14.81 | 36.09 | 17.31  | Peak   |
| 3   | 5724.000  | 75.41  | 119.92 | -44.51 | 57.77 | 17.64  | Peak   |
| 4   | 5753.500  | 105.81 | 110.92 | -4.11  | 88.08 | 17.73  | Peak   |
| 5   | 5906.500  | 55.87  | 81.89  | -26.02 | 37.79 | 18.08  | Peak   |
| 6   | 5925.000  | 54.37  | 68.21  | -13.84 | 36.23 | 18.14  | Peak   |
| 7   | 6026.000  | 56.07  | 68.20  | -12.13 | 37.91 | 18.16  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac40\_5755MHz\_V\_Peak

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ac40\_5755MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5624.500  | 55.33  | 68.20  | -12.87 | 38.15 | 17.18  | Peak   |
| 2   | 5650.000  | 53.42  | 68.21  | -14.79 | 36.11 | 17.31  | Peak   |
| 3   | 5724.000  | 77.92  | 119.92 | -42.00 | 60.28 | 17.64  | Peak   |
| 4   | 5752.000  | 110.92 | 110.92 | 0.00   | 93.18 | 17.74  | Peak   |
| 5   | 5898.000  | 58.59  | 88.18  | -29.59 | 40.54 | 18.05  | Peak   |
| 6   | 5925.000  | 54.95  | 68.21  | -13.26 | 36.81 | 18.14  | Peak   |
| 7   | 5937.500  | 55.98  | 68.20  | -12.22 | 37.84 | 18.14  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac40\_5795MHz\_H\_Peak

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ac40\_5795MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5604.000  | 55.22  | 68.20  | -12.98 | 38.14 | 17.08  | Peak   |
| 2   | 5650.000  | 53.97  | 68.20  | -14.24 | 36.66 | 17.31  | Peak   |
| 3   | 5663.500  | 55.04  | 78.20  | -23.16 | 37.65 | 17.39  | Peak   |
| 4   | 5793.000  | 106.16 | -----  | -----  | 88.34 | 17.82  | Peak   |
| 5   | 5850.000  | 57.10  | 122.20 | -65.10 | 39.11 | 17.99  | Peak   |
| 6   | 5925.000  | 54.26  | 68.21  | -13.95 | 36.12 | 18.14  | Peak   |
| 7   | 6034.500  | 56.08  | 68.20  | -12.12 | 37.90 | 18.18  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac40\_5795MHz\_V\_Peak

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ac40\_5795MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5648.000  | 55.49  | 68.20  | -12.71 | 38.19 | 17.30  | Peak   |
| 2   | 5650.000  | 55.03  | 68.21  | -13.18 | 37.72 | 17.31  | Peak   |
| 3   | 5724.500  | 56.57  | 121.06 | -64.49 | 38.92 | 17.65  | Peak   |
| 4   | 5791.500  | 110.20 | -----  | -----  | 92.39 | 17.81  | Peak   |
| 5   | 5851.500  | 58.42  | 118.78 | -60.36 | 40.42 | 18.00  | Peak   |
| 6   | 5925.000  | 54.78  | 68.21  | -13.43 | 36.64 | 18.14  | Peak   |
| 7   | 5991.000  | 56.59  | 68.20  | -11.61 | 38.46 | 18.13  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac80\_5210MHz\_H\_Average

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ac80\_5210MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |         |
| 1   | 5150.000  | 44.17  | 54.00  | -9.83 | 28.41 | 15.76  | Average |
| 2   | 5212.100  | 84.25  | -----  | ----- | 68.27 | 15.98  | Average |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac80\_5210MHz\_H\_Peak

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ac80\_5210MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5138.900  | 57.37  | 74.00  | -16.63 | 41.59 | 15.78  | Peak   |
| 2   | 5212.100  | 95.13  | -----  | -----  | 79.15 | 15.98  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac80\_5210MHz\_V\_Average

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ac80\_5210MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |         |
| 1   | 5150.000  | 51.04  | 54.00  | -2.96 | 35.28 | 15.76  | Average |
| 2   | 5212.100  | 92.54  | -----  | ----- | 76.56 | 15.98  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac80\_5210MHz\_V\_Peak

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ac80\_5210MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark |
|-----|-----------|--------|--------|-------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |        |
| 1   | 5150.000  | 64.83  | 74.00  | -9.17 | 49.07 | 15.76  | Peak   |
| 2   | 5207.900  | 103.67 | -----  | ----- | 87.71 | 15.96  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac80\_5290MHz\_H\_Average

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ac80\_5290MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |         |
| 1   | 5291.700  | 85.81  | -----  | ----- | 69.83 | 15.98  | Average |
| 2   | 5350.200  | 45.24  | 54.00  | -8.76 | 29.20 | 16.04  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac80\_5290MHz\_H\_Peak

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ac80\_5290MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5294.100  | 96.66  | -----  | -----  | 80.70 | 15.96  | Peak   |
| 2   | 5351.100  | 57.85  | 74.00  | -16.15 | 41.81 | 16.04  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac80\_5290MHz\_V\_Average

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ac80\_5290MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |         |
| 1   | 5292.300  | 93.09  | -----  | ----- | 77.11 | 15.98  | Average |
| 2   | 5350.200  | 51.16  | 54.00  | -2.84 | 35.12 | 16.04  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac80\_5290MHz\_V\_Peak

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ac80\_5290MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark |
|-----|-----------|--------|--------|-------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |        |
| 1   | 5293.500  | 104.17 | -----  | ----- | 88.21 | 15.96  | Peak   |
| 2   | 5352.300  | 64.47  | 74.00  | -9.53 | 48.43 | 16.04  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac80\_5530MHz\_H\_Average

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ac80\_5530MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |         |
| 1   | 5459.850  | 43.16  | 54.00  | -10.84 | 26.87 | 16.29  | Average |
| 2   | 5528.100  | 84.51  | -----  | -----  | 67.91 | 16.60  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac80\_5530MHz\_H\_Peak

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ac80\_5530MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5457.050  | 57.58  | 74.00  | -16.42 | 41.31 | 16.27  | Peak   |
| 2   | 5461.250  | 57.27  | 68.22  | -10.95 | 40.98 | 16.29  | Peak   |
| 3   | 5528.100  | 95.51  | -----  | -----  | 78.91 | 16.60  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac80\_5530MHz\_V\_Average

Site :HY-CB03  
Condition :3m\_Vertical  
Mode :TX\_ac80\_5530MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |         |
| 1   | 5459.850  | 47.90  | 54.00  | -6.10 | 31.61 | 16.29  | Average |
| 2   | 5528.100  | 93.28  |        |       | 76.68 | 16.60  | Average |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac80\_5530MHz\_V\_Peak

Site :HY-CB03  
Condition :3m\_Vertical  
Mode :TX\_ac80\_5530MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5454.250  | 62.81  | 74.00  | -11.19 | 46.54 | 16.27  | Peak   |
| 2   | 5470.000  | 63.83  | 68.22  | -4.39  | 47.51 | 16.32  | Peak   |
| 3   | 5531.600  | 104.33 |        |        | 87.71 | 16.62  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac80\_5775MHz\_H\_Peak

Site :HY-CB03  
Condition :3m\_Horizontal  
Mode :TX\_ac80\_5775MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5620.500  | 55.35  | 68.20  | -12.85 | 38.20 | 17.15  | Peak   |
| 2   | 5650.000  | 53.26  | 68.21  | -14.95 | 35.95 | 17.31  | Peak   |
| 3   | 5723.500  | 66.52  | 118.78 | -52.26 | 48.87 | 17.65  | Peak   |
| 4   | 5772.000  | 94.76  |        |        | 77.01 | 17.75  | Peak   |
| 5   | 5850.000  | 56.80  | 122.20 | -65.40 | 38.81 | 17.99  | Peak   |
| 6   | 5925.000  | 54.47  | 68.21  | -13.74 | 36.33 | 18.14  | Peak   |
| 7   | 5932.000  | 56.19  | 68.20  | -12.01 | 38.04 | 18.15  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac80\_5775MHz\_V\_Peak

Site :HY-CB03  
Condition :3m\_Vertical  
Mode :TX\_ac80\_5775MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5640.500  | 55.35  | 68.20  | -12.85 | 38.10 | 17.25  | Peak   |
| 2   | 5650.000  | 53.90  | 68.21  | -14.31 | 36.59 | 17.31  | Peak   |
| 3   | 5720.500  | 75.29  | 111.94 | -36.65 | 57.65 | 17.64  | Peak   |
| 4   | 5770.500  | 107.07 |        |        | 89.32 | 17.75  | Peak   |
| 5   | 5850.000  | 70.34  | 122.20 | -51.86 | 52.35 | 17.99  | Peak   |
| 6   | 5925.000  | 55.39  | 68.21  | -12.82 | 37.25 | 18.14  | Peak   |
| 7   | 5977.500  | 56.42  | 68.20  | -11.78 | 38.28 | 18.14  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac160\_5250MHz\_B1\_H\_Average

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ac160\_5250MHz\_B1  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |         |
| 1   | 5144.300  | 45.22  | 54.00  | -8.78 | 29.46 | 15.76  | Average |
| 2   | 5253.200  | 82.85  | -----  | ----- | 66.77 | 16.08  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac160\_5250MHz\_B1\_H\_Peak

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ac160\_5250MHz\_B1  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5140.100  | 59.22  | 74.00  | -14.78 | 43.44 | 15.78  | Peak   |
| 2   | 5253.200  | 93.27  | -----  | -----  | 77.19 | 16.08  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac160\_5250MHz\_B1\_V\_Average

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ac160\_5250MHz\_B1  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |         |
| 1   | 5150.000  | 50.59  | 54.00  | -3.41 | 34.83 | 15.76  | Average |
| 2   | 5253.500  | 90.59  | -----  | ----- | 74.51 | 16.08  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac160\_5250MHz\_B1\_V\_Peak

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ac160\_5250MHz\_B1  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark |
|-----|-----------|--------|--------|-------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |        |
| 1   | 5147.300  | 64.73  | 74.00  | -9.27 | 48.96 | 15.77  | Peak   |
| 2   | 5254.400  | 101.12 | -----  | ----- | 85.04 | 16.08  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac160\_5250MHz\_B2\_H\_Average

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ac160\_5250MHz\_B2  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |         |
| 1   | 5253.000  | 82.83  | -----  | ----- | 66.75 | 16.08  | Average |
| 2   | 5350.200  | 45.73  | 54.00  | -8.27 | 29.69 | 16.04  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac160\_5250MHz\_B2\_H\_Peak

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ac160\_5250MHz\_B2  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5253.300  | 93.65  | -----  | -----  | 77.57 | 16.08  | Peak   |
| 2   | 5365.800  | 59.45  | 74.00  | -14.55 | 43.43 | 16.02  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac160\_5250MHz\_B2\_V\_Average

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ac160\_5250MHz\_B2  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |         |
| 1   | 5253.300  | 90.55  | -----  | ----- | 74.47 | 16.08  | Average |
| 2   | 5350.200  | 53.11  | 54.00  | -0.89 | 37.07 | 16.04  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac160\_5250MHz\_B2\_V\_Peak

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ac160\_5250MHz\_B2  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark |
|-----|-----------|--------|--------|-------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |        |
| 1   | 5254.200  | 101.30 | -----  | ----- | 85.22 | 16.08  | Peak   |
| 2   | 5361.000  | 67.41  | 74.00  | -6.59 | 51.30 | 16.03  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac160\_5570MHz\_H\_Average

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ac160\_5570MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |         |
| 1   | 5459.850  | 46.99  | 54.00  | -7.01 | 30.70 | 16.29  | Average |
| 2   | 5572.900  | 85.52  | -----  | ----- | 68.63 | 16.89  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac160\_5570MHz\_H\_Peak

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ac160\_5570MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5451.100  | 61.68  | 74.00  | -12.32 | 45.42 | 16.26  | Peak   |
| 2   | 5468.250  | 61.21  | 68.22  | -7.01  | 44.89 | 16.32  | Peak   |
| 3   | 5574.300  | 96.19  | -----  | -----  | 79.29 | 16.90  | Peak   |
| 4   | 5726.550  | 59.33  | 68.22  | -8.89  | 41.67 | 17.66  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac160\_5570MHz\_V\_Average

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ac160\_5570MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |         |
| 1   | 5458.800  | 53.49  | 54.00  | -0.51 | 37.21 | 16.28  | Average |
| 2   | 5566.250  | 91.86  | -----  | ----- | 75.01 | 16.85  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac160\_5570MHz\_V\_Peak

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ac160\_5570MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark |
|-----|-----------|--------|--------|-------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |        |
| 1   | 5458.750  | 69.38  | 74.00  | -4.62 | 53.12 | 16.26  | Peak   |
| 2   | 5460.550  | 67.69  | 68.22  | -0.53 | 51.40 | 16.29  | Peak   |
| 3   | 5562.400  | 103.34 | -----  | ----- | 86.52 | 16.82  | Peak   |
| 4   | 5726.900  | 63.66  | 68.22  | -4.56 | 46.00 | 17.66  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax20\_5180MHz\_H\_Average

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax20\_5180MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | Limit | Level | dB/m   |         |
| 1   | 5150.000  | 45.70  | 54.00  | -8.30 | 29.94 | 15.76  | Average |
| 2   | 5179.100  | 94.72  | -----  | ----- | 78.90 | 15.82  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax20\_5180MHz\_H\_Peak

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax20\_5180MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB/m   |        |
| 1   | 5148.500  | 58.87  | 74.00  | -15.13 | 43.11 | 15.76  | Peak   |
| 2   | 5180.300  | 107.78 | -----  | -----  | 91.94 | 15.84  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax20\_5180MHz\_V\_Average

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax20\_5180MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | Limit | Level | dB/m   |         |
| 1   | 5150.000  | 50.38  | 54.00  | -3.62 | 34.62 | 15.76  | Average |
| 2   | 5178.800  | 101.66 | -----  | ----- | 85.84 | 15.82  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax20\_5180MHz\_V\_Peak

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax20\_5180MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark |
|-----|-----------|--------|--------|-------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | Limit | Level | dB/m   |        |
| 1   | 5150.000  | 65.21  | 74.00  | -8.79 | 49.45 | 15.76  | Peak   |
| 2   | 5178.500  | 114.95 | -----  | ----- | 99.13 | 15.82  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax20\_5320MHz\_H\_Average

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax20\_5320MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |         |
| 1   | 5321.100  | 93.10  | -----  | ----- | 77.13 | 15.97  | Average |
| 2   | 5350.200  | 44.06  | 54.00  | -9.94 | 28.02 | 16.04  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax20\_5320MHz\_H\_Peak

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax20\_5320MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5321.400  | 106.79 | -----  | -----  | 90.82 | 15.97  | Peak   |
| 2   | 5350.200  | 60.25  | 74.00  | -13.75 | 44.21 | 16.04  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax20\_5320MHz\_V\_Average

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax20\_5320MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |         |
| 1   | 5321.400  | 101.17 | -----  | ----- | 85.20 | 15.97  | Average |
| 2   | 5350.200  | 53.41  | 54.00  | -0.59 | 37.37 | 16.04  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax20\_5320MHz\_V\_Peak

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax20\_5320MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark |
|-----|-----------|--------|--------|-------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |        |
| 1   | 5320.500  | 114.31 | -----  | ----- | 98.33 | 15.98  | Peak   |
| 2   | 5351.100  | 71.66  | 74.00  | -2.34 | 55.62 | 16.04  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax20\_5500MHz\_H\_Average

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax20\_5500MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB/m   |         |
| 1   | 5459.500  | 40.49  | 54.00  | -13.51 | 24.20 | 16.29  | Average |
| 2   | 5498.700  | 93.36  | -----  | -----  | 76.94 | 16.42  | Average |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax20\_5500MHz\_H\_Peak

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax20\_5500MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB/m   |        |
| 1   | 5450.050  | 54.90  | 74.00  | -19.10 | 38.64 | 16.26  | Peak   |
| 2   | 5470.000  | 54.55  | 68.22  | -13.67 | 38.23 | 16.32  | Peak   |
| 3   | 5496.950  | 106.31 | -----  | -----  | 89.90 | 16.41  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax20\_5500MHz\_V\_Average

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax20\_5500MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB/m   |         |
| 1   | 5459.850  | 42.06  | 54.00  | -11.94 | 25.77 | 16.29  | Average |
| 2   | 5498.700  | 100.79 | -----  | -----  | 84.37 | 16.42  | Average |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax20\_5500MHz\_V\_Peak

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax20\_5500MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB/m   |        |
| 1   | 5450.000  | 55.38  | 74.00  | -18.62 | 39.11 | 16.27  | Peak   |
| 2   | 5470.000  | 50.66  | 68.22  | -9.56  | 42.34 | 16.32  | Peak   |
| 3   | 5501.500  | 114.11 | -----  | -----  | 97.68 | 16.43  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax20\_5700MHz\_H\_Peak

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax20\_5700MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark |
|-----|-----------|--------|--------|-------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |        |
| 1   | 5702.050  | 106.17 | 68.22  | -5.65 | 88.60 | 17.57  | Peak   |
| 2   | 5725.000  | 62.57  | 68.22  | -5.65 | 44.92 | 17.65  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax20\_5700MHz\_V\_Peak

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax20\_5700MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark |
|-----|-----------|--------|--------|-------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |        |
| 1   | 5701.350  | 110.96 | 68.22  | -5.80 | 93.38 | 17.58  | Peak   |
| 2   | 5725.500  | 62.42  | 68.22  | -5.80 | 44.77 | 17.65  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax20\_5745MHz\_H\_Peak

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax20\_5745MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5564.500  | 55.10  | 68.20  | -13.10 | 38.26 | 16.84  | Peak   |
| 2   | 5650.000  | 53.82  | 68.21  | -14.39 | 36.51 | 17.31  | Peak   |
| 3   | 5724.000  | 71.31  | 119.92 | -48.61 | 53.67 | 17.64  | Peak   |
| 4   | 5746.000  | 109.27 | 68.20  | -14.21 | 91.55 | 17.72  | Peak   |
| 5   | 5909.500  | 56.34  | 79.68  | -23.34 | 38.25 | 18.09  | Peak   |
| 6   | 5925.000  | 54.00  | 68.21  | -14.21 | 35.86 | 18.14  | Peak   |
| 7   | 5962.000  | 55.90  | 68.20  | -12.30 | 37.76 | 18.14  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax20\_5745MHz\_V\_Peak

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax20\_5745MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5626.500  | 54.65  | 68.20  | -13.55 | 37.46 | 17.19  | Peak   |
| 2   | 5650.000  | 52.64  | 68.21  | -15.57 | 35.33 | 17.31  | Peak   |
| 3   | 5722.000  | 75.57  | 115.36 | -39.79 | 57.93 | 17.64  | Peak   |
| 4   | 5746.500  | 113.59 | 68.20  | -11.31 | 95.87 | 17.72  | Peak   |
| 5   | 5891.500  | 56.19  | 92.99  | -36.80 | 38.14 | 18.05  | Peak   |
| 6   | 5925.000  | 54.00  | 68.21  | -13.41 | 36.66 | 18.14  | Peak   |
| 7   | 6021.500  | 56.89  | 68.20  | -11.31 | 38.73 | 18.16  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax20\_5825MHz\_H\_Peak

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax20\_5825MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5611.000  | 53.82  | 68.20  | -14.38 | 36.72 | 17.10  | Peak   |
| 2   | 5650.000  | 52.86  | 68.21  | -15.35 | 35.55 | 17.31  | Peak   |
| 3   | 5693.500  | 54.66  | 100.39 | -45.73 | 37.12 | 17.54  | Peak   |
| 4   | 5827.000  | 110.52 | -----  | -----  | 92.60 | 17.92  | Peak   |
| 5   | 5850.000  | 68.93  | 122.20 | -53.27 | 50.94 | 17.99  | Peak   |
| 6   | 5925.000  | 53.75  | 68.21  | -14.46 | 35.61 | 18.14  | Peak   |
| 7   | 5928.000  | 55.72  | 68.20  | -12.48 | 37.58 | 18.14  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax20\_5825MHz\_V\_Peak

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax20\_5825MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5585.000  | 54.56  | 68.20  | -13.64 | 37.59 | 16.97  | Peak   |
| 2   | 5650.000  | 53.54  | 68.21  | -14.67 | 36.23 | 17.31  | Peak   |
| 3   | 5697.000  | 55.09  | 102.98 | -47.89 | 37.54 | 17.55  | Peak   |
| 4   | 5826.000  | 114.33 | -----  | -----  | 96.41 | 17.92  | Peak   |
| 5   | 5850.000  | 70.74  | 122.20 | -51.46 | 52.75 | 17.99  | Peak   |
| 6   | 5925.000  | 55.13  | 68.21  | -13.08 | 36.99 | 18.14  | Peak   |
| 7   | 5949.000  | 56.04  | 68.20  | -12.16 | 37.90 | 18.14  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax40\_5190MHz\_H\_Average

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax40\_5190MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |         |
| 1   | 5150.000  | 45.57  | 54.00  | -8.43 | 29.81 | 15.76  | Average |
| 2   | 5191.400  | 86.68  | -----  | ----- | 70.80 | 15.88  | Average |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax40\_5190MHz\_H\_Peak

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax40\_5190MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5148.500  | 59.26  | 74.00  | -14.74 | 43.50 | 15.76  | Peak   |
| 2   | 5189.000  | 99.39  | -----  | -----  | 83.52 | 15.87  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax40\_5190MHz\_V\_Average

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax40\_5190MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |         |
| 1   | 5150.000  | 50.71  | 54.00  | -3.29 | 34.95 | 15.76  | Average |
| 2   | 5191.400  | 94.46  | -----  | ----- | 78.58 | 15.88  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax40\_5190MHz\_V\_Peak

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax40\_5190MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark |
|-----|-----------|--------|--------|-------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |        |
| 1   | 5147.600  | 64.18  | 74.00  | -9.82 | 48.42 | 15.76  | Peak   |
| 2   | 5188.700  | 107.91 | -----  | ----- | 92.04 | 15.87  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax40\_5310MHz\_H\_Average

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax40\_5310MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |         |
| 1   | 5311.500  | 88.03  | -----  | ----- | 72.07 | 15.96  | Average |
| 2   | 5350.200  | 45.24  | 54.00  | -8.76 | 29.20 | 16.04  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax40\_5310MHz\_H\_Peak

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax40\_5310MHz  
Test BY :Rock



| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5312.400  | 101.80 | -----  | -----  | 85.84 | 15.96  | Peak   |
| 2   | 5350.200  | 59.38  | 74.00  | -14.62 | 43.34 | 16.04  | Peak   |


Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

| <div>TX_ax40_5310MHz_V_Average</div> <div><div>Site :HY-CB03<br/>Condition :3m ,Vertical<br/>Mode :TX_ax40_5310MHz<br/>Test BY :Rock</div><div><div>Level (dBuV/m)</div><div><div>113.8<br/>97.5<br/>81.3<br/>65.0<br/>48.8<br/>32.5<br/>16.3</div><div>0</div></div><div><div>5160<br/>5220<br/>5280<br/>5340<br/>5400<br/>5460</div><div>Frequency (MHz)</div></div><div>Date: 2026-03-26</div></div><div><table><tr><th>No.</th><th>Frequency</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th></th></tr><tr><td>1</td><td>5311.500</td><td>95.82</td><td>-----</td><td>-----</td><td>79.86</td><td>15.96</td><td>Average</td></tr><tr><td>2</td><td>5350.200</td><td>51.22</td><td>54.00</td><td>-2.78</td><td>35.18</td><td>16.04</td><td>Average</td></tr></table><div><div>Note:</div><div>1. Level = Read Level + Factor<br/>2. Factor = Antenna Factor + Cable Loss - Preamp Factor<br/>3. Over Limit = Level - Limit Line<br/>4. The emission levels of other frequencies are very lower than the limit and not show in test report.</div></div></div></div>    | No.       | Frequency | Level  | Limit  | Over  | Read   | Factor  | Remark |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m |  | 1 | 5311.500 | 95.82 | ----- | -----  | 79.86 | 15.96 | Average | 2 | 5350.200 | 51.22 | 54.00 | -2.78 | 35.18 | 16.04 | Average | <div>TX_ax40_5310MHz_V_Peak</div> <div><div>Site :HY-CB03<br/>Condition :3m ,Vertical<br/>Mode :TX_ax40_5310MHz<br/>Test BY :Rock</div><div><div>Level (dBuV/m)</div><div><div>113.8<br/>97.5<br/>81.3<br/>65.0<br/>48.8<br/>32.5<br/>16.3</div><div>0</div></div><div><div>5160<br/>5220<br/>5280<br/>5340<br/>5400<br/>5460</div><div>Frequency (MHz)</div></div><div>Date: 2026-03-26</div></div><div><table><tr><th>No.</th><th>Frequency</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th></th></tr><tr><td>1</td><td>5309.100</td><td>109.00</td><td>-----</td><td>-----</td><td>93.03</td><td>15.97</td><td>Peak</td></tr><tr><td>2</td><td>5350.200</td><td>66.22</td><td>74.00</td><td>-7.78</td><td>50.18</td><td>16.04</td><td>Peak</td></tr></table><div><div>Note:</div><div>1. Level = Read Level + Factor<br/>2. Factor = Antenna Factor + Cable Loss - Preamp Factor<br/>3. Over Limit = Level - Limit Line<br/>4. The emission levels of other frequencies are very lower than the limit and not show in test report.</div></div></div></div>                                                                                                                            | No. | Frequency | Level | Limit | Over | Read | Factor | Remark |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m |  | 1 | 5309.100 | 109.00 | ----- | -----  | 93.03 | 15.97 | Peak | 2 | 5350.200 | 66.22 | 74.00 | -7.78  | 50.18 | 16.04 | Peak |   |          |        |       |       |       |       |      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|--------|--------|-------|--------|---------|--------|--|-----|--------|--------|----|------|------|--|---|----------|-------|-------|--------|-------|-------|---------|---|----------|-------|-------|-------|-------|-------|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|-------|-------|------|------|--------|--------|--|-----|--------|--------|----|------|------|--|---|----------|--------|-------|--------|-------|-------|------|---|----------|-------|-------|--------|-------|-------|------|---|----------|--------|-------|-------|-------|-------|------|
| No.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Frequency | Level     | Limit  | Over   | Read  | Factor | Remark  |        |  |     |        |        |    |      |      |  |   |          |       |       |        |       |       |         |   |          |       |       |       |       |       |         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |     |           |       |       |      |      |        |        |  |     |        |        |    |      |      |  |   |          |        |       |        |       |       |      |   |          |       |       |        |       |       |      |   |          |        |       |       |       |       |      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | MHz       | dBuV/m    | dBuV/m | dB     | dBuV  | dB/m   |         |        |  |     |        |        |    |      |      |  |   |          |       |       |        |       |       |         |   |          |       |       |       |       |       |         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |     |           |       |       |      |      |        |        |  |     |        |        |    |      |      |  |   |          |        |       |        |       |       |      |   |          |       |       |        |       |       |      |   |          |        |       |       |       |       |      |
| 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 5311.500  | 95.82     | -----  | -----  | 79.86 | 15.96  | Average |        |  |     |        |        |    |      |      |  |   |          |       |       |        |       |       |         |   |          |       |       |       |       |       |         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |     |           |       |       |      |      |        |        |  |     |        |        |    |      |      |  |   |          |        |       |        |       |       |      |   |          |       |       |        |       |       |      |   |          |        |       |       |       |       |      |
| 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 5350.200  | 51.22     | 54.00  | -2.78  | 35.18 | 16.04  | Average |        |  |     |        |        |    |      |      |  |   |          |       |       |        |       |       |         |   |          |       |       |       |       |       |         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |     |           |       |       |      |      |        |        |  |     |        |        |    |      |      |  |   |          |        |       |        |       |       |      |   |          |       |       |        |       |       |      |   |          |        |       |       |       |       |      |
| No.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Frequency | Level     | Limit  | Over   | Read  | Factor | Remark  |        |  |     |        |        |    |      |      |  |   |          |       |       |        |       |       |         |   |          |       |       |       |       |       |         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |     |           |       |       |      |      |        |        |  |     |        |        |    |      |      |  |   |          |        |       |        |       |       |      |   |          |       |       |        |       |       |      |   |          |        |       |       |       |       |      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | MHz       | dBuV/m    | dBuV/m | dB     | dBuV  | dB/m   |         |        |  |     |        |        |    |      |      |  |   |          |       |       |        |       |       |         |   |          |       |       |       |       |       |         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |     |           |       |       |      |      |        |        |  |     |        |        |    |      |      |  |   |          |        |       |        |       |       |      |   |          |       |       |        |       |       |      |   |          |        |       |       |       |       |      |
| 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 5309.100  | 109.00    | -----  | -----  | 93.03 | 15.97  | Peak    |        |  |     |        |        |    |      |      |  |   |          |       |       |        |       |       |         |   |          |       |       |       |       |       |         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |     |           |       |       |      |      |        |        |  |     |        |        |    |      |      |  |   |          |        |       |        |       |       |      |   |          |       |       |        |       |       |      |   |          |        |       |       |       |       |      |
| 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 5350.200  | 66.22     | 74.00  | -7.78  | 50.18 | 16.04  | Peak    |        |  |     |        |        |    |      |      |  |   |          |       |       |        |       |       |         |   |          |       |       |       |       |       |         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |     |           |       |       |      |      |        |        |  |     |        |        |    |      |      |  |   |          |        |       |        |       |       |      |   |          |       |       |        |       |       |      |   |          |        |       |       |       |       |      |
| <div>TX_ax40_5510MHz_H_Average</div> <div><div>Site :HY-CB03<br/>Condition :3m ,Horizontal<br/>Mode :TX_ax40_5510MHz<br/>Test BY :Rock</div><div><div>Level (dBuV/m)</div><div><div>113.8<br/>97.5<br/>81.3<br/>65.0<br/>48.8<br/>32.5<br/>16.3</div><div>0</div></div><div><div>5400<br/>5470<br/>5540<br/>5610<br/>5680<br/>5750</div><div>Frequency (MHz)</div></div><div>Date: 2026-03-27</div></div><div><table><tr><th>No.</th><th>Frequency</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th></th></tr><tr><td>1</td><td>5459.850</td><td>40.99</td><td>54.00</td><td>-13.01</td><td>24.70</td><td>16.29</td><td>Average</td></tr><tr><td>2</td><td>5500.500</td><td>88.00</td><td>-----</td><td>-----</td><td>71.62</td><td>16.46</td><td>Average</td></tr></table><div><div>Note:</div><div>1. Level = Read Level + Factor<br/>2. Factor = Antenna Factor + Cable Loss - Preamp Factor<br/>3. Over Limit = Level - Limit Line<br/>4. The emission levels of other frequencies are very lower than the limit and not show in test report.</div></div></div></div> | No.       | Frequency | Level  | Limit  | Over  | Read   | Factor  | Remark |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m |  | 1 | 5459.850 | 40.99 | 54.00 | -13.01 | 24.70 | 16.29 | Average | 2 | 5500.500 | 88.00 | ----- | ----- | 71.62 | 16.46 | Average | <div>TX_ax40_5510MHz_H_Peak</div> <div><div>Site :HY-CB03<br/>Condition :3m ,Horizontal<br/>Mode :TX_ax40_5510MHz<br/>Test BY :Rock</div><div><div>Level (dBuV/m)</div><div><div>113.8<br/>97.5<br/>81.3<br/>65.0<br/>48.8<br/>32.5<br/>16.3</div><div>0</div></div><div><div>5400<br/>5470<br/>5540<br/>5610<br/>5680<br/>5750</div><div>Frequency (MHz)</div></div><div>Date: 2026-03-27</div></div><div><table><tr><th>No.</th><th>Frequency</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th></th></tr><tr><td>1</td><td>5459.850</td><td>55.11</td><td>74.00</td><td>-18.89</td><td>38.82</td><td>16.29</td><td>Peak</td></tr><tr><td>2</td><td>5469.650</td><td>56.07</td><td>60.22</td><td>-12.15</td><td>39.75</td><td>16.32</td><td>Peak</td></tr><tr><td>3</td><td>5512.350</td><td>101.09</td><td>-----</td><td>-----</td><td>84.60</td><td>16.49</td><td>Peak</td></tr></table><div><div>Note:</div><div>1. Level = Read Level + Factor<br/>2. Factor = Antenna Factor + Cable Loss - Preamp Factor<br/>3. Over Limit = Level - Limit Line<br/>4. The emission levels of other frequencies are very lower than the limit and not show in test report.</div></div></div></div> | No. | Frequency | Level | Limit | Over | Read | Factor | Remark |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m |  | 1 | 5459.850 | 55.11  | 74.00 | -18.89 | 38.82 | 16.29 | Peak | 2 | 5469.650 | 56.07 | 60.22 | -12.15 | 39.75 | 16.32 | Peak | 3 | 5512.350 | 101.09 | ----- | ----- | 84.60 | 16.49 | Peak |
| No.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Frequency | Level     | Limit  | Over   | Read  | Factor | Remark  |        |  |     |        |        |    |      |      |  |   |          |       |       |        |       |       |         |   |          |       |       |       |       |       |         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |     |           |       |       |      |      |        |        |  |     |        |        |    |      |      |  |   |          |        |       |        |       |       |      |   |          |       |       |        |       |       |      |   |          |        |       |       |       |       |      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | MHz       | dBuV/m    | dBuV/m | dB     | dBuV  | dB/m   |         |        |  |     |        |        |    |      |      |  |   |          |       |       |        |       |       |         |   |          |       |       |       |       |       |         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |     |           |       |       |      |      |        |        |  |     |        |        |    |      |      |  |   |          |        |       |        |       |       |      |   |          |       |       |        |       |       |      |   |          |        |       |       |       |       |      |
| 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 5459.850  | 40.99     | 54.00  | -13.01 | 24.70 | 16.29  | Average |        |  |     |        |        |    |      |      |  |   |          |       |       |        |       |       |         |   |          |       |       |       |       |       |         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |     |           |       |       |      |      |        |        |  |     |        |        |    |      |      |  |   |          |        |       |        |       |       |      |   |          |       |       |        |       |       |      |   |          |        |       |       |       |       |      |
| 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 5500.500  | 88.00     | -----  | -----  | 71.62 | 16.46  | Average |        |  |     |        |        |    |      |      |  |   |          |       |       |        |       |       |         |   |          |       |       |       |       |       |         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |     |           |       |       |      |      |        |        |  |     |        |        |    |      |      |  |   |          |        |       |        |       |       |      |   |          |       |       |        |       |       |      |   |          |        |       |       |       |       |      |
| No.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Frequency | Level     | Limit  | Over   | Read  | Factor | Remark  |        |  |     |        |        |    |      |      |  |   |          |       |       |        |       |       |         |   |          |       |       |       |       |       |         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |     |           |       |       |      |      |        |        |  |     |        |        |    |      |      |  |   |          |        |       |        |       |       |      |   |          |       |       |        |       |       |      |   |          |        |       |       |       |       |      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | MHz       | dBuV/m    | dBuV/m | dB     | dBuV  | dB/m   |         |        |  |     |        |        |    |      |      |  |   |          |       |       |        |       |       |         |   |          |       |       |       |       |       |         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |     |           |       |       |      |      |        |        |  |     |        |        |    |      |      |  |   |          |        |       |        |       |       |      |   |          |       |       |        |       |       |      |   |          |        |       |       |       |       |      |
| 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 5459.850  | 55.11     | 74.00  | -18.89 | 38.82 | 16.29  | Peak    |        |  |     |        |        |    |      |      |  |   |          |       |       |        |       |       |         |   |          |       |       |       |       |       |         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |     |           |       |       |      |      |        |        |  |     |        |        |    |      |      |  |   |          |        |       |        |       |       |      |   |          |       |       |        |       |       |      |   |          |        |       |       |       |       |      |
| 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 5469.650  | 56.07     | 60.22  | -12.15 | 39.75 | 16.32  | Peak    |        |  |     |        |        |    |      |      |  |   |          |       |       |        |       |       |         |   |          |       |       |       |       |       |         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |     |           |       |       |      |      |        |        |  |     |        |        |    |      |      |  |   |          |        |       |        |       |       |      |   |          |       |       |        |       |       |      |   |          |        |       |       |       |       |      |
| 3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 5512.350  | 101.09    | -----  | -----  | 84.60 | 16.49  | Peak    |        |  |     |        |        |    |      |      |  |   |          |       |       |        |       |       |         |   |          |       |       |       |       |       |         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |     |           |       |       |      |      |        |        |  |     |        |        |    |      |      |  |   |          |        |       |        |       |       |      |   |          |       |       |        |       |       |      |   |          |        |       |       |       |       |      |

## TX\_ax40\_5510MHz\_V\_Average

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax40\_5510MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |         |
| 1   | 5459.850  | 42.74  | 54.00  | -11.26 | 26.45 | 16.29  | Average |
| 2   | 5508.150  | 95.37  | -----  | -----  | 78.91 | 16.46  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax40\_5510MHz\_V\_Peak

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax40\_5510MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5459.850  | 55.56  | 74.00  | -18.44 | 39.27 | 16.29  | Peak   |
| 2   | 5469.300  | 61.70  | 68.22  | -6.52  | 45.38 | 16.32  | Peak   |
| 3   | 5507.800  | 108.58 | -----  | -----  | 92.12 | 16.46  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax40\_5670MHz\_H\_Peak

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax40\_5670MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark |
|-----|-----------|--------|--------|-------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |        |
| 1   | 5674.050  | 105.19 | -----  | ----- | 87.72 | 17.47  | Peak   |
| 2   | 5725.000  | 58.38  | 68.22  | -9.84 | 40.73 | 17.65  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax40\_5670MHz\_V\_Peak

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax40\_5670MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark |
|-----|-----------|--------|--------|-------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |        |
| 1   | 5668.450  | 111.87 | -----  | ----- | 94.43 | 17.44  | Peak   |
| 2   | 5725.000  | 59.89  | 68.22  | -8.33 | 42.24 | 17.65  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax40\_5755MHz\_H\_Peak

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax40\_5755MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5560.500  | 54.15  | 68.20  | -14.05 | 37.34 | 16.81  | Peak   |
| 2   | 5650.000  | 52.87  | 68.21  | -15.34 | 35.56 | 17.31  | Peak   |
| 3   | 5724.500  | 73.70  | 121.06 | -47.28 | 56.13 | 17.65  | Peak   |
| 4   | 5753.000  | 106.43 | -----  | -----  | 88.70 | 17.73  | Peak   |
| 5   | 5901.500  | 56.06  | 85.59  | -29.53 | 38.00 | 18.06  | Peak   |
| 6   | 5925.000  | 54.67  | 68.21  | -13.54 | 36.53 | 18.14  | Peak   |
| 7   | 5934.500  | 55.99  | 68.20  | -12.21 | 37.84 | 18.15  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax40\_5755MHz\_V\_Peak

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax40\_5755MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5626.500  | 56.10  | 68.20  | -12.10 | 38.91 | 17.19  | Peak   |
| 2   | 5650.000  | 55.65  | 68.21  | -12.56 | 38.34 | 17.31  | Peak   |
| 3   | 5721.000  | 78.06  | 113.06 | -35.02 | 60.42 | 17.64  | Peak   |
| 4   | 5757.500  | 111.40 | -----  | -----  | 93.68 | 17.72  | Peak   |
| 5   | 5895.500  | 58.41  | 90.83  | -31.62 | 40.36 | 18.05  | Peak   |
| 6   | 5925.000  | 55.21  | 68.21  | -13.00 | 37.07 | 18.14  | Peak   |
| 7   | 5980.000  | 56.22  | 68.20  | -11.98 | 38.08 | 18.14  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax40\_5795MHz\_H\_Peak

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax40\_5795MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5610.500  | 54.08  | 68.20  | -14.12 | 36.98 | 17.10  | Peak   |
| 2   | 5650.000  | 52.96  | 68.21  | -15.25 | 35.65 | 17.31  | Peak   |
| 3   | 5715.500  | 55.55  | 109.54 | -53.99 | 37.04 | 17.61  | Peak   |
| 4   | 5798.500  | 107.87 | -----  | -----  | 90.04 | 17.83  | Peak   |
| 5   | 5850.000  | 58.74  | 122.20 | -63.46 | 40.75 | 17.99  | Peak   |
| 6   | 5925.000  | 54.25  | 68.21  | -13.96 | 36.11 | 18.14  | Peak   |
| 7   | 6022.000  | 55.85  | 68.20  | -12.35 | 37.69 | 18.16  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax40\_5795MHz\_V\_Peak

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax40\_5795MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5636.500  | 55.64  | 68.20  | -12.56 | 38.40 | 17.24  | Peak   |
| 2   | 5650.000  | 54.33  | 68.21  | -13.88 | 37.02 | 17.31  | Peak   |
| 3   | 5725.000  | 56.74  | 122.20 | -65.46 | 39.09 | 17.65  | Peak   |
| 4   | 5794.000  | 111.40 | -----  | -----  | 93.58 | 17.82  | Peak   |
| 5   | 5850.000  | 61.99  | 122.20 | -60.21 | 44.00 | 17.99  | Peak   |
| 6   | 5925.000  | 55.62  | 68.21  | -12.59 | 37.48 | 18.14  | Peak   |
| 7   | 5963.000  | 57.07  | 68.20  | -11.13 | 38.93 | 18.14  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax80\_5210MHz\_H\_Average

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax80\_5210MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |         |
| 1   | 5150.000  | 44.31  | 54.00  | -9.69 | 28.55 | 15.76  | Average |
| 2   | 5212.100  | 84.13  | -----  | ----- | 68.15 | 15.98  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax80\_5210MHz\_H\_Peak

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax80\_5210MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5150.000  | 56.51  | 74.00  | -17.49 | 40.75 | 15.76  | Peak   |
| 2   | 5209.700  | 97.06  | -----  | -----  | 81.10 | 15.96  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax80\_5210MHz\_V\_Average

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax80\_5210MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |         |
| 1   | 5150.000  | 51.34  | 54.00  | -2.66 | 35.58 | 15.76  | Average |
| 2   | 5208.800  | 92.43  | -----  | ----- | 76.47 | 15.96  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax80\_5210MHz\_V\_Peak

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax80\_5210MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark |
|-----|-----------|--------|--------|-------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |        |
| 1   | 5149.400  | 64.13  | 74.00  | -9.87 | 48.37 | 15.76  | Peak   |
| 2   | 5208.800  | 105.65 | -----  | ----- | 89.69 | 15.96  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax80\_5290MHz\_H\_Average

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax80\_5290MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |         |
| 1   | 5291.400  | 85.65  | -----  | ----- | 69.67 | 15.98  | Average |
| 2   | 5350.200  | 45.36  | 54.00  | -8.64 | 29.32 | 16.04  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax80\_5290MHz\_H\_Peak

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax80\_5290MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5289.300  | 99.31  | -----  | -----  | 83.33 | 15.98  | Peak   |
| 2   | 5350.500  | 58.14  | 74.00  | -15.86 | 42.10 | 16.04  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax80\_5290MHz\_V\_Average

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax80\_5290MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |         |
| 1   | 5292.300  | 92.98  | -----  | ----- | 77.00 | 15.98  | Average |
| 2   | 5350.200  | 51.33  | 54.00  | -2.67 | 35.29 | 16.04  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax80\_5290MHz\_V\_Peak

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax80\_5290MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark |
|-----|-----------|--------|--------|-------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |        |
| 1   | 5300.100  | 106.76 | -----  | ----- | 90.81 | 15.95  | Peak   |
| 2   | 5351.100  | 65.89  | 74.00  | -8.11 | 49.85 | 16.04  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax80\_5530MHz\_H\_Average

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax80\_5530MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB/m   |         |
| 1   | 5459.850  | 43.24  | 54.00  | -10.76 | 26.95 | 16.29  | Average |
| 2   | 5528.450  | 84.41  | -----  | -----  | 67.81 | 16.60  | Average |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax80\_5530MHz\_H\_Peak

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax80\_5530MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB/m   |        |
| 1   | 5454.600  | 55.77  | 74.00  | -18.23 | 39.50 | 16.27  | Peak   |
| 2   | 5469.300  | 57.48  | 68.22  | -10.74 | 41.16 | 16.32  | Peak   |
| 3   | 5524.250  | 97.51  | -----  | -----  | 80.94 | 16.57  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax80\_5530MHz\_V\_Average

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax80\_5530MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | Limit | Level | dB/m   |         |
| 1   | 5459.850  | 48.30  | 54.00  | -5.70 | 32.01 | 16.29  | Average |
| 2   | 5528.450  | 93.15  | -----  | ----- | 76.55 | 16.60  | Average |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax80\_5530MHz\_V\_Peak

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax80\_5530MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB/m   |        |
| 1   | 5459.850  | 62.47  | 74.00  | -11.53 | 46.18 | 16.29  | Peak   |
| 2   | 5469.300  | 63.57  | 68.22  | -4.65  | 47.25 | 16.32  | Peak   |
| 3   | 5525.650  | 107.15 | -----  | -----  | 90.58 | 16.57  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax80\_5775MHz\_H\_Peak

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax80\_5775MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5628.500  | 54.65  | 68.20  | -13.55 | 37.46 | 17.19  | Peak   |
| 2   | 5650.000  | 54.90  | 68.21  | -13.31 | 37.59 | 17.31  | Peak   |
| 3   | 5724.500  | 65.89  | 121.06 | -55.17 | 48.24 | 17.65  | Peak   |
| 4   | 5771.500  | 96.51  | -----  | -----  | 78.76 | 17.75  | Peak   |
| 5   | 5860.500  | 56.30  | 109.26 | -52.96 | 38.29 | 18.01  | Peak   |
| 6   | 5925.000  | 56.68  | 68.21  | -11.53 | 38.54 | 18.14  | Peak   |
| 7   | 5952.500  | 56.15  | 68.20  | -12.05 | 38.01 | 18.14  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax80\_5775MHz\_V\_Peak

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax80\_5775MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5628.000  | 55.16  | 68.20  | -13.04 | 37.97 | 17.19  | Peak   |
| 2   | 5650.000  | 53.88  | 68.21  | -14.33 | 36.57 | 17.31  | Peak   |
| 3   | 5723.500  | 76.06  | 118.78 | -42.72 | 58.41 | 17.65  | Peak   |
| 4   | 5769.500  | 108.70 | -----  | -----  | 98.96 | 17.74  | Peak   |
| 5   | 5852.000  | 69.11  | 117.64 | -48.53 | 51.11 | 18.00  | Peak   |
| 6   | 5925.000  | 54.22  | 68.21  | -13.99 | 36.08 | 18.14  | Peak   |
| 7   | 5927.500  | 57.02  | 68.20  | -11.18 | 38.88 | 18.14  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax160\_5250MHz\_B1\_H\_Average

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax160\_5250MHz\_B1  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |         |
| 1   | 5144.300  | 45.11  | 54.00  | -8.89 | 29.35 | 15.76  | Average |
| 2   | 5252.600  | 82.86  | -----  | ----- | 66.77 | 16.09  | Average |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax160\_5250MHz\_B1\_H\_Peak

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax160\_5250MHz\_B1  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5133.500  | 58.45  | 74.00  | -15.55 | 42.66 | 15.79  | Peak   |
| 2   | 5254.400  | 94.97  | -----  | -----  | 78.89 | 16.08  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax160\_5250MHz\_B1\_V\_Average

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax160\_5250MHz\_B1  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |         |
| 1   | 5132.300  | 50.45  | 54.00  | -3.55 | 34.65 | 15.80  | Average |
| 2   | 5252.600  | 90.65  | -----  | ----- | 74.56 | 16.09  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax160\_5250MHz\_B1\_V\_Peak

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax160\_5250MHz\_B1  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark |
|-----|-----------|--------|--------|-------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |        |
| 1   | 5123.600  | 64.04  | 74.00  | -9.96 | 48.22 | 15.82  | Peak   |
| 2   | 5257.700  | 103.58 | -----  | ----- | 87.51 | 16.07  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax160\_5250MHz\_B2\_H\_Average

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax160\_5250MHz\_B2  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |         |
| 1   | 5252.700  | 82.90  | -----  | ----- | 66.81 | 16.09  | Average |
| 2   | 5350.200  | 45.61  | 54.00  | -8.39 | 29.57 | 16.04  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax160\_5250MHz\_B2\_H\_Peak

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax160\_5250MHz\_B2  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5248.200  | 95.91  | -----  | -----  | 79.83 | 16.08  | Peak   |
| 2   | 5357.100  | 59.28  | 74.00  | -14.72 | 43.24 | 16.04  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax160\_5250MHz\_B2\_V\_Average

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax160\_5250MHz\_B2  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |         |
| 1   | 5252.700  | 90.60  | 54.00  | -     | 74.51 | 16.09  | Average |
| 2   | 5351.100  | 53.03  | 54.00  | -0.97 | 36.99 | 16.04  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax160\_5250MHz\_B2\_V\_Peak

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ax160\_5250MHz\_B2  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark |
|-----|-----------|--------|--------|-------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |        |
| 1   | 5246.100  | 104.15 | 54.00  | -     | 88.07 | 16.08  | Peak   |
| 2   | 5363.100  | 65.84  | 54.00  | -8.16 | 49.82 | 16.02  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax160\_5570MHz\_H\_Average

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax160\_5570MHz  
Test BY :Rock




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m   |         |
| 1   | 5459.850  | 46.97  | 54.00  | -7.03 | 38.68 | 16.29  | Average |
| 2   | 5568.000  | 85.62  | 54.00  | -     | 68.76 | 16.86  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ax160\_5570MHz\_H\_Peak

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ax160\_5570MHz  
Test BY :Rock



| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 5445.500  | 59.77  | 54.00  | -14.23 | 43.54 | 16.23  | Peak   |
| 2   | 5465.450  | 62.53  | 54.00  | -5.69  | 46.22 | 16.31  | Peak   |
| 3   | 5567.300  | 98.50  | 54.00  | -      | 81.65 | 16.85  | Peak   |
| 4   | 5727.950  | 58.87  | 54.00  | -9.35  | 41.21 | 17.66  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

