

APPENDIX F: LTE AND NR LOWER BANDWIDTH RF CONDUCTED POWERS

FCC ID: BCG-A3582	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Watch		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX F: Page 1 of 62

F.1 LTE Lower Bandwidth RF Conducted Powers

F.1.1 LTE Band 71

Table F-1
LTE Band 71 Measured P_{Max} for ECI=1 (Head) and ECI=0 (Extremity) - 15 MHz Bandwidth

LTE Band 71 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133297 (680.5 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	24.35	0	0
	1	36	24.33		0
	1	74	24.27		0
	36	0	23.51	0-1	1
	36	18	23.48		1
	36	37	23.43		1
	75	0	23.45		1
	15	0	24.45	0-1	0
	15	30	24.40		0
	15	60	24.36		0
	27	0	23.39	0-2	1
	27	24	23.43		1
	27	48	23.38		1
16QAM	1	0	23.31	0-2	1
	1	36	23.28		1
	1	74	23.32		1
	15	0	23.43	0-3	1
	15	30	23.39		1
	15	60	23.35		1
	27	0	22.20	0-5	2
	27	24	22.22		2
	27	48	22.20		2

Table F-2
LTE Band 71 Measured P_{Max} for ECI=1 (Head) and ECI=0 (Extremity) - 10 MHz Bandwidth

LTE Band 71 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133172 (668.0 MHz)	133297 (680.5 MHz)	133422 (693.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.31	24.35	24.42	0	0
	1	25	24.33	24.37	24.48		0
	1	49	24.33	24.35	24.42		0
	25	0	23.44	23.51	23.58	0-1	1
	25	12	23.43	23.47	23.54		1
	25	25	23.41	23.45	23.52		1
	50	0	23.41	23.47	23.54	0-1	1
	15	0	24.01	24.10	24.17		1
	15	17	23.98	24.03	24.11		1
	15	35	23.97	24.02	24.09	0-2	1
	27	0	23.38	23.39	23.44		1
	27	12	23.39	23.43	23.49		1
27	23	23.33	23.36	23.43		1	
16QAM	1	0	23.28	23.32	23.39	0-2	1
	1	25	23.29	23.33	23.41		1
	1	49	23.22	23.27	23.34		1
	25	0	22.21	22.26	22.33	0-3	2
	25	12	22.17	22.21	22.28		2
	25	25	22.18	22.22	22.29		2
	15	0	22.19	22.23	22.32	0-5	2
	15	17	22.20	22.24	22.31		2
	15	35	22.22	22.26	22.33		2
	27	0	22.17	22.23	22.30		2
	27	12	22.14	22.19	22.24		2
	27	23	22.13	22.20	22.27		2

Table F-3
LTE Band 71 Measured P_{Max} for ECI=1 (Head) and ECI=0 (Extremity) - 5 MHz Bandwidth

LTE Band 71 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133147 (665.5 MHz)	133297 (680.5 MHz)	133447 (695.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.32	24.37	24.48	0	0
	1	12	24.35	24.40	24.51		0
	1	24	24.29	24.42	24.44		0
	12	0	23.40	23.52	23.60	0-1	1
	12	6	23.41	23.49	23.61		1
	12	13	23.39	23.52	23.56		1
	25	0	23.38	23.50	23.59		1
16QAM	1	0	23.33	23.34	23.42	0-1	1
	1	12	23.32	23.35	23.41		1
	1	24	23.27	23.32	23.34		1
	12	0	22.26	22.31	22.34	0-2	2
	12	6	22.25	22.22	22.29		2
	12	13	22.22	22.23	22.29		2
	25	0	22.20	22.22	22.31		2

F.1.2 LTE Band 12

Table F-4
LTE Band 12 Measured P_{Max} for ECI=1 (Head) and ECI=0 (Extremity) - 5 MHz Bandwidth

LTE Band 12 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23035 (701.5 MHz)	23095 (707.5 MHz)	23155 (713.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.97	24.18	24.12	0	0
	1	12	23.89	24.16	24.07		0
	1	24	23.98	24.15	24.09		0
	12	0	23.17	23.18	23.17	0-1	1
	12	6	23.19	23.27	23.24		1
	12	13	23.21	23.29	23.25		1
	25	0	23.23	23.30	23.29		1
16QAM	1	0	22.86	22.95	22.90	0-1	1
	1	12	22.91	22.96	22.89		1
	1	24	22.91	22.93	22.88		1
	12	0	21.98	22.01	21.99	0-2	2
	12	6	21.95	22.01	21.97		2
	12	13	21.95	21.99	21.97		2
	25	0	21.96	22.03	21.99		2

Table F-5

LTE Band 12 Measured P_{Max} for ECI=1 (Head) and ECI=0 (Extremity) – 3 MHz Bandwidth

LTE Band 12 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23025 (700.5 MHz)	23095 (707.5 MHz)	23165 (714.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.89	24.08	23.89	0	0
	1	7	23.82	24.06	23.87		0
	1	14	23.81	24.08	23.79		0
	8	0	23.12	23.37	23.09	0-1	1
	8	4	23.06	23.28	23.06		1
	8	7	23.06	23.33	23.13		1
	15	0	23.07	23.35	23.05		1
16QAM	1	0	22.81	22.95	22.86	0-1	1
	1	7	22.82	22.93	22.85		1
	1	14	22.79	22.89	22.85		1
	8	0	21.89	22.05	21.92	0-2	2
	8	4	21.85	21.98	21.92		2
	8	7	21.83	21.98	21.91		2
	15	0	21.89	22.05	21.95		2

FCC ID: BCG-A3582	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Watch		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX F: Page 6 of 62

Table F-6
LTE Band 12 Measured P_{Max} for ECI=1 (Head) and ECI=0 (Extremity) - 1.4 MHz Bandwidth

LTE Band 12 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23017 (699.7 MHz)	23095 (707.5 MHz)	23173 (715.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.88	24.13	23.90	0	0
	1	2	23.85	24.02	23.82		0
	1	5	23.86	24.09	23.83		0
	3	0	23.86	24.03	23.79		0
	3	2	23.87	24.05	23.91		0
	3	3	23.89	24.03	23.88		0
	6	0	22.90	23.30	22.90	0-1	1
16QAM	1	0	22.84	22.82	22.72	0-1	1
	1	2	22.83	22.76	22.72		1
	1	5	22.82	22.87	22.80		1
	3	0	22.93	23.07	22.91		1
	3	2	22.93	23.05	22.90		1
	3	3	22.92	22.96	22.85		1
	6	0	21.93	21.92	21.80	0-2	2

F.1.3 LTE Band 13

Table F-7
LTE Band 13 Measured P_{Max} for ECI=1 (Head) and ECI=0 (Extremity) - 5 MHz Bandwidth

LTE Band 13 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23230 (782.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	23.93	0	0
	1	12	23.91		0
	1	24	23.90		0
	12	0	23.15	0-1	1
	12	6	23.12		1
	12	13	23.13		1
	25	0	23.15		1
16QAM	1	0	22.91	0-1	1
	1	12	22.89		1
	1	24	22.86		1
	12	0	21.96	0-2	2
	12	6	21.98		2
	12	13	21.95		2
	25	0	21.95		2

F.1.4 LTE Band 14

Table F-8
LTE Band 14 Measured P_{Max} for ECI=1 (Head) and ECI=0 (Extremity) - 5 MHz Bandwidth

LTE Band 14 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23330 (793.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	23.86	0	0
	1	12	23.91		0
	1	24	23.90		0
	12	0	23.17	0-1	1
	12	6	23.18		1
	12	13	23.22		1
	25	0	23.22		1
16QAM	1	0	22.90	0-1	1
	1	12	22.88		1
	1	24	22.93		1
	12	0	21.97	0-2	2
	12	6	21.95		2
	12	13	22.01		2
	25	0	21.80		2

F.1.5 LTE Band 26

Table F-9
LTE Band 26 (Cell) Measured P_{Max} for ECI=1 (Head) and ECI=0 (Extremity) - 5 MHz Bandwidth

LTE Band 26 (Cell) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26715 (816.5 MHz)	26865 (831.5 MHz)	27015 (846.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.33	24.28	24.36	0	0
	1	12	24.34	24.29	24.35		0
	1	24	24.51	24.39	24.48		0
	12	0	23.39	23.41	23.39	0-1	1
	12	6	23.41	23.41	23.37		1
	12	13	23.50	23.46	23.43		1
	25	0	23.49	23.47	23.44		1
16QAM	1	0	23.36	23.45	23.92	0-1	1
	1	12	23.34	23.43	23.92		1
	1	24	23.53	23.53	23.82		1
	12	0	22.55	22.53	22.48	0-2	2
	12	6	22.53	22.53	22.47		2
	12	13	22.60	22.55	22.54		2
	25	0	22.49	22.52	22.52		2

Table F-10
LTE Band 26 (Cell) Measured P_{Max} for ECI=1 (Head) and ECI=0 (Extremity) - 3 MHz Bandwidth

LTE Band 26 (Cell) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26705 (815.5 MHz)	26865 (831.5 MHz)	27025 (847.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.40	24.35	24.29	0	0
	1	7	24.34	24.30	24.34		0
	1	14	24.41	24.39	24.45		0
	8	0	23.41	23.45	23.37	0-1	1
	8	4	23.40	23.46	23.40		1
	8	7	23.41	23.45	23.44		1
	15	0	23.39	23.46	23.40		1
16QAM	1	0	23.21	23.38	23.70	0-1	1
	1	7	23.13	23.33	23.76		1
	1	14	23.20	23.42	23.90		1
	8	0	22.42	22.51	22.49	0-2	2
	8	4	22.44	22.51	22.49		2
	8	7	22.43	22.55	22.55		2
	15	0	22.41	22.56	22.44		2

Table F-11
LTE Band 26 (Cell) Measured P_{Max} for ECI=1 (Head) and ECI=0 (Extremity) - 1.4 MHz Bandwidth

LTE Band 26 (Cell) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26697 (814.7 MHz)	26865 (831.5 MHz)	27033 (848.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.24	24.30	24.27	0	0
	1	2	24.13	24.25	24.27		0
	1	5	24.25	24.32	24.32		0
	3	0	24.22	24.33	24.31		0
	3	2	24.23	24.31	24.30		0
	3	3	24.30	24.37	24.32		0
	6	0	23.21	23.30	23.36	0-1	1
16QAM	1	0	23.11	23.75	23.19	0-1	1
	1	2	23.01	23.69	23.11		1
	1	5	23.17	23.77	23.32		1
	3	0	23.40	23.72	23.51		1
	3	2	23.39	23.69	23.50		1
	3	3	23.42	23.78	23.50	1	
	6	0	22.18	22.30	22.54	0-2	2

F.1.6 LTE Band 5

Table F-12
LTE Band 5 Measured P_{Max} for ECI=1 (Head) and ECI=0 (Extremity) - 5 MHz Bandwidth

LTE Band 5 (Cell) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20425 (826.5 MHz)	20525 (836.5 MHz)	20625 (846.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.13	24.25	24.17	0	0
	1	12	24.17	24.21	24.19		0
	1	24	24.20	24.22	24.18		0
	12	0	23.19	23.29	23.25	0-1	1
	12	6	23.24	23.31	23.26		1
	12	13	23.26	23.29	23.28		1
	25	0	23.28	23.33	23.28		1
16QAM	1	0	22.90	22.92	22.80	0-1	1
	1	12	22.89	22.93	22.87		1
	1	24	22.83	22.85	22.89		1
	12	0	22.02	22.00	21.97	0-2	2
	12	6	22.03	21.98	21.95		2
	12	13	22.05	22.00	21.99		2
	25	0	22.03	22.05	21.99		2

Table F-13
LTE Band 5 Measured P_{Max} for ECI=1 (Head) and ECI=0 (Extremity) - 3 MHz Bandwidth

LTE Band 5 (Cell) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20415 (825.5 MHz)	20525 (836.5 MHz)	20635 (847.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.93	24.15	23.92	0	0
	1	7	23.88	24.12	23.89		0
	1	14	23.93	24.13	23.87		0
	8	0	23.25	23.31	23.51	0-1	1
	8	4	23.22	23.30	23.29		1
	8	7	23.22	23.30	23.30		1
	15	0	23.25	23.28	23.31		1
16QAM	1	0	22.90	22.97	22.92	0-1	1
	1	7	22.83	22.90	22.87		1
	1	14	22.90	22.96	22.93		1
	8	0	22.03	22.07	22.03	0-2	2
	8	4	22.01	22.06	22.05		2
	8	7	22.00	22.05	22.02		2
	15	0	22.08	22.09	22.05		2

Table F-14
LTE Band 5 Measured P_{Max} for ECI=1 (Head) and ECI=0 (Extremity) – 1.4 MHz Bandwidth

LTE Band 5 (Cell) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20407 (824.7 MHz)	20525 (836.5 MHz)	20643 (848.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.14	24.23	24.19	0	0
	1	2	24.15	24.22	24.20		0
	1	5	24.16	24.28	24.21		0
	3	0	24.07	24.12	24.03		0
	3	2	23.98	24.10	24.02		0
	3	3	24.05	24.12	24.03		0
	6	0	23.33	23.45	23.35	0-1	1
16QAM	1	0	22.77	22.88	22.82	0-1	1
	1	2	22.76	22.82	22.76		1
	1	5	22.81	22.89	22.83		1
	3	0	22.73	22.85	22.81		1
	3	2	22.76	22.85	22.73		1
	3	3	22.83	22.86	22.81		1
	6	0	21.79	21.89	21.78	0-2	2

F.1.7 LTE Band 66

Table F-15
LTE Band 66 (AWS) Measured P_{Max} for ECI=1 (Head) and ECI=0 (Extremity) - 15 MHz Bandwidth

LTE Band 66 (AWS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132047 (1717.5 MHz)	132322 (1745.0 MHz)	132597 (1772.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.03	24.11	24.07	0	0
	1	36	24.04	24.11	24.03		0
	1	74	24.13	23.93	23.92		0
	36	0	22.91	22.98	23.06	0-1	1
	36	18	23.18	23.13	23.12		1
	36	37	22.96	23.04	22.95		1
	75	0	23.23	22.96	23.07	0-1	1
	15	0	24.22	24.12	24.00		0
	15	30	23.95	24.04	24.01		0
	15	60	24.16	24.06	23.89	0-2	0
	27	0	23.05	22.97	23.07		1
	27	24	23.06	23.17	23.09		1
27	48	23.28	23.02	22.96		1	
16QAM	1	0	22.95	22.89	23.18	0-2	1
	1	36	22.94	23.32	23.01		1
	1	74	23.29	23.06	22.90		1
	15	0	23.34	22.90	23.15	0-3	1
	15	30	23.15	22.99	22.99		1
	15	60	22.95	23.10	23.11		1
	27	0	21.90	22.01	21.95	0-5	2
	27	24	22.16	21.90	22.01		2
	27	48	21.96	22.24	21.90		2

Table F-16
LTE Band 66 (AWS) Measured P_{Max} for ECI=1 (Head) and ECI=0 (Extremity) - 10 MHz Bandwidth

LTE Band 66 (AWS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132022 (1715.0 MHz)	132322 (1745.0 MHz)	132622 (1775.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.26	23.94	24.02	0	0
	1	25	23.98	24.09	24.01		0
	1	49	24.16	23.94	23.93		0
	25	0	23.29	23.23	23.13	0-1	1
	25	12	23.29	23.15	23.13		1
	25	25	23.23	22.95	23.00		1
	50	0	23.18	23.13	22.99	0-1	1
	15	0	23.05	23.07	23.03		1
	15	17	23.23	22.95	23.00		1
	15	35	22.95	23.01	22.91	0-2	1
	27	0	22.95	23.20	23.10		1
	27	12	23.19	23.17	23.03		1
27	23	23.30	23.12	22.94	1		
16QAM	1	0	23.01	22.85	22.90	0-2	1
	1	25	22.87	23.17	23.02		1
	1	49	23.25	23.03	22.92		1
	25	0	22.15	21.90	22.08	0-3	2
	25	12	22.07	21.95	21.96		2
	25	25	22.23	22.06	21.89		2
	15	0	22.02	22.01	22.10	0-5	2
	15	17	22.13	21.89	22.10		2
	15	35	21.92	21.87	22.13		2
	27	0	21.88	22.03	21.99		2
	27	12	21.94	21.77	21.98		2
	27	23	21.91	22.10	21.88		2

Table F-17
LTE Band 66 (AWS) Measured P_{Max} for ECI=1 (Head) and ECI=0 (Extremity) - 5 MHz Bandwidth

LTE Band 66 (AWS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131997 (1712.5 MHz)	132322 (1745.0 MHz)	132647 (1777.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.19	24.16	24.01	0	0
	1	12	24.05	24.07	23.92		0
	1	24	24.10	23.94	23.90		0
	12	0	23.15	23.09	23.03	0-1	1
	12	6	23.09	23.12	23.01		1
	12	13	23.18	22.99	23.00		1
	25	0	23.13	23.10	23.07		1
16QAM	1	0	23.11	23.04	22.94	0-1	1
	1	12	23.12	23.00	22.93		1
	1	24	23.10	22.95	23.02		1
	12	0	22.52	22.64	22.75	0-2	2
	12	6	21.90	21.91	21.93		2
	12	13	22.31	21.82	22.01		2
	25	0	21.97	21.96	21.88		2

Table F-18
LTE Band 66 (AWS) Measured P_{Max} for ECI=1 (Head) and ECI=0 (Extremity) - 3 MHz Bandwidth

LTE Band 66 (AWS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131987 (1711.5 MHz)	132322 (1745.0 MHz)	132657 (1778.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.89	24.14	24.10	0	0
	1	7	24.13	24.09	24.01		0
	1	14	24.13	23.99	23.95		0
	8	0	23.07	22.92	22.97	0-1	1
	8	4	23.08	23.14	22.93		1
	8	7	23.11	22.99	22.93		1
	15	0	23.09	23.16	23.03		1
16QAM	1	0	23.21	23.06	22.96	0-1	1
	1	7	23.16	22.95	23.07		1
	1	14	23.13	22.90	22.89		1
	8	0	22.55	22.73	22.68	0-2	2
	8	4	21.85	22.03	21.95		2
	8	7	22.14	21.88	21.85		2
	15	0	21.90	21.98	21.88		2

FCC ID: BCG-A3582	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Watch		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX F: Page 19 of 62

Table F-19
LTE Band 66 (AWS) Measured P_{Max} for ECI=1 (Head) and ECI=0 (Extremity) - 1.4 MHz Bandwidth

LTE Band 66 (AWS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131979 (1710.7 MHz)	132322 (1745.0 MHz)	132665 (1779.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.10	24.04	24.03	0	0
	1	2	24.10	23.92	24.03		0
	1	5	24.14	23.95	23.93		0
	3	0	23.09	23.26	23.10		1
	3	2	22.91	23.12	22.89		1
	3	3	22.90	22.89	22.95		1
	6	0	22.93	23.15	23.06	0-1	1
16QAM	1	0	23.07	23.03	22.90	0-1	1
	1	2	23.00	23.02	23.06		1
	1	5	23.01	22.92	23.07		1
	3	0	22.93	23.04	22.92		1
	3	2	22.90	22.98	22.96		1
	3	3	23.31	22.82	23.00	1	
	6	0	21.88	22.17	21.88	0-2	2

F.1.8 LTE Band 25

Table F-20

LTE Band 25 (PCS) Measured P_{Max} for ECI=1 (Head) and ECI=0 (Extremity) - 15 MHz Bandwidth

LTE Band 25 (PCS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26115 (1857.5 MHz)	26365 (1882.5 MHz)	26615 (1907.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.01	24.17	24.11	0	0
	1	36	24.14	24.18	24.19		0
	1	74	24.00	24.19	24.26		0
	36	0	23.08	23.09	23.16	0-1	1
	36	18	23.08	23.30	23.26		1
	36	37	23.05	23.21	23.13		1
	75	0	23.17	23.19	23.20	0-1	1
	15	0	24.03	24.10	24.28		0
	15	30	24.11	24.17	24.14		0
	15	60	24.03	24.11	24.28	0-2	0
	27	0	23.11	23.19	23.02		1
	27	24	23.09	23.17	23.21		1
27	48	23.04	23.01	23.26	1		
16QAM	1	0	23.14	23.38	23.18	0-2	1
	1	36	23.03	23.05	23.09		1
	1	74	23.11	23.05	23.15		1
	15	0	23.19	23.35	22.98	0-3	1
	15	30	23.19	23.22	23.20		1
	15	60	23.22	23.15	23.12		1
	27	0	22.03	22.04	22.05	0-5	2
	27	24	22.06	22.15	22.17		2
	27	48	22.02	22.11	22.30		2

FCC ID: BCG-A3582	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Watch		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX F: Page 21 of 62

Table F-21
LTE Band 25 (PCS) Measured P_{Max} for ECI=1 (Head) and ECI=0 (Extremity) - 10 MHz Bandwidth

LTE Band 25 (PCS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26090 (1855.0 MHz)	26365 (1882.5 MHz)	26640 (1910.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.02	24.08	24.30	0	0
	1	25	24.16	24.15	24.06		0
	1	49	24.09	24.07	24.26		0
	25	0	23.09	23.20	23.09	0-1	1
	25	12	23.08	23.08	23.13		1
	25	25	23.01	23.15	23.14		1
	50	0	23.06	23.07	23.05	0-1	1
	15	0	23.58	23.66	23.82		1
	15	17	23.70	23.75	23.83		1
	15	35	23.62	23.76	23.88	0-2	1
	27	0	23.21	23.14	23.08		1
	27	12	23.10	23.19	23.31		1
27	23	23.00	23.04	23.18	1		
16QAM	1	0	23.06	23.15	23.18	0-2	1
	1	25	23.00	23.08	23.09		1
	1	49	23.12	23.11	23.15		1
	25	0	22.18	22.27	22.02	0-3	2
	25	12	22.09	22.08	22.23		2
	25	25	22.10	22.15	22.17		2
	15	0	22.12	22.09	22.05	0-5	2
	15	17	22.18	22.05	22.12		2
	15	35	22.05	22.12	22.17		2
	27	0	22.02	22.07	22.08		2
	27	12	22.09	22.15	22.17		2
	27	23	22.05	22.17	22.29		2

Table F-22
LTE Band 25 (PCS) Measured P_{Max} for ECI=1 (Head) and ECI=0 (Extremity) - 5 MHz Bandwidth

LTE Band 25 (PCS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26065 (1852.5 MHz)	26365 (1882.5 MHz)	26665 (1912.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.05	24.17	24.27	0	0
	1	12	24.17	24.30	24.11		0
	1	24	24.10	24.13	24.18		0
	12	0	23.09	23.19	23.19	0-1	1
	12	6	23.12	23.10	23.30		1
	12	13	23.05	23.16	23.21		1
	25	0	23.16	23.15	23.10		1
16QAM	1	0	23.07	23.10	23.13	0-1	1
	1	12	23.07	23.13	23.02		1
	1	24	23.13	23.12	23.17		1
	12	0	22.13	22.24	22.08	0-2	2
	12	6	22.02	22.05	22.11		2
	12	13	22.13	22.16	22.15		2
	25	0	22.06	22.20	22.24		2

Table F-23
LTE Band 25 (PCS) Measured P_{Max} for ECI=1 (Head) and ECI=0 (Extremity) - 3 MHz Bandwidth

LTE Band 25 (PCS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26055 (1851.5 MHz)	26365 (1882.5 MHz)	26675 (1913.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.01	24.20	24.30	0	0
	1	7	24.11	24.24	24.37		0
	1	14	24.12	24.06	24.28		0
	8	0	23.08	23.29	23.16	0-1	1
	8	4	23.13	23.24	23.26		1
	8	7	23.14	23.17	23.19		1
	15	0	23.17	23.15	23.15		1
16QAM	1	0	23.07	23.16	23.15	0-1	1
	1	7	23.24	23.17	23.02		1
	1	14	23.07	23.05	23.16		1
	8	0	22.25	22.13	22.06	0-2	2
	8	4	22.03	22.07	22.10		2
	8	7	22.15	22.22	22.18		2
	15	0	22.03	22.06	22.29		2

FCC ID: BCG-A3582	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Watch		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX F: Page 24 of 62

Table F-24

LTE Band 25 (PCS) Measured P_{Max} for ECI=1 (Head) and ECI=0 (Extremity) - 1.4 MHz Bandwidth

LTE Band 25 (PCS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26047 (1850.7 MHz)	26365 (1882.5 MHz)	26683 (1914.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.05	24.19	24.17	0	0
	1	2	24.11	24.20	24.19		0
	1	5	24.05	24.18	24.11		0
	3	0	24.09	24.31	24.20		0
	3	2	24.10	24.05	24.23		0
	3	3	24.05	24.11	24.23		0
	6	0	23.19	23.21	23.21	0-1	1
16QAM	1	0	23.08	23.14	23.06	0-1	1
	1	2	23.07	23.05	23.03		1
	1	5	23.20	23.23	23.18		1
	3	0	23.32	23.06	23.07		1
	3	2	23.03	23.03	23.15		1
	3	3	23.11	23.18	23.05	1	
	6	0	22.05	22.10	22.15	0-2	2

F.1.9 LTE Band 7

Table F-25
LTE Band 7 Measured P_{Max} for ECI=0 (Extremity) - 15 MHz Bandwidth

LTE Band 7 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20825 (2507.5 MHz)	21100 (2535.0 MHz)	21375 (2562.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.69	24.00	23.85	0	0
	1	36	24.08	23.92	23.71		0
	1	74	23.65	23.83	24.08		0
	36	0	22.87	22.83	22.84	0-1	1
	36	18	23.00	22.87	22.93		1
	36	37	22.86	22.89	22.67		1
	75	0	23.01	22.84	22.79	0-1	1
	15	0	23.86	23.82	23.93		0
	15	30	23.92	23.70	24.08		0
	15	60	23.76	24.00	23.96	0-2	0
	27	0	22.84	22.93	23.09		1
	27	24	22.98	22.76	22.65		1
27	48	23.05	22.91	22.82	1		
16QAM	1	0	22.78	22.66	22.89	0-2	1
	1	36	22.84	22.93	23.05		1
	1	74	22.73	22.75	22.93		1
	15	0	22.87	22.95	22.89	0-3	1
	15	30	22.76	22.98	23.04		1
	15	60	22.97	23.02	22.76		1
	27	0	21.78	21.90	21.85	0-5	2
	27	24	21.88	21.68	22.01		2
27	48	21.66	21.76	22.05	2		

FCC ID: BCG-A3582	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Watch		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX F: Page 26 of 62

Table F-26
LTE Band 7 Measured P_{Max} for ECI=0 (Extremity) - 10 MHz Bandwidth

LTE Band 7 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20800 (2505.0 MHz)	21100 (2535.0 MHz)	21400 (2565.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.08	23.91	24.05	0	0
	1	25	23.65	23.76	23.99		0
	1	49	23.99	23.96	24.07		0
	25	0	23.05	23.03	22.95	0-1	1
	25	12	22.93	22.82	22.86		1
	25	25	22.86	22.90	22.73		1
	50	0	22.88	22.89	22.79	0-1	1
	15	0	22.79	22.72	22.67		1
	15	17	23.05	22.74	23.00		1
	15	35	23.00	22.91	22.92	0-2	1
	27	0	22.84	22.73	22.83		1
	27	12	22.80	23.05	23.03		1
27	23	23.09	22.91	22.86		1	
16QAM	1	0	22.72	23.03	22.68	0-2	1
	1	25	23.02	22.97	22.73		1
	1	49	23.08	23.03	22.98		1
	25	0	22.03	22.03	21.69	0-3	2
	25	12	21.65	21.98	21.74		2
	25	25	21.80	21.95	22.02		2
	15	0	21.81	21.94	21.78	0-5	2
	15	17	21.65	21.69	21.73		2
	15	35	22.05	22.06	22.04		2
	27	0	21.86	21.68	22.06		2
	27	12	21.90	21.99	21.92		2
	27	23	21.69	21.66	21.72		2

Table F-27
LTE Band 7 Measured P_{Max} for ECI=0 (Extremity) - 5 MHz Bandwidth

LTE Band 7 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20775 (2502.5 MHz)	21100 (2535.0 MHz)	21425 (2567.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.76	23.76	23.65	0	0
	1	12	23.80	23.73	23.82		0
	1	24	23.99	23.83	23.87		0
	12	0	23.05	22.73	22.91	0-1	1
	12	6	22.90	23.04	22.99		1
	12	13	22.98	23.01	22.95		1
	25	0	23.07	22.85	23.07		1
16QAM	1	0	22.92	22.99	22.85	0-1	1
	1	12	22.75	22.74	22.69		1
	1	24	22.97	22.67	22.90		1
	12	0	21.88	21.94	21.78	0-2	2
	12	6	21.72	21.78	21.96		2
	12	13	22.00	21.75	21.73		2
	25	0	21.75	21.85	21.80		2

FCC ID: BCG-A3582	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Watch		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX F: Page 28 of 62

F.1.10 LTE Band 7 Reduced

Table F-28
LTE Band 7 Reduced Measured P_{Lim} for ECI=1 (Head) - 15 MHz Bandwidth

LTE Band 7 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20825 (2507.5 MHz)	21100 (2535.0 MHz)	21375 (2562.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.26	23.53	23.72	0	0
	1	36	23.45	23.64	23.65		0
	1	74	23.56	23.60	23.65		0
	36	0	23.34	23.70	23.50	0-1	0
	36	18	23.77	23.45	23.42		0
	36	37	23.73	23.46	23.27		0
	75	0	23.72	23.46	23.66	0-1	0
	15	0	23.42	23.55	23.47		0
	15	30	23.75	23.26	23.57		0
	15	60	23.58	23.74	23.21	0-2	0
	27	0	23.69	23.22	23.37		0
	27	24	23.56	23.29	23.44		0
27	48	23.66	23.46	23.28	0		
16QAM	1	0	23.58	23.56	23.22	0-2	0
	1	36	23.70	23.68	23.79		0
	1	74	23.65	23.64	23.24		0
	15	0	23.28	23.48	23.50	0-3	0
	15	30	23.52	23.72	23.24		0
	15	60	23.57	23.39	23.20		0
	27	0	22.82	22.81	22.97	0-5	0.8
	27	24	22.78	22.94	22.80		0.8
27	48	22.94	22.94	22.81	0.8		

Table F-29
LTE Band 7 Reduced Measured P_{Lim} for ECI=1 (Head) - 10 MHz Bandwidth

LTE Band 7 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20800 (2505.0 MHz)	21100 (2535.0 MHz)	21400 (2565.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.56	23.59	23.46	0	0
	1	25	23.58	23.40	23.56		0
	1	49	23.58	23.45	23.71		0
	25	0	23.69	23.71	23.72	0-1	0
	25	12	23.78	23.77	23.26		0
	25	25	23.41	23.69	23.44		0
	50	0	23.43	23.68	23.51	0-1	0
	15	0	23.66	23.42	23.22		0
	15	17	23.21	23.21	23.45		0
	15	35	23.35	23.45	23.53	0-2	0
	27	0	23.44	23.57	23.61		0
	27	12	23.47	23.77	23.62		0
27	23	23.43	23.70	23.43		0	
16QAM	1	0	23.43	23.31	23.56	0-2	0
	1	25	23.49	23.48	23.78		0
	1	49	23.53	23.36	23.74		0
	25	0	22.90	22.81	22.79	0-3	0
	25	12	23.04	22.79	22.84		0
	25	25	22.79	22.80	22.82		0
	15	0	22.61	22.94	22.51	0-5	0.8
	15	17	22.88	22.42	22.44		0.8
	15	35	22.84	22.93	22.92		0.8
	27	0	22.47	22.49	22.57		0.8
	27	12	22.73	22.40	22.86		0.8
	27	23	22.53	22.75	22.74		0.8

Table F-30
LTE Band 7 Reduced Measured P_{Lim} for ECI=1 (Head) - 5 MHz Bandwidth

LTE Band 7 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20775 (2502.5 MHz)	21100 (2535.0 MHz)	21425 (2567.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.34	23.29	23.51	0	0
	1	12	23.72	23.38	23.34		0
	1	24	23.74	23.31	23.21		0
	12	0	23.21	23.56	23.68	0-1	0
	12	6	23.62	23.20	23.59		0
	12	13	23.73	23.38	23.71		0
	25	0	23.58	23.42	23.44		0
16QAM	1	0	23.24	23.66	23.44	0-1	0
	1	12	23.30	23.29	23.34		0
	1	24	23.77	23.32	23.61		0
	12	0	22.95	22.68	22.76	0-2	0
	12	6	23.10	22.98	23.24		0
	12	13	22.83	22.84	22.83		0
	25	0	22.78	23.15	23.14		0

F.1.11 LTE Band 41

Table F-31
LTE Band 41 Measured P_{Max} for ECI=1 (Head) and ECI=0 (Extremity) - 15 MHz Bandwidth

LTE Band 41 15 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	24.18	24.12	23.88	23.98	24.16	0	0
	1	36	24.15	24.08	24.07	24.17	24.09		0
	1	74	23.99	23.97	24.14	24.22	24.19		0
	36	0	23.17	22.98	22.99	23.10	23.12	0-1	1
	36	18	23.00	22.86	22.81	22.74	22.99		1
	36	37	23.05	23.18	23.18	22.81	22.99		1
	75	0	23.14	23.10	23.05	23.16	23.21	0-1	1
	15	0	24.13	24.03	23.98	24.02	23.70		0
	15	30	23.96	23.90	23.75	23.75	24.08		0
	15	60	23.86	23.71	23.90	23.84	24.22	0-2	0
	27	0	23.09	23.08	22.71	22.75	22.92		1
	27	24	22.84	23.18	23.07	22.80	22.74		1
16QAM	27	48	23.05	22.99	22.99	22.77	23.20	0-2	1
	1	0	22.90	23.14	23.16	23.07	22.87		1
	1	36	22.80	23.20	22.89	23.10	22.80		1
	1	74	23.02	22.98	22.89	22.91	22.89	0-3	1
	15	0	23.07	23.19	22.71	23.10	22.97		1
	15	30	23.02	22.95	22.74	22.87	23.00		1
	15	60	23.18	23.15	23.07	22.80	23.04	1	
	27	0	22.16	22.14	22.11	21.70	21.83	0-5	2
	27	24	21.80	22.05	21.79	22.11	21.97		2
	27	48	21.83	22.19	21.77	22.15	22.20		2

FCC ID: BCG-A3582	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Watch		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX F: Page 32 of 62

Table F-32
LTE Band 41 Measured P_{Max} for ECI=1 (Head) and ECI=0 (Extremity) - 10 MHz Bandwidth

LTE Band 41 10 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	24.19	24.21	23.89	24.14	24.16	0	0
	1	25	24.09	23.77	23.73	23.93	23.71		0
	1	49	24.11	23.77	23.72	23.85	24.07		0
	25	0	23.09	22.95	22.98	22.87	23.11	0-1	1
	25	12	22.90	22.70	23.03	23.13	22.99		1
	25	25	22.99	22.76	23.04	23.19	23.12		1
	50	0	23.12	22.94	22.83	23.21	23.10	0-1	1
	15	0	23.11	22.98	23.13	23.19	22.81		1
	15	17	23.04	22.70	23.18	23.09	23.02		1
	15	35	22.95	22.76	23.13	22.85	23.14	0-2	1
	27	0	22.86	23.10	23.12	23.06	22.74		1
	27	12	22.79	22.76	23.12	22.88	22.75		1
16QAM	27	23	23.04	22.81	22.88	22.78	23.07	0-2	1
	1	0	22.74	22.80	23.12	22.90	23.22		1
	1	25	22.78	22.97	22.94	22.89	22.71	0-2	1
	1	49	22.83	23.01	23.19	22.92	23.03		1
	25	0	21.72	21.96	22.05	21.85	21.70		0-3
	25	12	21.81	22.08	22.22	21.80	21.94	2	
	25	25	22.05	21.76	21.69	22.18	21.97	2	
	15	0	22.18	21.95	22.23	22.17	21.73	0-5	2
	15	17	21.92	21.78	22.15	21.91	22.13		2
	15	35	21.78	22.16	22.15	22.11	22.01		2
	27	0	21.78	21.79	22.05	22.15	21.86		2
	27	12	21.93	21.77	21.72	21.73	21.75		2
	27	23	21.77	21.96	22.05	22.01	21.85		2

Table F-33
LTE Band 41 Measured P_{Max} for ECI=1 (Head) and ECI=0 (Extremity) - 5 MHz Bandwidth

LTE Band 41 5 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	23.80	23.81	24.15	23.70	24.13	0	0
	1	12	24.14	23.99	24.12	24.21	23.94		0
	1	24	24.21	23.69	23.77	23.95	23.80		0
	12	0	22.95	22.95	22.90	22.98	23.06	0-1	1
	12	6	22.87	23.17	23.19	22.84	22.99		1
	12	13	22.85	23.17	23.12	23.23	22.70		1
	25	0	22.75	23.04	22.98	22.80	23.11		1
16QAM	1	0	23.10	22.77	22.92	23.17	23.20	0-1	1
	1	12	23.08	22.82	22.90	22.81	23.03		1
	1	24	22.82	22.73	22.89	23.13	23.17		1
	12	0	22.17	22.13	21.99	21.82	22.08	0-2	2
	12	6	21.97	21.81	21.91	21.90	22.16		2
	12	13	21.71	21.82	21.82	22.09	22.13		2
	25	0	21.86	21.90	21.77	22.11	22.16		2

F.2 NR Lower Bandwidth RF Conducted Powers

F.2.1 NR Band N71

Table F-34
NR Band N71 Measured P_{Max} for ECI=1 (Head) and ECI=0 (Extremity) - 15 MHz Bandwidth

NR Band n71 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			136100 (680.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	24.37	0	0.0
	1	40	24.36		0.0
	1	77	24.39		0.0
	36	0	23.49	0-1	1.0
	36	22	24.46	0	0.0
	36	43	23.32	0-1	1.0
	75	0	23.45		1.0
DFT-s-OFDM 16QAM	1	1	23.07	0-1	1.0
CP-OFDM QPSK	1	1	22.86	0-1.5	1.5

Table F-35
NR Band N71 Measured P_{Max} for ECI=1 (Head) and ECI=0 (Extremity) - 10 MHz Bandwidth
NR Band n71
10 MHz Bandwidth

			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	133600 (668 MHz)	136100 (680.5 MHz)	138600 (693 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.15	24.61	24.55	0	0.0
	1	26	24.39	24.31	24.42		0.0
	1	50	24.38	24.27	24.35		0.0
	25	0	23.67	23.48	23.41	0-1	1.0
	25	14	24.52	24.47	24.40	0	0.0
	25	27	23.60	23.51	23.48	0-1	1.0
	50	0	23.61	23.43	23.49		1.0
DFT-s-OFDM 16QAM	1	1	23.37	23.31	23.31	0-1	1.0
CP-OFDM QPSK	1	1	23.06	22.93	23.03	0-1.5	1.5

Table F-36
NR Band N71 Measured P_{Max} for ECI=1 (Head) and ECI=0 (Extremity) – 5 MHz Bandwidth
NR Band n71
5 MHz Bandwidth

NR Band n71 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	133100 (665.5 MHz)	136100 (680.5 MHz)	139100 (695.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.36	24.33	24.50	0	0.0
	1	13	24.46	24.28	24.47		0.0
	1	23	24.48	24.29	24.44		0.0
	12	0	23.72	23.66	23.59	0-1	1.0
	12	7	24.58	24.42	24.54	0	0.0
	12	13	23.59	23.54	23.51	0-1	1.0
	25	0	23.64	23.57	23.48		1.0
DFT-s-OFDM 16QAM	1	1	23.33	23.28	23.22	0-1	1.0
CP-OFDM QPSK	1	1	23.10	22.99	22.94	0-1.5	1.5

F.2.2 NR Band N12

Table F-37
NR Band N12 Measured P_{Max} for ECI=1 (Head) and ECI=0 (Extremity) – 10 MHz Bandwidth

NR Band n12 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			141500 (707.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	24.56	0	0.0
	1	26	24.54		0.0
	1	50	24.60		0.0
	25	0	23.60	0-1	1.0
	25	14	24.60	0	0.0
	25	27	23.55	0-1	1.0
	50	0	23.60		1.0
DFT-s-OFDM 16QAM	1	1	23.30	0-1	1.0
CP-OFDM QPSK	1	1	22.99	0-1.5	1.5

Table F-38
NR Band N12 Measured P_{Max} for ECI=1 (Head) and ECI=0 (Extremity) – 5 MHz Bandwidth
NR Band n12
5 MHz Bandwidth

			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	140300 (701.5 MHz)	141500 (707.5 MHz)	142700 (713.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.49	24.66	24.56	0	0.0
	1	13	24.53	24.63	24.55		0.0
	1	23	24.51	24.57	24.60		0.0
	12	0	23.61	23.71	23.69	0-1	1.0
	12	7	24.66	24.65	24.65	0	0.0
	12	13	23.58	23.64	23.63	0-1	1.0
	25	0	23.60	23.65	23.61		1.0
DFT-s-OFDM 16QAM	1	1	23.25	23.35	23.33	0-1	1.0
CP-OFDM QPSK	1	1	22.95	23.02	23.17	0-1.5	1.5

F.2.3 NR Band N14

Table F-39
NR Band N14 Measured P_{Max} for ECI=1 (Head) and ECI=0 (Extremity) – 5 MHz Bandwidth

NR Band n14 5 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	158100 (790.5 MHz)	159100 (795.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	24.13	24.07	0	0.0
	1	13	24.07	24.09		0.0
	1	23	24.08	24.15		0.0
	12	0	23.27	23.25	0-1	1.0
	12	7	24.19	24.25	0	0.0
	12	13	23.22	23.13	0-1	1.0
	25	0	23.17	23.13		1.0
DFT-s-OFDM 16QAM	1	1	23.08	23.12	0-1	1.0
CP-OFDM QPSK	1	1	22.81	22.87	0-1.5	1.5

F.2.4 NR Band N26

Table F-40
NR Band N26 Measured P_{Max} for ECI=1 (Head) and ECI=0 (Extremity) – 15 MHz Bandwidth

NR Band n26 15 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	164300 (821.5 MHz)	168300 (841.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	24.51	24.47	0	0.0
	1	40	24.40	24.59		0.0
	1	77	24.34	24.56		0.0
	36	0	23.69	23.34	0-1	1.0
	36	22	24.42	24.38	0	0.0
	36	43	23.48	23.43	0-1	1.0
	75	0	23.38	23.52		1.0
DFT-s-OFDM 16QAM	1	1	23.29	23.23	0-1	1.0
CP-OFDM QPSK	1	1	22.93	22.92	0-1.5	1.5

Table F-41
NR Band N26 Measured P_{Max} for ECI=1 (Head) and ECI=0 (Extremity) – 10 MHz Bandwidth
NR Band n26
10 MHz Bandwidth

			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	163800 (819 MHz)	166300 (831.5 MHz)	168800 (844 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.32	24.47	24.56	0	0.0
	1	26	24.56	24.55	24.43		0.0
	1	50	24.53	24.53	24.49		0.0
	25	0	23.58	23.49	23.59	0-1	1.0
	25	14	24.43	24.56	24.44	0	0.0
	25	27	23.57	23.50	23.40	0-1	1.0
	50	0	23.52	23.47	23.42		1.0
DFT-s-OFDM 16QAM	1	1	23.24	23.22	23.34	0-1	1.0
CP-OFDM QPSK	1	1	23.01	23.13	22.86	0-1.5	1.5

Table F-42
NR Band N26 Measured P_{Max} for ECI=1 (Head) and ECI=0 (Extremity) – 5 MHz Bandwidth
NR Band n26
5 MHz Bandwidth

NR Band n26 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	163300 (816.5 MHz)	166300 (831.5 MHz)	169300 (846.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.32	24.45	24.39	0	0.0
	1	13	24.35	24.40	24.45		0.0
	1	23	24.54	24.62	24.41		0.0
	12	0	23.47	23.58	23.50	0-1	1.0
	12	7	24.45	24.45	24.43	0	0.0
	12	13	23.49	23.56	23.43	0-1	1.0
	25	0	23.43	23.52	23.42		1.0
DFT-s-OFDM 16QAM	1	1	23.23	23.31	23.12	0-1	1.0
CP-OFDM QPSK	1	1	23.01	23.03	22.77	0-1.5	1.5

F.2.5 NR Band N5

Table F-43
NR Band N5 Measured P_{Max} for ECI=1 (Head) and ECI=0 (Extremity) – 15 MHz Bandwidth

NR Band n5 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			167300 (836.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	24.64	0	0.0
	1	40	24.62		0.0
	1	77	24.65		0.0
	36	0	23.73	0-1	1.0
	36	22	24.59	0	0.0
	36	43	23.68	0-1	1.0
	75	0	23.71		1.0
DFT-s-OFDM 16QAM	1	1	23.62	0-1	1.0
CP-OFDM QPSK	1	1	23.31	0-1.5	1.5

Table F-44
NR Band N5 Measured P_{Max} for ECI=1 (Head) and ECI=0 (Extremity) – 10 MHz Bandwidth

NR Band n5 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			167300 (836.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	24.61	0	0.0
	1	26	24.60		0.0
	1	50	24.55		0.0
	25	0	23.59	0-1	1.0
	25	14	24.61	0	0.0
	25	27	23.64	0-1	1.0
	50	0	23.60		1.0
DFT-s-OFDM 16QAM	1	1	23.40	0-1	1.0
CP-OFDM QPSK	1	1	23.07	0-1.5	1.5

Table F-45
NR Band N5 Measured P_{Max} for ECI=1 (Head) and ECI=0 (Extremity) – 5 MHz Bandwidth

NR Band n5 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	165300 (826.5 MHz)	167300 (836.5 MHz)	169300 (846.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.55	24.62	24.57	0	0.0
	1	13	24.49	24.59	24.52		0.0
	1	23	24.61	24.51	24.53		0.0
	12	0	23.55	23.54	23.64	0-1	1.0
	12	7	24.51	24.61	24.62	0	0.0
	12	13	23.63	23.59	23.55	0-1	1.0
	25	0	23.65	23.63	23.57		1.0
DFT-s-OFDM 16QAM	1	1	23.38	23.29	23.27	0-1	1.0
CP-OFDM QPSK	1	1	23.01	23.04	23.02	0-1.5	1.5

F.2.6 NR Band N66

Table F-46
NR Band N66 Measured P_{Max} for ECI=1 (Head) and ECI=0 (Extremity) – 15 MHz Bandwidth

NR Band n66 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343500 (1717.5 MHz)	349000 (1745 MHz)	354500 (1772.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.37	24.25	24.24	0	0.0
	1	40	24.33	24.24	24.12		0.0
	1	77	24.38	24.32	24.17		0.0
	36	0	23.35	23.31	23.13	0-1	1.0
	36	22	24.35	24.33	24.12	0	0.0
	36	43	23.36	23.28	23.15	0-1	1.0
	75	0	23.34	23.28	23.15		1.0
DFT-s-OFDM 16QAM	1	1	23.17	23.08	23.05	0-1	1.0
CP-OFDM QPSK	1	1	22.87	22.82	22.62	0-1.5	1.5

Table F-47
NR Band N66 Measured P_{Max} for ECI=1 (Head) and ECI=0 (Extremity) – 10 MHz Bandwidth
NR Band n66
10 MHz Bandwidth

			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.33	24.42	24.28	0	0.0
	1	26	24.29	24.27	24.09		0.0
	1	50	24.22	24.19	24.17		0.0
	25	0	23.39	23.33	23.27	0-1	1.0
	25	14	24.36	24.30	24.17	0	0.0
	25	27	23.29	23.27	23.17	0-1	1.0
	50	0	23.33	23.23	23.12		1.0
DFT-s-OFDM 16QAM	1	1	23.11	23.05	23.03	0-1	1.0
CP-OFDM QPSK	1	1	22.72	22.63	22.56	0-1.5	1.5

Table F-48
NR Band N66 Measured P_{Max} for ECI=1 (Head) and ECI=0 (Extremity) – 5 MHz Bandwidth
NR Band n66
5 MHz Bandwidth

			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.41	24.37	24.28	0	0.0
	1	13	24.25	24.17	24.09		0.0
	1	23	24.34	24.15	24.13		0.0
	12	0	23.38	23.37	23.26	0-1	1.0
	12	7	24.38	24.38	24.21	0	0.0
	12	13	23.38	23.35	23.17	0-1	1.0
	25	0	23.33	23.33	23.20		1.0
DFT-s-OFDM 16QAM	1	1	23.15	23.10	22.98	0-1	1.0
CP-OFDM QPSK	1	1	22.68	22.67	22.66	0-1.5	1.5

F.2.7 NR Band N25

Table F-49
NR Band N25 Measured P_{Max} for ECI=1 (Head) and ECI=0 (Extremity) – 15 MHz Bandwidth

NR Band n25 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.13	24.09	24.16	0	0.0
	1	40	24.06	23.98	24.13		0.0
	1	77	24.03	23.93	24.05		0.0
	36	0	23.15	23.11	23.06	0-1	1.0
	36	22	24.09	24.07	24.11	0	0.0
	36	43	23.16	23.08	23.01	0-1	1.0
	75	0	23.08	23.05	23.06		1.0
DFT-s-OFDM 16QAM	1	1	22.98	23.11	23.18	0-1	1.0
CP-OFDM QPSK	1	1	22.60	22.73	22.77	0-1.5	1.5

Table F-50
NR Band N25 Measured P_{Max} for ECI=1 (Head) and ECI=0 (Extremity) – 10 MHz Bandwidth
NR Band n25
10 MHz Bandwidth

			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.15	24.13	24.17	0	0.0
	1	26	24.05	24.06	24.12		0.0
	1	50	23.98	23.95	24.11		0.0
	25	0	23.05	23.11	23.10	0-1	1.0
	25	14	24.16	24.05	24.12	0	0.0
	25	27	23.02	23.06	23.09	0-1	1.0
	50	0	23.14	23.15	23.15		1.0
DFT-s-OFDM 16QAM	1	1	22.96	22.99	23.07	0-1	1.0
CP-OFDM QPSK	1	1	22.60	22.67	22.65	0-1.5	1.5

Table F-51
NR Band N25 Measured P_{Max} for ECI=1 (Head) and ECI=0 (Extremity) – 5 MHz Bandwidth
NR Band n25
5 MHz Bandwidth

			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.16	24.06	24.19	0	0.0
	1	13	24.07	24.05	24.03		0.0
	1	23	24.07	23.97	24.07		0.0
	12	0	23.05	23.18	23.01	0-1	1.0
	12	7	24.11	24.13	24.12	0	0.0
	12	13	23.18	23.07	22.98	0-1	1.0
	25	0	23.08	23.12	23.03		1.0
DFT-s-OFDM 16QAM	1	1	22.91	23.03	23.01	0-1	1.0
CP-OFDM QPSK	1	1	22.66	22.72	22.77	0-1.5	1.5

F.2.8 NR Band N7

Table F-52
NR Band N7 Measured P_{Max} for ECI=0 (Extremity) – 15 MHz Bandwidth

NR Band n7 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501500 (2507.5 MHz)	507000 (2535 MHz)	512500 (2562.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.85	23.61	23.77	0	0.0
	1	40	23.77	23.97	23.90		0.0
	1	77	23.93	23.69	23.66		0.0
	36	0	22.65	22.66	22.84	0-1	1.0
	36	22	23.89	23.62	23.58	0	0.0
	36	43	22.75	22.63	22.74	0-1	1.0
	75	0	22.59	22.74	22.55		1.0
DFT-s-OFDM 16QAM	1	1	22.86	22.80	22.93	0-1	1.0
CP-OFDM QPSK	1	1	22.12	22.21	22.33	0-1.5	1.5

Table F-53
NR Band N7 Measured P_{Max} for ECI=0 (Extremity) – 10 MHz Bandwidth

NR Band n7 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501000 (2505 MHz)	507000 (2535 MHz)	513000 (2565 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.78	23.83	23.65	0	0.0
	1	26	24.04	23.74	24.00		0.0
	1	50	23.58	23.58	23.57		0.0
	25	0	22.94	22.59	22.87	0-1	1.0
	25	14	23.95	23.93	23.76	0	0.0
	25	27	22.68	22.59	22.73	0-1	1.0
	50	0	22.69	22.61	22.84		1.0
DFT-s-OFDM 16QAM	1	1	22.73	22.94	22.75	0-1	1.0
CP-OFDM QPSK	1	1	22.47	22.25	22.16	0-1.5	1.5

Table F-54
NR Band N7 Measured P_{Max} for ECI=0 (Extremity) – 5 MHz Bandwidth

NR Band n7 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500500 (2502.5 MHz)	507000 (2535 MHz)	513500 (2567.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.01	23.85	23.71	0	0.0
	1	13	23.84	23.70	24.03		0.0
	1	23	23.80	23.83	23.59		0.0
	12	0	22.93	22.91	23.01	0-1	1.0
	12	7	23.59	23.55	23.73	0	0.0
	12	13	22.85	22.55	22.85	0-1	1.0
	25	0	22.82	23.03	22.70		1.0
DFT-s-OFDM 16QAM	1	1	22.81	22.75	22.91	0-1	1.0
CP-OFDM QPSK	1	1	22.21	22.14	22.14	0-1.5	1.5

F.2.9 NR Band N7 Reduced

Table F-55
NR Band N7 Reduced Measured P_{Lim} for ECI=1 (Head) – 15 MHz Bandwidth

NR Band n7 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501500 (2507.5 MHz)	507000 (2535 MHz)	512500 (2562.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.27	22.96	23.09	0	0.0
	1	40	23.14	23.11	23.12		0.0
	1	77	23.20	22.98	23.19		0.0
	36	0	22.99	22.87	23.01	0-1	0.1
	36	22	23.23	23.13	23.29	0	0.0
	36	43	23.06	22.85	23.01	0-1	0.1
	75	0	23.03	22.97	23.00		0.1
DFT-s-OFDM 16QAM	1	1	22.81	22.99	22.92	0-1	0.1
CP-OFDM QPSK	1	1	22.71	22.73	22.56	0-1.5	0.6

Table F-56
NR Band N7 Reduced Measured P_{Lim} for ECI=1 (Head) – 10 MHz Bandwidth
NR Band n7
10 MHz Bandwidth

NR Band n7 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501000 (2505 MHz)	507000 (2535 MHz)	513000 (2565 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.06	23.12	23.23	0	0.0
	1	26	23.19	23.18	23.16		0.0
	1	50	23.15	23.17	23.27		0.0
	25	0	22.98	22.96	22.81	0-1	0.1
	25	14	23.36	23.18	23.24	0	0.0
	25	27	22.99	22.98	22.83	0-1	0.1
	50	0	22.80	23.03	22.91		0.1
DFT-s-OFDM 16QAM	1	1	22.80	23.01	22.80	0-1	0.1
CP-OFDM QPSK	1	1	22.59	22.56	22.58	0-1.5	0.6

Table F-57
NR Band N7 Reduced Measured P_{Lim} for ECI=1 (Head) – 5 MHz Bandwidth
NR Band n7
5 MHz Bandwidth

NR Band n7 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500500 (2502.5 MHz)	507000 (2535 MHz)	513500 (2567.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.16	23.11	23.17	0	0.0
	1	13	23.18	23.17	23.36		0.0
	1	23	23.37	23.31	23.24		0.0
	12	0	23.05	23.01	22.87	0-1	0.1
	12	7	23.28	23.36	23.24	0	0.0
	12	13	22.96	22.80	23.04	0-1	0.1
	25	0	22.93	23.02	23.06		0.1
DFT-s-OFDM 16QAM	1	1	22.94	23.09	23.07	0-1	0.1
CP-OFDM QPSK	1	1	22.65	22.47	22.50	0-1.5	0.6

F.2.10 NR Band N41

Table F-58
NR Band N41 Measured P_{Max} for ECI=0 (Extremity) – 15 MHz Bandwidth

NR Band n41 15 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	24.21	23.99	24.10	23.87	24.32	0	0.0
	1	19	24.29	24.03	24.12	24.26	24.29		0.0
	1	36	24.08	24.11	24.15	24.00	24.05		0.0
	18	0	23.23	23.07	23.20	23.22	23.15	0-1	1.0
	18	10	23.88	24.02	24.08	24.09	23.99	0	0.0
	18	20	23.15	23.06	23.01	23.07	23.04	0-1	1.0
	36	0	23.35	23.23	23.02	23.36	23.03		1.0
DFT-s-OFDM 16QAM	1	1	23.00	23.35	23.16	23.20	22.93	0-1	1.0
CP-OFDM QPSK	1	1	22.73	22.53	22.60	22.68	22.37	0-1.5	1.5

FCC ID: BCG-A3582	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Watch		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX F: Page 59 of 62

Table F-59
NR Band N41 Measured P_{Max} for ECI=0 (Extremity) - 10 MHz Bandwidth

NR Band n41 10 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	24.11	24.28	24.06	24.12	24.01	0	0.0
	1	12	24.09	24.20	23.99	24.02	24.35		0.0
	1	22	24.08	24.34	24.04	24.07	24.08		0.0
	12	0	23.27	22.97	23.20	23.11	23.32	0-1	1.0
	12	6	24.04	24.34	24.24	24.36	24.10	0	0.0
	12	12	23.10	23.06	23.34	23.10	23.34	0-1	1.0
	24	0	22.99	23.15	22.98	23.06	23.19		1.0
DFT-s-OFDM 16QAM	1	1	22.97	23.19	23.27	23.31	23.36	0-1	1.0
CP-OFDM QPSK	1	1	22.41	22.72	22.63	22.78	22.82	0-1.5	1.5

Table F-60
NR Band N41 Measured P_{Max} for ECI=0 (Extremity) – 15 MHz Bandwidth

NR Band n41 15 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	23.22	23.28	23.22	23.27	23.45	0	0.0
	1	19	23.24	23.35	23.49	23.36	23.46		0.0
	1	36	23.21	23.30	23.19	23.20	23.28		0.0
	18	0	23.08	23.17	23.11	23.09	23.12	0-1	0.1
	18	10	23.50	23.49	23.57	23.48	23.42	0	0.0
	18	20	23.09	23.08	23.03	23.04	23.10	0-1	0.1
	36	0	22.92	22.94	22.95	22.90	22.86		0.1
DFT-s-OFDM 16QAM	1	1	23.08	23.13	23.11	23.07	23.01	0-1	0.1
CP-OFDM QPSK	1	1	22.59	22.76	22.70	22.75	22.62	0-1.5	0.6

Table F-61
NR Band N41 Measured P_{Max} for ECI=0 (Extremity) - 10 MHz Bandwidth

NR Band n41 10 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	23.24	23.28	23.23	23.26	23.48	0	0.0
	1	12	23.25	23.36	23.45	23.39	23.50		0.0
	1	22	23.19	23.29	23.24	23.26	23.41		0.0
	12	0	23.07	23.11	23.09	23.11	23.15	0-1	0.1
	12	6	23.51	23.47	23.55	23.46	23.44	0	0.0
	12	12	23.12	23.14	23.03	23.14	23.20	0-1	0.1
	24	0	22.95	22.96	22.99	22.93	22.89		0.1
DFT-s-OFDM 16QAM	1	1	23.07	23.17	23.11	23.14	23.11	0-1	0.1
CP-OFDM QPSK	1	1	22.61	22.77	22.78	22.74	22.64	0-1.5	0.6