QPSK, (10.0 MHz BAND WIDTH)

LOW CH, RB1-0



HIGH CH, RB1-49



This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

LOW CH, RB50-0



HIGH CH, RB50-0



UL VERIFICATION SERVICES INC.
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 771-1000 FAX: (510) 661-0888
FORM NO: CCSUP4031B
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

16QAM, (10.0 MHz BAND WIDTH)

LOW CH, RB1-0



HIGH CH, RB1-24



This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

LOW CH, RB50-0



HIGH CH, RB50-0



This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

QPSK, (15.0 MHz BAND WIDTH)

LOW CH, RB1-0



HIGH CH, RB1-74



This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

LOW CH, RB75-0



HIGH CH, RB75-0



This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

16QAM, (15.0 MHz BAND WIDTH)

LOW CH, RB1-0



HIGH CH, RB1-74



This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

LOW CH, RB75-0



HIGH CH, RB75-0



This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

QPSK, (20.0 MHz BAND WIDTH)

LOW CH, RB1-0



HIGH CH, RB1-99



This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

LOW CH, RB100-0



HIGH CH, RB100-0



UL VERIFICATION SERVICES INC.
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 771-1000 FAX: (510) 661-0888
FORM NO: CCSUP4031B
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

16QAM, (20.0 MHz BAND WIDTH)

LOW CH, RB1-0



HIGH CH, RB1-99



This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

LOW CH, RB100-0



HIGH CH, RB100-0



This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

8.3. OUT OF BAND EMISSIONS

RULE PART(S)

FCC: §2.1051, §22.901, §22.917, §24.238, §27.53, §90.691

LIMITS

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least 43 + 10 log (P) dB.

For mobile and portable stations operating in the 2305-2315 MHz: by a factor of not less than 43 + 10 log (P) dB on all frequencies between 2360 and 2365 MHz, and not less than 70 + 10 log (P) dB above 2365 MHz

For mobile digital stations, the attenuation factor shall be not less than 40 + 10 log (P) dB on all frequencies between the channel edge and 5 megahertz from the channel edge, 43 + 10 log (P) dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and 55 + 10 log (P) dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less that 43 + 10 log (P) dB on all frequencies between 2490.5 MHz and 2496 MHz and 55 + 10 log (P) dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

TEST PROCEDURE

The RF output of the transmitter was connected to a spectrum analyzer through a calibrated coaxial cable. Sufficient scans were taken to show the out-of-band Emissions, if any, up to 10th harmonic. Multiple sweeps were recorded in maximum hold mode using a peak detector to ensure that the worst-case emissions were caught.

For each out of band emissions measurement:

- Set display line at -13 dBm, -25dBm and -40dBm according to the band Limit
- Set RBW & VBW to 100 kHz for the measurement below 1 GHz, and 1 MHz for the measurement above 1 GHz. (NOTE: Worst case set RBW/VBW to 1MHz/3MHz)

MODES TESTED

- LTE Band 2
- LTE Band 4
- LTE Band 5
- LTE Band 7
- LTE Band 12
- LTE Band 13
- LTE Band 17
- LTE Band 25
- LTE Band 26
- LTE Band 30
- LTE Band 41
- LTE Band 66

UL VERIFICATION SERVICES INC. FORM NO: CCSUP4031B
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 771-1000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

8.3.1. LTE BAND 2

QPSK, (1.4 MHz BAND WIDTH)

LOW, RB1-0, 30 TO 20000 MHz



MID, RB1-0, 30 TO 20000 MHz



This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

HIGH, RB1-0, 30 TO 20000 MHz



16QAM, (1.4 MHz BAND WIDTH)

LOW, RB1-0, 30 TO 20000 MHz



This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

MID, RB1-0, 30 TO 20000 MHz



HIGH, RB1-0, 30 TO 20000 MHz



This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

QPSK, (3.0 MHz BAND WIDTH)

LOW, RB1-0, 30 TO 20000 MHz



MID, RB1-0, 30 TO 20000 MHz



This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

HIGH, RB1-0, 30 TO 20000 MHz



16QAM, (3.0 MHz BAND WIDTH)

LOW, RB1-0, 30 TO 20000 MHz



This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

MID, RB1-0, 30 TO 20000 MHz



HIGH, RB1-0, 30 TO 20000 MHz



This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

QPSK, (5.0 MHz BAND WIDTH)

LOW, RB1-0, 30 TO 20000 MHz



MID, RB1-0, 30 TO 20000 MHz



This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

HIGH, RB1-0, 30 TO 20000 MHz



16QAM, (5.0 MHz BAND WIDTH)

LOW, RB1-0, 30 TO 20000 MHz



This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

MID, RB1-0, 30 TO 20000 MHz



HIGH, RB1-0, 30 TO 20000 MHz



This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

QPSK, (10.0 MHz BAND WIDTH)

LOW, RB1-0, 30 TO 20000 MHz



MID, RB1-0, 30 TO 20000 MHz



This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

HIGH, RB1-0, 30 TO 20000 MHz



16QAM, (10.0 MHz BAND WIDTH)

LOW, RB1-0, 30 TO 20000 MHz



This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

MID, RB1-0, 30 TO 20000 MHz



HIGH, RB1-0, 30 TO 20000 MHz



This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

QPSK, (15.0 MHz BAND WIDTH)

LOW, RB1-0, 30 TO 20000 MHz



MID, RB1-0, 30 TO 20000 MHz



This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

HIGH, RB1-0, 30 TO 20000 MHz



16QAM, (15.0 MHz BAND WIDTH)

LOW, RB1-0, 30 TO 20000 MHz



This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

MID, RB1-0, 30 TO 20000 MHz



HIGH, RB1-0, 30 TO 20000 MHz



UL VERIFICATION SERVICES INC.
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 771-1000 FAX: (510) 661-0888
FORM NO: CCSUP4031B
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

QPSK, (20.0 MHz BAND WIDTH)

LOW, RB1-0, 30 TO 20000 MHz



MID, RB1-0, 30 TO 20000 MHz



This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

HIGH, RB1-0, 30 TO 20000 MHz



16QAM, (20.0 MHz BAND WIDTH)

LOW, RB1-0, 30 TO 20000 MHz



This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

MID, RB1-0, 30 TO 20000 MHz



HIGH, RB1-0, 30 TO 20000 MHz



This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

8.3.2. LTE BAND 4

QPSK, (1.4 MHz BAND WIDTH)

LOW, RB1-0, 30 TO 20000 MHz



MID, RB1-0, 30 TO 20000 MHz



This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

HIGH, RB1-0, 30 TO 20000 MHz



16QAM, (1.4 MHz BAND WIDTH)

LOW, RB1-0, 30 TO 20000 MHz



This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

MID, RB1-0, 30 TO 20000 MHz



HIGH, RB1-0, 30 TO 20000 MHz



UL VERIFICATION SERVICES INC.
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 771-1000 FAX: (510) 661-0888
FORM NO: CCSUP4031B
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

QPSK, (3.0 MHz BAND WIDTH)

LOW, RB1-0, 30 TO 20000 MHz



MID, RB1-0, 30 TO 20000 MHz



This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

HIGH, RB1-0, 30 TO 20000 MHz



16QAM, (3.0 MHz BAND WIDTH)

LOW, RB1-0, 30 TO 20000 MHz



This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

MID, RB1-0, 30 TO 20000 MHz



HIGH, RB1-0, 30 TO 20000 MHz



UL VERIFICATION SERVICES INC.
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 771-1000 FAX: (510) 661-0888
FORM NO: CCSUP4031B
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

8.3.3. LTE BAND 5

QPSK, (1.4 MHz BAND WIDTH)

LOW, RB1-0, 30 TO 10000 MHz



MID, RB1-0, 30 TO 10000 MHz



This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

HIGH, RB1-0, 30 TO 10000 MHz



16QAM, (1.4 MHz BAND WIDTH)

LOW, RB1-0, 30 TO 10000 MHz



This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

MID, RB1-0, 30 TO 10000 MHz



HIGH, RB1-0, 30 TO 10000 MHz



This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

QPSK, (3.0 MHz BAND WIDTH)

LOW, RB1-0, 30 TO 10000 MHz



MID, RB1-0, 30 TO 10000 MHz



This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

HIGH, RB1-0, 30 TO 10000 MHz



16QAM, (3.0 MHz BAND WIDTH)

LOW, RB1-0, 30 TO 10000 MHz



This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

MID, RB1-0, 30 TO 10000 MHz



HIGH, RB1-0, 30 TO 10000 MHz



This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

QPSK, (5.0 MHz BAND WIDTH)

LOW, RB1-0, 30 TO 10000 MHz



MID, RB1-0, 30 TO 10000 MHz



This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

HIGH, RB1-0, 30 TO 10000 MHz



16QAM, (5.0 MHz BAND WIDTH)

LOW, RB1-0, 30 TO 10000 MHz



This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

MID, RB1-0, 30 TO 10000 MHz



HIGH, RB1-0, 30 TO 10000 MHz



This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

QPSK, (10.0 MHz BAND WIDTH)

LOW, RB1-0, 30 TO 10000 MHz



MID, RB1-0, 30 TO 10000 MHz



This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

HIGH, RB1-0, 30 TO 10000 MHz



16QAM, (10.0 MHz BAND WIDTH)

LOW, RB1-0, 30 TO 10000 MHz



This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

MID, RB1-0, 30 TO 10000 MHz



HIGH, RB1-0, 30 TO 10000 MHz



This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.