



# **TEST SETUP PHOTOS**

**Report Number: 12124121-EP1V1**

## 1. SCOPE


The purpose of this document is to show test setup diagrams and photos for the following reports

| Reports        |
|----------------|
| 12124121-EP1V1 |
|                |
|                |

## 2. SETUP PHOTOS

### 2.1.1. 2.4/5GHz(DTS/BT/HDR/BLE/UNII) TECHNOLOGIES

#### ANTENNA PORT AND AC LINE CONDUCTED SETUP




**RF ANTENNA PORT CONDUCTED**



**AC LINE CONDUCTED (FRONT)**





**AC LINE CONDUCTED (BACK)**




**AC LINE CONDUCTED WITH LAPTOP  
(FRONT)**




**AC LINE CONDUCTED WITH LAPTOP  
(BACK)**

**RADIATED RF MEASUREMENT SETUP****BELOW 30 MHz (FRONT)****BELOW 30 MHz (BACK)****BELOW 1GHz (FRONT)****BELOW 1GHz (BACK)****X-Axis Front****X-Axis Back**

**Y-Axis Front****Y-Axis Back****Z-Axis Front****Z-Axis Back**

**DYNAMIC FREQUENCY SELECTION MEASUREMENT SETUP**


DFS FRONT PHOTO (EUT)



DFS BACK PHOTO (EUT)



DFS FULL SETUP PHOTO (CLIENT MODE SETUP)



DFS FULL SETUP PHOTO (CLIENT-TO-CLIENT COMMUNICATIONS MODE SETUP)



DFS FULL SETUP PHOTO (PEER TO PEER MODE SETUP / EUT)



DFS FULL SETUP PHOTO (PEER TO PEER MODE SETUP / PEER DEVICE)



## 2.1.2. NFC TECHNOLOGY


### FREQ TOLERANCE AND AC LINE CONDUCTED SETUP





**FREQUENCY TOLERANCE**



**AC LINE CONDUCTED (FRONT)**




**AC LINE CONDUCTED (BACK)**

**RADIATED RF MEASUREMENT SETUP****BELOW 30 MHz (FRONT)****BELOW 30 MHz (BACK)****BELOW 1GHz (FRONT)****BELOW 1GHz (BACK)**

## 2.2. WWAN TECHNOLOGIES



**FREQUENCY STABILITY**



**RF ANTENNA PORT CONDUCTED**


## 2.3. ORIENTATIONS



**X-ORIENTATION**



**Y-ORIENTATION**



**Z-ORIENTATION**