

LOW CHANNEL 1



LOW CHANNEL 2



LOW CHANNEL 3



MID CHANNEL 6



HIGH CHANNEL 9



HIGH CHANNEL 10

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.



HIGH CHANNEL 11



HIGH CHANNEL 12



HIGH CHANNEL 13

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

1TX Antenna 3 MODE

Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD

PSD Results

Channel	Frequency (MHz)	Antenna 3 Meas (dBm/ 3kHz)	Total Corr'd PSD (dBm/ 3kHz)	Limit (dBm/ 3kHz)	Margin (dB)
Low 1	2412	-6.300	-6.30	8.0	-14.3
Low 2	2417	-3.930	-3.93	8.0	-11.9
Low 3	2422	-2.290	-2.29	8.0	-10.3
Mid 6	2437	-1.890	-1.89	8.0	-9.9
High 9	2452	-1.990	-1.99	8.0	-10.0
High 10	2457	-3.910	-3.91	8.0	-11.9
High 11	2462	-6.040	-6.04	8.0	-14.0
High 12	2467	-7.240	-7.24	8.0	-15.2
High 13	2472	-18.120	-18.12	8.0	-26.1

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.



LOW CHANNEL 1



LOW CHANNEL 2



LOW CHANNEL 3



MID CHANNEL 6



HIGH CHANNEL 9



HIGH CHANNEL 10

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.



HIGH CHANNEL 11



HIGH CHANNEL 12



HIGH CHANNEL 13

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

2TX Antenna 4 + Antenna 3 CDD MODE

Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD

PSD Results

Channel	Frequency (MHz)	Ant 4 Meas (dBm/ 3kHz)	Ant 3 Meas (dBm/ 3kHz)	Total Corr'd PSD (dBm/ 3kHz)	Limit (dBm/ 3kHz)	Margin (dB)
Low 1	2412	-7.73	-7.85	-4.78	8.0	-12.8
Low 2	2417	-5.01	-5.10	-2.04	8.0	-10.0
Low 3	2422	-4.11	-3.23	-0.64	8.0	-8.6
Mid 6	2437	-3.93	-1.85	0.24	8.0	-7.8
High 9	2452	-4.14	-3.81	-0.96	8.0	-9.0
High 10	2457	-4.80	-4.87	-1.82	8.0	-9.8
High 11	2462	-7.27	-7.21	-4.23	8.0	-12.2
High 12	2467	-8.65	-8.56	-5.59	8.0	-13.6
High 13	2472	-18.94	-18.99	-15.95	8.0	-24.0

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.



LOW CHANNEL 1 ANT 4



LOW CHANNEL 1 ANT 3



LOW CHANNEL 2 ANT 4



LOW CHANNEL 2 ANT 3



LOW CHANNEL 3 ANT 4



LOW CHANNEL 3 ANT 3

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.



MID CHANNEL 6 ANT 4



MID CHANNEL 6 ANT 3



HIGH CHANNEL 9 ANT 4



HIGH CHANNEL 9 ANT 3



HIGH CHANNEL 10 ANT 4



HIGH CHANNEL 10 ANT 3

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.



HIGH CHANNEL 11 ANT 4



HIGH CHANNEL 11 ANT 3



HIGH CHANNEL 12 ANT 4



HIGH CHANNEL 12 ANT 3



HIGH CHANNEL 13 ANT 4



HIGH CHANNEL 13 ANT 3

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

8.5.3. 802.11ax HE20 MODE

1TX Antenna 4 MODE: 26-Tones, RU Index 0

Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD

PSD Results

Channel	Frequency (MHz)	Ant 4 Meas (dBm/ 3kHz)	Total Corr'd PSD (dBm/ 3kHz)	Limit (dBm/ 3kHz)	Margin (dB)
Low 1	2412	-0.660	-0.66	8.0	-8.7
Low 2	2417	1.180	1.18	8.0	-6.8
Low 3	2422	2.240	2.24	8.0	-5.8
Mid 6	2437	2.320	2.32	8.0	-5.7
High 9	2452	2.230	2.23	8.0	-5.8
High 10	2457	1.260	1.26	8.0	-6.7
High 11	2462	-0.740	-0.74	8.0	-8.7
High 12	2467	-2.950	-2.95	8.0	-11.0
High 13	2472	-16.850	-16.85	8.0	-24.9

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.



LOW CHANNEL 1



LOW CHANNEL 2



LOW CHANNEL 3



MID CHANNEL 6



HIGH CHANNEL 9



HIGH CHANNEL 10

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.



HIGH CHANNEL 11



HIGH CHANNEL 12



HIGH CHANNEL 13

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

1TX Antenna 4 MODE: 26-Tones, RU Index 4

Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD

PSD Results

Channel	Frequency (MHz)	Ant 4 Meas (dBm/ 3kHz)	Total Corr'd PSD (dBm/ 3kHz)	Limit (dBm/ 3kHz)	Margin (dB)
Low 1	2412	-0.810	-0.81	8.0	-8.8
Low 2	2417	0.800	0.80	8.0	-7.2
Low 3	2422	1.950	1.95	8.0	-6.1
Mid 6	2437	2.090	2.09	8.0	-5.9
High 9	2452	2.080	2.08	8.0	-5.9
High 10	2457	0.910	0.91	8.0	-7.1
High 11	2462	-0.880	-0.88	8.0	-8.9
High 12	2467	-3.120	-3.12	8.0	-11.1
High 13	2472	-16.310	-16.31	8.0	-24.3

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.



LOW CHANNEL 1



LOW CHANNEL 2



LOW CHANNEL 3



MID CHANNEL 6



HIGH CHANNEL 9



HIGH CHANNEL 10

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.



HIGH CHANNEL 11



HIGH CHANNEL 12



HIGH CHANNEL 13

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

1TX Antenna 4 MODE: 26-Tones, RU Index 8

Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD

PSD Results

Channel	Frequency (MHz)	Ant 4 Meas (dBm/ 3kHz)	Total Corr'd PSD (dBm/ 3kHz)	Limit (dBm/ 3kHz)	Margin (dB)
Low 1	2412	-0.660	-0.66	8.0	-8.7
Low 2	2417	1.030	1.03	8.0	-7.0
Low 3	2422	2.300	2.30	8.0	-5.7
Mid 6	2437	2.380	2.38	8.0	-5.6
High 9	2452	2.220	2.22	8.0	-5.8
High 10	2457	1.020	1.02	8.0	-7.0
High 11	2462	-0.680	-0.68	8.0	-8.7
High 12	2467	-2.980	-2.98	8.0	-11.0
High 13	2472	-16.980	-16.98	8.0	-25.0

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.



LOW CHANNEL 1



LOW CHANNEL 2



LOW CHANNEL 3



MID CHANNEL 6



HIGH CHANNEL 9



HIGH CHANNEL 10

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.



HIGH CHANNEL 11



HIGH CHANNEL 12



HIGH CHANNEL 13

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

1TX Antenna 4 MODE: 242-Tones, RU Index 61

Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD

PSD Results

Channel	Frequency (MHz)	Ant 4 Meas (dBm/ 3kHz)	Total Corr'd PSD (dBm/ 3kHz)	Limit (dBm/ 3kHz)	Margin (dB)
Low 1	2412	-9.040	-9.04	8.0	-17.0
Low 2	2417	-6.850	-6.85	8.0	-14.9
Low 3	2422	-5.300	-5.30	8.0	-13.3
Mid 6	2437	-5.300	-5.30	8.0	-13.3
High 9	2452	5.360	5.36	8.0	-2.6
High 10	2457	-6.860	-6.86	8.0	-14.9
High 11	2462	-8.810	-8.81	8.0	-16.8
High 12	2467	-10.360	-10.36	8.0	-18.4
High 13	2472	-19.310	-19.31	8.0	-27.3

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.



LOW CHANNEL 1



LOW CHANNEL 2



LOW CHANNEL 3



MID CHANNEL 6



HIGH CHANNEL 9



HIGH CHANNEL 10

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.