

HIGH CHANNEL ANT 6



HIGH CHANNEL ANT 5

See note in section 8.4 **CHANNEL 144 ANT 6**	See note in section 8.4 **HIGH CHANNEL ANT 5**

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

2TX Antenna 6 + Antenna 5 OFDMA MODE – 26-Tones, RU Index 4

Channel	Frequency (MHz)	6 dB BW Antenna 6 (MHz)	6 dB BW Antenna 5 (MHz)	Minimum Limit (MHz)
Low	5745	2.550	2.555	0.5
Mid	5785	2.550	2.600	0.5
High	5825	2.625	2.570	0.5



LOW CHANNEL ANT 6



LOW CHANNEL ANT 5



MID CHANNEL ANT 6



MID CHANNEL ANT 5

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.



HIGH CHANNEL ANT 6



HIGH CHANNEL ANT 5

See note in section 8.4 **CHANNEL 144 ANT 6**	See note in section 8.4 **HIGH CHANNEL ANT 5**

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

2TX Antenna 6 + Antenna 5 OFDMA MODE – 26-Tones, RU Index 8

Channel	Frequency (MHz)	6 dB BW Antenna 6 (MHz)	6 dB BW Antenna 5 (MHz)	Minimum Limit (MHz)
Low	5745	2.000	1.950	0.5
Mid	5785	1.995	2.010	0.5
High	5825	2.050	2.020	0.5
144	5720	2.051	1.947	0.5



LOW CHANNEL ANT 6



LOW CHANNEL ANT 5



MID CHANNEL ANT 6



MID CHANNEL ANT 5

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.



HIGH CHANNEL ANT 6



HIGH CHANNEL ANT 5



CHANNEL 144 ANT 6



CHANNEL 144 ANT 5

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

8.4.5. 802.11ax HE40 MODE IN THE 5.8 GHz BAND

1TX Antenna 6 MODE – 484-Tones, RU Index 65

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5755	36.780	0.5
High	5795	37.260	0.5
142	5710	4.100	0.5



LOW CHANNEL



HIGH CHANNEL

CHANNEL 142

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

1TX Antenna 6 MODE – 26-Tones, RU Index 0

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5755	2.100	0.5
High	5795	2.070	0.5



LOW CHANNEL



HIGH CHANNEL

See note in section 8.4

CHANNEL 142

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

1TX Antenna 6 MODE – 26-Tones, RU Index 8

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5755	2.050	0.5
High	5795	2.050	0.5



LOW CHANNEL



HIGH CHANNEL

See note in section 8.4

CHANNEL 142

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

1TX Antenna 6 MODE – 26-Tones, RU Index 17

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5755	1.990	0.5
High	5795	2.070	0.5
142	5710	2.039	0.5



LOW CHANNEL



HIGH CHANNEL



CHANNEL 142

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

1TX Antenna 5 MODE – 484-Tones, RU Index 65

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5755	37.510	0.5
High	5795	37.200	0.5
142	5710	4.060	0.5



LOW CHANNEL



HIGH CHANNEL



CHANNEL 142

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

1TX Antenna 5 MODE – 26-Tones, RU Index 0

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5755	2.070	0.5
High	5795	2.030	0.5



LOW CHANNEL



HIGH CHANNEL

See note in section 8.4

CHANNEL 142

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

1TX Antenna 5 MODE – 26-Tones, RU Index 8

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5755	2.040	0.5
High	5795	1.990	0.5



LOW CHANNEL



HIGH CHANNEL

See note in section 8.4

CHANNEL 142

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

1TX Antenna 5 MODE – 26-Tones, RU Index 17

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5755	2.000	0.5
High	5795	2.010	0.5
142	5710	2.075	0.5



LOW CHANNEL



HIGH CHANNEL



CHANNEL 142

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

2TX Antenna 6 + Antenna 5 OFDMA MODE – 484-Tones, RU Index 65

Channel	Frequency (MHz)	6 dB BW Antenna 6 (MHz)	6 dB BW Antenna 5 (MHz)	Minimum Limit (MHz)
Low	5755	37.140	37.170	0.5
High	5795	35.670	37.600	0.5
142	5710	4.120	4.040	0.5



LOW CHANNEL ANT 6



LOW CHANNEL ANT 5



HIGH CHANNEL ANT 6



HIGH CHANNEL ANT 5

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.



CHANNEL 142 ANT 6

CHANNEL 142 ANT 5

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

2TX Antenna 6 + Antenna 5 OFDMA MODE – 26-Tones, RU Index 0

Channel	Frequency (MHz)	6 dB BW Antenna 6 (MHz)	6 dB BW Antenna 5 (MHz)	Minimum Limit (MHz)
Low	5755	2.020	2.110	0.5
High	5795	2.090	2.030	0.5



LOW CHANNEL ANT 6



LOW CHANNEL ANT 5



HIGH CHANNEL ANT 6



HIGH CHANNEL ANT 5

See note in section 8.4 **CHANNEL 142 ANT 6**	See note in section 8.4 **CHANNEL 142 ANT 5**

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

2TX Antenna 6 + Antenna 5 OFDMA MODE – 26-Tones, RU Index 8

Channel	Frequency (MHz)	6 dB BW Antenna 6 (MHz)	6 dB BW Antenna 5 (MHz)	Minimum Limit (MHz)
Low	5755	2.010	2.010	0.5
High	5795	2.010	2.040	0.5



LOW CHANNEL ANT 6



LOW CHANNEL ANT 5



HIGH CHANNEL ANT 6



HIGH CHANNEL ANT 5

See note in section 8.4 **CHANNEL 142 ANT 6**	See note in section 8.4 **CHANNEL 142 ANT 5**

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

2TX Antenna 6 + Antenna 5 OFDMA MODE – 26-Tones, RU Index 17

Channel	Frequency (MHz)	6 dB BW Antenna 6 (MHz)	6 dB BW Antenna 5 (MHz)	Minimum Limit (MHz)
Low	5755	2.050	2.110	0.5
High	5795	2.010	2.170	0.5
142	5710	2.063	2.027	0.5



LOW CHANNEL ANT 6



LOW CHANNEL ANT 5



HIGH CHANNEL ANT 6



HIGH CHANNEL ANT 5

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.



CHANNEL 142 ANT 6



CHANNEL 142 ANT 5

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

8.4.6. 802.11ax HE80 MODE IN THE 5.8 GHz BAND

1TX Antenna 6 MODE – 996-Tones, RU Index 67

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Mid	5775	75.940	0.5
138	5690	4.100	0.5



MID CHANNEL



CHANNEL 138

1TX Antenna 6 MODE – 26-Tones, RU Index 0

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Mid	5775	2.060	0.5



MID CHANNEL

See note in section 8.4

CHANNEL 138

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.