**1TX Antenna 5 MODE – 26-Tones, RU Index 8**

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) |
|---|---|---|
| Low | 5745 | 20.75 |
| Mid | 5785 | 20.65 |
| High | 5825 | 20.55 |




**LOW CHANNEL**




**MID CHANNEL**




**HIGH CHANNEL**



UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
*This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.*

**2TX Antenna 6 + Antenna 5 OFDMA MODE – 242-Tones, RU Index 61**

| Channel | Frequency (MHz) | 26 dB Bandwidth Antenna 6 (MHz) | 26 dB Bandwidth Antenna 5 (MHz) |
|---|---|---|---|
| Low | 5745 | 21.95 | 22.10 |
| Mid | 5785 | 22.00 | 22.10 |
| High | 5825 | 22.10 | 21.90 |




**LOW CHANNEL ANT 6**




**LOW CHANNEL ANT 5**




**MID CHANNEL ANT 6**




**MID CHANNEL ANT 5**


UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
*This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.*




**HIGH CHANNEL ANT 6**




**HIGH CHANNEL ANT 5**



UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
*This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.*

**2TX Antenna 6 + Antenna 5 OFDMA MODE – 26-Tones, RU Index 0**

| Channel | Frequency (MHz) | 26 dB Bandwidth Antenna 6 (MHz) | 26 dB Bandwidth Antenna 5 (MHz) |
|---|---|---|---|
| Low | 5745 | 20.25 | 20.40 |
| Mid | 5785 | 20.35 | 20.40 |
| High | 5825 | 21.05 | 20.25 |




**LOW CHANNEL ANT 6**




**LOW CHANNEL ANT 5**




**MID CHANNEL ANT 6**




**MID CHANNEL ANT 5**


UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
*This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.*




**HIGH CHANNEL ANT 6**




**HIGH CHANNEL ANT 5**



UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
*This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.*

**2TX Antenna 6 + Antenna 5 OFDMA MODE – 26-Tones, RU Index 4**

| Channel | Frequency (MHz) | 26 dB Bandwidth Antenna 6 (MHz) | 26 dB Bandwidth Antenna 5 (MHz) |
|---|---|---|---|
| Low | 5745 | 18.55 | 19.00 |
| Mid | 5785 | 19.60 | 19.40 |
| High | 5825 | 19.40 | 19.50 |




**LOW CHANNEL ANT 6**




**LOW CHANNEL ANT 5**




**MID CHANNEL ANT 6**




**MID CHANNEL ANT 5**


UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
*This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.*




**HIGH CHANNEL ANT 6**




**HIGH CHANNEL ANT 5**



UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
*This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.*

**2TX Antenna 6 + Antenna 5 OFDMA MODE – 26-Tones, RU Index 8**

| Channel | Frequency (MHz) | 26 dB Bandwidth Antenna 6 (MHz) | 26 dB Bandwidth Antenna 5 (MHz) |
|---|---|---|---|
| Low | 5745 | 20.25 | 20.50 |
| Mid | 5785 | 20.55 | 20.45 |
| High | 5825 | 20.95 | 20.50 |




**LOW CHANNEL ANT 6**




**LOW CHANNEL ANT 5**




**MID CHANNEL ANT 6**




**MID CHANNEL ANT 5**


UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
*This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.*




**HIGH CHANNEL ANT 6**




**HIGH CHANNEL ANT 5**



UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
*This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.*

## 8.2.23. 802.11ax HE40 MODE IN THE 5.8 GHz BAND

**1TX Antenna 6 MODE – 484-Tones, RU Index 65**

| Channel | Frequency (MHz) | 26dB Bandwidth (MHz) |
|---|---|---|
| Low | 5755 | 41.90 |
| High | 5795 | 42.00 |




**LOW CHANNEL**




**HIGH CHANNEL**

**1TX Antenna 6 MODE – 26-Tones, RU Index 0**

| Channel | Frequency (MHz) | 26dB Bandwidth (MHz) |
|---|---|---|
| Low | 5755 | 20.90 |
| High | 5795 | 21.10 |




**LOW CHANNEL**




**HIGH CHANNEL**



UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
*This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.*

**1TX Antenna 6 MODE – 26-Tones, RU Index 8**

| Channel | Frequency (MHz) | 26dB Bandwidth (MHz) |
|---|---|---|
| Low | 5755 | 23.30 |
| High | 5795 | 24.50 |




**LOW CHANNEL**




**HIGH CHANNEL**

**1TX Antenna 6 MODE – 26-Tones, RU Index 17**

| Channel | Frequency (MHz) | 26dB Bandwidth (MHz) |
|---|---|---|
| Low | 5755 | 21.20 |
| High | 5795 | 20.70 |




**LOW CHANNEL**




**HIGH CHANNEL**


UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
*This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.*

**1TX Antenna 5 MODE – 484-Tones, RU Index 65**

| Channel | Frequency (MHz) | 26dB Bandwidth (MHz) |
|---|---|---|
| Low | 5755 | 41.90 |
| High | 5795 | 42.10 |




**LOW CHANNEL**




**HIGH CHANNEL**

**1TX Antenna 5 MODE – 26-Tones, RU Index 0**

| Channel | Frequency (MHz) | 26dB Bandwidth (MHz) |
|---|---|---|
| Low | 5755 | 21.60 |
| High | 5795 | 21.20 |




**LOW CHANNEL**




**HIGH CHANNEL**



UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
*This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.*

**1TX Antenna 5 MODE – 26-Tones, RU Index 8**

| Channel | Frequency (MHz) | 26dB Bandwidth (MHz) |
|---|---|---|
| Low | 5755 | 25.30 |
| High | 5795 | 24.30 |




**LOW CHANNEL**

**HIGH CHANNEL**

**1TX Antenna 5 MODE – 26-Tones, RU Index 17**

| Channel | Frequency (MHz) | 26dB Bandwidth (MHz) |
|---|---|---|
| Low | 5755 | 21.20 |
| High | 5795 | 21.40 |




**LOW CHANNEL**




**HIGH CHANNEL**


UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
*This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.*

**2TX Antenna 6 + Antenna 5 OFDMA MODE – 484-Tones, RU Index 65**

| Channel | Frequency (MHz) | 26 dB Bandwidth Antenna 6 (MHz) | 26 dB Bandwidth Antenna 5 (MHz) |
|---|---|---|---|
| Low | 5755 | 42.00 | 42.00 |
| High | 5795 | 42.20 | 42.00 |




**LOW CHANNEL ANT 6**




**LOW CHANNEL ANT 5**




**HIGH CHANNEL ANT 6**




**HIGH CHANNEL ANT 5**



UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
*This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.*

**2TX Antenna 6 + Antenna 5 OFDMA MODE – 26-Tones, RU Index 0**

| Channel | Frequency (MHz) | 26 dB Bandwidth Antenna 6 (MHz) | 26 dB Bandwidth Antenna 5 (MHz) |
|---|---|---|---|
| Low | 5755 | 21.20 | 20.90 |
| High | 5795 | 20.80 | 20.00 |




LOW CHANNEL ANT 6




LOW CHANNEL ANT 5




HIGH CHANNEL ANT 6




HIGH CHANNEL ANT 5


UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
*This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.*

**2TX Antenna 6 + Antenna 5 OFDMA MODE – 26-Tones, RU Index 8**

| Channel | Frequency (MHz) | 26 dB Bandwidth Antenna 6 (MHz) | 26 dB Bandwidth Antenna 5 (MHz) |
|---|---|---|---|
| Low | 5755 | 24.00 | 23.20 |
| High | 5795 | 24.00 | 22.80 |




LOW CHANNEL ANT 6




LOW CHANNEL ANT 5




HIGH CHANNEL ANT 6




HIGH CHANNEL ANT 5


UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
*This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.*

**2TX Antenna 6 + Antenna 5 OFDMA MODE – 26-Tones, RU Index 17**

| Channel | Frequency (MHz) | 26 dB Bandwidth Antenna 6 (MHz) | 26 dB Bandwidth Antenna 5 (MHz) |
|---|---|---|---|
| Low | 5755 | 21.30 | 20.10 |
| High | 5795 | 21.30 | 19.80 |




LOW CHANNEL ANT 6




LOW CHANNEL ANT 5




HIGH CHANNEL ANT 6




HIGH CHANNEL ANT 5


UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
*This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.*

### 8.2.24. 802.11ax HE80 MODE IN THE 5.8 GHz BAND

**1TX Antenna 6 MODE – 996-Tones, RU Index 67**

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) |
|---|---|---|
| Mid | 5775 | 85.00 |




**MID CHANNEL**

**1TX Antenna 6 MODE – 26-Tones, RU Index 0**

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) |
|---|---|---|
| Mid | 5775 | 20.60 |




**MID CHANNEL**


UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
*This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.*

**1TX Antenna 6 MODE – 26-Tones, RU Index 18**

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) |
|---|---|---|
| Mid | 5775 | 39.20 |




**MID CHANNEL**

**1TX Antenna 6 MODE – 26-Tones, RU Index 36**

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) |
|---|---|---|
| Mid | 5775 | 21.80 |




**MID CHANNEL**


UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
*This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.*

**1TX Antenna 5 MODE – 996-Tones, RU Index 67**

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) |
|---|---|---|
| Mid | 5775 | 84.80 |




**MID CHANNEL**

**1TX Antenna 5 MODE – 26-Tones, RU Index 0**

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) |
|---|---|---|
| Mid | 5775 | 20.60 |




**MID CHANNEL**


UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
*This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.*