1TX ANT 6 MODE: 26 Tones, RU Index 36

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Mid	5210	21.40	18.3050



MID CHANNEL 26dB



MID CHANNEL OBW

1TX ANT 6 MODE: 996 Tones, RU Index 67

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Mid	5210	82.80	76.6830



MID CHANNEL 26dB



MID CHANNEL OBW

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

1TX ANT 5 MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Mid	5210	19.80	18.0550



MID CHANNEL 26dB



MID CHANNEL OBW

1TX ANT 5 MODE: 26 Tones, RU Index 18

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Mid	5210	39.80	37.0390



MID CHANNEL 26dB



MID CHANNEL OBW

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

1TX ANT 5 MODE: 26 Tones, RU Index 36

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Mid	5210	21.00	18.1110



MID CHANNEL 26dB



MID CHANNEL OBW

1TX ANT 5 MODE: 996 Tones, RU Index 67

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Mid	5210	82.80	76.7790



MID CHANNEL 26dB



MID CHANNEL OBW

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

2TX ANT 6 + ANT 5 OFDMA MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	26 dB Bandwidth Antenna 6 (MHz)	26 dB Bandwidth Antenna 5 (MHz)	99% Bandwidth Antenna 6 (MHz)	99% Bandwidth Antenna 5 (MHz)
Mid	5210	19.80	20.00	18.0430	18.0440

MID CHANNEL 26dB



MID CHANNEL [ANT 6]



MID CHANNEL [ANT 5]

MID CHANNEL OBW

MID CHANNEL [ANT 6]



MID CHANNEL [ANT 5]

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

2TX ANT 6 + ANT 5 OFDMA MODE: 26 Tones, RU Index 18

Channel	Frequency (MHz)	26 dB Bandwidth Antenna 6 (MHz)	26 dB Bandwidth Antenna 5 (MHz)	99% Bandwidth Antenna 6 (MHz)	99% Bandwidth Antenna 5 (MHz)
Mid	5210	40.40	38.60	36.3000	36.6420

MID CHANNEL 26dB



MID CHANNEL [ANT 6]

MID CHANNEL [ANT 5]

MID CHANNEL OBW

MID CHANNEL [ANT 6]

MID CHANNEL [ANT 5]

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

2TX ANT 6 + ANT 5 OFDMA MODE: 26 Tones, RU Index 36

Channel	Frequency (MHz)	26 dB Bandwidth Antenna 6 (MHz)	26 dB Bandwidth Antenna 5 (MHz)	99% Bandwidth Antenna 6 (MHz)	99% Bandwidth Antenna 5 (MHz)
Mid	5210	18.80	21.40	18.1240	18.3420

MID CHANNEL 26dB



MID CHANNEL [ANT 6]



MID CHANNEL [ANT 5]

MID CHANNEL OBW

MID CHANNEL [ANT 6]



MID CHANNEL [ANT 5]

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

2TX ANT 6 + ANT 5 OFDMA MODE: 996 Tones, RU Index 67

Channel	Frequency (MHz)	26 dB Bandwidth Antenna 6 (MHz)	26 dB Bandwidth Antenna 5 (MHz)	99% Bandwidth Antenna 6 (MHz)	99% Bandwidth Antenna 5 (MHz)
Mid	5210	83.00	83.80	76.5090	76.9070

MID CHANNEL 26dB



MID CHANNEL [ANT 6]

MID CHANNEL [ANT 5]

MID CHANNEL OBW



MID CHANNEL [ANT 6]



MID CHANNEL [ANT 5]

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

8.2.7. 802.11n HT20 MODE IN THE 5.3 GHz BAND

1TX ANT 6 MODE

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5260	21.40	17.6770
Mid	5300	21.50	17.5850
High	5320	21.55	17.7850



MID CHANNEL 26dB



MID CHANNEL OBW

1TX ANT 5 MODE

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5260	21.50	17.7030
Mid	5300	21.40	17.6690
High	5320	21.75	17.6390



MID CHANNEL 26dB



MID CHANNEL OBW

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

2TX ANT 6 + ANT 5 CDD MODE

Channel	Frequency (MHz)	26 dB Bandwidth Antenna 6 (MHz)	26 dB Bandwidth Antenna 5 (MHz)	99% Bandwidth Antenna 6 (MHz)	99% Bandwidth Antenna 5 (MHz)
Low	5260	21.70	21.20	17.7070	17.6490
Mid	5300	21.50	21.15	17.6000	17.7690
High	5320	21.50	21.20	17.5930	17.6050

MID CHANNEL 26dB



MID CHANNEL [ANT 6]

MID CHANNEL [ANT 5]

MID CHANNEL OBW



MID CHANNEL [ANT 6]



MID CHANNEL [ANT 5]

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

8.2.8. 802.11n HT40 MODE IN THE 5.3 GHz BAND

1TX ANT 6 MODE

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5270	43.70	36.1140
High	5310	43.40	36.2430



LOW CHANNEL 26dB



LOW CHANNEL OBW

1TX ANT 5 MODE

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5270	43.50	36.0220
High	5310	43.00	36.0360



LOW CHANNEL 26dB



LOW CHANNEL OBW

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

2TX ANT 6 + ANT 5 CDD MODE

Channel	Frequency (MHz)	26dB Bandwidth Antenna 6 (MHz)	26dB Bandwidth Antenna 5 (MHz)	99% Bandwidth Antenna 6 (MHz)	99% Bandwidth Antenna 5 (MHz)
Low	5270	43.70	41.50	36.1720	36.1260
High	5310	43.50	41.00	36.1340	36.0510

LOW CHANNEL 26dB



LOW CHANNEL [ANT 6]



LOW CHANNEL [ANT 5]

LOW CHANNEL OBW



LOW CHANNEL [ANT 6]



LOW CHANNEL [ANT 5]

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

8.2.9. 802.11ac VHT80 MODE IN THE 5.3 GHz BAND

1TX ANT 6 MODE

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99& Bandwidth (MHz)
Mid	5290	83.00	75.1740



MID CHANNEL 26dB



MID CHANNEL OBW

1TX ANT 5 MODE

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99& Bandwidth (MHz)
Mid	5290	83.80	75.1620

MID CHANNEL 26dB



MID CHANNEL OBW

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

2TX ANT 6 + ANT 5 CDD MODE

Channel	Frequency (MHz)	26dB Bandwidth Antenna 6 (MHz)	26dB Bandwidth Antenna 5 (MHz)	99% Bandwidth Antenna 6 (MHz)	99% Bandwidth Antenna 5 (MHz)
Mid	5290	83.00	83.80	75.3940	75.4560

MID CHANNEL 26dB



MID CHANNEL [ANT 6]



MID CHANNEL [ANT 5]

MID CHANNEL OBW



MID CHANNEL [ANT 6]



MID CHANNEL [ANT 5]

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

8.2.10.802.11ax HE20 MODE IN THE 5.3 GHz BAND

1TX ANT 6 MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5260	20.25	18.3410
Mid	5300	20.15	18.4280
High	5320	20.20	18.3020



MID CHANNEL 26dB



MID CHANNEL OBW

1TX ANT 6 MODE: 26 Tones, RU Index 4

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5260	19.30	17.1300
Mid	5300	19.30	17.1400
High	5320	19.00	17.1190



MID CHANNEL 26dB



MID CHANNEL OBW

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

1TX ANT 6 MODE: 26 Tones, RU Index 8

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5260	20.55	18.2450
Mid	5300	20.70	18.4780
High	5320	20.70	18.3820



MID CHANNEL 26dB



MID CHANNEL OBW

1TX ANT 6 MODE: 242 Tones, RU Index 61

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5260	21.40	18.8860
Mid	5300	21.45	18.8840
High	5320	21.40	18.8820



MID CHANNEL 26dB



MID CHANNEL OBW

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

1TX ANT 5 MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5260	20.25	18.3020
Mid	5300	19.90	17.7250
High	5320	20.10	18.2340



MID CHANNEL 26dB



MID CHANNEL OBW

1TX ANT 5 MODE: 26 Tones, RU Index 4

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5260	19.30	17.1780
Mid	5300	19.40	16.8680
High	5320	19.35	17.2310



MID CHANNEL 26dB



MID CHANNEL OBW

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

1TX ANT 5 MODE: 26 Tones, RU Index 8

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5260	20.65	18.3850
Mid	5300	20.60	18.5270
High	5320	20.30	18.5450



MID CHANNEL 26dB



MID CHANNEL OBW

1TX ANT 5 MODE: 242 Tones, RU Index 61

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5260	21.35	18.8940
Mid	5300	21.45	18.8840
High	5320	21.35	18.9560



MID CHANNEL 26dB



MID CHANNEL OBW

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

2TX ANT 6 + ANT 5 OFDMA MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	26 dB Bandwidth Antenna 6 (MHz)	26 dB Bandwidth Antenna 5 (MHz)	99% Bandwidth Antenna 6 (MHz)	99% Bandwidth Antenna 5 (MHz)
Low	5260	20.05	19.50	18.3240	18.3760
Mid	5300	20.15	20.00	18.4520	18.3770
High	5320	20.25	19.85	18.3770	18.2330

MID CHANNEL 26dB



MID CHANNEL [ANT 6]



MID CHANNEL [ANT 5]

MID CHANNEL OBW



MID CHANNEL [ANT 6]



MID CHANNEL [ANT 5]

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

2TX ANT 6 + ANT 5 OFDMA MODE: 26 Tones, RU Index 4

Channel	Frequency (MHz)	26 dB Bandwidth Antenna 6 (MHz)	26 dB Bandwidth Antenna 5 (MHz)	99% Bandwidth Antenna 6 (MHz)	99% Bandwidth Antenna 5 (MHz)
Low	5260	19.50	18.20	17.2320	17.0000
Mid	5300	19.35	18.35	17.1040	16.9460
High	5320	19.10	18.45	17.1340	16.9700

MID CHANNEL 26dB



MID CHANNEL [ANT 6]



MID CHANNEL [ANT 5]

MID CHANNEL OBW

MID CHANNEL [ANT 6]



MID CHANNEL [ANT 5]

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

2TX ANT 6 + ANT 5 OFDMA MODE: 26 Tones, RU Index 8

Channel	Frequency (MHz)	26 dB Bandwidth Antenna 6 (MHz)	26 dB Bandwidth Antenna 5 (MHz)	99% Bandwidth Antenna 6 (MHz)	99% Bandwidth Antenna 5 (MHz)
Low	5260	20.65	19.70	18.4540	18.4040
Mid	5300	20.40	19.90	18.4140	18.2650
High	5320	20.70	20.00	18.4500	18.3030

MID CHANNEL 26dB



MID CHANNEL [ANT 6]



MID CHANNEL [ANT 5]

MID CHANNEL OBW



MID CHANNEL [ANT 6]



MID CHANNEL [ANT 5]

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

2TX ANT 6 + ANT 5 OFDMA MODE: 242 Tones, RU Index 61

Channel	Frequency (MHz)	26 dB Bandwidth Antenna 6 (MHz)	26 dB Bandwidth Antenna 5 (MHz)	99% Bandwidth Antenna 6 (MHz)	99% Bandwidth Antenna 5 (MHz)
Low	5260	21.60	21.40	18.9040	18.8730
Mid	5300	21.35	21.30	18.9280	18.8920
High	5320	21.35	21.35	18.8800	18.9180

MID CHANNEL 26dB



MID CHANNEL [ANT 6]



MID CHANNEL [ANT 5]

MID CHANNEL OBW



MID CHANNEL [ANT 6]



MID CHANNEL [ANT 5]

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

8.2.11.802.11ax HE40 MODE IN THE 5.3 GHz BAND

1TX ANT 6 MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5270	20.50	18.4440
High	5310	20.50	18.1010



LOW CHANNEL 26dB



LOW CHANNEL OBW

1TX ANT 6 MODE: 26 Tones, RU Index 8

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5270	23.00	21.8280
High	5310	23.50	21.4210



LOW CHANNEL 26dB



LOW CHANNEL OBW

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

1TX ANT 6 MODE: 26 Tones, RU Index 17

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5270	19.70	18.5570
High	5310	20.20	18.4830



LOW CHANNEL 26dB



LOW CHANNEL OBW

1TX ANT 6 MODE: 484Tones, RU Index 65

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5270	40.90	37.4470
High	5310	41.10	37.6240



LOW CHANNEL 26dB



LOW CHANNEL OBW

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

1TX ANT 5 MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5270	20.30	18.0230
High	5310	20.50	18.0820



LOW CHANNEL 26dB



LOW CHANNEL OBW

1TX ANT 5 MODE: 26 Tones, RU Index 8

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5270	22.70	20.6460
High	5310	22.70	21.2040



LOW CHANNEL 26dB



LOW CHANNEL OBW

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

1TX ANT 5 MODE: 26 Tones, RU Index 17

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5270	19.80	18.20
High	5310	20.50	18.08



LOW CHANNEL 26dB



LOW CHANNEL OBW

1TX ANT 5 MODE: 484 Tones, RU Index 65

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5270	41.10	37.6260
High	5310	41.00	37.6270



LOW CHANNEL 26dB



LOW CHANNEL OBW

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

2TX ANT 6 + ANT 5 OFDMA MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	26 dB Bandwidth Antenna 6 (MHz)	26 dB Bandwidth Antenna 5 (MHz)	99% Bandwidth Antenna 6 (MHz)	99% Bandwidth Antenna 5 (MHz)
Low	5270	20.30	19.50	18.2500	18.2210
High	5310	20.50	19.40	18.4600	18.1760

LOW CHANNEL 26dB



LOW CHANNEL [ANT 6]



LOW CHANNEL [ANT 5]

LOW CHANNEL OBW



LOW CHANNEL [ANT 6]



LOW CHANNEL [ANT 5]

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

2TX ANT 6 + ANT 5 OFDMA MODE: 26 Tones, RU Index 8

Channel	Frequency (MHz)	26 dB Bandwidth Antenna 6 (MHz)	26 dB Bandwidth Antenna 5 (MHz)	99% Bandwidth Antenna 6 (MHz)	99% Bandwidth Antenna 5 (MHz)
Low	5270	22.50	22.30	21.2760	21.4920
High	5310	23.60	22.50	21.6050	21.6850

LOW CHANNEL 26dB



LOW CHANNEL [ANT 6]



LOW CHANNEL [ANT 5]

LOW CHANNEL OBW



LOW CHANNEL [ANT 6]



LOW CHANNEL [ANT 5]

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

2TX ANT 6 + ANT 5 OFDMA MODE: 26 Tones, RU Index 17

Channel	Frequency (MHz)	26 dB Bandwidth Antenna 6 (MHz)	26 dB Bandwidth Antenna 5 (MHz)	99% Bandwidth Antenna 6 (MHz)	99% Bandwidth Antenna 5 (MHz)
Low	5270	19.10	19.40	18.2710	18.2030
High	5310	20.00	19.20	18.1330	18.0780

LOW CHANNEL 26dB



LOW CHANNEL [ANT 6]



LOW CHANNEL [ANT 5]

LOW CHANNEL OBW

LOW CHANNEL [ANT 6]



LOW CHANNEL [ANT 5]

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

2TX ANT 6 + ANT 5 OFDMA MODE: 484 Tones, RU Index 65

Channel	Frequency (MHz)	26 dB Bandwidth Antenna 6 (MHz)	26 dB Bandwidth Antenna 5 (MHz)	99% Bandwidth Antenna 6 (MHz)	99% Bandwidth Antenna 5 (MHz)
Low	5270	41.10	40.90	37.6650	37.6950
High	5310	41.00	40.80	37.4290	37.5540

LOW CHANNEL 26dB



LOW CHANNEL [ANT 6]



LOW CHANNEL [ANT 5]

LOW CHANNEL OBW

LOW CHANNEL [ANT 6]



LOW CHANNEL [ANT 5]

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

8.2.12.802.11ax HE80 MODE IN THE 5.3 GHz BAND

1TX ANT 6 MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Mid	5290	20.40	18.1320

MID CHANNEL 26dB



MID CHANNEL OBW

1TX ANT 6 MODE: 26 Tones, RU Index 18

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Mid	5290	40.00	36.6500

MID CHANNEL 26dB



MID CHANNEL OBW

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

1TX ANT 6 MODE: 26 Tones, RU Index 36

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Mid	5290	20.60	18.1618



MID CHANNEL 26dB



MID CHANNEL OBW

1TX ANT 6 MODE: 996 Tones, RU Index 67

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Mid	5290	83.20	76.4382



MID CHANNEL 26dB



MID CHANNEL OBW

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

1TX ANT 5 MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Mid	5290	20.40	18.218



MID CHANNEL 26dB



MID CHANNEL OBW

1TX ANT 5 MODE: 26 Tones, RU Index 18

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Mid	5290	39.80	37.0970



MID CHANNEL 26dB



MID CHANNEL OBW

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.