




ANT 3 SPURIOUS EMISSIONS, NON-HOPPING


ANT 3 SPURIOUS BANDEDGE EMISSIONS WITH HOPPING ON







9.8.4. HIGH POWER ENHANCED RATE TXBF 8PSK MODULATION

Note: Test procedure on beamforming mode is same as BT basic and EDR mode

ANT 4



ANT 4 SPURIOUS BANDEDGE EMISSIONS WITH HOPPING ON

ANT 3

LOW BANDEDGE

Center Freq 2.40000000 GHz
#Avg Type: RM5
Avg/Hold: 100/100
Span 15.00 MHz
#Res BW 100 kHz
#VBW 300 kHz
Sweep 1.000 ms (1001 pts)
CF Step 1.500000 MHz
Auto Man
Freq Offset 0 Hz
Scale Type Log Lin
Log Lin

MODE	MARK	TRAC	SCN	F	M	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	f		2.402 850 GHz				18.206 dBm
2	N	f		2.400 000 GHz				-31.312 dBm
3	N	f		2.399 670 GHz				-28.298 dBm


HIGH BANDEDGE


Center Freq 2.48350000 GHz
#Avg Type: RM5
Avg/Hold: 100/100
Span 15.00 MHz
#Res BW 100 kHz
#VBW 300 kHz
Sweep 1.000 ms (1001 pts)
CF Step 1.500000 MHz
Auto Man
Freq Offset 0 Hz
Scale Type Log Lin
Log Lin


MODE	MARK	TRAC	SCN	F	M	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	f		2.478 160 GHz				17.662 dBm
2	N	f		2.490 805 GHz				-37.221 dBm
3	N	f		2.483 500 GHz				-38.944 dBm


9.8.5. LOW POWER BASIC DATA RATE GFSK MODULATION

ANT 4 SPURIOUS EMISSIONS, NON-HOPPING



ANT 4 SPURIOUS BANDEDGE EMISSIONS WITH HOPPING ON


ANT 3 SPURIOUS EMISSIONS, NON-HOPPING


ANT 3 SPURIOUS BANDEDGE EMISSIONS WITH HOPPING ON







9.8.6. LOW POWER BASIC DATA RATE TXBF GFSK MODULATION


Note: Test procedure on beamforming mode is same as BT basic and EDR mode

ANT 4




ANT 4 SPURIOUS BANDEDGE EMISSIONS WITH HOPPING ON

ANT 3


ANT 3 SPURIOUS BANDEDGE EMISSIONS WITH HOPPING ON

9.8.7. LOW POWER ENHANCED DATA RATE 8PSK MODULATION


ANT 4 SPURIOUS EMISSIONS, NON-HOPPING




LOW CHANNEL BANDEDGE




OUT-OF-BAND LOW CHANNEL




IN-BAND REFERENCE LEVEL




OUT-OF-BAND MID CHANNEL










HIGH CHANNEL BANDEDGE



OUT-OF-BAND HIGH CHANNEL

ANT 4 SPURIOUS BANDEDGE EMISSIONS WITH HOPPING ON


ANT 3 SPURIOUS EMISSIONS, NON-HOPPING**LOW CHANNEL BANDEDGE****OUT-OF-BAND LOW CHANNEL****IN-BAND REFERENCE LEVEL****OUT-OF-BAND MID CHANNEL****HIGH CHANNEL BANDEDGE****OUT-OF-BAND HIGH CHANNEL**

ANT 3 SPURIOUS BANDEDGE EMISSIONS WITH HOPPING ON

9.8.8. LOW POWER ENHANCED DATA RATE TXBF 8PSK MODULATION

Note: Test procedure on beamforming mode is same as BT basic and EDR mode

ANT 4



ANT 4 SPURIOUS BANDEDGE EMISSIONS WITH HOPPING ON