
















5G NR n48 30MHz BPSK Middle Channel RB1-0




5G NR n48 30MHz BPSK High Channel RB1-0




5G NR n48 30MHz BPSK Middle Channel RB1-77




5G NR n48 30MHz BPSK High Channel RB1-77




5G NR n48 30MHz BPSK Middle Channel RB75-0




5G NR n48 30MHz BPSK High Channel RB75-0




5G NR n48 40MHz BPSK Low Channel RB1-0




5G NR n48 40MHz BPSK Middle Channel RB1-0




5G NR n48 40MHz BPSK Low Channel RB1-105




5G NR n48 40MHz BPSK Middle Channel RB1-105



5G NR n48 40MHz BPSK Low Channel RB100-0, ID:12482




5G NR n48 40MHz BPSK Middle Channel RB100-0



5G NR n48 ADJACENT CHANNEL POWER



















9.2.12. LTE BAND 66 AND 5G NR n66

LIMITS


FCC: §27.53(h)

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log (P)$ dB.


LTE BAND 66 BANDEDGE




LTE B66 1.4MHz QPSK Low Channel RB1-0, ID:25780




LTE B66 1.4MHz QPSK High Channel RB1-5, ID:25780




LTE B66 1.4MHz QPSK Low Channel RB6-0, ID:25780



LTE B66 1.4MHz QPSK High Channel RB6-0, ID:25780



LTE B66 3MHz QPSK Low Channel RB1-0, ID:25780



LTE B66 3MHz QPSK High Channel RB1-14, ID:25780

