


























5G NR n48 ADJACENT CHANNEL POWER














5G NR n48 20MHz BPSK High Channel RB1-0




5G NR n48 30MHz BPSK Low Channel RB1-0




5G NR n48 20MHz BPSK High Channel RB1-50



5G NR n48 30MHz BPSK Low Channel RB1-77




5G NR n48 20MHz BPSK High Channel RB50-0




5G NR n48 30MHz BPSK Low Channel RB75-0







5G NR n48 40MHz BPSK Low Channel RB1-0




5G NR n48 40MHz BPSK Middle Channel RB1-0




5G NR n48 40MHz BPSK Low Channel RB1-105




5G NR n48 40MHz BPSK Middle Channel RB1-105



5G NR n48 40MHz BPSK Low Channel RB100-0



5G NR n48 40MHz BPSK Middle Channel RB100-0




9.2.12. LTE BAND 66 AND 5G NR n66

LIMITS


FCC: §27.53(h)

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log (P)$ dB.







LTE B66 3MHz QPSK Low Channel RB15-0, ID:25780




LTE B66 3MHz QPSK High Channel RB15-0, ID:25780




LTE B66 5MHz QPSK Low Channel RB1-0, ID:25780



LTE B66 5MHz QPSK High Channel RB1-24, ID:25780



LTE B66 5MHz QPSK Low Channel RB25-0, ID:25780



LTE B66 5MHz QPSK High Channel RB25-0, ID:25780

